



POWER TRANSMISSION

2012 PRODUCTS CATALOG



Table of Contents

PREVENTIVE MAINTENANCE TOOLS PAGE
Krikkit Gauges1
Pencil Type Tension Tester1
Double Barrel Tension Tester1
Five Barrel Tension Tester1
Sonic Tension Meter and Accessories1
Preventive Maintenance Tools1
EZ Align® Precision Laser Alignment Devices1
Truflex® and PoweRated® Belt Length Finder1
Sheave Gauges1
Tensioning and Alignment Devices1
Belt Displays1

SYNCHRONOUS BELTS
Poly Chain® GT® Carbon™ Belts2-5
Poly Chain® GT® Carbon™ - Extended Length Belts6
Curve Saw Poly Chain® GT®2 Belts7
Poly Chain® GT® Carbon™ Belts - 8M Short Length8
Poly Chain® GT® Belts - 5M9
Poly Chain® HTD® Belts (14M)10-11
Eliminator® Belts12-15
PowerGrip® TruMotion® Belts16
PowerGrip® GT®2 Belts - 2MR and 3MR17-20
PowerGrip® GT®2 Belts - 5MR21-22
PowerGrip® GT®2 Belts - 8M, 14M and ACHE23-26
PowerGrip® HTD® Belts (3M, 5M, 20M)27-34
PowerGrip® Timing Belts (MXL, XL, L, H, XH, XXH)35-46
Cotton Cleaner Belts (Special Pitch/KEVLAR® Tensile Timing Belts)47
PowerGrip® GT®2 Twin Power® Belts - 3MR and 5MR48-49
PowerGrip® GT®2 Twin Power® Belts (8M, 14M)50-53
PowerGrip® HTD® Twin Power® Belts (3M, 5M)54-55
PowerGrip® Twin Power® Timing Belts (TPXL, TPL, TPH)56-62
Long-Length Poly Chain® GT® Carbon™ Belting63
Long-Length PowerGrip® GT®2 Belting64
Long-Length PowerGrip® HTD® Belting65
Long-Length PowerGrip® Timing Belting66
Synchro-Power® Polyurethane Belting67
Synchro-Power® Polyurethane Belts68-90
Synchro-Power® Polyurethane Timing Belts91-93
Synchro-Power® Polyurethane Timing Belts94-95

HEAVY DUTY BELTS
Super HC® Belts (3V, 5V, 8V)94-95
Super HC® Molded Notch Belts (3VX, 5VX, 8VX)96-98
Super HC® PowerBand® Belts (3V, 5V, 8V)99-101
Super HC® Molded Notch PowerBand® Belts (3VX, 5VX)102-103
Predator® Single Belts (AP, BP, CP, 5VP, 8VP, SPB-P, SPC-P)104-107
Predator® PowerBand® Belts (CP, 3VP, 5VP, 8VP)108-110
Hi-Power® II Belts (A, B, C, D, E)111-116
Hi-Power® II PowerBand® V-Belts (A, B, C, D)117-121
Tri-Power® Belts (AX, BX, CX)122-124
Metric-Power™ V-Belts125-128
Hi-Power® II Dubl-V Belts (AA, BB, CC, DD)129-131
Dubl-V Feather Picker Belts (AA, BB)132
PowerBack® Belts133
Power Curve® Belts134
Micro-V® Belts (J, L, M)135-137
G-Force® Belts138
Xtreme® Snowmobile Belts139
Multi-Speed Belts (Variable Speed)140-144
Nu-T-Link® Belting145
Easy-Splice V-Belting146

HEAVY DUTY BELTS (CONTINUED) PAGE
Tubewinder Belts147
Power Round® Belts (9/16")148
Round Endless Belts (1/4", 5/16", 3/8", 7/16", 1/2", 9/16")149-153

LIGHT DUTY BELTS
Truflex® V-Belts (2L, 3L, 4L, 5L)154-157
PoweRated® V-Belts (67, 68, 69)158-160
BladeRunner® Belts161-162
Polyflex® Belts (3M, 5M, 7M, 11M)163-165
Polyflex® JB® Belts (3MJB, 5MJB, 7MJB, 11MJB)166-171

SYNCHRONOUS METAL
Poly Chain® GT®2 Sprockets (8M, 14M and ACHE)172-179
Draftguard® Anti-Rotation Device180
Poly Chain® GT®2 Sprockets - Stainless Steel181-182
Poly Chain® GT®2 Sprockets - Re-Bore183-184
PowerGrip® GT®2 and Poly Chain® GT® - 5M Sprockets185-186
PowerGrip® GT®2 Sprockets - 8M, 14M and ACHE187-192
PowerGrip® GT®2 Sprockets - 2MR and 3MR193-196
PowerGrip® HTD® Sprockets (3M, 5M, 20)197-201
PowerGrip® Timing Pulleys202-207
Clamping Plates for Long-Length Belting208

HEAVY DUTY V-BELT METAL
Super HC® Sheaves - QD®209-217
Multi-Duty® Sheaves - QD®218-228
JVS Adjustable Speed Sheaves - Bored-to-Size229
5VS and 8VS Adjustable Speed Sheaves - QD®230-231
SVS Adjustable Speed Sheaves - Bored-To-Size232-233

LIGHT DUTY V-BELT METAL
Light Duty Sheaves - Bored-to-Size234-236
Light Duty Sheaves - Variable Pitch237
Light Duty Sheaves - H Bushed238
Light Duty Sheaves - QT Bushed239-242

BUSHINGS
QD® Bushings - English Sizes243-245
QD® VS Bushings - English Sizes246
QD® Bushings - Metric Sizes247
Taper-Lock® Bushings - English Sizes248-252
Stainless Steel Taper-Lock® Bushings - English Sizes253
Taper-Lock® Bushings - Metric Sizes254
Stainless Steel Taper-Lock® Bushings - Metric Sizes255
Taper-Lock® Bushings - Reborable256
H-Type Bushings257
QT-Type Bushings258

IDLER
Flat Idler Pulley259
Poly Chain® GT® Carbon™ Idler Sprocket260
Nickel Plate Poly Chain® GT® Carbon™ Idler Sprocket260
PowerGrip® GT®2 Idler Sprocket260
Idler Brackets261
Nickel Plated Idler Brackets261
Idler Bushings262

GENERAL
Footnotes263
Decimal and Millimeter Equivalents of Fractions264
Weights and Measures265



Index

Belts

| DESCRIPTION | PAGE |
|---|---------|
| BladeRunner® Belts | 161-162 |
| Cotton Cleaner Belts (Special Pitch/KEVLAR® Tensile Timing Belts) | 47 |
| Curve Saw Poly Chain® GT®2 Belts | 7 |
| Dubl-V Feather Picker Belts (AA, BB) | 132 |
| Easy-Splice V-Belting | 146 |
| Eliminator® Belts | 12-15 |
| G-Force® Belts | 138 |
| Hi-Power® II Belts (A, B, C, D, E) | 111-116 |
| Hi-Power® II Dubl-V Belts (AA, BB, CC, DD) | 129-131 |
| Hi-Power® II PowerBand® V-Belts (A, B, C, D) | 117-121 |
| Long-Length Poly Chain® GT® Carbon™ Belting | 63 |
| Long-Length PowerGrip® GT®2 Belting | 64 |
| Long-Length PowerGrip® HTD® Belting | 65 |
| Long-Length PowerGrip® Timing Belting | 66 |
| Metric-Power™ V-Belts | 125-128 |
| Micro-V® Belts (J, L, M) | 135-137 |
| Multi-Speed Belts (Variable Speed) | 140-144 |
| Nu-T-Link® Belting | 145 |
| Poly Chain® GT® Belts - 5M | 9 |
| Poly Chain® GT® Carbon™ - Extended Length Belts | 6 |
| Poly Chain® GT® Carbon™ Belts - 8M Short Length | 8 |
| Poly Chain® GT® Carbon™ Belts | 2-5 |
| Poly Chain® HTD® Belts (14M) | 10-11 |
| Polyflex® Belts (3M, 5M, 7M, 11M) | 163-165 |
| Polyflex® JB® Belts (3MJB, 5MJB, 7MJB, 11MJB) | 166-171 |
| Power Curve® Belts | 134 |
| Power Round® Belts (9/16") | 148 |

| DESCRIPTION | PAGE |
|---|---------|
| PoweRated® V-Belts (67, 68, 69) | 158-160 |
| PowerBack® Belts | 133 |
| PowerGrip® GT®2 Belts - 2MR and 3MR | 17-20 |
| PowerGrip® GT®2 Belts - 5MR | 21-22 |
| PowerGrip® GT®2 Belts - 8M, 14M and ACHE | 23-26 |
| PowerGrip® GT®2 Twin Power® Belts - 3MR and 5MR | 48-49 |
| PowerGrip® GT®2 Twin Power® Belts (8M, 14M) | 50-53 |
| PowerGrip® HTD® Belts (3M, 5M, 20M) | 27-34 |
| PowerGrip® HTD® Twin Power® Belts (3M, 5M) | 54-55 |
| PowerGrip® Timing Belts (MXL, XL, L, H, XH, XXH) | 35-46 |
| PowerGrip® TruMotion® Belts | 16 |
| PowerGrip® Twin Power® Timing Belts (TPXL, TPL, TPH) | 56-62 |
| Predator® PowerBand® Belts (CP, 3VP, 5VP, 8VP) | 108-110 |
| Predator® Single Belts (AP, BP, CP, 5VP, 8VP, SPB-P, SPC-P) | 104-107 |
| Preventive Maintenance Tools | 1 |
| Round Endless Belts (1/4", 5/16", 3/8", 7/16", 1/2", 9/16") | 149-153 |
| Super HC® Belts (3V, 5V, 8V) | 94-95 |
| Super HC® Molded Notch Belts (3VX, 5VX, 8VX) | 96-98 |
| Super HC® Molded Notch PowerBand® Belts (3VX, 5VX) | 102-103 |
| Super HC® PowerBand® Belts (3V, 5V, 8V) | 99-101 |
| Synchro-Power® Polyurethane Belting | 67 |
| Synchro-Power® Polyurethane Belts | 68-90 |
| Synchro-Power® Polyurethane Timing Belts | 91-93 |
| Tri-Power® Belts (AX, BX, CX) | 122-124 |
| Truflex® V-Belts (2L, 3L, 4L, 5L) | 154-157 |
| Tubewinder Belts | 147 |
| Xtreme® Snowmobile Belts | 139 |

Metal Products

| DESCRIPTION | PAGE |
|---|---------|
| 5VS and 8VS Adjustable Speed Sheaves - QD® | 230-231 |
| Clamping Plates for Long-Length Belting | 208 |
| Draftguard® Anti-Rotation Device | 180 |
| Flat Idler Pulley | 259 |
| H-Type Bushings | 257 |
| Idler Brackets | 261 |
| Idler Bushings | 262 |
| JVS Adjustable Speed Sheaves - Bored-to-Size | 229 |
| Light Duty Sheaves - Bored-to-Size | 234-236 |
| Light Duty Sheaves - H Bushed | 238 |
| Light Duty Sheaves - QT Bushed | 239-242 |
| Light Duty Sheaves - Variable Pitch | 237 |
| Multi-Duty® Sheaves - QD® | 218-228 |
| Nickel Plate Poly Chain® GT® Carbon™ Idler Sprocket | 260 |
| Nickel Plated Idler Brackets | 261 |
| Poly Chain® GT® Carbon™ Idler Sprocket | 260 |
| Poly Chain® GT®2 Sprockets - Re-Bore | 183-184 |
| Poly Chain® GT®2 Sprockets - Stainless Steel | 181-182 |
| Poly Chain® GT®2 Sprockets (8M, 14M and ACHE) | 172-179 |
| PowerGrip® GT®2 and Poly Chain® GT® - 5M Sprockets | 185-186 |
| PowerGrip® GT®2 Idler Sprocket | 260 |
| PowerGrip® GT®2 Sprockets - 2MR and 3MR | 193-196 |
| PowerGrip® GT®2 Sprockets - 8M, 14M and ACHE | 187-192 |
| PowerGrip® HTD® Sprockets (3M, 5M, 20) | 197-201 |
| PowerGrip® Timing Pulleys | 202-207 |
| QD® Bushings - English Sizes | 243-245 |
| QD® Bushings - Metric Sizes | 247 |
| QD® VS Bushings - English Sizes | 246 |
| QT-Type Bushings | 258 |

| DESCRIPTION | PAGE |
|--|---------|
| Stainless Steel Taper-Lock® Bushings - English Sizes | 253 |
| Stainless Steel Taper-Lock® Bushings - Metric Sizes | 255 |
| Super HC® Sheaves - QD® | 209-217 |
| SVS Adjustable Speed Sheaves - Bored-To-Size | 232-233 |
| Taper-Lock® Bushings - English Sizes | 248-252 |
| Taper-Lock® Bushings - Metric Sizes | 254 |
| Taper-Lock® Bushings - Reborable | 256 |



General Information and Glossary

Dimensions

Gates reserves the right to make changes in design or dimensions of standard products to improve their quality or to accommodate improved manufacturing techniques. All dimensions in this catalog are for reference only.

Weights

All weights are close approximations and may vary slightly from actual weights.

Glossary

Ordering Terminology

PBL — “Private Brand Label” of Gates standard line belts. Available upon customer request. PBL products are made-to-order and may require additional lead times and cost.

Standard/Non-Stock Belt Products — Products do not require minimum production quantities but may require production lead time and items are not returnable. Check with customer service for details.

Standard/Non-Stock Metal Products — Products do not require minimum production quantities but may require production lead time and items are not returnable. Check with customer service for details.

Stock Belt Products — Products in this catalog are stock unless otherwise noted.

Belt Products Terminology

Aramid Tensile Members — Available in several stock lines and on an MTO basis. Also referred to as Kevlar® or Flexten®.

Arched Top — Construction feature that provides superior strength to prevent distortion of the tensile section.

Banded — Belts with a fabric cover over the belt body. Also referred to as wrapped or covered belts.

Bandless — Belts with no fabric cover. Also referred to as cut edge, raw edge or machined edge.

Bareback — Belts manufactured without rubber material being applied to the outside surface of the banded belt. Also known as low friction, dry cover or clutching cover.

Belt Body — The main part of any belt that generally surrounds, supports and protects the load-carrying tensile cords.

Belting — see Long Length.

Carbon Tensile Member (U.S. Patent 5,807,194 & 5,112,282) — Currently available in Poly Chain® GT® Carbon™ belts. Gates provides the only belt on the market utilizing carbon fiber tensile in a dynamic application.

Compound — Mixtures of rubber, plastics and other materials that are used to form the body of the belt.

Concave Sides (U.S. Patent 1813698) — Construction that allows the belt to make uniform contact with sheave groove, thus distributing wear uniformly.

Datum Diameter — A system that defines specific sheave and belt dimensions, previously known as the pitch system (diameter or length) for classical belts and sheaves.

Effective Length (E.L.) — A standard length measurement that accounts for varying construction and manufacturing methods in the industry. The length is determined by adding the effective circumference to twice the measured center distance using sheaves and an applied tension specified by the RMA.

Eliminator® Belt — Gates trade name for a high-performance, polyurethane, synchronous belt designed to replace RPP® belts.

Endless — also known as **truly endless**, a belt manufactured in a continuous circle, never utilizing a splice or joint.

EPDM — ethylene propylene diene monomer. A unique rubber construction that provides improved performance and heat resistance.

Extended Length™ — a descriptor of Poly Chain® GT® Carbon™ belts that are longer than the standard catalog lengths. Extended Length is achieved through a special manufacturing process. Design support is available from Product Application for drives needing Gates Extended Length solutions.

Flex Bonded Cord — Strong chemical bond between rubber body and tensile cord. Allows for absorption of bending stress and long service life. Avoids premature failure due to cord separation.

Flex-Weave® Cover — Patented nylon and cotton blended fabric construction that increases flexibility and reduces cover stress providing longer cover life and longer protection of belt core.

Gates Curves — Belts with this feature compensate for effects that occur when a V-belt bends in a sheave. Curved belts feature concave sides, radius relief and arched tops.

Hi-Power® II Belt — Gates trade name for belts commonly referred to as classical, wedge or conventional.

Idler — 1) A non-powered pulley, sheave, sprocket or wheel around which a belt travels. 2) A non-powered roll or rolls supporting a belt.

Long Length — also known as belting, the same construction as a conventional belt but not in a continuous circle. Long Length belting is used in applications such as rack systems, linear actuators, automatic commercial door openers, garage door openers, etc.

Metric Power™ Belt — Gates trade name for molded notch, narrow and classical section V-belts in metric sizes.

Micro-V® Belt — Gates trade name for belts commonly referred to as V-ribbed, multi-rib and Poly-V.

Molded Notch Belts — Often referred to as cogged, notched or cut notch belts. Notches reduce bending stress.

Multi-Speed™ Belts — Gates trade name for products commonly referred to as variable speed, wide range variable speed, adjustable speed and variable pitch.

Transportation Policy

All prices are F.O.B. point of shipment. The “F.O.B. point of shipment” term means that the title to the goods, as well as the full responsibility of all aspects of the shipment, passes to the consignee (customer) at time of shipment, and any tracking or claims against the carrier for loss or damage become the responsibility of the consignee.

Aircraft Policy

WARNING! BE SAFE! Do not use Gates belts, pulleys or sprockets on aircraft propeller or rotor drive systems or in-flight accessory drives. Gates products are not designed or intended for aircraft use.



Oil and Heat Resistance (OHR) — Property of the belt that allows it to withstand the effects of oil, heat, sunlight, ozone, weather and aging.

Outside Circumference (O.C.) — The circumference (total length) measured around the outside of the belt, typically with a tape, while the belt is still on the drive. This measurement can be used to determine the closest belt length when a part number is not available.

Poly Chain® GT® Belt — Gates trade name for a premium, high torque, polyurethane, synchronous belt with aramid tensile cord.

Poly Chain® GT® Carbon™ Belt — Gates trade name for the ultimate, high-torque, polyurethane, synchronous belt utilizing carbon cord as the tensile member.

Polyflex® Belt — a Gates trademark for a polyurethane V-belt that is often used in high precision drives, such as machine tools and small appliances.

Polyflex® JB® Belt — a Gates trademark for two or more joined polyurethane V-belts.

PowerRated® Belt — Gates trade name for a line of premium fractional horsepower belts.

PowerBack® Belt — Gates trade name for a specialty construction V-belt with a flat back for driving roll-to-roll conveyor applications.

PowerBand® Belt — Gates trade name for two or more belts joined together at the top of the belt. It is also referred to as a joined or banded belt.

Power Curve® Belt — Gates trade name for a special flexible construction V-belt for curved conveyor applications.

PowerGrip® Belt — Gates trade name for several synchronous product lines including timing, HTD®, GT®2 and Twin Power®.

PowerGrip® HTD®/GT®2 Belts — Gates trade name for a high-torque drive system with a curvilinear tooth profile. These belts are often referred to as Gilmer, timing, positive or synchronous belts. They are sometimes referred to, in error, as cogged or notched belts.

Predator® Belts — Gates trade name for the highest performing V-belts. Predator belt construction is available in narrow and classical profiles and single and PowerBand® configurations.

Radius Relief — Construction that minimizes corner wear and works with concave sides to assure proper support of the belt.

Super HC®/Super HC® Molded Notch Belt — Gates trade name for a drive system commonly known as narrow or deep wedge.

Superior Length Stability — Assures V-belts require less re-tensioning and take-up during their service.

Synchro-Power® — Gates trade name for endless polyurethane construction belts, also known as Gates Mectrol® belts. Also available as long length belting in specialized constructions such as food grade, heavy backing, textured backing, and utilizing various tensile cord materials.

Synchronous — Generic term used for power transmission drive systems utilizing toothed belts in mesh with grooved pulleys or sprockets. These systems are also referred to as Gilmer or timing.

Tensile Cord — V-belts typically use special polyester cords, with aramid used in some specialty belts, such as Predator® and PowerRated® belts. Synchronous belts generally have fiberglass cords, except for the carbon fiber used in Poly Chain® GT® Carbon™ belts. Steel is rarely used, except in some special or Made-to-Order synchronous belts.

Tooth Facing — Specially woven and treated nylon fabric that reduces friction of the belt in the sprocket and resists abrasion and other tooth damage.

Tri-Power® Belts — Gates trade name for molded notch classical section or conventional belts.

Truflex® Belts — Gates trade name for Fractional Horsepower (FHP) light duty belts.

PowerGrip® TruMotion® Belts — Gates trade name for white rubber belts for use on light power and precision applications with cleanliness requirements.

Truncated Rib — Construction profile that provides improved crack resistance, higher load-carrying capacity and improved flex fatigue resistance.

Twin Power® Belts — Gates trade name for PowerGrip® rubber synchronous belts ideal for serpentine applications. Twin Power belts are specially made to handle the same load capacity on either side of the belt.

V80® — Gates trade name for V-belt matching system that meets RMA tolerances. Any V80® belt will match and perform with any other V80® belt of the same size and type.

Wrapped — see **Banded**.

Power Transmission Metal Terminology

Bushings — A hub system that allows adaptation of sheaves, pulleys and sprockets to varying shaft sizes. Common bushing systems offered by Gates are QD® and Taper-Lock®.

Idler — an adjustable free-wheeling pulley used to apply pre-tension to belts and take up slack.

Pulley — A common term that usually refers to sheaves, sprockets or pulleys. The term correctly used applies to metal used for PowerGrip® timing belts.

Sheaves — Metal products with “V” shaped grooves specially designed for various types of V-belts.

Sprockets — Metal products for high-torque synchronous power transmission systems, such as PowerGrip® GT®2 and Poly Chain® GT® Carbon™. Sprockets are specifically designed to transmit power with only the corresponding belt product line.

The following Super HC®, Hi-Power® II and Tri-Power® belts are V80® belts:

Molded Notch Construction Single V-Belts

| | |
|-----------------|--------------------|
| 3VX250-3VX1400 | XPA630-XPA3000 |
| 5VX350-5VX2000 | XPB1250-XPB3000 |
| 8VX1000-8VX2000 | XPC1800-XPC3000 |
| AX21-AX173 | 10X530LI-10X1750LI |
| BX24-BX300 | 13X715LI-13X4000LI |
| CX51-CX360 | 17X875LI-17X8636LI |
| XPZ604-XPZ3000 | |

Banded Construction Single V-Belts

| | |
|---------------|------------------|
| 3V250-3V1400 | D98-D660 |
| 5V500-5V3550 | E144-E660 |
| 8V1000-8V6000 | SPZ3150-SPZ3550 |
| A24-A200 | SPA3070-SPA4500 |
| B28-B472 | SPB3150-SPB8000 |
| C44-C450 | SPC3150-SPC10600 |

Molded Notch Construction PowerBand® V-Belts


| | |
|---|----------------|
| 3VX250-3VX1400 | 5VX500-5VX2000 |
| Banded Construction PowerBand® V-Belts | |
| 3V800-3V1400 | B62-B315 |
| 5V670-5V3550 | C60-C420 |
| 8V1000-8V6000 | D144-D660 |
| A62-A180 | |

Services and Resources

Gates is committed to providing you the best power transmission products and tools to quickly find the part you need, design better drives, keep your systems up and running, and so much more.

Case Study Library – over 100 actual case studies document cost savings from upgraded belt drive solutions – increased uptime, reduced maintenance, and energy savings gained. www.gates.com/ptcasestudies

Online Catalog and CAD models – PartView™ is Gates web-based interactive product catalog for industrial belts and pulleys. Pick the right parts via a high-speed, easy-to-use search engine and obtain solid models, specification sheets and additional product information. www.gates.com/partview



Preventive Maintenance Training – Proper installation and preventive maintenance procedures contribute to bottom line savings by reducing downtime and increasing production. Gates offers onsite Preventive Maintenance training for you and your staff. To schedule training or to learn more, contact your authorized Gates distributor and request onsite Preventive Maintenance Training from Gates.

You can also do the training yourself by ordering Gates Preventive Maintenance (PM) Training Kit. The complete kit provides tools and recommendations to keep your belt drives running efficiently.

- Included in the training kit:
- PM DVD
- Single Barrel Tension Testers
- Sheave Gauges
- Gates Preventive Maintenance Manuals
- Gates Pocket Catalogs
- Gates Power Transmission Catalog
- Belt Failure Wall Chart
- Belt Identification Poster
- Certification Quiz
- To order training for 10 people, please contact your Gates authorized distributor and ask for product number 9975-0002 or visit www.gates.com/pmkit to order direct from Gates.

Services and Resources

Onsite Plant and Energy Saving Surveys – Where could cost savings be easily achieved at your facility? Work with Gates to find out specific options for improving productivity, reducing downtime and reducing your energy bill. To schedule an onsite survey or to learn more, contact your authorized Gates distributor and request onsite Plant and Energy Savings Surveys from Gates.



eLearning – Talk with your Gates authorized distributor about the online Power Transmission training and employee development courses available through Gates Performance Learning Center. Expand your knowledge base and that of your employees via this interactive web-based tool. With progress tracking and quizzes built in, employee training has never been easier.

– www.gates.com/ptlearning

Design Flex® Pro™ and Design Flex® Web™ – If you currently design 2-point drives using manuals, then you know how long it can take and that you only get one solution. Use Gates Design Flex® Pro™ program and design a drive in minutes. Get every possible drive solution that fits your design parameters and print, email or create a PDF of the design specifications. Design Flex Pro is downloaded to your computer while Design Flex Web is an online tool not requiring download. www.gates.com/drivedesign

Design IQ™ – This program provides a blank slate for designing multi-point and complex serpentine belt drives. Utilizing a specific Gates product that you have identified, as well as your drive specifications, the software will calculate belt tension, shaft load, belt length and more. www.gates.com/drivedesign

Made-to-Order Metals



When standard products won't work, call the Gates Made-To-Order Metals Team. Our dedicated made-to-order metal staff specializes in providing prototype and production pulleys, sheaves and sprockets to meet your design expectations. No order is too large or too small.



- **Pulleys, Sheaves and Sprockets** – All Gates Synchronous Profiles and Pitches, Micro-V® and V-belt, Plain or Profiled Idlers
- **Bores** – Plain, Straight, Tapered, Splined or any special bore. Manufactured to accept Taper-Lock®, Ringfeder®, QD, Torque Tamer, Trantorque® or other special bushings
- **Styles** – Bar Stock, Idlers, Ringfeder Connections, Torque Tamers, Custom Configurations, Special Hubs and more
- **Material** – Aluminum, Steel, Ductile, Cast iron, Phenolic, Stainless Steel or Plastics
- **Finishes** – Hard Coat, Food Grade, Zinc, Black Anodize, Nickel Plating, Painted, Custom Plating or any Special Coatings
- **Other Services** – Sub-Assemblies, Press Bearings, Sprocket/Bushing Balance and Index Marking
- **Processes** – Hob Cutting, Shaper Cutting, Die Casting and Molding

For more information
call 800-709-6001
or email us at
makemymetal@gates.com

www.gates.com/mtometals



Preventive Maintenance Tools

Proper tension, installation and maintenance can extend belt life and reduce costly downtime. Some of Gates most popular preventive maintenance tools include:

A. Sonic Tension Meter - Model 507C

Product No. 7420-0507

For extremely accurate belt tension measuring, the Gates Sonic Tension Meter is an electronic device that measures the natural frequency of a free stationary belt span and instantly computes the static belt tension based upon the belt span length, belt width, and belt type. The Sonic Tension Meter can be used with synchronous and V-belts. Other features include:

- Output readings can be switched between pounds, kilograms, newtons and hertz.
- Auto gain control automatically adjusts meter sensitivity.
- Auto frequency range filters for background noise.
- Frequency range from 10 - 5,000 Hz.

B. Kriket Gauges

Product No. 7401-0071

For tensioning automotive V-belts up to and including 7/8" top width

Product No. 7401-0072

For tensioning automotive V-ribbed belts up to 8 ribs in width.

C. Pencil Type Tension Tester

Product No. 7401-0076

Maximum deflection force: 30 lbs. For use with all small V-belts and synchronous belts.

D. Double Barrel Tension Tester

Product No. 7401-0075

Maximum deflection force: 66 lbs. For use with all multiple V-belts and large synchronous belts.

E. Five Barrel Tension Tester

Product No. 7401-0079


Maximum deflection force: 165 lbs. For use with multiple V-belts and large synchronous belts.

Sonic Tension Meter and Accessories

| Product No. | Description |
|-------------|-------------------------------------|
| 7420-0205 | Flat Flexible Sensor |
| 7420-0206 | Cord Sensor |
| 7420-0208 | A/C Adapter for 305 Series |
| 7420-0212 | Inductive Sensor (Magnets Included) |
| 7420-0507 | Sonic Tension Meter Model 507C |

Preventive Maintenance Tools

| Product No. | Description |
|-------------|--|
| 9975-0002 | PM Kit |
| 7420-2000 | Belt Installation & Maintenance Tool Box |



F. EZ Align® Precision Laser Alignment Devices

Product No. 7420-1000 - Red Laser

Product No. 7420-3000 - Green Laser

Identifies common types of pulley misalignment.

G. Truflex® and PowerRated® Belt Length Finder

Product No. 7401-0012

Measures FHP belts up to 107" to determine equivalent Truflex or PowerRated belt numbers.

H. Sheave Gauges

Product No. 7401-0014 and 7401-0013

Helps to identify worn sheaves and damaged belts.

Tensioning and Alignment Devices

| Product No. | Description |
|-------------|--|
| 7401-0076 | 30 Lb. Pencil Type |
| 7401-0075 | 66 Lb. Double Barrel |
| 7401-0079 | 165 Lb. Five Barrel |
| 7401-0014 | Sheave Gauge - English |
| 7401-0013 | Sheave Gauge - Metric |
| 7401-0012 | Truflex & PowerRated Belt Length Finder |
| 7401-0071 | Kriket Belt Tension Tester - .30 Lbs. |
| 7401-0072 | Kriket II Belt Tension Tester - .32 Lbs. |
| 7420-1000 | EZ Align Laser Alignment Device-Red |
| 7420-3000 | EZ Align Laser Alignment Device-Green |

Belt Displays

| | |
|-----------|---------------------------------|
| 7653-0021 | HVAC-R Belt Display w/out Belts |
| 7653-0003 | HVAC-R Belt Display with Belts |



Poly Chain® GT® Carbon™ Belts

Poly Chain GT Carbon Belts — Nothing Tougher.

Give yourself a competitive advantage by designing in the Gates Poly Chain GT Carbon drive system instead of roller chain in your next power transmission application.

The patented use of Carbon Fiber as the tensile cord in this belt provides increased horsepower rating for greater power density and compactness and increased flexibility, allowing the use of backside idlers. When combined with Gates Poly Chain GT2 sprockets, you have a lightweight, long-lasting, maintenance-free system that's more than a match for roller chain.

Markets/Applications

All industrial markets, especially suited to replace roller chain drives. Narrow width minimizes reducer overhung loads and left-justified hubs on Poly Chain GT2 sprockets accommodate short shaft lengths.

Features/Advantages

- Maintenance-free, clean solution for roller chain drive conversion
 - Significantly reduces maintenance costs
 - Equivalent capacity to roller chain drives in the same width
 - Easy rust-free wash-down with Gates Stainless Steel hardware
 - Fast drive conversion payback
 - Quieter than roller chain drives
- New construction provides up to 55% more low-speed capacity than the original PCGT construction and 30% more than PCGT2.
- Gates **curvilinear tooth profile** provides high shear strength, noise reduction, and improved load carrying capacity.
- Robust **carbon tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Fully operational in temperature extremes of -65°F to +185°F (-54°C to +85°C).

Recommended Sprockets

Poly Chain GT2 Sprockets - 8M and 14M

Notes


Poly Chain GT Carbon belts can be used on existing drives as replacement for previous generation Poly Chain belts.

Poly Chain GT Carbon belt part numbers are identical to those of Poly Chain GT2: part number 8MGT-1000-21 denotes an 8mm pitch, 1000mm pitch length and 21mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain GT Carbon belt lies within the tensile member.

WARNING: Use of non-Gates manufactured sprockets is not recommended: Gates Poly Chain GT2 sprockets are manufactured, specified and tested to fully support the full capabilities of the Poly Chain GT Carbon belt. Product performance cannot be guaranteed when non-Gates sprockets are used.

Always utilize Taper-Lock® type Poly Chain GT2 Sprockets when designing a new Poly Chain GT Carbon belt drive system.



POLY CHAIN BELTS

Product No. Series 9274

8mm Pitch — 12mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-640-12 | 9274-0080 | 80 | 25.20 | .40 |
| 8MGT-720-12 | 9274-0090 | 90 | 28.35 | .47 |
| 8MGT-800-12 | 9274-0100 | 100 | 31.50 | .50 |
| 8MGT-896-12 | 9274-0112 | 112 | 35.28 | .55 |
| 8MGT-960-12 | 9274-0120 | 120 | 37.80 | .58 |
| 8MGT-1000-12 | 9274-0125 | 125 | 39.37 | .60 |
| 8MGT-1040-12 | 9274-0130 | 130 | 40.95 | .65 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-1120-12 | 9274-0140 | 140 | 44.09 | .68 |
| 8MGT-1200-12 | 9274-0150 | 150 | 47.24 | .70 |
| 8MGT-1224-12 | 9274-0153 | 153 | 48.19 | .72 |
| 8MGT-1280-12 | 9274-0160 | 160 | 50.39 | .75 |
| 8MGT-1440-12 | 9274-0180 | 180 | 56.69 | .80 |
| 8MGT-1600-12 | 9274-0200 | 200 | 62.99 | .90 |
| 8MGT-1760-12 | 9274-0220 | 220 | 69.29 | .95 |

Poly Chain® GT® Carbon™ Belts

Product No. Series 9274 (continued)

8mm Pitch — 12mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-1792-12 | 9274-0224 | 224 | 70.55 | 1.00 |
| 8MGT-2000-12 | 9274-0250 | 250 | 78.74 | 1.10 |
| 8MGT-2200-12 | 9274-0275 | 275 | 86.61 | 1.15 |
| 8MGT-2240-12 | 9274-0280 | 280 | 88.19 | 1.20 |
| 8MGT-2400-12 | 9274-0300 | 300 | 94.49 | 1.30 |
| 8MGT-2520-12 | 9274-0315 | 315 | 99.21 | 1.35 |
| 8MGT-2600-12 | 9274-0325 | 325 | 102.36 | 1.40 |
| 8MGT-2800-12 | 9274-0350 | 350 | 110.24 | 1.50 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-2840-12 | 9274-0355 | 355 | 111.81 | 1.52 |
| 8MGT-3048-12 | 9274-0381 | 381 | 120.00 | 1.65 |
| 8MGT-3200-12 | 9274-0400 | 400 | 125.98 | 1.70 |
| 8MGT-3280-12 | 9274-0410 | 410 | 129.13 | 1.75 |
| 8MGT-3600-12 | 9274-0450 | 450 | 141.73 | 1.85 |
| 8MGT-4000-12 | 9274-0500 | 500 | 157.48 | 2.10 |
| 8MGT-4400-12 | 9274-0550 | 550 | 173.23 | 2.25 |
| 8MGT-4480-12 | 9274-0560 | 560 | 176.38 | 2.33 |

8mm Pitch — 21mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-640-21 | 9274-1080 | 80 | 25.20 | .40 |
| 8MGT-720-21 | 9274-1090 | 90 | 28.35 | .45 |
| 8MGT-800-21 | 9274-1100 | 100 | 31.50 | .50 |
| 8MGT-896-21 | 9274-1112 | 112 | 35.28 | .53 |
| 8MGT-960-21 | 9274-1120 | 120 | 37.80 | .58 |
| 8MGT-1000-21 | 9274-1125 | 125 | 39.37 | .60 |
| 8MGT-1040-21 | 9274-1130 | 130 | 40.95 | .65 |
| 8MGT-1120-21 | 9274-1140 | 140 | 44.09 | .70 |
| 8MGT-1200-21 | 9274-1150 | 150 | 47.24 | .75 |
| 8MGT-1224-21 | 9274-1153 | 153 | 48.19 | .75 |
| 8MGT-1280-21 | 9274-1160 | 160 | 50.39 | .80 |
| 8MGT-1440-21 | 9274-1180 | 180 | 56.69 | .90 |
| 8MGT-1600-21 | 9274-1200 | 200 | 62.99 | 1.00 |
| 8MGT-1760-21 | 9274-1220 | 220 | 69.29 | 1.15 |
| 8MGT-1792-21 | 9274-1224 | 224 | 70.55 | 1.15 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-2000-21 | 9274-1250 | 250 | 78.74 | 1.25 |
| 8MGT-2200-21 | 9274-1275 | 275 | 86.61 | 1.38 |
| 8MGT-2240-21 | 9274-1280 | 280 | 88.19 | 1.40 |
| 8MGT-2400-21 | 9274-1300 | 300 | 94.49 | 1.50 |
| 8MGT-2520-21 | 9274-1315 | 315 | 99.21 | 1.60 |
| 8MGT-2600-21 | 9274-1325 | 325 | 102.36 | 1.65 |
| 8MGT-2800-21 | 9274-1350 | 350 | 110.24 | 1.75 |
| 8MGT-2840-21 | 9274-1355 | 355 | 111.81 | 1.80 |
| 8MGT-3048-21 | 9274-1381 | 381 | 120.00 | 1.90 |
| 8MGT-3200-21 | 9274-1400 | 400 | 125.98 | 2.05 |
| 8MGT-3280-21 | 9274-1410 | 410 | 129.13 | 2.10 |
| 8MGT-3600-21 | 9274-1450 | 450 | 141.73 | 2.25 |
| 8MGT-4000-21 | 9274-1500 | 500 | 157.48 | 2.55 |
| 8MGT-4400-21 | 9274-1550 | 550 | 173.23 | 2.75 |
| 8MGT-4480-21 | 9274-1560 | 560 | 176.38 | 2.80 |

8mm Pitch — 36mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-640-36 | 9274-2080 | 80 | 25.20 | .70 |
| 8MGT-720-36 | 9274-2090 | 90 | 28.35 | .75 |
| 8MGT-800-36 | 9274-2100 | 100 | 31.50 | .80 |
| 8MGT-896-36 | 9274-2112 | 112 | 35.28 | .90 |
| 8MGT-960-36 | 9274-2120 | 120 | 37.80 | .97 |
| 8MGT-1000-36 | 9274-2125 | 125 | 39.37 | 1.00 |
| 8MGT-1040-36 | 9274-2130 | 130 | 40.95 | 1.02 |
| 8MGT-1120-36 | 9274-2140 | 140 | 44.09 | 1.10 |
| 8MGT-1200-36 | 9274-2150 | 150 | 47.24 | 1.12 |
| 8MGT-1224-36 | 9274-2153 | 153 | 48.19 | 1.20 |
| 8MGT-1280-36 | 9274-2160 | 160 | 50.39 | 1.25 |
| 8MGT-1440-36 | 9274-2180 | 180 | 56.69 | 1.35 |
| 8MGT-1600-36 | 9274-2200 | 200 | 62.99 | 1.45 |
| 8MGT-1760-36 | 9274-2220 | 220 | 69.29 | 1.60 |
| 8MGT-1792-36 | 9274-2224 | 224 | 70.55 | 1.65 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-2000-36 | 9274-2250 | 250 | 78.74 | 1.70 |
| 8MGT-2200-36 | 9274-2275 | 275 | 86.61 | 1.88 |
| 8MGT-2240-36 | 9274-2280 | 280 | 88.19 | 1.90 |
| 8MGT-2400-36 | 9274-2300 | 300 | 94.49 | 2.00 |
| 8MGT-2520-36 | 9274-2315 | 315 | 99.21 | 2.15 |
| 8MGT-2600-36 | 9274-2325 | 325 | 102.36 | 2.30 |
| 8MGT-2800-36 | 9274-2350 | 350 | 110.24 | 2.40 |
| 8MGT-2840-36 | 9274-2355 | 355 | 111.81 | 2.50 |
| 8MGT-3048-36 | 9274-2381 | 381 | 120.00 | 2.62 |
| 8MGT-3200-36 | 9274-2400 | 400 | 125.98 | 2.70 |
| 8MGT-3280-36 | 9274-2410 | 410 | 129.13 | 2.72 |
| 8MGT-3600-36 | 9274-2450 | 450 | 141.73 | 2.95 |
| 8MGT-4000-36 | 9274-2500 | 500 | 157.48 | 3.25 |
| 8MGT-4400-36 | 9274-2550 | 550 | 173.23 | 3.55 |
| 8MGT-4480-36 | 9274-2560 | 560 | 176.38 | 3.60 |

8mm Pitch — 62mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-640-62 | 9274-3080 | 80 | 25.20 | .80 |
| 8MGT-720-62 | 9274-3090 | 90 | 28.35 | 1.00 |
| 8MGT-800-62 | 9274-3100 | 100 | 31.50 | 1.08 |
| 8MGT-896-62 | 9274-3112 | 112 | 35.28 | 1.20 |
| 8MGT-960-62 | 9274-3120 | 120 | 37.80 | 1.25 |
| 8MGT-1000-62 | 9274-3125 | 125 | 39.37 | 1.30 |
| 8MGT-1040-62 | 9274-3130 | 130 | 40.95 | 1.35 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-1120-62 | 9274-3140 | 140 | 44.09 | 1.40 |
| 8MGT-1200-62 | 9274-3150 | 150 | 47.24 | 1.75 |
| 8MGT-1224-62 | 9274-3153 | 153 | 48.19 | 1.65 |
| 8MGT-1280-62 | 9274-3160 | 160 | 50.39 | 1.70 |
| 8MGT-1440-62 | 9274-3180 | 180 | 56.69 | 1.85 |
| 8MGT-1600-62 | 9274-3200 | 200 | 62.99 | 2.00 |
| 8MGT-1760-62 | 9274-3220 | 220 | 69.29 | 2.10 |

POLY CHAIN BELTS



**Poly Chain® GT® Carbon™ Belts****Product No. Series 9274 (continued)****8mm Pitch — 62mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-1792-62 | 9274-3224 | 224 | 70.55 | 2.10 |
| 8MGT-2000-62 | 9274-3250 | 250 | 78.74 | 2.30 |
| 8MGT-2200-62 | 9274-3275 | 275 | 86.61 | 2.50 |
| 8MGT-2240-62 | 9274-3280 | 280 | 88.19 | 2.55 |
| 8MGT-2400-62 | 9274-3300 | 300 | 94.49 | 2.80 |
| 8MGT-2520-62 | 9274-3315 | 315 | 99.21 | 2.90 |
| 8MGT-2600-62 | 9274-3325 | 325 | 102.36 | 2.95 |
| 8MGT-2800-62 | 9274-3350 | 350 | 110.24 | 3.10 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 8MGT-2840-62 | 9274-3355 | 355 | 111.81 | 3.15 |
| 8MGT-3048-62 | 9274-3381 | 381 | 120.00 | 3.40 |
| 8MGT-3200-62 | 9274-3400 | 400 | 125.98 | 3.60 |
| 8MGT-3280-62 | 9274-3410 | 410 | 129.13 | 3.70 |
| 8MGT-3600-62 | 9274-3450 | 450 | 141.73 | 4.05 |
| 8MGT-4000-62 | 9274-3500 | 500 | 157.48 | 4.40 |
| 8MGT-4400-62 | 9274-3550 | 550 | 173.23 | 4.80 |
| 8MGT-4480-62 | 9274-3560 | 560 | 176.38 | 4.90 |

14mm Pitch — 20mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 14MGT-994-20 | 9274-4071 | 71 | 39.13 | 1.30 |
| 14MGT-1120-20 | 9274-4080 | 80 | 44.09 | 1.35 |
| 14MGT-1190-20 | 9274-4085 | 85 | 46.85 | 1.40 |
| 14MGT-1260-20 | 9274-4090 | 90 | 49.61 | 1.45 |
| 14MGT-1400-20 | 9274-4100 | 100 | 55.12 | 1.55 |
| 14MGT-1568-20 | 9274-4112 | 112 | 61.73 | 1.65 |
| 14MGT-1610-20 | 9274-4115 | 115 | 63.39 | 1.70 |
| 14MGT-1750-20 | 9274-4125 | 125 | 68.90 | 1.75 |
| 14MGT-1890-20 | 9274-4135 | 135 | 74.41 | 1.75 |
| 14MGT-1960-20 | 9274-4140 | 140 | 77.17 | 1.80 |
| 14MGT-2100-20 | 9274-4150 | 150 | 82.68 | 1.90 |
| 14MGT-2240-20 | 9274-4160 | 160 | 88.19 | 1.98 |
| 14MGT-2310-20 | 9274-4165 | 165 | 90.95 | 2.05 |
| 14MGT-2380-20 | 9274-4170 | 170 | 93.70 | 2.10 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 14MGT-2450-20 | 9274-4175 | 175 | 96.46 | 2.15 |
| 14MGT-2520-20 | 9274-4180 | 180 | 99.21 | 2.20 |
| 14MGT-2590-20 | 9274-4185 | 185 | 101.97 | 2.20 |
| 14MGT-2660-20 | 9274-4190 | 190 | 104.72 | 2.25 |
| 14MGT-2800-20 | 9274-4200 | 200 | 110.24 | 2.30 |
| 14MGT-3136-20 | 9274-4224 | 224 | 123.46 | 2.50 |
| 14MGT-3304-20 | 9274-4236 | 236 | 130.08 | 2.55 |
| 14MGT-3360-20 | 9274-4240 | 240 | 132.28 | 2.60 |
| 14MGT-3500-20 | 9274-4250 | 250 | 137.80 | 2.70 |
| 14MGT-3850-20 | 9274-4275 | 275 | 151.58 | 2.85 |
| 14MGT-3920-20 | 9274-4280 | 280 | 154.33 | 2.95 |
| 14MGT-4326-20 | 9274-4309 | 309 | 170.32 | 3.15 |
| 14MGT-4410-20 | 9274-4315 | 315 | 173.62 | 3.20 |

14mm Pitch — 37mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 14MGT-994-37 | 9274-5071 | 71 | 39.13 | 1.60 |
| 14MGT-1120-37 | 9274-5080 | 80 | 44.09 | 1.70 |
| 14MGT-1190-37 | 9274-5085 | 85 | 46.85 | 1.75 |
| 14MGT-1260-37 | 9274-5090 | 90 | 49.61 | 1.80 |
| 14MGT-1400-37 | 9274-5100 | 100 | 55.12 | 2.05 |
| 14MGT-1568-37 | 9274-5112 | 112 | 61.73 | 2.20 |
| 14MGT-1610-37 | 9274-5115 | 115 | 63.39 | 2.30 |
| 14MGT-1750-37 | 9274-5125 | 125 | 68.90 | 2.45 |
| 14MGT-1890-37 | 9274-5135 | 135 | 74.41 | 2.55 |
| 14MGT-1960-37 | 9274-5140 | 140 | 77.17 | 2.60 |
| 14MGT-2100-37 | 9274-5150 | 150 | 82.68 | 2.70 |
| 14MGT-2240-37 | 9274-5160 | 160 | 88.19 | 2.85 |
| 14MGT-2310-37 | 9274-5165 | 165 | 90.95 | 2.90 |
| 14MGT-2380-37 | 9274-5170 | 170 | 93.70 | 3.00 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 14MGT-2450-37 | 9274-5175 | 175 | 96.46 | 3.10 |
| 14MGT-2520-37 | 9274-5180 | 180 | 99.21 | 3.20 |
| 14MGT-2590-37 | 9274-5185 | 185 | 101.97 | 3.25 |
| 14MGT-2660-37 | 9274-5190 | 190 | 104.72 | 3.35 |
| 14MGT-2800-37 | 9274-5200 | 200 | 110.24 | 3.40 |
| 14MGT-3136-37 | 9274-5224 | 224 | 123.46 | 3.65 |
| 14MGT-3304-37 | 9274-5236 | 236 | 130.08 | 3.85 |
| 14MGT-3360-37 | 9274-5240 | 240 | 132.28 | 3.85 |
| 14MGT-3500-37 | 9274-5250 | 250 | 137.80 | 3.95 |
| 14MGT-3850-37 | 9274-5275 | 275 | 151.58 | 4.25 |
| 14MGT-3920-37 | 9274-5280 | 280 | 154.33 | 4.35 |
| 14MGT-4326-37 | 9274-5309 | 309 | 170.32 | 4.70 |
| 14MGT-4410-37 | 9274-5315 | 315 | 173.62 | 4.75 |

14mm Pitch — 68mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 14MGT-994-68 | 9274-6071 | 71 | 39.13 | 2.40 |
| 14MGT-1120-68 | 9274-6080 | 80 | 44.09 | 2.60 |
| 14MGT-1190-68 | 9274-6085 | 85 | 46.85 | 2.70 |
| 14MGT-1260-68 | 9274-6090 | 90 | 49.61 | 2.80 |
| 14MGT-1400-68 | 9274-6100 | 100 | 55.12 | 3.00 |
| 14MGT-1568-68 | 9274-6112 | 112 | 61.73 | 3.25 |
| 14MGT-1610-68 | 9274-6115 | 115 | 63.39 | 3.40 |
| 14MGT-1750-68 | 9274-6125 | 125 | 68.90 | 3.60 |
| 14MGT-1890-68 | 9274-6135 | 135 | 74.41 | 3.95 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 14MGT-1960-68 | 9274-6140 | 140 | 77.17 | 4.00 |
| 14MGT-2100-68 | 9274-6150 | 150 | 82.68 | 4.20 |
| 14MGT-2240-68 | 9274-6160 | 160 | 88.19 | 4.50 |
| 14MGT-2310-68 | 9274-6165 | 165 | 90.95 | 4.70 |
| 14MGT-2380-68 | 9274-6170 | 170 | 93.70 | 4.70 |
| 14MGT-2450-68 | 9274-6175 | 175 | 96.46 | 4.85 |
| 14MGT-2520-68 | 9274-6180 | 180 | 99.21 | 4.90 |
| 14MGT-2590-68 | 9274-6185 | 185 | 101.97 | 5.00 |
| 14MGT-2660-68 | 9274-6190 | 190 | 104.72 | 5.15 |



Poly Chain® GT® Carbon™ Belts

Product No. Series 9274 (continued)

14mm Pitch — 68mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 14MGT-2800-68 | 9274-6200 | 200 | 110.24 | 5.20 |
| 14MGT-3136-68 | 9274-6224 | 224 | 123.46 | 5.80 |
| 14MGT-3304-68 | 9274-6236 | 236 | 130.08 | 6.05 |
| 14MGT-3360-68 | 9274-6240 | 240 | 132.28 | 6.10 |
| 14MGT-3500-68 | 9274-6250 | 250 | 137.80 | 6.30 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 14MGT-3850-68 | 9274-6275 | 275 | 151.58 | 6.80 |
| 14MGT-3920-68 | 9274-6280 | 280 | 154.33 | 7.00 |
| 14MGT-4326-68 | 9274-6309 | 309 | 170.32 | 7.70 |
| 14MGT-4410-68 | 9274-6315 | 315 | 173.62 | 7.85 |

14mm Pitch — 90mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 14MGT-994-90 | 9274-7071 | 71 | 39.13 | 3.00 |
| 14MGT-1120-90 | 9274-7080 | 80 | 44.09 | 3.30 |
| 14MGT-1190-90 | 9274-7085 | 85 | 46.85 | 3.35 |
| 14MGT-1260-90 | 9274-7090 | 90 | 49.61 | 3.60 |
| 14MGT-1400-90 | 9274-7100 | 100 | 55.12 | 3.35 |
| 14MGT-1568-90 | 9274-7112 | 112 | 61.73 | 4.10 |
| 14MGT-1610-90 | 9274-7115 | 115 | 63.39 | 4.25 |
| 14MGT-1750-90 | 9274-7125 | 125 | 68.90 | 4.50 |
| 14MGT-1890-90 | 9274-7135 | 135 | 74.41 | 4.85 |
| 14MGT-1960-90 | 9274-7140 | 140 | 77.17 | 4.95 |
| 14MGT-2100-90 | 9274-7150 | 150 | 82.68 | 5.20 |
| 14MGT-2240-90 | 9274-7160 | 160 | 88.19 | 5.45 |
| 14MGT-2310-90 | 9274-7165 | 165 | 90.95 | 5.50 |
| 14MGT-2380-90 | 9274-7170 | 170 | 93.70 | 5.70 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 14MGT-2450-90 | 9274-7175 | 175 | 96.46 | 5.85 |
| 14MGT-2520-90 | 9274-7180 | 180 | 99.21 | 5.90 |
| 14MGT-2590-90 | 9274-7185 | 185 | 101.97 | 5.95 |
| 14MGT-2660-90 | 9274-7190 | 190 | 104.72 | 6.10 |
| 14MGT-2800-90 | 9274-7200 | 200 | 110.24 | 6.40 |
| 14MGT-3136-90 | 9274-7224 | 224 | 123.46 | 7.00 |
| 14MGT-3304-90 | 9274-7236 | 236 | 130.08 | 7.35 |
| 14MGT-3360-90 | 9274-7240 | 240 | 132.28 | 7.50 |
| 14MGT-3500-90 | 9274-7250 | 250 | 137.80 | 7.70 |
| 14MGT-3850-90 | 9274-7275 | 275 | 151.58 | 8.30 |
| 14MGT-3920-90 | 9274-7280 | 280 | 154.33 | 8.50 |
| 14MGT-4326-90 | 9274-7309 | 309 | 170.32 | 9.20 |
| 14MGT-4410-90 | 9274-7315 | 315 | 173.62 | 9.30 |

14mm Pitch — 125mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| 14MGT-994-125 | 9274-8071 | 71 | 39.13 | 3.60 |
| 14MGT-1120-125 | 9274-8080 | 80 | 44.09 | 3.90 |
| 14MGT-1190-125 | 9274-8085 | 85 | 46.85 | 4.00 |
| 14MGT-1260-125 | 9274-8090 | 90 | 49.61 | 4.20 |
| 14MGT-1400-125 | 9274-8100 | 100 | 55.12 | 4.60 |
| 14MGT-1568-125 | 9274-8112 | 112 | 61.73 | 5.00 |
| 14MGT-1610-125 | 9274-8115 | 115 | 63.39 | 5.20 |
| 14MGT-1750-125 | 9274-8125 | 125 | 68.90 | 5.40 |
| 14MGT-1890-125 | 9274-8135 | 135 | 74.41 | 5.80 |
| 14MGT-1960-125 | 9274-8140 | 140 | 77.17 | 6.00 |
| 14MGT-2100-125 | 9274-8150 | 150 | 82.68 | 6.50 |
| 14MGT-2240-125 | 9274-8160 | 160 | 88.19 | 6.80 |
| 14MGT-2310-125 | 9274-8165 | 165 | 90.95 | 7.00 |
| 14MGT-2380-125 | 9274-8170 | 170 | 93.70 | 7.10 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| 14MGT-2450-125 | 9274-8175 | 175 | 96.46 | 7.20 |
| 14MGT-2520-125 | 9274-8180 | 180 | 99.21 | 7.40 |
| 14MGT-2590-125 | 9274-8185 | 185 | 101.97 | 7.60 |
| 14MGT-2660-125 | 9274-8190 | 190 | 104.72 | 7.75 |
| 14MGT-2800-125 | 9274-8200 | 200 | 110.24 | 8.30 |
| 14MGT-3136-125 | 9274-8224 | 224 | 123.46 | 9.10 |
| 14MGT-3304-125 | 9274-8236 | 236 | 130.08 | 9.50 |
| 14MGT-3360-125 | 9274-8240 | 240 | 132.28 | 9.65 |
| 14MGT-3500-125 | 9274-8250 | 250 | 137.80 | 10.00 |
| 14MGT-3850-125 | 9274-8275 | 275 | 151.58 | 10.75 |
| 14MGT-3920-125 | 9274-8280 | 280 | 154.33 | 11.00 |
| 14MGT-4326-125 | 9274-8309 | 309 | 170.32 | 12.00 |
| 14MGT-4410-125 | 9274-8315 | 315 | 173.62 | 12.20 |

POLY CHAIN BELTS



Poly Chain® GT® Carbon™ - Extended Length Belts


A new and unique manufacturing process allows longer and custom length endless belts than have previously been available. This manufacturing process is used for the following belt length ranges: 14M Pitch Lengths > 4410mm.

Markets/Applications

All industrial markets requiring long center distance and high load carrying capacity. Especially targeted towards HVAC, roller chain and gear replacement, oil, mining, water treatment plants, pulp and paper, and general manufacturing.

Features/Advantages

- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- Fully operational in temperature extremes of -65°F to +185°F (-54°C to +85°C).
- Gates patented **curvilinear tooth profile** provides high shear strength, and improved load carrying capacity.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Robust **carbon tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.



POLY CHAIN BELTS

Recommended Sprockets

Poly Chain® GT®2 Sprockets - 14M

Notes

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain® GT® Carbon™ belt lies within the tensile member.

Poly Chain® GT® Carbon™ Spiral Spliced Belts are Standard/Non-Stock and may require lead time. Please check with Customer Service for availability.

WARNING: Use of non-Gates manufactured sprockets is not recommended: Gates Poly® Chain® GT®2 sprockets are manufactured, specified and tested to fully support the full capabilities of the Poly Chain® GT® Carbon™ belt. Product performance cannot be guaranteed when non-Gates sprockets are used. Always utilize Taper-Lock® type Gates Poly Chain® GT®2 Sprockets when designing a new Poly Chain® GT® Carbon™ belt drive system.

Product No. Series 9268

14mm Pitch — 37mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| 14MGT-4578EL-37 | 9268-2001 | 327 | 180.24 | 2.92 |
| 14MGT-4956EL-37 | 9268-2004 | 354 | 195.12 | 3.16 |
| 14MGT-5320EL-37 | 9268-2007 | 380 | 209.45 | 3.39 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| 14MGT-5740EL-37 | 9268-2010 | 410 | 225.99 | 3.66 |
| 14MGT-6160EL-37 | 9268-2013 | 440 | 242.52 | 3.93 |
| 14MGT-6860EL-37 | 9268-2016 | 490 | 270.08 | 4.37 |

14mm Pitch — 68mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| 14MGT-4578EL-68 | 9268-2002 | 327 | 180.24 | 5.36 |
| 14MGT-4956EL-68 | 9268-2005 | 354 | 195.12 | 5.81 |
| 14MGT-5320EL-68 | 9268-2008 | 380 | 209.45 | 6.23 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| 14MGT-5740EL-68 | 9268-2011 | 410 | 225.99 | 6.73 |
| 14MGT-6160EL-68 | 9268-2014 | 440 | 242.52 | 7.22 |
| 14MGT-6860EL-68 | 9268-2017 | 490 | 270.08 | 8.04 |

14mm Pitch — 90mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| 14MGT-4578EL-90 | 9268-2003 | 327 | 180.24 | 7.10 |
| 14MGT-4956EL-90 | 9268-2006 | 354 | 195.12 | 7.69 |
| 14MGT-5320EL-90 | 9268-2009 | 380 | 209.45 | 8.25 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| 14MGT-5740EL-90 | 9268-2012 | 410 | 225.98 | 8.90 |
| 14MGT-6160EL-90 | 9268-2015 | 440 | 242.52 | 9.55 |
| 14MGT-6860EL-90 | 9268-2018 | 490 | 270.08 | 10.64 |

Curve Saw Poly Chain® GT®2 Belts

An innovative construction combined with the Gates tooth profile makes the Curve Saw Belt compact and lightweight with extraordinary strength and load carrying capacity. The Curve Saw Belt can be used on the toughest shock loaded applications to reduce down time.

Markets/Applications

All industrial markets, but particularly suited for Curve Saw applications or any shock loaded application requiring synchronization.

Features/Advantages

- Gates patented curvilinear tooth profile provides high shear strength, and improved load carrying capacity.
- Unique **aramid tensile cord** combines extraordinary strength and superior shock load capacity.
- Significantly reduces log jams and associated down time.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Fully operational in temperature extremes of -65°F to +185°F (-54°C to +85°C).

Recommended Sprockets

Poly Chain GT2 Sprockets - 14M


Notes

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the **pitch line** of the belt.

Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line.

The theoretical pitch line of a Poly Chain GT2 belt lies within the tensile member.

WARNING: New designs must utilize the Poly Chain GT2 Sprockets because of the high torque capacity of the Curve Saw Poly Chain GT2 Belt.



Product No. Series 9279

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| 14M-2520-125PS | 9279-0646 | 180 | 99.21 | 4.40 |
| 14M-3136-125PS | 9279-0647 | 224 | 123.46 | 6.56 |
| 14M-3304-125PS | 9279-0648 | 236 | 130.08 | 7.20 |
| 14M-3500-125PS | 9279-0649 | 250 | 137.80 | 8.20 |

Poly Chain® GT® Carbon™ Belts - 8M Short Length

Poly Chain GT Carbon Belts — Nothing Tougher™.


The new Poly Chain GT Carbon belt construction utilizes a polyurethane body combined with Carbon Fiber tensile cords for increased capacity and performance.

Markets/Applications

All industrial markets requiring short center distance but high-density power. Particularly suited for replacing roller chain on roll-to-roll conveyors.

Features/Advantages

- Robust **carbon tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Gates **patented tooth profile** provides high shear strength, noise reduction, and improved load carrying capacity.
- Fully operational in temperature extremes of -65°F to +185°F (-54°C to +85°C).



POLY CHAIN BELTS

Recommended Sprockets

Poly Chain GT2

Notes

Poly Chain GT Carbon belts must be used with sprockets of the same pitch and profile.

Poly Chain GT Carbon part numbers are comprised of pitch, pitch length and width. For example, part number 8M-248-12 denotes an 8mm pitch, 248mm pitch length and 12mm width. Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain GT belt lies within the tensile member.

Product No. Series 9270

8mm Pitch — 12mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 8MGT-248-12 | 9270-1063 | 31 | 9.76 | .04 |
| 8MGT-288-12 | 9270-1001 | 36 | 11.34 | .04 |
| 8MGT-352-12 | 9270-1002 | 44 | 13.86 | .05 |
| 8MGT-416-12 | 9270-1004 | 52 | 16.38 | .05 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 8MGT-456-12 | 9270-1060 | 57 | 17.95 | .06 |
| 8MGT-480-12 | 9270-1015 | 60 | 18.90 | .06 |
| 8MGT-544-12 | 9270-1006 | 68 | 21.42 | .07 |
| 8MGT-608-12 | 9270-1050 | 76 | 23.94 | .07 |

8mm Pitch — 21mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 8MGT-248-21 | 9270-1064 | 31 | 9.76 | .05 |
| 8MGT-288-21 | 9270-1056 | 36 | 11.34 | .06 |
| 8MGT-352-21 | 9270-1065 | 44 | 13.86 | .07 |
| 8MGT-416-21 | 9270-1025 | 52 | 16.38 | .09 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 8MGT-456-21 | 9270-1069 | 57 | 17.95 | .10 |
| 8MGT-480-21 | 9270-1023 | 60 | 18.90 | .10 |
| 8MGT-544-21 | 9270-1070 | 68 | 21.42 | .12 |
| 8MGT-608-21 | 9270-1071 | 76 | 23.94 | .13 |

8mm Pitch — 36mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 8MGT-248-36 | 9270-1072 | 31 | 9.76 | .09 |
| 8MGT-288-36 | 9270-1074 | 36 | 11.34 | .11 |
| 8MGT-352-36 | 9270-1073 | 44 | 13.86 | .13 |
| 8MGT-416-36 | 9270-1075 | 52 | 16.38 | .15 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 8MGT-456-36 | 9270-1076 | 57 | 17.95 | .17 |
| 8MGT-480-36 | 9270-1066 | 60 | 18.90 | .18 |
| 8MGT-544-36 | 9270-1077 | 68 | 21.42 | .20 |
| 8MGT-608-36 | 9270-1079 | 76 | 23.94 | .22 |

Poly Chain® GT® Belts - 5M


The original Poly Chain GT belt construction utilizes a polyurethane body combined with aramid tensile cords for increased capacity and performance.

Markets/Applications

All industrial markets requiring high-density power. Especially targeted toward machine tool, roller chain, small conveyors and compact drives where space is a problem.

Features/Advantages

- Robust **aramid tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Gates **patented tooth profile** provides high shear strength, noise reduction, and improved load carrying capacity.
- Fully operational in temperature extremes of -65°F to +185°F (-54°C to +85°C).



Recommended Sprockets

PowerGrip GT2 and Poly Chain GT

Notes

5M Poly Chain GT part numbers are comprised of pitch, pitch length and width. For example; part number 5MGT-425-15 denotes a 5mm pitch, 425mm pitch length and 15mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the **pitch line** of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain GT belt lies within the tensile member.

WARNING: 5M Poly Chain GT belts must be used with 5MGT sprockets. Consult your local Gates Field Representative for drive design assistance.

Product No. Series 9270

5mm Pitch — 9mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 5MGT-300-09 | 9270-5700 | 60 | 11.81 | .03 |
| 5MGT-375-09 | 9270-5200 | 75 | 14.76 | .04 |
| 5MGT-425-09 | 9270-5400 | 85 | 16.73 | .04 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 5MGT-535-09 | 9270-5720 | 107 | 21.06 | .06 |
| 5MGT-600-09 | 9270-5500 | 120 | 23.62 | .07 |
| 5MGT-815-09 | 9270-5600 | 163 | 32.09 | .09 |

5mm Pitch — 15mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 5MGT-300-15 | 9270-5680 | 60 | 11.81 | .02 |
| 5MGT-375-15 | 9270-5250 | 75 | 14.76 | .03 |
| 5MGT-425-15 | 9270-5425 | 85 | 16.73 | .04 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 5MGT-535-15 | 9270-5730 | 107 | 21.06 | .05 |
| 5MGT-600-15 | 9270-5525 | 120 | 23.62 | .06 |
| 5MGT-815-15 | 9270-5625 | 163 | 32.09 | .09 |

5mm Pitch — 25mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 5MGT-300-25 | 9270-5710 | 60 | 11.81 | .04 |
| 5MGT-375-25 | 9270-5300 | 75 | 14.76 | .05 |
| 5MGT-425-25 | 9270-5450 | 85 | 16.73 | .06 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 5MGT-535-25 | 9270-5740 | 107 | 21.06 | .09 |
| 5MGT-600-25 | 9270-5550 | 120 | 23.62 | .10 |
| 5MGT-815-25 | 9270-5650 | 163 | 32.09 | .14 |





Poly Chain® HTD® Belts


Gates original HTD tooth profile combined with Poly Chain belt construction.

Markets/Applications

Suitable for replacement of HTD belts in HTD sprockets.

Features/Advantages

- The durable **polyurethane body** resists chemicals, oil, pollutants, and abrasion.
- Robust **aramid tensile cords** combine minimal stretch with extraordinary strength.
- **Nylon tooth facing** provides durable wear surface for long life.



Recommended Sprockets

Contact the Gates Made-To-Order Metals Team.

Notes

Poly Chain HTD Belts are Made-To-Order. Minimum order quantities and manufacturing lead times may apply. Contact Customer Service for availability.

Poly Chain HTD part numbers are comprised of pitch, pitch length and width. For example; part number PC1190-14M-55 denotes "PC" for Poly Chain, 1190mm pitch length, 14mm pitch and 55mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain HTD belt lies within the tensile member.

POLY CHAIN BELTS

Product No. Series 9258

14mm Pitch — 20mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| PC966-14M-20 | 9258-0080 | 69 | 38.03 | .35 |
| PC1190-14M-20 | 9258-0087 | 85 | 46.85 | .44 |
| PC1400-14M-20 | 9258-0094 | 100 | 55.12 | .51 |
| PC1610-14M-20 | 9258-0101 | 115 | 63.38 | .59 |
| PC1778-14M-20 | 9258-0108 | 127 | 70.00 | .65 |
| PC1890-14M-20 | 9258-0115 | 135 | 74.40 | .69 |
| PC2100-14M-20 | 9258-0122 | 150 | 82.67 | .77 |
| PC2310-14M-20 | 9258-0129 | 165 | 90.94 | .84 |

14mm Pitch — 55mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| PC966-14M-55 | 9258-0083 | 69 | 38.03 | .97 |
| PC1190-14M-55 | 9258-0090 | 85 | 46.85 | 1.20 |
| PC1400-14M-55 | 9258-0097 | 100 | 55.12 | 1.41 |
| PC1610-14M-55 | 9258-0104 | 115 | 63.38 | 1.62 |
| PC1778-14M-55 | 9258-0111 | 127 | 70.00 | 1.79 |
| PC1890-14M-55 | 9258-0118 | 135 | 74.40 | 1.90 |
| PC2100-14M-55 | 9258-0125 | 150 | 82.67 | 2.11 |
| PC2310-14M-55 | 9258-0132 | 165 | 90.94 | 2.32 |

14mm Pitch — 30mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| PC966-14M-30 | 9258-0081 | 69 | 38.03 | .53 |
| PC1190-14M-30 | 9258-0088 | 85 | 46.85 | .60 |
| PC1400-14M-30 | 9258-0095 | 100 | 55.12 | .77 |
| PC1610-14M-30 | 9258-0102 | 115 | 63.38 | .88 |
| PC1778-14M-30 | 9258-0109 | 127 | 70.00 | .98 |
| PC1890-14M-30 | 9258-0116 | 135 | 74.40 | 1.04 |
| PC2100-14M-30 | 9258-0123 | 150 | 82.67 | 1.15 |
| PC2310-14M-30 | 9258-0130 | 165 | 90.94 | 1.27 |

14mm Pitch — 85mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| PC966-14M-85 | 9258-0084 | 69 | 38.03 | 1.50 |
| PC1190-14M-85 | 9258-0091 | 85 | 46.85 | 1.85 |
| PC1400-14M-85 | 9258-0098 | 100 | 55.12 | 2.18 |
| PC1610-14M-85 | 9258-0105 | 115 | 63.38 | 2.50 |
| PC1778-14M-85 | 9258-0112 | 127 | 70.00 | 2.76 |
| PC1890-14M-85 | 9258-0119 | 135 | 74.40 | 2.94 |
| PC2100-14M-85 | 9258-0126 | 150 | 82.67 | 3.27 |
| PC2310-14M-85 | 9258-0133 | 165 | 90.94 | 3.59 |

14mm Pitch — 40mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| PC966-14M-40 | 9258-0082 | 69 | 38.03 | .71 |
| PC1190-14M-40 | 9258-0089 | 85 | 46.85 | .87 |
| PC1400-14M-40 | 9258-0096 | 100 | 55.12 | 1.02 |
| PC1610-14M-40 | 9258-0103 | 115 | 63.38 | 1.18 |
| PC1778-14M-40 | 9258-0110 | 127 | 70.00 | 1.30 |
| PC1890-14M-40 | 9258-0117 | 135 | 74.40 | 1.38 |
| PC2100-14M-40 | 9258-0124 | 150 | 82.67 | 1.54 |
| PC2310-14M-40 | 9258-0131 | 165 | 90.94 | 1.69 |

14mm Pitch — 115mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| PC966-14M-115 | 9258-0085 | 69 | 38.03 | 2.03 |
| PC1190-14M-115 | 9258-0092 | 85 | 46.85 | 2.50 |
| PC1400-14M-115 | 9258-0099 | 100 | 55.12 | 2.95 |
| PC1610-14M-115 | 9258-0106 | 115 | 63.38 | 3.39 |
| PC1778-14M-115 | 9258-0113 | 127 | 70.00 | 3.74 |
| PC1890-14M-115 | 9258-0120 | 135 | 74.40 | 4.00 |
| PC2100-14M-115 | 9258-0127 | 150 | 82.67 | 4.42 |
| PC2310-14M-115 | 9258-0134 | 165 | 90.94 | 4.86 |



Poly Chain[®] HTD[®] Belts

Product No. Series 9258 *(continued)*

14mm Pitch — 170mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| PC966-14M-170 | 9258-0086 | 69 | 38.03 | 3.00 |
| PC1190-14M-170 | 9258-0093 | 85 | 46.85 | 3.70 |
| PC1400-14M-170 | 9258-0100 | 100 | 55.12 | 4.35 |
| PC1610-14M-170 | 9258-0107 | 115 | 63.38 | 5.01 |
| PC1778-14M-170 | 9258-0114 | 127 | 70.00 | 5.53 |
| PC1890-14M-170 | 9258-0121 | 135 | 74.40 | 5.88 |
| PC2100-14M-170 | 9258-0128 | 150 | 82.67 | 6.53 |
| PC2310-14M-170 | 9258-0135 | 165 | 90.94 | 7.19 |

Eliminator® Belts

Gates Eliminator belt eliminates the competition.


It's a high-performance, polyurethane, synchronous belt designed to replace an RPP® belt of the same pitch, width and comparable length (within approximately +/- .5" on center distance maximum).

Markets/Applications

Any industrial applications utilizing RPP belts and sprockets, including Good Year® Blackhawk Pd™, Browning® RPP Panther®, Carlisle/Dayco® RPP Panther Ultra and TB Wood's® QT Power Chain®.

Features/Advantages

- With durable **polyurethane construction** and robust **aramid tensile**, the Eliminator belt will last a minimum of two times longer than competitive RPP belts.
- The Eliminator **tooth profile** is designed to fit all RPP sprocket grooves, therefore it's not necessary to change sprockets, saving money on transaction costs and reducing downtime.
- **Green nylon tooth facing** reduces friction and provides durable wear surface for long life.



Notes

Eliminator belts are Made-To-Order. Minimum order quantities and manufacturing lead times may apply. Eliminator part numbers are comprised of pitch, pitch length and width. For example; part number 1280-8M-12E denotes a 1280mm pitch length, 8mm pitch, 12mm width, and "E" for Eliminator.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of an Eliminator belt lies within the tensile member.

ELIMINATOR BELTS

Product No. Series 9307

8mm Pitch

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Pitch Length (In.) | Belt Width (mm) | Belt Width (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|--------------------|-----------------|------------------|----------------|
| 640-8M-12E | 9307-0080 | 80 | 640 | 25.197 | 12 | .472 | .47 |
| 640-8M-22E | 9307-1080 | 80 | 640 | 25.197 | 22 | .866 | .53 |
| 640-8M-35E | 9307-2080 | 80 | 640 | 25.197 | 35 | 1.378 | .80 |
| 640-8M-60E | 9307-3080 | 80 | 640 | 25.197 | 60 | 2.362 | .95 |
| 720-8M-12E | 9307-0090 | 90 | 720 | 28.346 | 12 | .472 | .52 |
| 720-8M-22E | 9307-1090 | 90 | 720 | 28.346 | 22 | .866 | .60 |
| 720-8M-35E | 9307-2090 | 90 | 720 | 28.346 | 35 | 1.378 | .85 |
| 720-8M-60E | 9307-3090 | 90 | 720 | 28.346 | 60 | 2.362 | 1.05 |
| 800-8M-12E | 9307-0100 | 100 | 800 | 31.496 | 12 | .472 | .57 |
| 800-8M-22E | 9307-1100 | 100 | 800 | 31.496 | 22 | .866 | .65 |
| 800-8M-35E | 9307-2100 | 100 | 800 | 31.496 | 35 | 1.378 | .90 |
| 800-8M-60E | 9307-3100 | 100 | 800 | 31.496 | 60 | 2.362 | 1.10 |
| 896-8M-12E | 9307-0112 | 112 | 896 | 35.276 | 12 | .472 | .62 |
| 896-8M-22E | 9307-1112 | 112 | 896 | 35.276 | 22 | .866 | .70 |
| 896-8M-35E | 9307-2112 | 112 | 896 | 35.276 | 35 | 1.378 | 1.00 |
| 896-8M-60E | 9307-3112 | 112 | 896 | 35.276 | 60 | 2.362 | 1.20 |
| 960-8M-12E | 9307-0120 | 120 | 960 | 37.795 | 12 | .472 | .64 |
| 960-8M-22E | 9307-1120 | 120 | 960 | 37.795 | 22 | .866 | .71 |
| 960-8M-35E | 9307-2120 | 120 | 960 | 37.795 | 35 | 1.378 | 1.00 |
| 960-8M-60E | 9307-3120 | 120 | 960 | 37.795 | 60 | 2.362 | 1.22 |
| 1040-8M-12E | 9307-0130 | 130 | 1040 | 40.945 | 12 | .472 | .65 |
| 1040-8M-22E | 9307-1130 | 130 | 1040 | 40.945 | 22 | .866 | .75 |
| 1040-8M-35E | 9307-2130 | 130 | 1040 | 40.945 | 35 | 1.378 | 1.05 |
| 1040-8M-60E | 9307-3130 | 130 | 1040 | 40.945 | 60 | 2.362 | 1.30 |
| 1120-8M-12E | 9307-0140 | 140 | 1120 | 44.094 | 12 | .472 | .70 |
| 1120-8M-22E | 9307-1140 | 140 | 1120 | 44.094 | 22 | .866 | .82 |
| 1120-8M-35E | 9307-2140 | 140 | 1120 | 44.094 | 35 | 1.378 | 1.10 |
| 1120-8M-60E | 9307-3140 | 140 | 1120 | 44.094 | 60 | 2.362 | 1.40 |

Eliminator® Belts**Product No. Series 9307 (continued)****8mm Pitch (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Pitch Length (In.) | Belt Width (mm) | Belt Width (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|--------------------|-----------------|------------------|----------------|
| 1200-8M-12E | 9307-0150 | 150 | 1200 | 47.244 | 12 | .472 | .75 |
| 1200-8M-22E | 9307-1150 | 150 | 1200 | 47.244 | 22 | .866 | .85 |
| 1200-8M-35E | 9307-2150 | 150 | 1200 | 47.244 | 35 | 1.378 | 1.15 |
| 1200-8M-60E | 9307-3150 | 150 | 1200 | 47.244 | 60 | 2.362 | 1.45 |
| 1224-8M-12E | 9307-0153 | 153 | 1224 | 48.189 | 12 | .472 | .75 |
| 1224-8M-22E | 9307-1153 | 153 | 1224 | 48.189 | 22 | .866 | .85 |
| 1224-8M-35E | 9307-2153 | 153 | 1224 | 48.189 | 35 | 1.378 | 1.15 |
| 1224-8M-60E | 9307-3153 | 153 | 1224 | 48.189 | 60 | 2.362 | 1.45 |
| 1280-8M-12E | 9307-0160 | 160 | 1280 | 50.394 | 12 | .472 | .80 |
| 1280-8M-22E | 9307-1160 | 160 | 1280 | 50.394 | 22 | .866 | .90 |
| 1280-8M-35E | 9307-2160 | 160 | 1280 | 50.394 | 35 | 1.378 | 1.20 |
| 1280-8M-60E | 9307-3160 | 160 | 1280 | 50.394 | 60 | 2.362 | 1.50 |
| 1440-8M-12E | 9307-0180 | 180 | 1440 | 56.693 | 12 | .472 | .85 |
| 1440-8M-22E | 9307-1180 | 180 | 1440 | 56.693 | 22 | .866 | 1.00 |
| 1440-8M-35E | 9307-2180 | 180 | 1440 | 56.693 | 35 | 1.378 | 1.30 |
| 1440-8M-60E | 9307-3180 | 180 | 1440 | 56.693 | 60 | 2.362 | 1.65 |
| 1600-8M-12E | 9307-0200 | 200 | 1600 | 62.992 | 12 | .472 | .93 |
| 1600-8M-22E | 9307-1200 | 200 | 1600 | 62.992 | 22 | .866 | 1.10 |
| 1600-8M-35E | 9307-2200 | 200 | 1600 | 62.992 | 35 | 1.378 | 1.38 |
| 1600-8M-60E | 9307-3200 | 200 | 1600 | 62.992 | 60 | 2.362 | 1.80 |
| 1760-8M-12E | 9307-0220 | 220 | 1760 | 69.291 | 12 | .472 | 1.00 |
| 1760-8M-22E | 9307-1220 | 220 | 1760 | 69.291 | 22 | .866 | 1.20 |
| 1760-8M-35E | 9307-2220 | 220 | 1760 | 69.291 | 35 | 1.378 | 1.47 |
| 1760-8M-60E | 9307-3220 | 220 | 1760 | 69.291 | 60 | 2.362 | 1.92 |
| 1792-8M-12E | 9307-0224 | 224 | 1792 | 70.551 | 12 | .472 | 1.03 |
| 1792-8M-22E | 9307-1224 | 224 | 1792 | 70.551 | 22 | .866 | 1.20 |
| 1792-8M-35E | 9307-2224 | 224 | 1792 | 70.551 | 35 | 1.378 | 1.48 |
| 1792-8M-60E | 9307-3224 | 224 | 1792 | 70.551 | 60 | 2.362 | 1.93 |
| 2000-8M-12E | 9307-0250 | 250 | 2000 | 78.740 | 12 | .472 | 1.10 |
| 2000-8M-22E | 9307-1250 | 250 | 2000 | 78.740 | 22 | .866 | 1.33 |
| 2000-8M-35E | 9307-2250 | 250 | 2000 | 78.740 | 35 | 1.378 | 1.62 |
| 2000-8M-60E | 9307-3250 | 250 | 2000 | 78.740 | 60 | 2.362 | 2.12 |
| 2200-8M-12E | 9307-0275 | 275 | 2200 | 86.614 | 12 | .472 | 1.20 |
| 2200-8M-22E | 9307-1275 | 275 | 2200 | 86.614 | 22 | .866 | 1.45 |
| 2200-8M-35E | 9307-2275 | 275 | 2200 | 86.614 | 35 | 1.378 | 1.75 |
| 2200-8M-60E | 9307-3275 | 275 | 2200 | 86.614 | 60 | 2.362 | 2.30 |
| 2400-8M-12E | 9307-0300 | 300 | 2400 | 94.488 | 12 | .472 | 1.30 |
| 2400-8M-22E | 9307-1300 | 300 | 2400 | 94.488 | 22 | .866 | 1.57 |
| 2400-8M-35E | 9307-2300 | 300 | 2400 | 94.488 | 35 | 1.378 | 1.85 |
| 2400-8M-60E | 9307-3300 | 300 | 2400 | 94.488 | 60 | 2.362 | 2.45 |
| 2600-8M-12E | 9307-0325 | 325 | 2600 | 102.362 | 12 | .472 | 1.40 |
| 2600-8M-22E | 9307-1325 | 325 | 2600 | 102.362 | 22 | .866 | 1.68 |
| 2600-8M-35E | 9307-2325 | 325 | 2600 | 102.362 | 35 | 1.378 | 1.96 |
| 2600-8M-60E | 9307-3325 | 325 | 2600 | 102.362 | 60 | 2.362 | 2.62 |
| 2800-8M-12E | 9307-0350 | 350 | 2800 | 110.236 | 12 | .472 | 1.50 |
| 2800-8M-22E | 9307-1350 | 350 | 2800 | 110.236 | 22 | .866 | 1.80 |
| 2800-8M-35E | 9307-2350 | 350 | 2800 | 110.236 | 35 | 1.378 | 2.08 |
| 2800-8M-60E | 9307-3350 | 350 | 2800 | 110.236 | 60 | 2.362 | 2.80 |
| 3048-8M-12E | 9307-0381 | 381 | 3048 | 120.000 | 12 | .472 | 1.60 |
| 3048-8M-22E | 9307-1381 | 381 | 3048 | 120.000 | 22 | .866 | 1.93 |
| 3048-8M-35E | 9307-2381 | 381 | 3048 | 120.000 | 35 | 1.378 | 2.25 |
| 3048-8M-60E | 9307-3381 | 381 | 3048 | 120.000 | 60 | 2.362 | 3.00 |
| 3280-8M-12E | 9307-0410 | 410 | 3280 | 129.134 | 12 | .472 | 1.67 |
| 3280-8M-22E | 9307-1410 | 410 | 3280 | 129.134 | 22 | .866 | 2.03 |
| 3280-8M-35E | 9307-2410 | 410 | 3280 | 129.134 | 35 | 1.378 | 2.40 |
| 3280-8M-60E | 9307-3410 | 410 | 3280 | 129.134 | 60 | 2.362 | 3.20 |
| 3600-8M-12E | 9307-0450 | 450 | 3600 | 141.732 | 12 | .472 | 1.83 |
| 3600-8M-22E | 9307-1450 | 450 | 3600 | 141.732 | 22 | .866 | 2.25 |
| 3600-8M-35E | 9307-2450 | 450 | 3600 | 141.732 | 35 | 1.378 | 2.55 |
| 3600-8M-60E | 9307-3450 | 450 | 3600 | 141.732 | 60 | 2.362 | 3.45 |

**Eliminator® Belts****Product No. Series 9307 (continued)****8mm Pitch (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Pitch Length (In.) | Belt Width (mm) | Belt Width (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|--------------------|-----------------|------------------|----------------|
| 4400-8M-12E | 9307-0550 | 550 | 4400 | 173.228 | 12 | .472 | 2.20 |
| 4400-8M-22E | 9307-1550 | 550 | 4400 | 173.228 | 22 | .866 | 2.70 |
| 4400-8M-35E | 9307-2550 | 550 | 4400 | 173.228 | 35 | 1.378 | 3.03 |
| 4400-8M-60E | 9307-3550 | 550 | 4400 | 173.228 | 60 | 2.362 | 4.15 |

14mm Pitch

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Pitch Length (In.) | Belt Width (mm) | Belt Width (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|-------------------|--------------------|-----------------|------------------|----------------|
| 994-14M-20E | 9307-4071 | 71 | 994 | 39.130 | 20 | .787 | 1.50 |
| 994-14M-42E | 9307-5071 | 71 | 994 | 39.130 | 42 | 1.654 | 1.80 |
| 994-14M-65E | 9307-6071 | 71 | 994 | 39.130 | 65 | 2.559 | 2.40 |
| 994-14M-90E | 9307-7071 | 71 | 994 | 39.130 | 90 | 3.543 | 3.10 |
| 994-14M-120E | 9307-8071 | 71 | 994 | 39.130 | 120 | 4.724 | 3.60 |
| 1190-14M-20E | 9307-4085 | 85 | 1190 | 46.850 | 20 | .787 | 1.68 |
| 1190-14M-42E | 9307-5085 | 85 | 1190 | 46.850 | 42 | 1.654 | 2.00 |
| 1190-14M-65E | 9307-6085 | 85 | 1190 | 46.850 | 65 | 2.559 | 2.70 |
| 1190-14M-90E | 9307-7085 | 85 | 1190 | 46.850 | 90 | 3.543 | 3.40 |
| 1190-14M-120E | 9307-8085 | 85 | 1190 | 46.850 | 120 | 4.724 | 4.00 |
| 1400-14M-20E | 9307-4100 | 100 | 1400 | 55.118 | 20 | .787 | 1.82 |
| 1400-14M-42E | 9307-5100 | 100 | 1400 | 55.118 | 42 | 1.654 | 2.20 |
| 1400-14M-65E | 9307-6100 | 100 | 1400 | 55.118 | 65 | 2.559 | 2.90 |
| 1400-14M-90E | 9307-7100 | 100 | 1400 | 55.118 | 90 | 3.543 | 3.80 |
| 1400-14M-120E | 9307-8100 | 100 | 1400 | 55.118 | 120 | 4.724 | 4.40 |
| 1610-14M-20E | 9307-4115 | 115 | 1610 | 63.386 | 20 | .787 | 1.90 |
| 1610-14M-42E | 9307-5115 | 115 | 1610 | 63.386 | 42 | 1.654 | 2.40 |
| 1610-14M-65E | 9307-6115 | 115 | 1610 | 63.386 | 65 | 2.559 | 3.30 |
| 1610-14M-90E | 9307-7115 | 115 | 1610 | 63.386 | 90 | 3.543 | 4.44 |
| 1610-14M-120E | 9307-8115 | 115 | 1610 | 63.386 | 120 | 4.724 | 5.27 |
| 1750-14M-20E | 9307-4125 | 125 | 1750 | 68.898 | 20 | .787 | 2.00 |
| 1750-14M-42E | 9307-5125 | 125 | 1750 | 68.898 | 42 | 1.654 | 2.60 |
| 1750-14M-65E | 9307-6125 | 125 | 1750 | 68.898 | 65 | 2.559 | 3.40 |
| 1750-14M-90E | 9307-7125 | 125 | 1750 | 68.898 | 90 | 3.543 | 4.66 |
| 1750-14M-120E | 9307-8125 | 125 | 1750 | 68.898 | 120 | 4.724 | 5.56 |
| 1890-14M-20E | 9307-4135 | 135 | 1890 | 74.409 | 20 | .787 | 2.10 |
| 1890-14M-42E | 9307-5135 | 135 | 1890 | 74.409 | 42 | 1.654 | 2.70 |
| 1890-14M-65E | 9307-6135 | 135 | 1890 | 74.409 | 65 | 2.559 | 3.60 |
| 1890-14M-90E | 9307-7135 | 135 | 1890 | 74.409 | 90 | 3.543 | 4.88 |
| 1890-14M-120E | 9307-8135 | 135 | 1890 | 74.409 | 120 | 4.724 | 5.85 |
| 2100-14M-20E | 9307-4150 | 150 | 2100 | 82.677 | 20 | .787 | 2.20 |
| 2100-14M-42E | 9307-5150 | 150 | 2100 | 82.677 | 42 | 1.654 | 2.90 |
| 2100-14M-65E | 9307-6150 | 150 | 2100 | 82.677 | 65 | 2.559 | 3.90 |
| 2100-14M-90E | 9307-7150 | 150 | 2100 | 82.677 | 90 | 3.543 | 5.20 |
| 2100-14M-120E | 9307-8150 | 150 | 2100 | 82.677 | 120 | 4.724 | 6.29 |
| 2310-14M-20E | 9307-4165 | 165 | 2310 | 90.945 | 20 | .787 | 2.35 |
| 2310-14M-42E | 9307-5165 | 165 | 2310 | 90.945 | 42 | 1.654 | 3.10 |
| 2310-14M-65E | 9307-6165 | 165 | 2310 | 90.945 | 65 | 2.559 | 4.25 |
| 2310-14M-90E | 9307-7165 | 165 | 2310 | 90.945 | 90 | 3.543 | 5.53 |
| 2310-14M-120E | 9307-8165 | 165 | 2310 | 90.945 | 120 | 4.724 | 6.72 |
| 2450-14M-20E | 9307-4175 | 175 | 2450 | 96.457 | 20 | .787 | 2.40 |
| 2450-14M-42E | 9307-5175 | 175 | 2450 | 96.457 | 42 | 1.654 | 3.25 |
| 2450-14M-65E | 9307-6175 | 175 | 2450 | 96.457 | 65 | 2.559 | 4.45 |
| 2450-14M-90E | 9307-7175 | 175 | 2450 | 96.457 | 90 | 3.543 | 5.74 |
| 2450-14M-120E | 9307-8175 | 175 | 2450 | 96.457 | 120 | 4.724 | 7.00 |
| 2590-14M-20E | 9307-4185 | 185 | 2590 | 101.968 | 20 | .787 | 2.50 |
| 2590-14M-42E | 9307-5185 | 185 | 2590 | 101.968 | 42 | 1.654 | 3.40 |
| 2590-14M-65E | 9307-6185 | 185 | 2590 | 101.968 | 65 | 2.559 | 4.60 |
| 2590-14M-90E | 9307-7185 | 185 | 2590 | 101.968 | 90 | 3.543 | 5.96 |
| 2590-14M-120E | 9307-8185 | 185 | 2590 | 101.968 | 120 | 4.724 | 7.30 |

ELIMINATOR BELTS



Eliminator® Belts**Product No. Series 9307 (continued)****14mm Pitch (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Pitch Length (In.) | Belt Width (mm) | Belt Width (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|-------------------|--------------------|-----------------|------------------|----------------|
| 2800-14M-20E | 9307-4200 | 200 | 2800 | 110.236 | 20 | .787 | 2.63 |
| 2800-14M-42E | 9307-5200 | 200 | 2800 | 110.236 | 42 | 1.654 | 3.60 |
| 2800-14M-65E | 9307-6200 | 200 | 2800 | 110.236 | 65 | 2.559 | 4.95 |
| 2800-14M-90E | 9307-7200 | 200 | 2800 | 110.236 | 90 | 3.543 | 6.29 |
| 2800-14M-120E | 9307-8200 | 200 | 2800 | 110.236 | 120 | 4.724 | 7.73 |
| 3136-14M-20E | 9307-4224 | 224 | 3136 | 123.465 | 20 | .787 | 2.84 |
| 3136-14M-42E | 9307-5224 | 224 | 3136 | 123.465 | 42 | 1.654 | 3.92 |
| 3136-14M-65E | 9307-6224 | 224 | 3136 | 123.465 | 65 | 2.559 | 5.46 |
| 3136-14M-90E | 9307-7224 | 224 | 3136 | 123.465 | 90 | 3.543 | 6.81 |
| 3136-14M-120E | 9307-8224 | 224 | 3136 | 123.465 | 120 | 4.724 | 8.34 |
| 3360-14M-20E | 9307-4240 | 240 | 3360 | 132.283 | 20 | .787 | 2.96 |
| 3360-14M-42E | 9307-5240 | 240 | 3360 | 132.283 | 42 | 1.654 | 4.10 |
| 3360-14M-65E | 9307-6240 | 240 | 3360 | 132.283 | 65 | 2.559 | 5.71 |
| 3360-14M-90E | 9307-7240 | 240 | 3360 | 132.283 | 90 | 3.543 | 7.16 |
| 3360-14M-120E | 9307-8240 | 240 | 3360 | 132.283 | 120 | 4.724 | 8.89 |
| 3500-14M-20E | 9307-4250 | 250 | 3500 | 137.795 | 20 | .787 | 3.05 |
| 3500-14M-42E | 9307-5250 | 250 | 3500 | 137.795 | 42 | 1.654 | 4.30 |
| 3500-14M-65E | 9307-6250 | 250 | 3500 | 137.795 | 65 | 2.559 | 5.95 |
| 3500-14M-90E | 9307-7250 | 250 | 3500 | 137.795 | 90 | 3.543 | 7.37 |
| 3500-14M-120E | 9307-8250 | 250 | 3500 | 137.795 | 120 | 4.724 | 9.18 |
| 3850-14M-20E | 9307-4275 | 275 | 3850 | 151.575 | 20 | .787 | 3.25 |
| 3850-14M-42E | 9307-5275 | 275 | 3850 | 151.575 | 42 | 1.654 | 4.60 |
| 3850-14M-65E | 9307-6275 | 275 | 3850 | 151.575 | 65 | 2.559 | 6.50 |
| 3850-14M-90E | 9307-7275 | 275 | 3850 | 151.575 | 90 | 3.543 | 7.92 |
| 3850-14M-120E | 9307-8275 | 275 | 3850 | 151.575 | 120 | 4.724 | 9.91 |
| 4326-14M-20E | 9307-4309 | 309 | 4326 | 170.315 | 20 | .787 | 3.55 |
| 4326-14M-42E | 9307-5309 | 309 | 4326 | 170.315 | 42 | 1.654 | 5.10 |
| 4326-14M-65E | 9307-6309 | 309 | 4326 | 170.315 | 65 | 2.559 | 7.20 |
| 4326-14M-90E | 9307-7309 | 309 | 4326 | 170.315 | 90 | 3.543 | 8.80 |
| 4326-14M-120E | 9307-8309 | 309 | 4326 | 170.315 | 120 | 4.724 | 10.80 |

ELIMINATOR BELTS



PowerGrip® TruMotion Belts

The new PowerGrip TruMotion belts are available in all of Gates light duty synchronous pitches.

PowerGrip GT TruMotion Belts: 2MR, 3MR and 5MR

PowerGrip TruMotion Belts: 3M and 5M

PowerGrip Timing Belts: MXL, XL and L

PowerGrip TruMotion Belts are made to order. Please contact customer service for price and availability.

Markets/Applications

The TruMotion belt construction utilizes a clean white polymer and a polymer free nylon tooth surface, resulting in minimal dusting. This makes it ideal for many applications including data storage equipment, printers, plotters, medical equipment, food processors, money handling, copiers and other office equipment.

Features/Advantages


- **Fiberglass tensile cord** provides excellent flex life, and high resistance to elongation.
- The **white polymer rubber body** provides a non marking, cleaner running construction
- The **polymer free nylon tooth facing** provides a durable wear surface for longer service life and lower noise levels.

Recommended Sprockets

PowerGrip GT TruMotion Belts: PowerGrip GT2 Sprockets
 PowerGrip HTD TruMotion Belts: PowerGrip HTD Sprockets
 PowerGrip Timing TruMotion Belts: PowerGrip Timing Pulleys

Notes

PowerGrip TruMotion belts are made-to-order. Minimum order quantities of 3 drums will be required. Check with Customer Service for availability.



Product No. Series 9581

PowerGrip® GT® TruMotion® Belts

| Available Pitches |
|-------------------|
| 2MR |
| 3MR |
| 5MR |

Product No. Series 9582

PowerGrip® Timing TruMotion® Belts

| Available Pitches |
|-------------------|
| MXL |
| XL |
| L |

Product No. Series 9580

PowerGrip® HTD® TruMotion® Belts

| Available Pitches |
|-------------------|
| 3M |
| 5M |

POWERGRIP TRUMOTION



PowerGrip® GT[®]2 Belts - 2MR and 3MR


The PowerGrip GT2 belt has twice the load carrying capacity of its predecessor HTD[®]. In addition, less width is required compared to HTD, allowing lighter, more compact drives.

Markets/Applications

PowerGrip GT2 belts are suitable for many applications including data storage, machine tool, hand power tools, postage handling, DC Stepper/Servo, food processors, office machines, centrifuges, money handling, medical diagnostic, sewing machines, ticket dispensers, robotics, vending machines and vacuum cleaners.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Gates **patented tooth profile** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip GT2 greatly exceeds HTD in tooth ratchet resistance.
- Eliminates lubrication and re-tensioning reduce maintenance and labor as compared to roller chain drives.
- PowerGrip GT2 belt sprocket combinations match or exceed the positional accuracy of PowerGrip Timing belt/pulley systems.



Recommended Sprockets

PowerGrip GT2 Sprockets

Notes

PowerGrip GT2 part numbers are comprised of pitch, pitch length and width. For example; part number 2MR-100-04 denotes a 2mm pitch, 100mm pitch length and 4mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT2 belt lies within the tensile member.

Product No. Series 9390

2MR Pitch — 4mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 2MR-100-04 | 9390-0050 | 50 | 3.94 | .01 |
| 2MR-112-04 | 9390-0056 | 56 | 4.41 | .01 |
| 2MR-124-04 | 9390-0062 | 62 | 4.88 | .01 |
| 2MR-126-04 | 9390-0063 | 63 | 4.96 | .01 |
| 2MR-134-04 | 9390-0067 | 67 | 5.28 | .01 |
| 2MR-136-04 | 9390-0068 | 68 | 5.35 | .01 |
| 2MR-140-04 | 9390-0070 | 70 | 5.51 | .01 |
| 2MR-152-04 | 9390-0076 | 76 | 5.98 | .01 |
| 2MR-158-04 | 9390-0079 | 79 | 6.22 | .01 |
| 2MR-160-04 | 9390-0080 | 80 | 6.30 | .01 |
| 2MR-164-04 | 9390-0082 | 82 | 6.46 | .01 |
| 2MR-166-04 | 9390-0083 | 83 | 6.54 | .01 |
| 2MR-168-04 | 9390-0084 | 84 | 6.61 | .01 |
| 2MR-172-04 | 9390-0086 | 86 | 6.77 | .01 |
| 2MR-180-04 | 9390-0090 | 90 | 7.09 | .01 |
| 2MR-186-04 | 9390-0093 | 93 | 7.32 | .01 |
| 2MR-192-04 | 9390-0096 | 96 | 7.56 | .01 |
| 2MR-200-04 | 9390-0100 | 100 | 7.87 | .01 |
| 2MR-202-04 | 9390-0101 | 101 | 7.95 | .01 |
| 2MR-210-04 | 9390-0105 | 105 | 8.27 | .01 |
| 2MR-212-04 | 9390-0106 | 106 | 8.35 | .01 |
| 2MR-216-04 | 9390-0108 | 108 | 8.50 | .01 |
| 2MR-220-04 | 9390-0110 | 110 | 8.66 | .01 |
| 2MR-232-04 | 9390-0116 | 116 | 9.13 | .01 |
| 2MR-236-04 | 9390-0118 | 118 | 9.29 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 2MR-240-04 | 9390-0120 | 120 | 9.45 | .01 |
| 2MR-250-04 | 9390-0125 | 125 | 9.84 | .01 |
| 2MR-252-04 | 9390-0126 | 126 | 9.92 | .01 |
| 2MR-258-04 | 9390-0129 | 129 | 10.16 | .01 |
| 2MR-278-04 | 9390-0139 | 139 | 10.94 | .01 |
| 2MR-280-04 | 9390-0140 | 140 | 11.02 | .01 |
| 2MR-300-04 | 9390-0150 | 150 | 11.81 | .01 |
| 2MR-320-04 | 9390-0160 | 160 | 12.60 | .01 |
| 2MR-322-04 | 9390-0161 | 161 | 12.68 | .01 |
| 2MR-332-04 | 9390-0166 | 166 | 13.07 | .01 |
| 2MR-346-04 | 9390-0173 | 173 | 13.62 | .01 |
| 2MR-350-04 | 9390-0175 | 175 | 13.78 | .01 |
| 2MR-364-04 | 9390-0182 | 182 | 14.33 | .01 |
| 2MR-370-04 | 9390-0185 | 185 | 14.57 | .01 |
| 2MR-380-04 | 9390-0190 | 190 | 14.96 | .01 |
| 2MR-386-04 | 9390-0193 | 193 | 15.20 | .01 |
| 2MR-400-04 | 9390-0200 | 200 | 15.75 | .01 |
| 2MR-406-04 | 9390-0203 | 203 | 15.98 | .01 |
| 2MR-420-04 | 9390-0210 | 210 | 16.54 | .01 |
| 2MR-456-04 | 9390-0228 | 228 | 17.95 | .01 |
| 2MR-470-04 | 9390-0235 | 235 | 18.50 | .01 |
| 2MR-474-04 | 9390-0237 | 237 | 18.66 | .01 |
| 2MR-488-04 | 9390-0244 | 244 | 19.21 | .01 |
| 2MR-504-04 | 9390-0252 | 252 | 19.84 | .01 |
| 2MR-528-04 | 9390-0264 | 264 | 20.79 | .01 |



**PowerGrip® GT®2 Belts - 2MR and 3MR****Product No. Series 9390 (continued)****2MR Pitch — 4mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 2MR-552-04 | 9390-0276 | 276 | 21.73 | .01 |
| 2MR-576-04 | 9390-0288 | 288 | 22.68 | .01 |
| 2MR-600-04 | 9390-0300 | 300 | 23.62 | .01 |
| 2MR-640-04 | 9390-0320 | 320 | 25.20 | .02 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 2MR-696-04 | 9390-0348 | 348 | 27.40 | .02 |
| 2MR-744-04 | 9390-0372 | 372 | 29.29 | .02 |
| 2MR-848-04 | 9390-0424 | 424 | 33.39 | .02 |
| 2MR-1164-04 | 9390-0582 | 582 | 45.83 | .03 |

2MR Pitch — 6mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 2MR-100-06 | 9390-1050 | 50 | 3.94 | .01 |
| 2MR-112-06 | 9390-1056 | 56 | 4.41 | .01 |
| 2MR-124-06 | 9390-1062 | 62 | 4.88 | .01 |
| 2MR-126-06 | 9390-1063 | 63 | 4.96 | .01 |
| 2MR-134-06 | 9390-1067 | 67 | 5.28 | .01 |
| 2MR-136-06 | 9390-1068 | 68 | 5.35 | .01 |
| 2MR-140-06 | 9390-1070 | 70 | 5.51 | .01 |
| 2MR-152-06 | 9390-1076 | 76 | 5.98 | .01 |
| 2MR-158-06 | 9390-1079 | 79 | 6.22 | .01 |
| 2MR-160-06 | 9390-1080 | 80 | 6.30 | .01 |
| 2MR-164-06 | 9390-1082 | 82 | 6.46 | .01 |
| 2MR-166-06 | 9390-1083 | 83 | 6.54 | .01 |
| 2MR-168-06 | 9390-1084 | 84 | 6.61 | .01 |
| 2MR-172-06 | 9390-1086 | 86 | 6.77 | .01 |
| 2MR-180-06 | 9390-1090 | 90 | 7.09 | .01 |
| 2MR-186-06 | 9390-1093 | 93 | 7.32 | .01 |
| 2MR-192-06 | 9390-1096 | 96 | 7.56 | .01 |
| 2MR-200-06 | 9390-1100 | 100 | 7.87 | .01 |
| 2MR-202-06 | 9390-1101 | 101 | 7.95 | .01 |
| 2MR-210-06 | 9390-1105 | 105 | 8.27 | .01 |
| 2MR-212-06 | 9390-1106 | 106 | 8.35 | .01 |
| 2MR-216-06 | 9390-1108 | 108 | 8.50 | .01 |
| 2MR-220-06 | 9390-1110 | 110 | 8.66 | .01 |
| 2MR-232-06 | 9390-1116 | 116 | 9.13 | .01 |
| 2MR-236-06 | 9390-1118 | 118 | 9.29 | .01 |
| 2MR-240-06 | 9390-1120 | 120 | 9.45 | .01 |
| 2MR-250-06 | 9390-1125 | 125 | 9.84 | .01 |
| 2MR-252-06 | 9390-1126 | 126 | 9.92 | .01 |
| 2MR-258-06 | 9390-1129 | 129 | 10.16 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 2MR-278-06 | 9390-1139 | 139 | 10.94 | .01 |
| 2MR-280-06 | 9390-1140 | 140 | 11.02 | .01 |
| 2MR-300-06 | 9390-1150 | 150 | 11.81 | .01 |
| 2MR-320-06 | 9390-1160 | 160 | 12.60 | .01 |
| 2MR-322-06 | 9390-1161 | 161 | 12.68 | .01 |
| 2MR-332-06 | 9390-1166 | 166 | 13.07 | .01 |
| 2MR-346-06 | 9390-1173 | 173 | 13.62 | .01 |
| 2MR-350-06 | 9390-1175 | 175 | 13.78 | .01 |
| 2MR-364-06 | 9390-1182 | 182 | 14.33 | .01 |
| 2MR-370-06 | 9390-1185 | 185 | 14.57 | .01 |
| 2MR-380-06 | 9390-1190 | 190 | 14.96 | .01 |
| 2MR-386-06 | 9390-1193 | 193 | 15.20 | .01 |
| 2MR-400-06 | 9390-1200 | 200 | 15.75 | .01 |
| 2MR-406-06 | 9390-1203 | 203 | 15.98 | .01 |
| 2MR-420-06 | 9390-1210 | 210 | 16.54 | .01 |
| 2MR-456-06 | 9390-1228 | 228 | 17.95 | .01 |
| 2MR-470-06 | 9390-1235 | 235 | 18.50 | .01 |
| 2MR-474-06 | 9390-1237 | 237 | 18.66 | .01 |
| 2MR-488-06 | 9390-1244 | 244 | 19.21 | .01 |
| 2MR-504-06 | 9390-1252 | 252 | 19.84 | .01 |
| 2MR-528-06 | 9390-1264 | 264 | 20.79 | .01 |
| 2MR-552-06 | 9390-1276 | 276 | 21.73 | .01 |
| 2MR-576-06 | 9390-1288 | 288 | 22.68 | .02 |
| 2MR-600-06 | 9390-1300 | 300 | 23.62 | .02 |
| 2MR-640-06 | 9390-1320 | 320 | 25.20 | .02 |
| 2MR-696-06 | 9390-1348 | 348 | 27.40 | .02 |
| 2MR-744-06 | 9390-1372 | 372 | 29.29 | .03 |
| 2MR-848-06 | 9390-1424 | 424 | 33.39 | .03 |
| 2MR-1164-06 | 9390-1582 | 582 | 45.83 | .04 |

2MR Pitch — 9mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 2MR-100-09 | 9390-2050 | 50 | 3.94 | .01 |
| 2MR-112-09 | 9390-2056 | 56 | 4.41 | .01 |
| 2MR-124-09 | 9390-2062 | 62 | 4.88 | .01 |
| 2MR-126-09 | 9390-2063 | 63 | 4.96 | .01 |
| 2MR-134-09 | 9390-2067 | 67 | 5.28 | .01 |
| 2MR-136-09 | 9390-2068 | 68 | 5.35 | .01 |
| 2MR-140-09 | 9390-2070 | 70 | 5.51 | .01 |
| 2MR-152-09 | 9390-2076 | 76 | 5.98 | .01 |
| 2MR-158-09 | 9390-2079 | 79 | 6.22 | .01 |
| 2MR-160-09 | 9390-2080 | 80 | 6.30 | .01 |
| 2MR-164-09 | 9390-2082 | 82 | 6.46 | .01 |
| 2MR-166-09 | 9390-2083 | 83 | 6.54 | .01 |
| 2MR-168-09 | 9390-2084 | 84 | 6.61 | .01 |
| 2MR-172-09 | 9390-2086 | 86 | 6.77 | .01 |
| 2MR-180-09 | 9390-2090 | 90 | 7.09 | .01 |
| 2MR-186-09 | 9390-2093 | 93 | 7.32 | .01 |
| 2MR-192-09 | 9390-2096 | 96 | 7.56 | .01 |
| 2MR-200-09 | 9390-2100 | 100 | 7.87 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 2MR-202-09 | 9390-2101 | 101 | 7.95 | .01 |
| 2MR-210-09 | 9390-2105 | 105 | 8.27 | .01 |
| 2MR-212-09 | 9390-2106 | 106 | 8.35 | .01 |
| 2MR-216-09 | 9390-2108 | 108 | 8.50 | .01 |
| 2MR-220-09 | 9390-2110 | 110 | 8.66 | .01 |
| 2MR-232-09 | 9390-2116 | 116 | 9.13 | .01 |
| 2MR-236-09 | 9390-2118 | 118 | 9.29 | .01 |
| 2MR-240-09 | 9390-2120 | 120 | 9.45 | .01 |
| 2MR-250-09 | 9390-2125 | 125 | 9.84 | .01 |
| 2MR-252-09 | 9390-2126 | 126 | 9.92 | .01 |
| 2MR-258-09 | 9390-2129 | 129 | 10.16 | .01 |
| 2MR-278-09 | 9390-2139 | 139 | 10.94 | .01 |
| 2MR-280-09 | 9390-2140 | 140 | 11.02 | .01 |
| 2MR-300-09 | 9390-2150 | 150 | 11.81 | .01 |
| 2MR-320-09 | 9390-2160 | 160 | 12.60 | .01 |
| 2MR-322-09 | 9390-2161 | 161 | 12.68 | .01 |
| 2MR-332-09 | 9390-2166 | 166 | 13.07 | .01 |
| 2MR-346-09 | 9390-2173 | 173 | 13.62 | .01 |



PowerGrip® GT®2 Belts - 2MR and 3MR

Product No. Series 9390 (continued)

2MR Pitch — 9mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 2MR-350-09 | 9390-2175 | 175 | 13.78 | .01 |
| 2MR-364-09 | 9390-2182 | 182 | 14.33 | .02 |
| 2MR-370-09 | 9390-2185 | 185 | 14.57 | .02 |
| 2MR-380-09 | 9390-2190 | 190 | 14.96 | .02 |
| 2MR-386-09 | 9390-2193 | 193 | 15.20 | .02 |
| 2MR-400-09 | 9390-2200 | 200 | 15.75 | .02 |
| 2MR-406-09 | 9390-2203 | 203 | 15.98 | .02 |
| 2MR-420-09 | 9390-2210 | 210 | 16.54 | .02 |
| 2MR-456-09 | 9390-2228 | 228 | 17.95 | .02 |
| 2MR-470-09 | 9390-2235 | 235 | 18.50 | .02 |
| 2MR-474-09 | 9390-2237 | 237 | 18.66 | .02 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 2MR-488-09 | 9390-2244 | 244 | 19.21 | .02 |
| 2MR-504-09 | 9390-2252 | 252 | 19.84 | .02 |
| 2MR-528-09 | 9390-2264 | 264 | 20.79 | .02 |
| 2MR-552-09 | 9390-2276 | 276 | 21.73 | .02 |
| 2MR-576-09 | 9390-2288 | 288 | 22.68 | .02 |
| 2MR-600-09 | 9390-2300 | 300 | 23.62 | .03 |
| 2MR-640-09 | 9390-2320 | 320 | 25.20 | .03 |
| 2MR-696-09 | 9390-2348 | 348 | 27.40 | .03 |
| 2MR-744-09 | 9390-2372 | 372 | 29.29 | .03 |
| 2MR-848-09 | 9390-2424 | 424 | 33.39 | .04 |
| 2MR-1164-09 | 9390-2582 | 582 | 45.83 | .04 |

3MR Pitch — 6mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 3MR-99-06 | 9390-3033 | 33 | 3.90 | .01 |
| 3MR-111-06 | 9390-3037 | 37 | 4.37 | .01 |
| 3MR-123-06 | 9390-3041 | 41 | 4.84 | .01 |
| 3MR-129-06 | 9390-3043 | 43 | 5.08 | .01 |
| 3MR-159-06 | 9390-3053 | 53 | 6.26 | .01 |
| 3MR-165-06 | 9390-3055 | 55 | 6.50 | .01 |
| 3MR-180-06 | 9390-3060 | 60 | 7.09 | .01 |
| 3MR-183-06 | 9390-3061 | 61 | 7.20 | .01 |
| 3MR-189-06 | 9390-3063 | 63 | 7.44 | .01 |
| 3MR-201-06 | 9390-3067 | 67 | 7.91 | .01 |
| 3MR-219-06 | 9390-3073 | 73 | 8.62 | .01 |
| 3MR-225-06 | 9390-3075 | 75 | 8.86 | .01 |
| 3MR-240-06 | 9390-3080 | 80 | 9.45 | .01 |
| 3MR-243-06 | 9390-3081 | 81 | 9.57 | .01 |
| 3MR-255-06 | 9390-3085 | 85 | 10.04 | .01 |
| 3MR-267-06 | 9390-3089 | 89 | 10.51 | .01 |
| 3MR-282-06 | 9390-3094 | 94 | 11.10 | .01 |
| 3MR-291-06 | 9390-3097 | 97 | 11.46 | .01 |
| 3MR-300-06 | 9390-3100 | 100 | 11.81 | .01 |
| 3MR-339-06 | 9390-3113 | 113 | 13.35 | .01 |
| 3MR-348-06 | 9390-3116 | 116 | 13.70 | .01 |
| 3MR-357-06 | 9390-3119 | 119 | 14.06 | .01 |
| 3MR-360-06 | 9390-3120 | 120 | 14.17 | .01 |
| 3MR-375-06 | 9390-3125 | 125 | 14.76 | .01 |
| 3MR-393-06 | 9390-3131 | 131 | 15.47 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 3MR-414-06 | 9390-3138 | 138 | 16.30 | .01 |
| 3MR-420-06 | 9390-3140 | 140 | 16.54 | .01 |
| 3MR-447-06 | 9390-3149 | 149 | 17.60 | .01 |
| 3MR-450-06 | 9390-3150 | 150 | 17.72 | .02 |
| 3MR-474-06 | 9390-3158 | 158 | 18.66 | .02 |
| 3MR-480-06 | 9390-3160 | 160 | 18.90 | .02 |
| 3MR-483-06 | 9390-3161 | 161 | 19.02 | .02 |
| 3MR-489-06 | 9390-3163 | 163 | 19.25 | .02 |
| 3MR-504-06 | 9390-3168 | 168 | 19.84 | .02 |
| 3MR-537-06 | 9390-3179 | 179 | 21.14 | .02 |
| 3MR-552-06 | 9390-3184 | 184 | 21.73 | .02 |
| 3MR-564-06 | 9390-3188 | 188 | 22.20 | .02 |
| 3MR-600-06 | 9390-3200 | 200 | 23.62 | .02 |
| 3MR-630-06 | 9390-3210 | 210 | 24.80 | .02 |
| 3MR-684-06 | 9390-3228 | 228 | 26.93 | .02 |
| 3MR-735-06 | 9390-3245 | 245 | 28.94 | .02 |
| 3MR-750-06 | 9390-3250 | 250 | 29.53 | .02 |
| 3MR-786-06 | 9390-3262 | 262 | 30.94 | .03 |
| 3MR-840-06 | 9390-3280 | 280 | 33.07 | .03 |
| 3MR-945-06 | 9390-3315 | 315 | 37.20 | .03 |
| 3MR-1050-06 | 9390-3350 | 350 | 41.34 | .03 |
| 3MR-1080-06 | 9390-3360 | 360 | 42.52 | .03 |
| 3MR-1536-06 | 9390-3512 | 512 | 60.47 | .06 |
| 3MR-1587-06 | 9390-3529 | 529 | 62.48 | .06 |
| 3MR-2061-06 | 9390-3687 | 687 | 81.14 | .07 |

3MR Pitch — 9mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 3MR-99-09 | 9390-4033 | 33 | 3.90 | .01 |
| 3MR-111-09 | 9390-4037 | 37 | 4.37 | .01 |
| 3MR-123-09 | 9390-4041 | 41 | 4.84 | .01 |
| 3MR-129-09 | 9390-4043 | 43 | 5.08 | .01 |
| 3MR-159-09 | 9390-4053 | 53 | 6.26 | .01 |
| 3MR-165-09 | 9390-4055 | 55 | 6.50 | .01 |
| 3MR-180-09 | 9390-4060 | 60 | 7.09 | .01 |
| 3MR-183-09 | 9390-4061 | 61 | 7.20 | .01 |
| 3MR-189-09 | 9390-4063 | 63 | 7.44 | .01 |
| 3MR-201-09 | 9390-4067 | 67 | 7.91 | .01 |
| 3MR-219-09 | 9390-4073 | 73 | 8.62 | .01 |
| 3MR-225-09 | 9390-4075 | 75 | 8.86 | .01 |
| 3MR-240-09 | 9390-4080 | 80 | 9.45 | .01 |
| 3MR-243-09 | 9390-4081 | 81 | 9.57 | .01 |
| 3MR-255-09 | 9390-4085 | 85 | 10.04 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 3MR-267-09 | 9390-4089 | 89 | 10.51 | .01 |
| 3MR-282-09 | 9390-4094 | 94 | 11.10 | .01 |
| 3MR-291-09 | 9390-4097 | 97 | 11.46 | .01 |
| 3MR-300-09 | 9390-4100 | 100 | 11.81 | .01 |
| 3MR-339-09 | 9390-4113 | 113 | 13.35 | .01 |
| 3MR-348-09 | 9390-4116 | 116 | 13.70 | .01 |
| 3MR-357-09 | 9390-4119 | 119 | 14.06 | .01 |
| 3MR-360-09 | 9390-4120 | 120 | 14.17 | .01 |
| 3MR-375-09 | 9390-4125 | 125 | 14.76 | .01 |
| 3MR-393-09 | 9390-4131 | 131 | 15.47 | .02 |
| 3MR-414-09 | 9390-4138 | 138 | 16.30 | .02 |
| 3MR-420-09 | 9390-4140 | 140 | 16.54 | .02 |
| 3MR-447-09 | 9390-4149 | 149 | 17.60 | .02 |
| 3MR-450-09 | 9390-4150 | 150 | 17.72 | .02 |
| 3MR-474-09 | 9390-4158 | 158 | 18.66 | .02 |



**PowerGrip® GT®2 Belts - 2MR and 3MR****Product No. Series 9390 (continued)****3MR Pitch — 9mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 3MR-480-09 | 9390-4160 | 160 | 18.90 | .02 |
| 3MR-483-09 | 9390-4161 | 161 | 19.02 | .02 |
| 3MR-489-09 | 9390-4163 | 163 | 19.25 | .02 |
| 3MR-504-09 | 9390-4168 | 168 | 19.84 | .02 |
| 3MR-537-09 | 9390-4179 | 179 | 21.14 | .02 |
| 3MR-552-09 | 9390-4184 | 184 | 21.73 | .02 |
| 3MR-564-09 | 9390-4188 | 188 | 22.20 | .02 |
| 3MR-600-09 | 9390-4200 | 200 | 23.62 | .03 |
| 3MR-630-09 | 9390-4210 | 210 | 24.80 | .03 |
| 3MR-684-09 | 9390-4228 | 228 | 26.93 | .03 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 3MR-735-09 | 9390-4245 | 245 | 28.94 | .03 |
| 3MR-750-09 | 9390-4250 | 250 | 29.53 | .04 |
| 3MR-786-09 | 9390-4262 | 262 | 30.94 | .04 |
| 3MR-840-09 | 9390-4280 | 280 | 33.07 | .04 |
| 3MR-945-09 | 9390-4315 | 315 | 37.20 | .04 |
| 3MR-1050-09 | 9390-4350 | 350 | 41.34 | .05 |
| 3MR-1080-09 | 9390-4360 | 360 | 42.52 | .05 |
| 3MR-1536-09 | 9390-4512 | 512 | 60.47 | .07 |
| 3MR-1587-09 | 9390-4529 | 529 | 62.48 | .08 |
| 3MR-2061-09 | 9390-4687 | 687 | 81.14 | .10 |

3MR Pitch — 15mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 3MR-99-15 | 9390-5033 | 33 | 3.90 | .01 |
| 3MR-111-15 | 9390-5037 | 37 | 4.37 | .01 |
| 3MR-123-15 | 9390-5041 | 41 | 4.84 | .01 |
| 3MR-129-15 | 9390-5043 | 43 | 5.08 | .02 |
| 3MR-159-15 | 9390-5053 | 53 | 6.26 | .02 |
| 3MR-165-15 | 9390-5055 | 55 | 6.50 | .01 |
| 3MR-180-15 | 9390-5060 | 60 | 7.09 | .02 |
| 3MR-183-15 | 9390-5061 | 61 | 7.20 | .02 |
| 3MR-189-15 | 9390-5063 | 63 | 7.44 | .01 |
| 3MR-201-15 | 9390-5067 | 67 | 7.91 | .02 |
| 3MR-219-15 | 9390-5073 | 73 | 8.62 | .01 |
| 3MR-225-15 | 9390-5075 | 75 | 8.86 | .02 |
| 3MR-240-15 | 9390-5080 | 80 | 9.45 | .02 |
| 3MR-243-15 | 9390-5081 | 81 | 9.57 | .02 |
| 3MR-255-15 | 9390-5085 | 85 | 10.04 | .02 |
| 3MR-267-15 | 9390-5089 | 89 | 10.51 | .02 |
| 3MR-282-15 | 9390-5094 | 94 | 11.10 | .02 |
| 3MR-291-15 | 9390-5097 | 97 | 11.46 | .02 |
| 3MR-300-15 | 9390-5100 | 100 | 11.81 | .02 |
| 3MR-339-15 | 9390-5113 | 113 | 13.35 | .03 |
| 3MR-348-15 | 9390-5116 | 116 | 13.70 | .03 |
| 3MR-357-15 | 9390-5119 | 119 | 14.06 | .03 |
| 3MR-360-15 | 9390-5120 | 120 | 14.17 | .03 |
| 3MR-375-15 | 9390-5125 | 125 | 14.76 | .03 |
| 3MR-393-15 | 9390-5131 | 131 | 15.47 | .03 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 3MR-414-15 | 9390-5138 | 138 | 16.30 | .04 |
| 3MR-420-15 | 9390-5140 | 140 | 16.54 | .04 |
| 3MR-447-15 | 9390-5149 | 149 | 17.60 | .04 |
| 3MR-450-15 | 9390-5150 | 150 | 17.72 | .04 |
| 3MR-474-15 | 9390-5158 | 158 | 18.66 | .04 |
| 3MR-480-15 | 9390-5160 | 160 | 18.90 | .04 |
| 3MR-483-15 | 9390-5161 | 161 | 19.02 | .04 |
| 3MR-489-15 | 9390-5163 | 163 | 19.25 | .04 |
| 3MR-504-15 | 9390-5168 | 168 | 19.84 | .04 |
| 3MR-537-15 | 9390-5179 | 179 | 21.14 | .04 |
| 3MR-552-15 | 9390-5184 | 184 | 21.73 | .04 |
| 3MR-564-15 | 9390-5188 | 188 | 22.20 | .04 |
| 3MR-600-15 | 9390-5200 | 200 | 23.62 | .05 |
| 3MR-630-15 | 9390-5210 | 210 | 24.80 | .05 |
| 3MR-684-15 | 9390-5228 | 228 | 26.93 | .06 |
| 3MR-735-15 | 9390-5245 | 245 | 28.94 | .07 |
| 3MR-750-15 | 9390-5250 | 250 | 29.53 | .07 |
| 3MR-786-15 | 9390-5262 | 262 | 30.94 | .07 |
| 3MR-840-15 | 9390-5280 | 280 | 33.07 | .07 |
| 3MR-945-15 | 9390-5315 | 315 | 37.20 | .08 |
| 3MR-1050-15 | 9390-5350 | 350 | 41.34 | .10 |
| 3MR-1080-15 | 9390-5360 | 360 | 42.52 | .10 |
| 3MR-1536-15 | 9390-5512 | 512 | 60.47 | .14 |
| 3MR-1587-15 | 9390-5529 | 529 | 62.48 | .15 |
| 3MR-2061-15 | 9390-5687 | 687 | 81.14 | .20 |



PowerGrip® GT[®]2 Belts - 5MR


The highest density 5mm rubber belt, the PowerGrip GT2 belt has twice the load carrying capacity of its predecessor HTD[®]. In addition, less width is required compared to HTD, allowing lighter, more compact drives.

Markets/Applications

PowerGrip GT2 belts are suitable for many applications such as HVAC, office machines, machine tools, hand power tools, postage handling, spindle drives, food processors, sewing machines, robotics, linear and light package conveyor.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Gates **patented tooth profile** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip GT2 has more tooth ratchet resistance than HTD.
- Eliminates lubrication and re-tensioning reduce maintenance and labor as compared to roller chain drives.
- PowerGrip GT2 belt/sprocket combinations match or exceed the positional accuracy of PowerGrip Timing belt/pulley systems.



Recommended Sprockets

PowerGrip GT2 and Poly Chain[®] GT[®]

Notes

PowerGrip GT2 part numbers are comprised of pitch, pitch length and width. For example; part number 5MR-400-09 denotes a 5mm pitch, 400mm pitch length and 9mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT2 belt lies within the tensile member.

Product No. Series 9390

5MR Pitch — 9mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 5MR-300-09 | 9390-6060 | 60 | 11.81 | .02 |
| 5MR-355-09 | 9390-6071 | 71 | 13.98 | .02 |
| 5MR-375-09 | 9390-6075 | 75 | 14.76 | .02 |
| 5MR-400-09 | 9390-6080 | 80 | 15.75 | .03 |
| 5MR-405-09 | 9390-6081 | 81 | 15.95 | .03 |
| 5MR-425-09 | 9390-6085 | 85 | 16.73 | .03 |
| 5MR-450-09 | 9390-6090 | 90 | 17.72 | .03 |
| 5MR-500-09 | 9390-6100 | 100 | 19.69 | .04 |
| 5MR-535-09 | 9390-6107 | 107 | 21.06 | .04 |
| 5MR-565-09 | 9390-6113 | 113 | 22.24 | .04 |
| 5MR-575-09 | 9390-6115 | 115 | 22.64 | .04 |
| 5MR-580-09 | 9390-6116 | 116 | 22.83 | .05 |
| 5MR-600-09 | 9390-6120 | 120 | 23.62 | .05 |
| 5MR-625-09 | 9390-6125 | 125 | 24.61 | .05 |
| 5MR-650-09 | 9390-6130 | 130 | 25.59 | .05 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 5MR-700-09 | 9390-6140 | 140 | 27.56 | .05 |
| 5MR-750-09 | 9390-6150 | 150 | 29.53 | .06 |
| 5MR-800-09 | 9390-6160 | 160 | 31.50 | .06 |
| 5MR-815-09 | 9390-6163 | 163 | 32.09 | .06 |
| 5MR-850-09 | 9390-6170 | 170 | 33.46 | .06 |
| 5MR-900-09 | 9390-6180 | 180 | 35.43 | .07 |
| 5MR-1000-09 | 9390-6200 | 200 | 39.37 | .07 |
| 5MR-1150-09 | 9390-6230 | 230 | 45.28 | .08 |
| 5MR-1300-09 | 9390-6260 | 260 | 51.18 | .10 |
| 5MR-1450-09 | 9390-6290 | 290 | 57.09 | .11 |
| 5MR-1600-09 | 9390-6320 | 320 | 62.99 | .12 |
| 5MR-1720-09 | 9390-6344 | 344 | 67.72 | .13 |
| 5MR-1755-09 | 9390-6351 | 351 | 69.09 | .13 |
| 5MR-2100-09 | 9390-6420 | 420 | 82.67 | .16 |

5MR Pitch — 15mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 5MR-300-15 | 9390-7060 | 60 | 11.81 | .04 |
| 5MR-355-15 | 9390-7071 | 71 | 13.98 | .04 |
| 5MR-375-15 | 9390-7075 | 75 | 14.76 | .05 |
| 5MR-400-15 | 9390-7080 | 80 | 15.75 | .05 |
| 5MR-405-15 | 9390-7081 | 81 | 15.95 | .05 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 5MR-425-15 | 9390-7085 | 85 | 16.73 | .05 |
| 5MR-450-15 | 9390-7090 | 90 | 17.72 | .06 |
| 5MR-500-15 | 9390-7100 | 100 | 19.69 | .06 |
| 5MR-535-15 | 9390-7107 | 107 | 21.06 | .07 |
| 5MR-565-15 | 9390-7113 | 113 | 22.24 | .07 |



**PowerGrip® GT®2 Belts - 5MR****Product No. Series 9390 (continued)****5MR Pitch — 15mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 5MR-575-15 | 9390-7115 | 115 | 22.64 | .07 |
| 5MR-580-15 | 9390-7116 | 116 | 22.83 | .07 |
| 5MR-600-15 | 9390-7120 | 120 | 23.62 | .07 |
| 5MR-625-15 | 9390-7125 | 125 | 24.61 | .07 |
| 5MR-650-15 | 9390-7130 | 130 | 25.59 | .10 |
| 5MR-700-15 | 9390-7140 | 140 | 27.56 | .10 |
| 5MR-750-15 | 9390-7150 | 150 | 29.53 | .10 |
| 5MR-800-15 | 9390-7160 | 160 | 31.50 | .10 |
| 5MR-815-15 | 9390-7163 | 163 | 32.09 | .10 |
| 5MR-850-15 | 9390-7170 | 170 | 33.46 | .10 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 5MR-900-15 | 9390-7180 | 180 | 35.43 | .10 |
| 5MR-1000-15 | 9390-7200 | 200 | 39.37 | .13 |
| 5MR-1150-15 | 9390-7230 | 230 | 45.28 | .15 |
| 5MR-1300-15 | 9390-7260 | 260 | 51.18 | .17 |
| 5MR-1450-15 | 9390-7290 | 290 | 57.09 | .19 |
| 5MR-1600-15 | 9390-7320 | 320 | 62.99 | .20 |
| 5MR-1720-15 | 9390-7344 | 344 | 67.72 | .22 |
| 5MR-1755-15 | 9390-7351 | 351 | 69.09 | .22 |
| 5MR-2100-15 | 9390-7420 | 420 | 82.68 | .27 |

5MR Pitch — 25mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 5MR-300-25 | 9390-8060 | 60 | 11.81 | .07 |
| 5MR-355-25 | 9390-8071 | 71 | 13.98 | .07 |
| 5MR-375-25 | 9390-8075 | 75 | 14.76 | .07 |
| 5MR-400-25 | 9390-8080 | 80 | 15.75 | .07 |
| 5MR-405-25 | 9390-8081 | 81 | 15.95 | .08 |
| 5MR-425-25 | 9390-8085 | 85 | 16.73 | .07 |
| 5MR-450-25 | 9390-8090 | 90 | 17.72 | .10 |
| 5MR-500-25 | 9390-8100 | 100 | 19.69 | .10 |
| 5MR-535-25 | 9390-8107 | 107 | 21.06 | .10 |
| 5MR-565-25 | 9390-8113 | 113 | 22.24 | .10 |
| 5MR-575-25 | 9390-8115 | 115 | 22.64 | .10 |
| 5MR-580-25 | 9390-8116 | 116 | 22.83 | .10 |
| 5MR-600-25 | 9390-8120 | 120 | 23.62 | .10 |
| 5MR-625-25 | 9390-8125 | 125 | 24.61 | .10 |
| 5MR-650-25 | 9390-8130 | 130 | 25.59 | .15 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|--------------------|----------------|
| 5MR-700-25 | 9390-8140 | 140 | 27.56 | .15 |
| 5MR-750-25 | 9390-8150 | 150 | 29.53 | .15 |
| 5MR-800-25 | 9390-8160 | 160 | 31.50 | .15 |
| 5MR-815-25 | 9390-8163 | 163 | 32.09 | .20 |
| 5MR-850-25 | 9390-8170 | 170 | 33.46 | .20 |
| 5MR-900-25 | 9390-8180 | 180 | 35.43 | .20 |
| 5MR-1000-25 | 9390-8200 | 200 | 39.37 | .20 |
| 5MR-1150-25 | 9390-8230 | 230 | 45.28 | .25 |
| 5MR-1300-25 | 9390-8260 | 260 | 51.18 | .30 |
| 5MR-1450-25 | 9390-8290 | 290 | 57.09 | .35 |
| 5MR-1600-25 | 9390-8320 | 320 | 62.99 | .37 |
| 5MR-1720-25 | 9390-8344 | 344 | 67.72 | .40 |
| 5MR-1755-25 | 9390-8351 | 351 | 69.09 | .50 |
| 5MR-2100-25 | 9390-8420 | 420 | 82.68 | .53 |



PowerGrip® GT®2 Belts - 8M and 14M


Reduce both acquisition costs and transaction costs by designing with PowerGrip GT2. The PowerGrip GT2 belt has two times the rating of competitive RPP® belts, and its predecessors PowerGrip GT and HTD® belts. PowerGrip GT2 drive systems offer the largest selection of belts and sprockets in the industry. At reduced widths, PowerGrip GT2 belts can be used as a direct replacement for most 8mm and 14mm pitch standard rubber RPP® and HTD synchronous belts.

Markets/Applications

PowerGrip GT2 belts are suitable for many applications such as HVAC, textile, printing, machine tools, food processing, conveyors, packaging, agriculture, pumps, compressors, centrifuges, laundry, pulp and paper.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Gates **patented tooth profile** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip GT2 has more tooth ratchet resistance than HTD
- Eliminates lubrication and re-tensioning reduce maintenance and labor as compared to roller chain drives.
- PowerGrip GT2 ACHE belts are available in 14mm pitch. A single twist cord helps prevent the belt from moving downward on vertical shaft ACHE applications.



Recommended Sprockets PowerGrip GT2 Sprockets

Notes

8M and 14M PowerGrip GT2 belts are conductive in accordance with ISO 9563. When belt drive systems are located in potentially hazardous environments, safe and reliable dissipation of electrostatic charges is critical - a secondary means of dissipation such as static grounding brushes is recommended.

PowerGrip GT2 part numbers are comprised of pitch, pitch length and width. For example; part number 3150-14MGT-55 denotes a 3150mm pitch length, 14mm pitch and 55mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT2 belt lies within the tensile member.

WARNING: New drive designs must use the PowerGrip GT2 sprockets, because of the high torque capacity of PowerGrip GT2 belts. Do not use HTD or RPP® profiled sprockets in new designs. PowerGrip GT2 belts can be used on existing HTD or HT100® sprockets as replacement belts, usually at the next narrowest width.

Product No. Series 9207

8mm Pitch — 12mm Wide

12mm wide PGGT2 belts do NOT meet ISO and ARPM static conductivity standards.

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 384-8MGT-12 | 9207-1200 | 48 | 15.12 | .05 |
| 480-8MGT-12 | 9207-1201 | 60 | 18.90 | .06 |
| 560-8MGT-12 | 9207-1202 | 70 | 22.05 | .07 |
| 600-8MGT-12 | 9207-1203 | 75 | 23.62 | .08 |
| 640-8MGT-12 | 9207-1204 | 80 | 25.20 | .08 |
| 720-8MGT-12 | 9207-1205 | 90 | 28.35 | .09 |
| 800-8MGT-12 | 9207-1206 | 100 | 31.50 | .10 |
| 840-8MGT-12 | 9207-1207 | 105 | 33.07 | .11 |
| 880-8MGT-12 | 9207-1208 | 110 | 34.65 | .11 |
| 920-8MGT-12 | 9207-1209 | 115 | 36.22 | .12 |
| 960-8MGT-12 | 9207-1210 | 120 | 37.80 | .12 |
| 1040-8MGT-12 | 9207-1211 | 130 | 40.94 | .13 |
| 1064-8MGT-12 | 9207-1212 | 133 | 41.89 | .14 |
| 1104-8MGT-12 | 9207-1213 | 138 | 43.46 | .14 |
| 1120-8MGT-12 | 9207-1214 | 140 | 44.09 | .15 |
| 1160-8MGT-12 | 9207-1215 | 145 | 45.67 | .15 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 1200-8MGT-12 | 9207-1216 | 150 | 47.24 | .15 |
| 1224-8MGT-12 | 9207-1217 | 153 | 48.19 | .16 |
| 1280-8MGT-12 | 9207-1218 | 160 | 50.39 | .16 |
| 1440-8MGT-12 | 9207-1219 | 180 | 56.69 | .18 |
| 1512-8MGT-12 | 9207-1220 | 189 | 59.53 | .19 |
| 1584-8MGT-12 | 9207-1221 | 198 | 62.36 | .20 |
| 1600-8MGT-12 | 9207-1222 | 200 | 62.99 | .20 |
| 1760-8MGT-12 | 9207-1223 | 220 | 69.29 | .22 |
| 1800-8MGT-12 | 9207-1224 | 225 | 70.87 | .23 |
| 2000-8MGT-12 | 9207-1225 | 250 | 78.74 | .25 |
| 2200-8MGT-12 | 9207-1226 | 275 | 86.61 | .28 |
| 2400-8MGT-12 | 9207-1227 | 300 | 94.49 | .30 |
| 2600-8MGT-12 | 9207-1228 | 325 | 102.36 | .33 |
| 2800-8MGT-12 | 9207-1229 | 350 | 110.24 | .35 |
| 3280-8MGT-12 | 9207-1230 | 410 | 129.13 | .41 |



**PowerGrip® GT®2 Belts - 8M and 14M****Product No. Series 9207 (continued)****8mm Pitch — 20mm Wide**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 384-8MGT-20 | 9207-1021 | 48 | 15.12 | .09 |
| 480-8MGT-20 | 9207-0001 | 60 | 18.90 | .11 |
| 560-8MGT-20 | 9207-0005 | 70 | 22.05 | .15 |
| 600-8MGT-20 | 9207-0009 | 75 | 23.62 | .15 |
| 640-8MGT-20 | 9207-0013 | 80 | 25.20 | .16 |
| 720-8MGT-20 | 9207-0017 | 90 | 28.35 | .19 |
| 800-8MGT-20 | 9207-0021 | 100 | 31.50 | .20 |
| 840-8MGT-20 | 9207-1025 | 105 | 33.07 | .20 |
| 880-8MGT-20 | 9207-0025 | 110 | 34.65 | .20 |
| 920-8MGT-20 | 9207-1001 | 115 | 36.22 | .20 |
| 960-8MGT-20 | 9207-0029 | 120 | 37.80 | .20 |
| 1040-8MGT-20 | 9207-0033 | 130 | 40.94 | .25 |
| 1064-8MGT-20 | 9207-1005 | 133 | 41.89 | .25 |
| 1104-8MGT-20 | 9207-1037 | 138 | 43.46 | .25 |
| 1120-8MGT-20 | 9207-0037 | 140 | 44.09 | .25 |
| 1160-8MGT-20 | 9207-1009 | 145 | 45.67 | .25 |
| 1200-8MGT-20 | 9207-0041 | 150 | 47.24 | .30 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 1224-8MGT-20 | 9207-1029 | 153 | 48.19 | .30 |
| 1280-8MGT-20 | 9207-0045 | 160 | 50.39 | .30 |
| 1440-8MGT-20 | 9207-0049 | 180 | 56.69 | .35 |
| 1512-8MGT-20 | 9207-1013 | 189 | 59.53 | .37 |
| 1584-8MGT-20 | 9207-1017 | 198 | 62.36 | .39 |
| 1600-8MGT-20 | 9207-0053 | 200 | 62.99 | .40 |
| 1760-8MGT-20 | 9207-0057 | 220 | 69.29 | .45 |
| 1800-8MGT-20 | 9207-0061 | 225 | 70.87 | .45 |
| 2000-8MGT-20 | 9207-0065 | 250 | 78.74 | .51 |
| 2200-8MGT-20 | 9207-1033 | 275 | 86.62 | .55 |
| 2400-8MGT-20 | 9207-0069 | 300 | 94.49 | .60 |
| 2600-8MGT-20 | 9207-0077 | 325 | 102.36 | .65 |
| 2800-8MGT-20 | 9207-0073 | 350 | 110.24 | .70 |
| 3048-8MGT-20 | 9207-0081 | 381 | 120.00 | .75 |
| 3280-8MGT-20 | 9207-0085 | 410 | 129.13 | .84 |
| 3600-8MGT-20 | 9207-0089 | 450 | 141.73 | .95 |
| 4400-8MGT-20 | 9207-0093 | 550 | 173.23 | 1.15 |

8mm Pitch — 30mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 384-8MGT-30 | 9207-1022 | 48 | 15.12 | .15 |
| 480-8MGT-30 | 9207-0002 | 60 | 18.90 | .20 |
| 560-8MGT-30 | 9207-0006 | 70 | 22.05 | .20 |
| 600-8MGT-30 | 9207-0010 | 75 | 23.62 | .21 |
| 640-8MGT-30 | 9207-0014 | 80 | 25.20 | .24 |
| 720-8MGT-30 | 9207-0018 | 90 | 28.35 | .25 |
| 800-8MGT-30 | 9207-0022 | 100 | 31.50 | .25 |
| 840-8MGT-30 | 9207-1026 | 105 | 33.07 | .30 |
| 880-8MGT-30 | 9207-0026 | 110 | 34.65 | .30 |
| 920-8MGT-30 | 9207-1002 | 115 | 36.22 | .35 |
| 960-8MGT-30 | 9207-0030 | 120 | 37.80 | .35 |
| 1040-8MGT-30 | 9207-0034 | 130 | 40.94 | .35 |
| 1064-8MGT-30 | 9207-1006 | 133 | 41.89 | .40 |
| 1104-8MGT-30 | 9207-1038 | 138 | 43.46 | .46 |
| 1120-8MGT-30 | 9207-0038 | 140 | 44.09 | .40 |
| 1160-8MGT-30 | 9207-1010 | 145 | 45.67 | .45 |
| 1200-8MGT-30 | 9207-0042 | 150 | 47.24 | .45 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 1224-8MGT-30 | 9207-1030 | 153 | 48.19 | .45 |
| 1280-8MGT-30 | 9207-0046 | 160 | 50.39 | .45 |
| 1440-8MGT-30 | 9207-0050 | 180 | 56.69 | .52 |
| 1512-8MGT-30 | 9207-1014 | 189 | 59.53 | .55 |
| 1584-8MGT-30 | 9207-1018 | 198 | 62.36 | .60 |
| 1600-8MGT-30 | 9207-0054 | 200 | 62.99 | .60 |
| 1760-8MGT-30 | 9207-0058 | 220 | 69.29 | .65 |
| 1800-8MGT-30 | 9207-0062 | 225 | 70.87 | .65 |
| 2000-8MGT-30 | 9207-0066 | 250 | 78.74 | .70 |
| 2200-8MGT-30 | 9207-1034 | 275 | 86.61 | .80 |
| 2400-8MGT-30 | 9207-0070 | 300 | 94.49 | .88 |
| 2600-8MGT-30 | 9207-0078 | 325 | 102.36 | .92 |
| 2800-8MGT-30 | 9207-0074 | 350 | 110.24 | 1.00 |
| 3048-8MGT-30 | 9207-0082 | 381 | 120.00 | 1.20 |
| 3280-8MGT-30 | 9207-0086 | 410 | 129.13 | 1.16 |
| 3600-8MGT-30 | 9207-0090 | 450 | 141.73 | 1.28 |
| 4400-8MGT-30 | 9207-0094 | 550 | 173.23 | 1.70 |

8mm Pitch — 50mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 384-8MGT-50 | 9207-1023 | 48 | 15.12 | .20 |
| 480-8MGT-50 | 9207-0003 | 60 | 18.90 | .30 |
| 560-8MGT-50 | 9207-0007 | 70 | 22.05 | .32 |
| 600-8MGT-50 | 9207-0011 | 75 | 23.62 | .35 |
| 640-8MGT-50 | 9207-0015 | 80 | 25.20 | .40 |
| 720-8MGT-50 | 9207-0019 | 90 | 28.35 | .45 |
| 800-8MGT-50 | 9207-0023 | 100 | 31.50 | .50 |
| 840-8MGT-50 | 9207-1027 | 105 | 33.07 | .50 |
| 880-8MGT-50 | 9207-0027 | 110 | 34.65 | .55 |
| 920-8MGT-50 | 9207-1003 | 115 | 36.22 | .60 |
| 960-8MGT-50 | 9207-0031 | 120 | 37.80 | .60 |
| 1040-8MGT-50 | 9207-0035 | 130 | 40.94 | .65 |
| 1064-8MGT-50 | 9207-1007 | 133 | 41.89 | .65 |
| 1104-8MGT-50 | 9207-1039 | 138 | 43.46 | .65 |
| 1120-8MGT-50 | 9207-0039 | 140 | 44.09 | .65 |
| 1160-8MGT-50 | 9207-1011 | 145 | 45.67 | .70 |
| 1200-8MGT-50 | 9207-0043 | 150 | 47.24 | .75 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 1224-8MGT-50 | 9207-1031 | 153 | 48.19 | .75 |
| 1280-8MGT-50 | 9207-0047 | 160 | 50.39 | .75 |
| 1440-8MGT-50 | 9207-0051 | 180 | 56.69 | .90 |
| 1512-8MGT-50 | 9207-1015 | 189 | 59.53 | .95 |
| 1584-8MGT-50 | 9207-1019 | 198 | 62.36 | 1.00 |
| 1600-8MGT-50 | 9207-0055 | 200 | 62.99 | 1.00 |
| 1760-8MGT-50 | 9207-0059 | 220 | 69.29 | 1.10 |
| 1800-8MGT-50 | 9207-0063 | 225 | 70.87 | 1.10 |
| 2000-8MGT-50 | 9207-0067 | 250 | 78.74 | 1.30 |
| 2200-8MGT-50 | 9207-1035 | 275 | 86.61 | 1.35 |
| 2400-8MGT-50 | 9207-0071 | 300 | 94.49 | 1.50 |
| 2600-8MGT-50 | 9207-0079 | 325 | 102.36 | 1.60 |
| 2800-8MGT-50 | 9207-0075 | 350 | 110.24 | 1.70 |
| 3048-8MGT-50 | 9207-0083 | 381 | 120.00 | 1.90 |
| 3280-8MGT-50 | 9207-0087 | 410 | 129.13 | 2.00 |
| 3600-8MGT-50 | 9207-0091 | 450 | 141.73 | 2.35 |
| 4400-8MGT-50 | 9207-0095 | 550 | 173.23 | 2.75 |



PowerGrip® GT®2 Belts - 8M and 14M

Product No. Series 9207 (continued)

8mm Pitch — 85mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 384-8MGT-85 | 9207-1024 | 48 | 15.12 | .40 |
| 480-8MGT-85 | 9207-0004 | 60 | 18.90 | .50 |
| 560-8MGT-85 | 9207-0008 | 70 | 22.05 | .55 |
| 600-8MGT-85 | 9207-0012 | 75 | 23.62 | .65 |
| 640-8MGT-85 | 9207-0016 | 80 | 25.20 | .70 |
| 720-8MGT-85 | 9207-0020 | 90 | 28.35 | .75 |
| 800-8MGT-85 | 9207-0024 | 100 | 31.50 | .85 |
| 840-8MGT-85 | 9207-1028 | 105 | 33.07 | .90 |
| 880-8MGT-85 | 9207-0028 | 110 | 34.65 | .95 |
| 920-8MGT-85 | 9207-1004 | 115 | 36.22 | 1.00 |
| 960-8MGT-85 | 9207-0032 | 120 | 37.80 | .95 |
| 1040-8MGT-85 | 9207-0036 | 130 | 40.94 | 1.10 |
| 1064-8MGT-85 | 9207-1008 | 133 | 41.89 | 1.05 |
| 1104-8MGT-85 | 9207-1040 | 138 | 43.46 | 1.30 |
| 1120-8MGT-85 | 9207-0040 | 140 | 44.09 | 1.20 |
| 1160-8MGT-85 | 9207-1012 | 146 | 45.83 | 1.20 |
| 1200-8MGT-85 | 9207-0044 | 150 | 47.24 | 1.25 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 1224-8MGT-85 | 9207-1032 | 153 | 48.19 | 1.30 |
| 1280-8MGT-85 | 9207-0048 | 160 | 50.39 | 1.31 |
| 1440-8MGT-85 | 9207-0052 | 180 | 56.69 | 1.55 |
| 1512-8MGT-85 | 9207-1016 | 189 | 59.53 | 1.60 |
| 1584-8MGT-85 | 9207-1020 | 198 | 62.36 | 1.65 |
| 1600-8MGT-85 | 9207-0056 | 200 | 62.99 | 1.75 |
| 1760-8MGT-85 | 9207-0060 | 220 | 69.29 | 1.90 |
| 1800-8MGT-85 | 9207-0064 | 225 | 70.87 | 1.95 |
| 2000-8MGT-85 | 9207-0068 | 250 | 78.74 | 2.10 |
| 2200-8MGT-85 | 9207-1036 | 275 | 86.61 | 2.30 |
| 2400-8MGT-85 | 9207-0072 | 300 | 94.49 | 2.50 |
| 2600-8MGT-85 | 9207-0080 | 325 | 102.36 | 2.80 |
| 2800-8MGT-85 | 9207-0076 | 350 | 110.24 | 3.00 |
| 3048-8MGT-85 | 9207-0084 | 381 | 120.00 | 3.35 |
| 3280-8MGT-85 | 9207-0088 | 410 | 129.13 | 3.65 |
| 3600-8MGT-85 | 9207-0092 | 450 | 141.73 | 3.90 |
| 4400-8MGT-85 | 9207-0096 | 550 | 173.23 | 4.80 |

14mm Pitch — 40mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 966-14MGT-40 | 9207-0100 | 69 | 38.03 | 1.30 |
| 1190-14MGT-40 | 9207-0105 | 85 | 46.85 | 1.50 |
| 1400-14MGT-40 | 9207-0110 | 100 | 55.12 | 1.65 |
| 1610-14MGT-40 | 9207-0115 | 115 | 63.39 | 1.85 |
| 1778-14MGT-40 | 9207-0120 | 127 | 70.00 | 1.95 |
| 1890-14MGT-40 | 9207-0125 | 135 | 74.41 | 2.05 |
| 2100-14MGT-40 | 9207-0130 | 150 | 82.68 | 2.35 |
| 2310-14MGT-40 | 9207-0135 | 165 | 90.94 | 2.45 |
| 2450-14MGT-40 | 9207-0140 | 175 | 96.46 | 2.55 |
| 2590-14MGT-40 | 9207-0145 | 185 | 101.97 | 2.65 |
| 2800-14MGT-40 | 9207-0150 | 200 | 110.24 | 2.80 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 3150-14MGT-40 | 9207-0155 | 225 | 124.02 | 3.10 |
| 3360-14MGT-40 | 9207-0180 | 240 | 132.28 | 3.40 |
| 3500-14MGT-40 | 9207-0160 | 250 | 137.80 | 3.50 |
| 3850-14MGT-40 | 9207-0165 | 275 | 151.57 | 3.80 |
| 4326-14MGT-40 | 9207-0170 | 309 | 170.31 | 4.20 |
| 4578-14MGT-40 | 9207-0175 | 327 | 180.24 | 4.40 |
| 4956-14MGT-40 | 9207-0185 | 354 | 195.12 | 4.80 |
| 5320-14MGT-40 | 9207-0190 | 380 | 209.45 | 5.10 |
| 5740-14MGT-40 | 9207-0195 | 410 | 225.98 | 5.40 |
| 6160-14MGT-40 | 9207-0200 | 440 | 242.52 | 5.70 |
| 6860-14MGT-40 | 9207-0205 | 490 | 270.08 | 6.40 |

14mm Pitch — 55mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 966-14MGT-55 | 9207-0101 | 69 | 38.03 | 1.65 |
| 1190-14MGT-55 | 9207-0106 | 85 | 46.85 | 1.90 |
| 1400-14MGT-55 | 9207-0111 | 100 | 55.12 | 2.10 |
| 1610-14MGT-55 | 9207-0116 | 115 | 63.39 | 2.35 |
| 1778-14MGT-55 | 9207-0121 | 127 | 70.00 | 2.55 |
| 1890-14MGT-55 | 9207-0126 | 135 | 74.41 | 2.70 |
| 2100-14MGT-55 | 9207-0131 | 150 | 82.68 | 2.95 |
| 2310-14MGT-55 | 9207-0136 | 165 | 90.94 | 3.15 |
| 2450-14MGT-55 | 9207-0141 | 175 | 96.46 | 3.35 |
| 2590-14MGT-55 | 9207-0146 | 185 | 101.97 | 3.50 |
| 2800-14MGT-55 | 9207-0151 | 200 | 110.24 | 3.70 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 3150-14MGT-55 | 9207-0156 | 225 | 124.02 | 4.10 |
| 3360-14MGT-55 | 9207-0181 | 240 | 132.28 | 4.40 |
| 3500-14MGT-55 | 9207-0161 | 250 | 137.80 | 4.60 |
| 3850-14MGT-55 | 9207-0166 | 275 | 151.57 | 5.00 |
| 4326-14MGT-55 | 9207-0171 | 309 | 170.31 | 5.60 |
| 4578-14MGT-55 | 9207-0176 | 327 | 180.24 | 5.90 |
| 4956-14MGT-55 | 9207-0186 | 354 | 195.12 | 6.50 |
| 5320-14MGT-55 | 9207-0191 | 380 | 209.45 | 6.95 |
| 5740-14MGT-55 | 9207-0196 | 410 | 225.98 | 7.50 |
| 6160-14MGT-55 | 9207-0201 | 440 | 242.52 | 8.00 |
| 6860-14MGT-55 | 9207-0206 | 490 | 270.08 | 8.75 |

14mm Pitch — 85mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 966-14MGT-85 | 9207-0102 | 69 | 38.03 | 3.10 |
| 1190-14MGT-85 | 9207-0107 | 85 | 46.85 | 3.35 |
| 1400-14MGT-85 | 9207-0112 | 100 | 55.12 | 3.75 |
| 1610-14MGT-85 | 9207-0117 | 115 | 63.39 | 4.25 |
| 1778-14MGT-85 | 9207-0122 | 127 | 70.00 | 4.50 |
| 1890-14MGT-85 | 9207-0127 | 135 | 74.41 | 4.65 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 2100-14MGT-85 | 9207-0132 | 150 | 82.68 | 5.00 |
| 2310-14MGT-85 | 9207-0137 | 165 | 90.94 | 5.40 |
| 2450-14MGT-85 | 9207-0142 | 175 | 96.46 | 5.70 |
| 2590-14MGT-85 | 9207-0147 | 185 | 101.97 | 5.85 |
| 2800-14MGT-85 | 9207-0152 | 200 | 110.24 | 6.20 |
| 3150-14MGT-85 | 9207-0157 | 225 | 124.02 | 6.90 |



**PowerGrip® GT®2 Belts - 8M and 14M****Product No. Series 9207 (continued)****14mm Pitch — 85mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 3360-14MGT-85 | 9207-0182 | 240 | 132.28 | 7.20 |
| 3500-14MGT-85 | 9207-0162 | 250 | 137.80 | 7.40 |
| 3850-14MGT-85 | 9207-0167 | 275 | 151.57 | 8.00 |
| 4326-14MGT-85 | 9207-0172 | 309 | 170.31 | 8.80 |
| 4578-14MGT-85 | 9207-0177 | 327 | 180.24 | 9.35 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|--------------------|----------------|
| 4956-14MGT-85 | 9207-0187 | 354 | 195.12 | 9.85 |
| 5320-14MGT-85 | 9207-0192 | 380 | 209.45 | 10.45 |
| 5740-14MGT-85 | 9207-0197 | 410 | 225.98 | 11.35 |
| 6160-14MGT-85 | 9207-0202 | 440 | 242.52 | 12.10 |
| 6860-14MGT-85 | 9207-0207 | 490 | 270.08 | 14.30 |

14mm Pitch — 115mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| 966-14MGT-115 | 9207-0103 | 69 | 38.03 | 3.50 |
| 1190-14MGT-115 | 9207-0108 | 85 | 46.85 | 4.00 |
| 1400-14MGT-115 | 9207-0113 | 100 | 55.12 | 4.65 |
| 1610-14MGT-115 | 9207-0118 | 115 | 63.39 | 5.15 |
| 1778-14MGT-115 | 9207-0123 | 127 | 70.00 | 5.55 |
| 1890-14MGT-115 | 9207-0128 | 135 | 74.41 | 5.90 |
| 2100-14MGT-115 | 9207-0133 | 150 | 82.68 | 6.25 |
| 2310-14MGT-115 | 9207-0138 | 165 | 90.94 | 6.50 |
| 2450-14MGT-115 | 9207-0143 | 175 | 96.46 | 7.25 |
| 2590-14MGT-115 | 9207-0148 | 185 | 101.97 | 7.45 |
| 2800-14MGT-115 | 9207-0153 | 200 | 110.24 | 8.10 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| 3150-14MGT-115 | 9207-0158 | 225 | 124.02 | 8.75 |
| 3360-14MGT-115 | 9207-0183 | 240 | 132.28 | 9.10 |
| 3500-14MGT-115 | 9207-0163 | 250 | 137.80 | 10.00 |
| 3850-14MGT-115 | 9207-0168 | 275 | 151.57 | 10.75 |
| 4326-14MGT-115 | 9207-0173 | 309 | 170.31 | 11.55 |
| 4578-14MGT-115 | 9207-0178 | 327 | 180.24 | 12.10 |
| 4956-14MGT-115 | 9207-0188 | 354 | 195.12 | 13.00 |
| 5320-14MGT-115 | 9207-0193 | 380 | 209.45 | 14.55 |
| 5740-14MGT-115 | 9207-0198 | 410 | 225.98 | 15.50 |
| 6160-14MGT-115 | 9207-0203 | 440 | 242.52 | 16.84 |
| 6860-14MGT-115 | 9207-0208 | 490 | 270.08 | 18.40 |

14mm Pitch — 170mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| 966-14MGT-170 | 9207-0104 | 69 | 38.03 | 3.30 |
| 1190-14MGT-170 | 9207-0109 | 85 | 46.85 | 4.08 |
| 1400-14MGT-170 | 9207-0114 | 100 | 55.12 | 5.10 |
| 1610-14MGT-170 | 9207-0119 | 115 | 63.39 | 5.55 |
| 1778-14MGT-170 | 9207-0124 | 127 | 70.00 | 6.50 |
| 1890-14MGT-170 | 9207-0129 | 135 | 74.41 | 7.00 |
| 2100-14MGT-170 | 9207-0134 | 150 | 82.68 | 7.35 |
| 2310-14MGT-170 | 9207-0139 | 165 | 90.94 | 8.05 |
| 2450-14MGT-170 | 9207-0144 | 175 | 96.46 | 8.43 |
| 2590-14MGT-170 | 9207-0149 | 185 | 101.97 | 9.00 |
| 2800-14MGT-170 | 9207-0154 | 200 | 110.24 | 9.50 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| 3150-14MGT-170 | 9207-0159 | 225 | 124.02 | 11.00 |
| 3360-14MGT-170 | 9207-0184 | 240 | 132.28 | 11.75 |
| 3500-14MGT-170 | 9207-0164 | 250 | 137.80 | 12.50 |
| 3850-14MGT-170 | 9207-0169 | 275 | 151.57 | 14.00 |
| 4326-14MGT-170 | 9207-0174 | 309 | 170.31 | 15.15 |
| 4578-14MGT-170 | 9207-0179 | 327 | 180.24 | 16.20 |
| 4956-14MGT-170 | 9207-0189 | 354 | 195.12 | 17.08 |
| 5320-14MGT-170 | 9207-0194 | 380 | 209.45 | 18.50 |
| 5740-14MGT-170 | 9207-0199 | 410 | 225.98 | 20.50 |
| 6160-14MGT-170 | 9207-0204 | 440 | 242.52 | 21.75 |
| 6860-14MGT-170 | 9207-0209 | 490 | 270.08 | 24.00 |

14mm Pitch PowerGrip® GT®2 ACHE Belts — 40, 55 and 85mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| 3150-14MGT-40F | 9207-0589 | 225 | 124.01 | 3.65 |
| 3150-14MGT-55F | 9207-0593 | 225 | 124.01 | 3.80 |
| 3150-14MGT-85F | 9207-0597 | 225 | 124.01 | 6.00 |
| 3360-14MGT-40F | 9207-0590 | 240 | 132.28 | 3.90 |
| 3360-14MGT-55F | 9207-0594 | 240 | 132.28 | 4.20 |
| 3360-14MGT-85F | 9207-0598 | 240 | 132.28 | 6.40 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| 3500-14MGT-40F | 9207-0591 | 250 | 137.79 | 4.00 |
| 3500-14MGT-55F | 9207-0595 | 250 | 137.79 | 4.50 |
| 3500-14MGT-85F | 9207-0599 | 250 | 137.79 | 6.50 |
| 3850-14MGT-40F | 9207-0592 | 275 | 151.57 | 4.30 |
| 3850-14MGT-55F | 9207-0596 | 275 | 151.57 | 5.20 |
| 3850-14MGT-85F | 9207-0600 | 275 | 151.57 | 7.00 |



PowerGrip® HTD® Belts


PowerGrip HTD belts have a larger, more robust tooth profile for increased capacity, as compared to timing belts.

Markets/Applications

PowerGrip HTD belts are suitable for many applications including data storage, hand power tools, postage handling, food processors, office machines, centrifuges, money handling, medical diagnostic, sewing machines, ticket dispensers, robotics, vending machines and vacuum cleaners.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Thirty percent increase in horsepower ratings, as compared to traditional timing belts.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.



POWERGRIP HTD BELTS

Recommended Sprockets

PowerGrip HTD Sprockets

Notes

PowerGrip HTD part numbers are comprised of pitch, pitch length and width. For example; part number 900-3M-15 denotes a 900mm pitch length, 3mm pitch and 15mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip HTD belt lies within the tensile member.

Product No. Series 9293

3mm Pitch — 6mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 87-3M-06 | 9293-2000 | 29 | 3.43 | .01 |
| 102-3M-06 | 9293-2001 | 34 | 4.02 | .01 |
| 105-3M-06 | 9293-2002 | 35 | 4.13 | .01 |
| 111-3M-06 | 9293-2003 | 37 | 4.37 | .01 |
| 123-3M-06 | 9293-2004 | 41 | 4.84 | .01 |
| 144-3M-06 | 9293-2005 | 48 | 5.67 | .01 |
| 147-3M-06 | 9293-2006 | 49 | 5.79 | .01 |
| 150-3M-06 | 9293-0300 | 50 | 5.91 | .01 |
| 156-3M-06 | 9293-2007 | 52 | 6.14 | .01 |
| 159-3M-06 | 9293-0301 | 53 | 6.26 | .01 |
| 165-3M-06 | 9293-2008 | 55 | 6.50 | .01 |
| 168-3M-06 | 9293-0302 | 56 | 6.61 | .01 |
| 174-3M-06 | 9293-2009 | 58 | 6.85 | .01 |
| 177-3M-06 | 9293-0303 | 59 | 6.97 | .01 |
| 180-3M-06 | 9293-2010 | 60 | 7.09 | .01 |
| 183-3M-06 | 9293-2011 | 61 | 7.20 | .01 |
| 189-3M-06 | 9293-0304 | 63 | 7.44 | .01 |
| 195-3M-06 | 9293-2012 | 65 | 7.68 | .01 |
| 201-3M-06 | 9293-0305 | 67 | 7.91 | .01 |
| 204-3M-06 | 9293-2013 | 68 | 8.03 | .01 |
| 207-3M-06 | 9293-2014 | 69 | 8.15 | .01 |
| 213-3M-06 | 9293-0306 | 71 | 8.39 | .01 |
| 216-3M-06 | 9293-2015 | 72 | 8.50 | .01 |
| 222-3M-06 | 9293-2016 | 74 | 8.74 | .01 |
| 225-3M-06 | 9293-0307 | 75 | 8.86 | .01 |
| 228-3M-06 | 9293-2017 | 76 | 8.98 | .01 |
| 234-3M-06 | 9293-2018 | 78 | 9.21 | .01 |
| 237-3M-06 | 9293-2019 | 79 | 9.33 | .01 |
| 240-3M-06 | 9293-0308 | 80 | 9.45 | .01 |
| 246-3M-06 | 9293-2020 | 82 | 9.69 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 252-3M-06 | 9293-0309 | 84 | 9.92 | .01 |
| 255-3M-06 | 9293-0310 | 85 | 10.04 | .01 |
| 258-3M-06 | 9293-2021 | 86 | 10.16 | .01 |
| 261-3M-06 | 9293-2022 | 87 | 10.28 | .01 |
| 264-3M-06 | 9293-2023 | 88 | 10.39 | .01 |
| 267-3M-06 | 9293-0311 | 89 | 10.51 | .01 |
| 276-3M-06 | 9293-2024 | 92 | 10.87 | .01 |
| 282-3M-06 | 9293-2025 | 94 | 11.10 | .01 |
| 285-3M-06 | 9293-0312 | 95 | 11.22 | .01 |
| 288-3M-06 | 9293-2026 | 96 | 11.34 | .01 |
| 291-3M-06 | 9293-2027 | 97 | 11.46 | .01 |
| 297-3M-06 | 9293-2028 | 99 | 11.69 | .01 |
| 300-3M-06 | 9293-0313 | 100 | 11.81 | .01 |
| 312-3M-06 | 9293-0314 | 104 | 12.28 | .01 |
| 315-3M-06 | 9293-2029 | 105 | 12.40 | .01 |
| 318-3M-06 | 9293-0315 | 106 | 12.52 | .01 |
| 324-3M-06 | 9293-2030 | 108 | 12.76 | .01 |
| 330-3M-06 | 9293-2031 | 110 | 12.99 | .01 |
| 333-3M-06 | 9293-2032 | 111 | 13.11 | .01 |
| 336-3M-06 | 9293-2033 | 112 | 13.23 | .01 |
| 339-3M-06 | 9293-0316 | 113 | 13.35 | .01 |
| 345-3M-06 | 9293-2034 | 115 | 13.58 | .01 |
| 357-3M-06 | 9293-0317 | 119 | 14.06 | .01 |
| 360-3M-06 | 9293-2035 | 120 | 14.17 | .01 |
| 363-3M-06 | 9293-0318 | 121 | 14.29 | .01 |
| 366-3M-06 | 9293-2036 | 122 | 14.41 | .01 |
| 369-3M-06 | 9293-2037 | 123 | 14.53 | .01 |
| 381-3M-06 | 9293-2038 | 127 | 15.00 | .02 |
| 384-3M-06 | 9293-0319 | 128 | 15.12 | .02 |
| 387-3M-06 | 9293-2039 | 129 | 15.24 | .02 |



**PowerGrip® HTD® Belts****Product No. Series 9293 (continued)****3mm Pitch — 6mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 390-3M-06 | 9293-0320 | 130 | 15.35 | .02 |
| 396-3M-06 | 9293-2040 | 132 | 15.59 | .02 |
| 399-3M-06 | 9293-0321 | 133 | 15.71 | .02 |
| 405-3M-06 | 9293-2041 | 135 | 15.94 | .02 |
| 411-3M-06 | 9293-2042 | 137 | 16.18 | .02 |
| 417-3M-06 | 9293-2043 | 139 | 16.42 | .02 |
| 420-3M-06 | 9293-0322 | 140 | 16.54 | .02 |
| 426-3M-06 | 9293-2044 | 142 | 16.77 | .02 |
| 432-3M-06 | 9293-2045 | 144 | 17.01 | .02 |
| 435-3M-06 | 9293-2046 | 145 | 17.13 | .02 |
| 438-3M-06 | 9293-2047 | 146 | 17.24 | .02 |
| 444-3M-06 | 9293-2048 | 148 | 17.48 | .02 |
| 447-3M-06 | 9293-0323 | 149 | 17.60 | .02 |
| 459-3M-06 | 9293-2049 | 153 | 18.07 | .02 |
| 468-3M-06 | 9293-2050 | 156 | 18.43 | .02 |
| 471-3M-06 | 9293-2051 | 157 | 18.54 | .02 |
| 474-3M-06 | 9293-0324 | 158 | 18.66 | .02 |
| 480-3M-06 | 9293-2052 | 160 | 18.90 | .02 |
| 486-3M-06 | 9293-0325 | 162 | 19.13 | .02 |
| 489-3M-06 | 9293-2053 | 163 | 19.25 | .02 |
| 492-3M-06 | 9293-2054 | 164 | 19.37 | .02 |
| 501-3M-06 | 9293-0326 | 167 | 19.72 | .02 |
| 510-3M-06 | 9293-2055 | 170 | 20.08 | .02 |
| 513-3M-06 | 9293-0327 | 171 | 20.20 | .02 |
| 519-3M-06 | 9293-2056 | 173 | 20.43 | .02 |
| 525-3M-06 | 9293-2057 | 175 | 20.67 | .02 |
| 528-3M-06 | 9293-2058 | 176 | 20.79 | .02 |
| 531-3M-06 | 9293-0328 | 177 | 20.91 | .02 |
| 537-3M-06 | 9293-2059 | 179 | 21.14 | .02 |
| 558-3M-06 | 9293-2060 | 186 | 21.97 | .02 |
| 564-3M-06 | 9293-0329 | 188 | 22.20 | .02 |
| 570-3M-06 | 9293-2061 | 190 | 22.44 | .02 |
| 576-3M-06 | 9293-2062 | 192 | 22.68 | .02 |
| 585-3M-06 | 9293-2063 | 195 | 23.03 | .02 |
| 591-3M-06 | 9293-2064 | 197 | 23.27 | .02 |
| 597-3M-06 | 9293-0330 | 199 | 23.50 | .02 |
| 600-3M-06 | 9293-2065 | 200 | 23.62 | .02 |
| 606-3M-06 | 9293-2066 | 202 | 23.86 | .02 |
| 609-3M-06 | 9293-2067 | 203 | 23.98 | .02 |
| 612-3M-06 | 9293-2068 | 204 | 24.09 | .02 |
| 627-3M-06 | 9293-2069 | 209 | 24.69 | .02 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 633-3M-06 | 9293-0331 | 211 | 24.92 | .02 |
| 639-3M-06 | 9293-2070 | 213 | 25.16 | .02 |
| 645-3M-06 | 9293-2071 | 215 | 25.39 | .02 |
| 648-3M-06 | 9293-2072 | 216 | 25.51 | .02 |
| 654-3M-06 | 9293-2073 | 218 | 25.75 | .02 |
| 657-3M-06 | 9293-2074 | 219 | 25.87 | .02 |
| 663-3M-06 | 9293-2075 | 221 | 26.10 | .02 |
| 669-3M-06 | 9293-0332 | 223 | 26.34 | .02 |
| 684-3M-06 | 9293-2076 | 228 | 26.93 | .03 |
| 687-3M-06 | 9293-2077 | 229 | 27.05 | .02 |
| 696-3M-06 | 9293-2078 | 232 | 27.40 | .03 |
| 711-3M-06 | 9293-0333 | 237 | 27.99 | .03 |
| 735-3M-06 | 9293-2079 | 245 | 28.94 | .03 |
| 738-3M-06 | 9293-2080 | 246 | 29.06 | .03 |
| 753-3M-06 | 9293-0334 | 251 | 29.65 | .03 |
| 795-3M-06 | 9293-0335 | 265 | 31.30 | .03 |
| 822-3M-06 | 9293-2081 | 274 | 32.36 | .03 |
| 837-3M-06 | 9293-2082 | 279 | 32.95 | .03 |
| 843-3M-06 | 9293-0336 | 281 | 33.19 | .03 |
| 873-3M-06 | 9293-2083 | 291 | 34.37 | .03 |
| 882-3M-06 | 9293-0337 | 294 | 34.72 | .03 |
| 891-3M-06 | 9293-2084 | 297 | 35.08 | .03 |
| 900-3M-06 | 9293-2085 | 300 | 35.43 | .03 |
| 915-3M-06 | 9293-2086 | 305 | 36.02 | .03 |
| 945-3M-06 | 9293-0338 | 315 | 37.20 | .03 |
| 951-3M-06 | 9293-2087 | 317 | 37.44 | .04 |
| 981-3M-06 | 9293-2088 | 327 | 38.62 | .04 |
| 1002-3M-06 | 9293-0339 | 334 | 39.45 | .04 |
| 1026-3M-06 | 9293-2089 | 342 | 40.39 | .04 |
| 1035-3M-06 | 9293-2090 | 345 | 40.75 | .04 |
| 1062-3M-06 | 9293-0340 | 354 | 41.81 | .04 |
| 1125-3M-06 | 9293-0341 | 375 | 44.29 | .04 |
| 1155-3M-06 | 9293-2091 | 385 | 45.47 | .04 |
| 1191-3M-06 | 9293-0342 | 397 | 46.89 | .04 |
| 1263-3M-06 | 9293-0343 | 421 | 49.72 | .04 |
| 1500-3M-06 | 9293-2092 | 500 | 59.06 | .05 |
| 1512-3M-06 | 9293-2093 | 504 | 59.53 | .05 |
| 1587-3M-06 | 9293-2094 | 529 | 62.48 | .05 |
| 1956-3M-06 | 9293-2095 | 652 | 77.01 | .06 |
| 2004-3M-06 | 9293-2096 | 668 | 78.90 | .07 |

3mm Pitch — 9mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 87-3M-09 | 9293-2200 | 29 | 3.43 | .01 |
| 102-3M-09 | 9293-2201 | 34 | 4.02 | .01 |
| 105-3M-09 | 9293-2202 | 35 | 4.13 | .01 |
| 111-3M-09 | 9293-2203 | 37 | 4.37 | .01 |
| 123-3M-09 | 9293-2204 | 41 | 4.84 | .01 |
| 144-3M-09 | 9293-2205 | 48 | 5.67 | .01 |
| 147-3M-09 | 9293-2206 | 49 | 5.79 | .01 |
| 150-3M-09 | 9293-0344 | 50 | 5.91 | .01 |
| 156-3M-09 | 9293-2207 | 52 | 6.14 | .01 |
| 159-3M-09 | 9293-0345 | 53 | 6.26 | .01 |
| 165-3M-09 | 9293-2208 | 55 | 6.50 | .01 |
| 168-3M-09 | 9293-0346 | 56 | 6.61 | .01 |
| 174-3M-09 | 9293-2209 | 58 | 6.85 | .01 |
| 177-3M-09 | 9293-0347 | 59 | 6.97 | .01 |
| 180-3M-09 | 9293-2210 | 60 | 7.09 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 183-3M-09 | 9293-2211 | 61 | 7.20 | .01 |
| 189-3M-09 | 9293-0348 | 63 | 7.44 | .01 |
| 195-3M-09 | 9293-2212 | 65 | 7.68 | .01 |
| 201-3M-09 | 9293-0349 | 67 | 7.91 | .01 |
| 204-3M-09 | 9293-2213 | 68 | 8.03 | .01 |
| 207-3M-09 | 9293-2214 | 69 | 8.15 | .01 |
| 213-3M-09 | 9293-0350 | 71 | 8.39 | .01 |
| 216-3M-09 | 9293-2215 | 72 | 8.50 | .01 |
| 222-3M-09 | 9293-2216 | 74 | 8.74 | .01 |
| 225-3M-09 | 9293-0351 | 75 | 8.86 | .01 |
| 228-3M-09 | 9293-2217 | 76 | 8.98 | .01 |
| 234-3M-09 | 9293-2218 | 78 | 9.21 | .01 |
| 237-3M-09 | 9293-2219 | 79 | 9.33 | .01 |
| 240-3M-09 | 9293-0352 | 80 | 9.45 | .01 |
| 246-3M-09 | 9293-2220 | 82 | 9.69 | .01 |



PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

3mm Pitch — 9mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 252-3M-09 | 9293-0353 | 84 | 9.92 | .01 |
| 255-3M-09 | 9293-0354 | 85 | 10.04 | .02 |
| 258-3M-09 | 9293-2221 | 86 | 10.16 | .02 |
| 261-3M-09 | 9293-2222 | 87 | 10.28 | .02 |
| 264-3M-09 | 9293-2223 | 88 | 10.39 | .02 |
| 267-3M-09 | 9293-0355 | 89 | 10.51 | .02 |
| 276-3M-09 | 9293-2224 | 92 | 10.87 | .02 |
| 282-3M-09 | 9293-2225 | 94 | 11.10 | .02 |
| 285-3M-09 | 9293-0356 | 95 | 11.22 | .02 |
| 288-3M-09 | 9293-2226 | 96 | 11.34 | .02 |
| 291-3M-09 | 9293-2227 | 97 | 11.46 | .02 |
| 297-3M-09 | 9293-2228 | 99 | 11.69 | .02 |
| 300-3M-09 | 9293-0357 | 100 | 11.81 | .02 |
| 312-3M-09 | 9293-0358 | 104 | 12.28 | .02 |
| 315-3M-09 | 9293-2229 | 105 | 12.40 | .02 |
| 318-3M-09 | 9293-0359 | 106 | 12.52 | .02 |
| 324-3M-09 | 9293-2230 | 108 | 12.76 | .02 |
| 330-3M-09 | 9293-2231 | 110 | 12.99 | .02 |
| 333-3M-09 | 9293-2232 | 111 | 13.11 | .02 |
| 336-3M-09 | 9293-2233 | 112 | 13.23 | .02 |
| 339-3M-09 | 9293-0360 | 113 | 13.35 | .02 |
| 345-3M-09 | 9293-2234 | 115 | 13.58 | .02 |
| 357-3M-09 | 9293-0361 | 119 | 14.06 | .02 |
| 360-3M-09 | 9293-2235 | 120 | 14.17 | .02 |
| 363-3M-09 | 9293-0362 | 121 | 14.29 | .02 |
| 366-3M-09 | 9293-2236 | 122 | 14.41 | .02 |
| 369-3M-09 | 9293-2237 | 123 | 14.53 | .02 |
| 381-3M-09 | 9293-2238 | 127 | 15.00 | .02 |
| 384-3M-09 | 9293-0363 | 128 | 15.12 | .02 |
| 387-3M-09 | 9293-2239 | 129 | 15.24 | .02 |
| 390-3M-09 | 9293-0364 | 130 | 15.35 | .02 |
| 396-3M-09 | 9293-2240 | 132 | 15.59 | .02 |
| 399-3M-09 | 9293-0365 | 133 | 15.71 | .02 |
| 405-3M-09 | 9293-2241 | 135 | 15.94 | .02 |
| 411-3M-09 | 9293-2242 | 137 | 16.18 | .02 |
| 417-3M-09 | 9293-2243 | 139 | 16.42 | .02 |
| 420-3M-09 | 9293-0366 | 140 | 16.54 | .02 |
| 426-3M-09 | 9293-2244 | 142 | 16.77 | .02 |
| 432-3M-09 | 9293-2245 | 144 | 17.01 | .02 |
| 435-3M-09 | 9293-2246 | 145 | 17.13 | .02 |
| 438-3M-09 | 9293-2247 | 146 | 17.24 | .03 |
| 444-3M-09 | 9293-2248 | 148 | 17.48 | .03 |
| 447-3M-09 | 9293-0367 | 149 | 17.60 | .03 |
| 459-3M-09 | 9293-2249 | 153 | 18.07 | .03 |
| 468-3M-09 | 9293-2250 | 156 | 18.43 | .03 |
| 471-3M-09 | 9293-2251 | 157 | 18.54 | .03 |
| 474-3M-09 | 9293-0368 | 158 | 18.66 | .03 |
| 480-3M-09 | 9293-2252 | 160 | 18.90 | .03 |
| 486-3M-09 | 9293-0369 | 162 | 19.13 | .03 |
| 489-3M-09 | 9293-2253 | 163 | 19.25 | .03 |
| 492-3M-09 | 9293-2254 | 164 | 19.37 | .03 |
| 501-3M-09 | 9293-0370 | 167 | 19.72 | .03 |
| 510-3M-09 | 9293-2255 | 170 | 20.08 | .03 |
| 513-3M-09 | 9293-0371 | 171 | 20.20 | .03 |
| 519-3M-09 | 9293-2256 | 173 | 20.43 | .03 |
| 525-3M-09 | 9293-2257 | 175 | 20.67 | .03 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 528-3M-09 | 9293-2258 | 176 | 20.79 | .03 |
| 531-3M-09 | 9293-0372 | 177 | 20.91 | .03 |
| 537-3M-09 | 9293-2259 | 179 | 21.14 | .03 |
| 558-3M-09 | 9293-2260 | 186 | 21.97 | .03 |
| 564-3M-09 | 9293-0373 | 188 | 22.20 | .03 |
| 570-3M-09 | 9293-2261 | 190 | 22.44 | .03 |
| 576-3M-09 | 9293-2262 | 192 | 22.68 | .03 |
| 585-3M-09 | 9293-2263 | 195 | 23.03 | .03 |
| 591-3M-09 | 9293-2264 | 197 | 23.27 | .03 |
| 597-3M-09 | 9293-0374 | 199 | 23.50 | .03 |
| 600-3M-09 | 9293-2265 | 200 | 23.62 | .03 |
| 606-3M-09 | 9293-2266 | 202 | 23.86 | .04 |
| 609-3M-09 | 9293-2267 | 203 | 23.98 | .04 |
| 612-3M-09 | 9293-2268 | 204 | 24.09 | .04 |
| 627-3M-09 | 9293-2269 | 209 | 24.69 | .04 |
| 633-3M-09 | 9293-0375 | 211 | 24.92 | .04 |
| 639-3M-09 | 9293-2270 | 213 | 25.16 | .04 |
| 645-3M-09 | 9293-2271 | 215 | 25.39 | .04 |
| 648-3M-09 | 9293-2272 | 216 | 25.51 | .04 |
| 654-3M-09 | 9293-2273 | 218 | 25.75 | .04 |
| 657-3M-09 | 9293-2274 | 219 | 25.87 | .04 |
| 663-3M-09 | 9293-2275 | 221 | 26.10 | .04 |
| 669-3M-09 | 9293-0376 | 223 | 26.34 | .03 |
| 684-3M-09 | 9293-2276 | 228 | 26.93 | .04 |
| 687-3M-09 | 9293-2277 | 229 | 27.05 | .04 |
| 696-3M-09 | 9293-2278 | 232 | 27.40 | .04 |
| 711-3M-09 | 9293-0377 | 237 | 27.99 | .04 |
| 735-3M-09 | 9293-2279 | 245 | 28.94 | .04 |
| 738-3M-09 | 9293-2280 | 246 | 29.06 | .04 |
| 753-3M-09 | 9293-0378 | 251 | 29.65 | .04 |
| 795-3M-09 | 9293-0379 | 265 | 31.30 | .04 |
| 822-3M-09 | 9293-2281 | 274 | 32.36 | .05 |
| 837-3M-09 | 9293-2282 | 279 | 32.95 | .05 |
| 843-3M-09 | 9293-0380 | 281 | 33.19 | .05 |
| 873-3M-09 | 9293-2283 | 291 | 34.37 | .05 |
| 882-3M-09 | 9293-0381 | 294 | 34.72 | .05 |
| 891-3M-09 | 9293-2284 | 297 | 35.08 | .05 |
| 900-3M-09 | 9293-2285 | 300 | 35.43 | .05 |
| 915-3M-09 | 9293-2286 | 305 | 36.02 | .05 |
| 945-3M-09 | 9293-0382 | 315 | 37.20 | .05 |
| 951-3M-09 | 9293-2287 | 317 | 37.44 | .05 |
| 981-3M-09 | 9293-2288 | 327 | 38.62 | .05 |
| 1002-3M-09 | 9293-0383 | 334 | 39.45 | .05 |
| 1026-3M-09 | 9293-2289 | 342 | 40.39 | .05 |
| 1035-3M-09 | 9293-2290 | 345 | 40.75 | .05 |
| 1062-3M-09 | 9293-0384 | 354 | 41.81 | .05 |
| 1125-3M-09 | 9293-0385 | 375 | 44.29 | .06 |
| 1155-3M-09 | 9293-2291 | 385 | 45.47 | .06 |
| 1191-3M-09 | 9293-0386 | 397 | 46.89 | .06 |
| 1263-3M-09 | 9293-0387 | 421 | 49.72 | .07 |
| 1500-3M-09 | 9293-2292 | 500 | 59.06 | .08 |
| 1512-3M-09 | 9293-2293 | 504 | 59.53 | .08 |
| 1587-3M-09 | 9293-2294 | 529 | 62.48 | .08 |
| 1956-3M-09 | 9293-2295 | 652 | 77.01 | .11 |
| 2004-3M-09 | 9293-2296 | 668 | 78.90 | .11 |

POWERGRIP HTD BELTS



**PowerGrip® HTD® Belts****Product No. Series 9293 (continued)****3mm Pitch — 15mm Wide**

POWERGRIP HTD BELTS

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 87-3M-15 | 9293-2400 | 29 | 3.43 | .01 |
| 102-3M-15 | 9293-2401 | 34 | 4.02 | .01 |
| 105-3M-15 | 9293-2402 | 35 | 4.13 | .01 |
| 111-3M-15 | 9293-2403 | 37 | 4.37 | .01 |
| 123-3M-15 | 9293-2404 | 41 | 4.84 | .01 |
| 144-3M-15 | 9293-2405 | 48 | 5.67 | .02 |
| 147-3M-15 | 9293-2406 | 49 | 5.79 | .02 |
| 150-3M-15 | 9293-0388 | 50 | 5.91 | .02 |
| 156-3M-15 | 9293-2407 | 52 | 6.14 | .02 |
| 159-3M-15 | 9293-0389 | 53 | 6.26 | .02 |
| 165-3M-15 | 9293-2408 | 55 | 6.50 | .02 |
| 168-3M-15 | 9293-0390 | 56 | 6.61 | .02 |
| 174-3M-15 | 9293-2409 | 58 | 6.85 | .02 |
| 177-3M-15 | 9293-0391 | 59 | 6.97 | .02 |
| 180-3M-15 | 9293-2410 | 60 | 7.09 | .02 |
| 183-3M-15 | 9293-2411 | 61 | 7.20 | .02 |
| 189-3M-15 | 9293-0392 | 63 | 7.44 | .02 |
| 195-3M-15 | 9293-2412 | 65 | 7.68 | .02 |
| 201-3M-15 | 9293-0393 | 67 | 7.91 | .02 |
| 204-3M-15 | 9293-2413 | 68 | 8.03 | .02 |
| 207-3M-15 | 9293-2414 | 69 | 8.15 | .02 |
| 213-3M-15 | 9293-0394 | 71 | 8.39 | .02 |
| 216-3M-15 | 9293-2415 | 72 | 8.50 | .02 |
| 222-3M-15 | 9293-2416 | 74 | 8.74 | .02 |
| 225-3M-15 | 9293-0395 | 75 | 8.86 | .02 |
| 228-3M-15 | 9293-2417 | 76 | 8.98 | .02 |
| 234-3M-15 | 9293-2418 | 78 | 9.21 | .02 |
| 237-3M-15 | 9293-2419 | 79 | 9.33 | .02 |
| 240-3M-15 | 9293-0396 | 80 | 9.45 | .02 |
| 246-3M-15 | 9293-2420 | 82 | 9.69 | .02 |
| 252-3M-15 | 9293-0397 | 84 | 9.92 | .02 |
| 255-3M-15 | 9293-0398 | 85 | 10.04 | .02 |
| 258-3M-15 | 9293-2421 | 86 | 10.16 | .03 |
| 261-3M-15 | 9293-2422 | 87 | 10.28 | .03 |
| 264-3M-15 | 9293-2423 | 88 | 10.39 | .03 |
| 267-3M-15 | 9293-0399 | 89 | 10.51 | .03 |
| 276-3M-15 | 9293-2424 | 92 | 10.87 | .03 |
| 282-3M-15 | 9293-2425 | 94 | 11.10 | .03 |
| 285-3M-15 | 9293-0400 | 95 | 11.22 | .03 |
| 288-3M-15 | 9293-2426 | 96 | 11.34 | .03 |
| 291-3M-15 | 9293-2427 | 97 | 11.46 | .03 |
| 297-3M-15 | 9293-2428 | 99 | 11.69 | .03 |
| 300-3M-15 | 9293-0401 | 100 | 11.81 | .03 |
| 312-3M-15 | 9293-0402 | 104 | 12.28 | .03 |
| 315-3M-15 | 9293-2429 | 105 | 12.40 | .03 |
| 318-3M-15 | 9293-0403 | 106 | 12.52 | .03 |
| 324-3M-15 | 9293-2430 | 108 | 12.76 | .03 |
| 330-3M-15 | 9293-2431 | 110 | 12.99 | .03 |
| 333-3M-15 | 9293-2432 | 111 | 13.11 | .03 |
| 336-3M-15 | 9293-2433 | 112 | 13.23 | .03 |
| 339-3M-15 | 9293-0404 | 113 | 13.35 | .03 |
| 345-3M-15 | 9293-2434 | 115 | 13.58 | .03 |
| 357-3M-15 | 9293-0405 | 119 | 14.06 | .03 |
| 360-3M-15 | 9293-2435 | 120 | 14.17 | .03 |
| 363-3M-15 | 9293-0406 | 121 | 14.29 | .03 |
| 366-3M-15 | 9293-2436 | 122 | 14.41 | .04 |
| 369-3M-15 | 9293-2437 | 123 | 14.53 | .04 |
| 381-3M-15 | 9293-2438 | 127 | 15.00 | .04 |
| 384-3M-15 | 9293-0407 | 128 | 15.12 | .04 |
| 387-3M-15 | 9293-2439 | 129 | 15.24 | .04 |
| 390-3M-15 | 9293-0408 | 130 | 15.35 | .04 |
| 396-3M-15 | 9293-2440 | 132 | 15.59 | .04 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 399-3M-15 | 9293-0409 | 133 | 15.71 | .04 |
| 405-3M-15 | 9293-2441 | 135 | 15.94 | .04 |
| 411-3M-15 | 9293-2442 | 137 | 16.18 | .04 |
| 417-3M-15 | 9293-2443 | 139 | 16.42 | .04 |
| 420-3M-15 | 9293-0410 | 140 | 16.54 | .04 |
| 426-3M-15 | 9293-2444 | 142 | 16.77 | .04 |
| 432-3M-15 | 9293-2445 | 144 | 17.01 | .04 |
| 435-3M-15 | 9293-2446 | 145 | 17.13 | .04 |
| 438-3M-15 | 9293-2447 | 146 | 17.24 | .04 |
| 444-3M-15 | 9293-2448 | 148 | 17.48 | .04 |
| 447-3M-15 | 9293-0411 | 149 | 17.60 | .04 |
| 459-3M-15 | 9293-2449 | 153 | 18.07 | .04 |
| 468-3M-15 | 9293-2450 | 156 | 18.43 | .04 |
| 471-3M-15 | 9293-2451 | 157 | 18.54 | .04 |
| 474-3M-15 | 9293-0412 | 158 | 18.66 | .04 |
| 480-3M-15 | 9293-2452 | 160 | 18.90 | .04 |
| 486-3M-15 | 9293-0413 | 162 | 19.13 | .05 |
| 489-3M-15 | 9293-2453 | 164 | 19.25 | .05 |
| 492-3M-15 | 9293-2454 | 164 | 19.37 | .05 |
| 501-3M-15 | 9293-0414 | 167 | 19.72 | .05 |
| 510-3M-15 | 9293-2455 | 170 | 20.08 | .05 |
| 513-3M-15 | 9293-0415 | 171 | 20.20 | .05 |
| 519-3M-15 | 9293-2456 | 173 | 20.43 | .05 |
| 525-3M-15 | 9293-2457 | 175 | 20.67 | .05 |
| 528-3M-15 | 9293-2458 | 176 | 20.79 | .05 |
| 531-3M-15 | 9293-0416 | 177 | 20.91 | .05 |
| 537-3M-15 | 9293-2459 | 179 | 21.14 | .05 |
| 558-3M-15 | 9293-2460 | 186 | 21.97 | .05 |
| 564-3M-15 | 9293-0417 | 188 | 22.20 | .05 |
| 570-3M-15 | 9293-2461 | 190 | 22.44 | .05 |
| 576-3M-15 | 9293-2462 | 192 | 22.68 | .05 |
| 585-3M-15 | 9293-2463 | 195 | 23.03 | .05 |
| 591-3M-15 | 9293-2464 | 197 | 23.27 | .05 |
| 597-3M-15 | 9293-0418 | 199 | 23.50 | .05 |
| 600-3M-15 | 9293-2465 | 200 | 23.62 | .05 |
| 606-3M-15 | 9293-2466 | 202 | 23.86 | .06 |
| 609-3M-15 | 9293-2467 | 203 | 23.98 | .06 |
| 612-3M-15 | 9293-2468 | 204 | 24.09 | .06 |
| 627-3M-15 | 9293-2469 | 209 | 24.69 | .06 |
| 633-3M-15 | 9293-0419 | 211 | 24.92 | .06 |
| 639-3M-15 | 9293-2470 | 213 | 25.16 | .06 |
| 645-3M-15 | 9293-2471 | 215 | 25.39 | .06 |
| 648-3M-15 | 9293-2472 | 216 | 25.51 | .06 |
| 654-3M-15 | 9293-2473 | 218 | 25.75 | .06 |
| 657-3M-15 | 9293-2474 | 219 | 25.87 | .06 |
| 663-3M-15 | 9293-2475 | 221 | 26.10 | .06 |
| 669-3M-15 | 9293-0420 | 223 | 26.34 | .06 |
| 684-3M-15 | 9293-2476 | 228 | 26.93 | .07 |
| 687-3M-15 | 9293-2477 | 229 | 27.05 | .07 |
| 696-3M-15 | 9293-2478 | 232 | 27.40 | .07 |
| 711-3M-15 | 9293-0421 | 237 | 27.99 | .07 |
| 735-3M-15 | 9293-2479 | 245 | 28.94 | .07 |
| 738-3M-15 | 9293-2480 | 246 | 29.06 | .07 |
| 753-3M-15 | 9293-0422 | 251 | 29.65 | .07 |
| 795-3M-15 | 9293-0423 | 265 | 31.30 | .07 |
| 822-3M-15 | 9293-2481 | 274 | 32.36 | .08 |
| 837-3M-15 | 9293-2482 | 279 | 32.95 | .08 |
| 843-3M-15 | 9293-0424 | 281 | 33.19 | .08 |
| 873-3M-15 | 9293-2483 | 291 | 34.37 | .08 |
| 882-3M-15 | 9293-0425 | 294 | 34.72 | .08 |
| 891-3M-15 | 9293-2484 | 297 | 35.08 | .09 |
| 900-3M-15 | 9293-2485 | 300 | 35.43 | .09 |



PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

3mm Pitch — 15mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 915-3M-15 | 9293-2486 | 305 | 36.02 | .09 |
| 945-3M-15 | 9293-0426 | 315 | 37.20 | .09 |
| 951-3M-15 | 9293-2487 | 317 | 37.44 | .09 |
| 981-3M-15 | 9293-2488 | 327 | 38.62 | .09 |
| 1002-3M-15 | 9293-0427 | 334 | 39.45 | .10 |
| 1026-3M-15 | 9293-2489 | 342 | 40.39 | .10 |
| 1035-3M-15 | 9293-2490 | 345 | 40.75 | .10 |
| 1062-3M-15 | 9293-0428 | 354 | 41.81 | .10 |
| 1125-3M-15 | 9293-0429 | 375 | 44.29 | .11 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 1155-3M-15 | 9293-2491 | 385 | 40.47 | .11 |
| 1191-3M-15 | 9293-0430 | 397 | 46.89 | .11 |
| 1263-3M-15 | 9293-0431 | 421 | 49.72 | .12 |
| 1500-3M-15 | 9293-2492 | 500 | 59.06 | .15 |
| 1512-3M-15 | 9293-2493 | 504 | 59.53 | .15 |
| 1587-3M-15 | 9293-2494 | 529 | 62.48 | .15 |
| 1956-3M-15 | 9293-2495 | 652 | 77.01 | .19 |
| 2004-3M-15 | 9293-2496 | 668 | 78.90 | .20 |

5mm Pitch — 9mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 200-5M-09 | 9293-2600 | 40 | 7.87 | .01 |
| 240-5M-09 | 9293-2601 | 48 | 9.45 | .01 |
| 260-5M-09 | 9293-2602 | 52 | 10.24 | .01 |
| 270-5M-09 | 9293-2603 | 54 | 10.63 | .02 |
| 285-5M-09 | 9293-2604 | 57 | 11.22 | .02 |
| 300-5M-09 | 9293-2605 | 60 | 11.81 | .02 |
| 310-5M-09 | 9293-2606 | 62 | 12.20 | .02 |
| 320-5M-09 | 9293-2607 | 64 | 12.60 | .02 |
| 350-5M-09 | 9293-0500 | 70 | 13.78 | .03 |
| 375-5M-09 | 9293-0501 | 75 | 14.76 | .03 |
| 400-5M-09 | 9293-0502 | 80 | 15.75 | .03 |
| 415-5M-09 | 9293-2608 | 83 | 16.34 | .03 |
| 425-5M-09 | 9293-0503 | 85 | 16.73 | .03 |
| 450-5M-09 | 9293-0504 | 90 | 17.72 | .03 |
| 460-5M-09 | 9293-2609 | 92 | 18.11 | .03 |
| 475-5M-09 | 9293-0505 | 95 | 18.70 | .03 |
| 480-5M-09 | 9293-2610 | 96 | 18.90 | .04 |
| 495-5M-09 | 9293-2611 | 99 | 19.49 | .04 |
| 500-5M-09 | 9293-0506 | 100 | 19.69 | .04 |
| 520-5M-09 | 9293-2612 | 104 | 20.47 | .04 |
| 535-5M-09 | 9293-0507 | 107 | 21.06 | .04 |
| 555-5M-09 | 9293-2613 | 111 | 21.85 | .04 |
| 565-5M-09 | 9293-0508 | 113 | 22.24 | .04 |
| 580-5M-09 | 9293-2614 | 116 | 22.83 | .04 |
| 585-5M-09 | 9293-2615 | 117 | 23.03 | .04 |
| 600-5M-09 | 9293-0509 | 120 | 23.62 | .04 |
| 615-5M-09 | 9293-2616 | 123 | 24.21 | .05 |
| 635-5M-09 | 9293-0510 | 127 | 25.00 | .05 |
| 655-5M-09 | 9293-2617 | 131 | 25.79 | .05 |
| 665-5M-09 | 9293-2618 | 133 | 26.18 | .05 |
| 670-5M-09 | 9293-0511 | 134 | 26.38 | .05 |
| 680-5M-09 | 9293-2619 | 136 | 26.77 | .05 |
| 685-5M-09 | 9293-2620 | 137 | 26.97 | .05 |
| 695-5M-09 | 9293-2621 | 139 | 27.36 | .05 |
| 710-5M-09 | 9293-0512 | 142 | 27.95 | .05 |
| 740-5M-09 | 9293-0513 | 148 | 29.13 | .05 |
| 745-5M-09 | 9293-2622 | 149 | 29.33 | .06 |
| 765-5M-09 | 9293-2623 | 153 | 30.12 | .06 |
| 790-5M-09 | 9293-2624 | 158 | 31.10 | .06 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 800-5M-09 | 9293-0514 | 160 | 31.50 | .06 |
| 830-5M-09 | 9293-2625 | 166 | 32.68 | .06 |
| 835-5M-09 | 9293-2626 | 167 | 32.87 | .07 |
| 850-5M-09 | 9293-0515 | 170 | 33.46 | .07 |
| 870-5M-09 | 9293-2627 | 174 | 34.25 | .07 |
| 890-5M-09 | 9293-0516 | 178 | 35.04 | .07 |
| 925-5M-09 | 9293-2628 | 185 | 36.42 | .07 |
| 950-5M-09 | 9293-0517 | 190 | 37.40 | .07 |
| 975-5M-09 | 9293-2629 | 195 | 38.39 | .07 |
| 985-5M-09 | 9293-2630 | 197 | 38.78 | .07 |
| 1000-5M-09 | 9293-0518 | 200 | 39.37 | .08 |
| 1050-5M-09 | 9293-0519 | 210 | 41.34 | .08 |
| 1115-5M-09 | 9293-2631 | 223 | 43.90 | .08 |
| 1125-5M-09 | 9293-0520 | 225 | 44.29 | .09 |
| 1195-5M-09 | 9293-0521 | 239 | 47.05 | .09 |
| 1250-5M-09 | 9293-2632 | 250 | 49.21 | .09 |
| 1270-5M-09 | 9293-0522 | 254 | 50.00 | .10 |
| 1295-5M-09 | 9293-2633 | 259 | 50.98 | .10 |
| 1375-5M-09 | 9293-2634 | 275 | 54.13 | .11 |
| 1420-5M-09 | 9293-0523 | 284 | 55.91 | .11 |
| 1575-5M-09 | 9293-2635 | 315 | 62.01 | .13 |
| 1595-5M-09 | 9293-0524 | 319 | 62.80 | .13 |
| 1635-5M-09 | 9293-2636 | 327 | 64.37 | .13 |
| 1690-5M-09 | 9293-0525 | 338 | 66.54 | .13 |
| 1720-5M-09 | 9293-2637 | 344 | 67.72 | .14 |
| 1790-5M-09 | 9293-0526 | 358 | 70.47 | .15 |
| 1800-5M-09 | 9293-2638 | 360 | 70.87 | .15 |
| 1895-5M-09 | 9293-0527 | 379 | 74.61 | .15 |
| 1945-5M-09 | 9293-2639 | 389 | 76.57 | .16 |
| 1980-5M-09 | 9293-2640 | 396 | 77.95 | .17 |
| 2000-5M-09 | 9293-0528 | 400 | 78.74 | .17 |
| 2110-5M-09 | 9293-2641 | 422 | 83.07 | .17 |
| 2250-5M-09 | 9293-0529 | 450 | 88.58 | .19 |
| 2525-5M-09 | 9293-0530 | 505 | 99.40 | .21 |
| 2760-5M-09 | 9293-2642 | 552 | 108.66 | .23 |
| 3120-5M-09 | 9293-2643 | 624 | 122.83 | .26 |
| 3170-5M-09 | 9293-2644 | 634 | 124.80 | .27 |
| 3430-5M-09 | 9293-2645 | 686 | 135.04 | .29 |
| 3800-5M-09 | 9293-2646 | 760 | 149.61 | .33 |

5mm Pitch — 15mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 200-5M-15 | 9293-2700 | 40 | 7.87 | .02 |
| 240-5M-15 | 9293-2701 | 48 | 9.45 | .03 |
| 260-5M-15 | 9293-2702 | 52 | 10.24 | .03 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 270-5M-15 | 9293-2703 | 54 | 10.63 | .03 |
| 285-5M-15 | 9293-2704 | 57 | 11.22 | .03 |
| 300-5M-15 | 9293-2705 | 60 | 11.81 | .03 |

POWERGRIP HTD BELTS



**PowerGrip® HTD® Belts****Product No. Series 9293 (continued)****5mm Pitch — 15mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 310-5M-15 | 9293-2706 | 62 | 12.20 | .04 |
| 320-5M-15 | 9293-2707 | 64 | 12.60 | .04 |
| 350-5M-15 | 9293-0531 | 70 | 13.78 | .04 |
| 375-5M-15 | 9293-0532 | 75 | 14.76 | .05 |
| 400-5M-15 | 9293-0533 | 80 | 15.75 | .05 |
| 415-5M-15 | 9293-2708 | 83 | 16.34 | .05 |
| 425-5M-15 | 9293-0534 | 85 | 16.73 | .05 |
| 450-5M-15 | 9293-0535 | 90 | 17.72 | .06 |
| 460-5M-15 | 9293-2709 | 92 | 18.11 | .06 |
| 475-5M-15 | 9293-0536 | 95 | 18.70 | .06 |
| 480-5M-15 | 9293-2710 | 96 | 18.90 | .06 |
| 495-5M-15 | 9293-2711 | 99 | 19.49 | .06 |
| 500-5M-15 | 9293-0537 | 100 | 19.69 | .06 |
| 520-5M-15 | 9293-2712 | 104 | 20.47 | .06 |
| 535-5M-15 | 9293-0538 | 107 | 21.06 | .06 |
| 555-5M-15 | 9293-2713 | 111 | 21.85 | .06 |
| 565-5M-15 | 9293-0539 | 113 | 22.24 | .06 |
| 580-5M-15 | 9293-2714 | 116 | 22.83 | .07 |
| 585-5M-15 | 9293-2715 | 117 | 23.03 | .08 |
| 600-5M-15 | 9293-0540 | 120 | 23.62 | .07 |
| 615-5M-15 | 9293-2716 | 123 | 24.21 | .07 |
| 635-5M-15 | 9293-0541 | 127 | 25.00 | .07 |
| 655-5M-15 | 9293-2717 | 131 | 25.79 | .08 |
| 665-5M-15 | 9293-2718 | 133 | 26.18 | .08 |
| 670-5M-15 | 9293-0542 | 134 | 26.38 | .08 |
| 680-5M-15 | 9293-2719 | 136 | 26.77 | .09 |
| 685-5M-15 | 9293-2720 | 137 | 26.97 | .09 |
| 695-5M-15 | 9293-2721 | 139 | 27.36 | .09 |
| 710-5M-15 | 9293-0543 | 142 | 27.95 | .09 |
| 740-5M-15 | 9293-0544 | 148 | 29.13 | .09 |
| 745-5M-15 | 9293-2722 | 149 | 29.33 | .09 |
| 765-5M-15 | 9293-2723 | 153 | 30.12 | .10 |
| 790-5M-15 | 9293-2724 | 158 | 31.10 | .10 |
| 800-5M-15 | 9293-0545 | 160 | 31.50 | .10 |
| 830-5M-15 | 9293-2725 | 166 | 32.68 | .10 |
| 835-5M-15 | 9293-2726 | 167 | 32.87 | .10 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 850-5M-15 | 9293-0546 | 170 | 33.46 | .10 |
| 870-5M-15 | 9293-2727 | 174 | 34.25 | .11 |
| 890-5M-15 | 9293-0547 | 178 | 35.04 | .11 |
| 925-5M-15 | 9293-2728 | 185 | 36.42 | .12 |
| 950-5M-15 | 9293-0548 | 190 | 37.40 | .12 |
| 975-5M-15 | 9293-2729 | 195 | 38.39 | .12 |
| 985-5M-15 | 9293-2730 | 197 | 38.78 | .12 |
| 1000-5M-15 | 9293-0549 | 200 | 39.37 | .12 |
| 1050-5M-15 | 9293-0550 | 210 | 41.34 | .12 |
| 1115-5M-15 | 9293-2731 | 223 | 43.90 | .14 |
| 1125-5M-15 | 9293-0551 | 225 | 44.29 | .14 |
| 1195-5M-15 | 9293-0552 | 239 | 47.05 | .15 |
| 1250-5M-15 | 9293-2732 | 250 | 49.21 | .16 |
| 1270-5M-15 | 9293-0553 | 254 | 50.00 | .16 |
| 1295-5M-15 | 9293-2733 | 259 | 50.98 | .16 |
| 1375-5M-15 | 9293-2734 | 275 | 54.13 | .17 |
| 1420-5M-15 | 9293-0554 | 284 | 55.91 | .18 |
| 1575-5M-15 | 9293-2735 | 315 | 62.01 | .20 |
| 1595-5M-15 | 9293-0555 | 319 | 62.80 | .20 |
| 1635-5M-15 | 9293-2736 | 327 | 64.37 | .21 |
| 1690-5M-15 | 9293-0556 | 338 | 66.54 | .21 |
| 1720-5M-15 | 9293-2737 | 344 | 67.72 | .21 |
| 1790-5M-15 | 9293-0557 | 358 | 70.47 | .22 |
| 1800-5M-15 | 9293-2738 | 360 | 70.87 | .22 |
| 1895-5M-15 | 9293-0558 | 379 | 74.61 | .24 |
| 1945-5M-15 | 9293-2739 | 389 | 76.57 | .25 |
| 1980-5M-15 | 9293-2740 | 396 | 77.95 | .25 |
| 2000-5M-15 | 9293-0559 | 400 | 78.74 | .25 |
| 2110-5M-15 | 9293-2741 | 422 | 83.07 | .26 |
| 2250-5M-15 | 9293-0560 | 450 | 88.58 | .29 |
| 2525-5M-15 | 9293-0561 | 505 | 99.40 | .33 |
| 2760-5M-15 | 9293-2742 | 552 | 108.66 | .35 |
| 3120-5M-15 | 9293-2743 | 624 | 122.83 | .40 |
| 3170-5M-15 | 9293-2744 | 634 | 124.80 | .40 |
| 3430-5M-15 | 9293-2745 | 686 | 135.04 | .45 |
| 3800-5M-15 | 9293-2746 | 760 | 149.61 | .50 |

5mm Pitch — 25mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 200-5M-25 | 9293-2800 | 40 | 7.87 | .04 |
| 240-5M-25 | 9293-2801 | 48 | 9.45 | .05 |
| 260-5M-25 | 9293-2802 | 52 | 10.24 | .05 |
| 270-5M-25 | 9293-2803 | 54 | 10.63 | .06 |
| 285-5M-25 | 9293-2804 | 57 | 11.22 | .06 |
| 300-5M-25 | 9293-2805 | 60 | 11.81 | .06 |
| 310-5M-25 | 9293-2806 | 62 | 12.20 | .06 |
| 320-5M-25 | 9293-2807 | 64 | 12.60 | .07 |
| 350-5M-25 | 9293-0562 | 70 | 13.78 | .07 |
| 375-5M-25 | 9293-0563 | 75 | 14.76 | .07 |
| 400-5M-25 | 9293-0564 | 80 | 15.75 | .08 |
| 415-5M-25 | 9293-2808 | 83 | 16.34 | .08 |
| 425-5M-25 | 9293-0565 | 85 | 16.73 | .09 |
| 450-5M-25 | 9293-0566 | 90 | 17.72 | .09 |
| 460-5M-25 | 9293-2809 | 92 | 18.11 | .09 |
| 475-5M-25 | 9293-0567 | 95 | 18.70 | .09 |
| 480-5M-25 | 9293-2810 | 96 | 18.90 | .10 |
| 495-5M-25 | 9293-2811 | 99 | 19.49 | .10 |
| 500-5M-25 | 9293-0568 | 100 | 19.69 | .11 |
| 520-5M-25 | 9293-2812 | 104 | 20.47 | .11 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 535-5M-25 | 9293-0569 | 107 | 21.06 | .12 |
| 555-5M-25 | 9293-2813 | 111 | 21.85 | .12 |
| 565-5M-25 | 9293-0570 | 113 | 22.24 | .13 |
| 580-5M-25 | 9293-2814 | 116 | 22.83 | .13 |
| 585-5M-25 | 9293-2815 | 117 | 23.03 | .14 |
| 600-5M-25 | 9293-0571 | 120 | 23.62 | .14 |
| 615-5M-25 | 9293-2816 | 123 | 24.21 | .14 |
| 635-5M-25 | 9293-0572 | 127 | 25.00 | .15 |
| 655-5M-25 | 9293-2817 | 131 | 25.79 | .15 |
| 665-5M-25 | 9293-2818 | 133 | 26.18 | .15 |
| 670-5M-25 | 9293-0573 | 134 | 26.38 | .15 |
| 680-5M-25 | 9293-2819 | 136 | 26.77 | .15 |
| 685-5M-25 | 9293-2820 | 137 | 26.97 | .16 |
| 695-5M-25 | 9293-2821 | 139 | 27.36 | .16 |
| 710-5M-25 | 9293-0574 | 142 | 27.95 | .17 |
| 740-5M-25 | 9293-0575 | 148 | 29.13 | .17 |
| 745-5M-25 | 9293-2822 | 149 | 29.33 | .18 |
| 765-5M-25 | 9293-2823 | 153 | 30.12 | .18 |
| 790-5M-25 | 9293-2824 | 158 | 31.10 | .19 |
| 800-5M-25 | 9293-0576 | 160 | 31.50 | .19 |



PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

5mm Pitch — 25mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 830-5M-25 | 9293-2825 | 166 | 32.68 | .20 |
| 835-5M-25 | 9293-2826 | 167 | 32.87 | .20 |
| 850-5M-25 | 9293-0577 | 170 | 33.46 | .20 |
| 870-5M-25 | 9293-2827 | 174 | 34.25 | .20 |
| 890-5M-25 | 9293-0578 | 178 | 35.04 | .20 |
| 925-5M-25 | 9293-2828 | 185 | 36.42 | .21 |
| 950-5M-25 | 9293-0579 | 190 | 37.40 | .21 |
| 975-5M-25 | 9293-2829 | 195 | 38.39 | .22 |
| 985-5M-25 | 9293-2830 | 197 | 38.78 | .22 |
| 1000-5M-25 | 9293-0580 | 200 | 39.37 | .23 |
| 1050-5M-25 | 9293-0581 | 210 | 41.34 | .24 |
| 1115-5M-25 | 9293-2831 | 223 | 43.90 | .24 |
| 1125-5M-25 | 9293-0582 | 225 | 44.29 | .25 |
| 1195-5M-25 | 9293-0583 | 239 | 47.05 | .26 |
| 1250-5M-25 | 9293-2832 | 250 | 49.21 | .27 |
| 1270-5M-25 | 9293-0584 | 254 | 50.00 | .28 |
| 1295-5M-25 | 9293-2833 | 259 | 50.98 | .29 |
| 1375-5M-25 | 9293-2834 | 275 | 54.13 | .30 |
| 1420-5M-25 | 9293-0585 | 284 | 55.91 | .30 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 1575-5M-25 | 9293-2835 | 315 | 62.01 | .35 |
| 1595-5M-25 | 9293-0586 | 319 | 62.84 | .35 |
| 1635-5M-25 | 9293-2836 | 327 | 64.37 | .37 |
| 1690-5M-25 | 9293-0587 | 338 | 66.54 | .38 |
| 1720-5M-25 | 9293-2837 | 344 | 67.72 | .38 |
| 1790-5M-25 | 9293-0588 | 358 | 70.47 | .40 |
| 1800-5M-25 | 9293-2838 | 360 | 70.87 | .40 |
| 1895-5M-25 | 9293-0589 | 379 | 74.61 | .43 |
| 1945-5M-25 | 9293-2839 | 389 | 76.57 | .44 |
| 1980-5M-25 | 9293-2840 | 396 | 77.95 | .45 |
| 2000-5M-25 | 9293-0590 | 400 | 78.74 | .45 |
| 2110-5M-25 | 9293-2841 | 422 | 83.07 | .48 |
| 2250-5M-25 | 9293-0591 | 450 | 88.58 | .52 |
| 2525-5M-25 | 9293-0592 | 505 | 99.40 | .58 |
| 2760-5M-25 | 9293-2842 | 552 | 108.66 | .64 |
| 3120-5M-25 | 9293-2843 | 624 | 122.83 | .72 |
| 3170-5M-25 | 9293-2844 | 634 | 124.80 | .73 |
| 3430-5M-25 | 9293-2845 | 686 | 135.04 | .80 |
| 3800-5M-25 | 9293-2846 | 760 | 149.61 | .88 |

20mm Pitch — 115mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 2000-20M-115 | 9293-0700 | 100 | 78.74 | 7.00 |
| 2500-20M-115 | 9293-0702 | 125 | 98.43 | 9.40 |
| 3400-20M-115 | 9293-0703 | 170 | 133.86 | 12.30 |
| 3800-20M-115 | 9293-0704 | 190 | 149.61 | 13.70 |
| 4200-20M-115 | 9293-0705 | 210 | 165.35 | 15.00 |
| 4600-20M-115 | 9293-0706 | 230 | 181.10 | 16.30 |
| 5000-20M-115 | 9293-0707 | 250 | 196.85 | 18.50 |
| 5200-20M-115 | 9293-0708 | 260 | 204.72 | 19.00 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 5400-20M-115 | 9293-0709 | 270 | 212.60 | 19.50 |
| 5600-20M-115 | 9293-0710 | 280 | 220.47 | 20.00 |
| 5800-20M-115 | 9293-0711 | 290 | 228.35 | 21.00 |
| 6000-20M-115 | 9293-0775 | 300 | 236.22 | 22.50 |
| 6200-20M-115 | 9293-0712 | 310 | 244.09 | 23.50 |
| 6400-20M-115 | 9293-0713 | 320 | 251.97 | 24.00 |
| 6600-20M-115 | 9293-0714 | 330 | 259.84 | 25.00 |

20mm Pitch — 170mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 2000-20M-170 | 9293-0715 | 100 | 78.74 | 12.50 |
| 2500-20M-170 | 9293-0717 | 125 | 98.43 | 14.65 |
| 3400-20M-170 | 9293-0718 | 170 | 133.86 | 19.00 |
| 3800-20M-170 | 9293-0719 | 190 | 149.61 | 21.00 |
| 4200-20M-170 | 9293-0720 | 210 | 165.35 | 23.00 |
| 4600-20M-170 | 9293-0721 | 230 | 181.10 | 24.55 |
| 5000-20M-170 | 9293-0722 | 250 | 196.85 | 26.50 |
| 5200-20M-170 | 9293-0723 | 260 | 204.72 | 27.50 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 5400-20M-170 | 9293-0724 | 270 | 212.60 | 28.50 |
| 5600-20M-170 | 9293-0725 | 280 | 220.47 | 30.00 |
| 5800-20M-170 | 9293-0726 | 290 | 228.35 | 31.00 |
| 6000-20M-170 | 9293-0776 | 300 | 236.22 | 31.95 |
| 6200-20M-170 | 9293-0727 | 310 | 244.09 | 33.00 |
| 6400-20M-170 | 9293-0728 | 320 | 251.97 | 34.00 |
| 6600-20M-170 | 9293-0729 | 330 | 259.84 | 35.00 |

20mm Pitch — 230mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 2000-20M-230 | 9293-0730 | 100 | 78.74 | 17.44 |
| 2500-20M-230 | 9293-0732 | 125 | 98.43 | 21.83 |
| 3400-20M-230 | 9293-0733 | 170 | 133.86 | 25.50 |
| 3800-20M-230 | 9293-0734 | 190 | 149.61 | 29.00 |
| 4200-20M-230 | 9293-0735 | 210 | 165.35 | 30.25 |
| 4600-20M-230 | 9293-0736 | 230 | 181.10 | 34.00 |
| 5000-20M-230 | 9293-0737 | 250 | 196.85 | 35.00 |
| 5200-20M-230 | 9293-0738 | 260 | 204.72 | 36.40 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 5400-20M-230 | 9293-0739 | 270 | 212.60 | 38.00 |
| 5600-20M-230 | 9293-0740 | 280 | 220.47 | 40.00 |
| 5800-20M-230 | 9293-0741 | 290 | 228.35 | 42.00 |
| 6000-20M-230 | 9293-0777 | 300 | 236.22 | 43.00 |
| 6200-20M-230 | 9293-0742 | 310 | 244.09 | 44.00 |
| 6400-20M-230 | 9293-0743 | 320 | 251.97 | 46.00 |
| 6600-20M-230 | 9293-0744 | 330 | 259.84 | 47.00 |

POWERGRIP HTD BELTS



**PowerGrip® HTD® Belts****Product No. Series 9293 (continued)****20mm Pitch — 290mm Wide**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 2000-20M-290 | 9293-0745 | 100 | 78.74 | 21.99 |
| 2500-20M-290 | 9293-0747 | 125 | 98.43 | 27.52 |
| 3400-20M-290 | 9293-0748 | 170 | 133.86 | 37.48 |
| 3800-20M-290 | 9293-0749 | 190 | 149.61 | 41.91 |
| 4200-20M-290 | 9293-0750 | 210 | 165.35 | 46.34 |
| 4600-20M-290 | 9293-0751 | 230 | 181.10 | 50.76 |
| 5000-20M-290 | 9293-0752 | 250 | 196.85 | 55.19 |
| 5200-20M-290 | 9293-0753 | 260 | 204.72 | 57.40 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 5400-20M-290 | 9293-0754 | 270 | 212.60 | 43.45 |
| 5600-20M-290 | 9293-0755 | 280 | 220.47 | 61.83 |
| 5800-20M-290 | 9293-0756 | 290 | 228.35 | 64.05 |
| 6000-20M-290 | 9293-0778 | 300 | 236.22 | 66.26 |
| 6200-20M-290 | 9293-0757 | 310 | 244.09 | 68.47 |
| 6400-20M-290 | 9293-0758 | 320 | 251.97 | 70.69 |
| 6600-20M-290 | 9293-0759 | 330 | 259.84 | 72.90 |

20mm Pitch — 340mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 2000-20M-340 | 9293-0760 | 100 | 78.74 | 25.78 |
| 2500-20M-340 | 9293-0762 | 125 | 98.43 | 32.27 |
| 3400-20M-340 | 9293-0763 | 170 | 133.86 | 43.94 |
| 3800-20M-340 | 9293-0764 | 190 | 149.61 | 36.60 |
| 4200-20M-340 | 9293-0765 | 210 | 165.35 | 54.33 |
| 4600-20M-340 | 9293-0766 | 230 | 181.10 | 59.52 |
| 5000-20M-340 | 9293-0767 | 250 | 196.85 | 64.71 |
| 5200-20M-340 | 9293-0768 | 260 | 204.72 | 67.30 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|--------------------|----------------|
| 5400-20M-340 | 9293-0769 | 270 | 212.60 | 69.90 |
| 5600-20M-340 | 9293-0770 | 280 | 220.47 | 72.49 |
| 5800-20M-340 | 9293-0771 | 290 | 228.35 | 75.09 |
| 6000-20M-340 | 9293-0779 | 300 | 236.22 | 77.68 |
| 6200-20M-340 | 9293-0772 | 310 | 244.09 | 80.28 |
| 6400-20M-340 | 9293-0773 | 320 | 251.97 | 82.87 |
| 6600-20M-340 | 9293-0774 | 330 | 259.84 | 85.47 |



PowerGrip® Timing Belts


The trapezoidal tooth profile makes this belt well suited for use in positioning applications.

Markets/Applications

PowerGrip Timing belts are suitable for office machines, machine tools, postage equipment, sewing machines, vending machines, agriculture, outdoor power equipment, food processing, HVAC, oil fields, wood, paper, sand and gravel applications.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.



POWERGRIP TIMING BELTS

Recommended Pulleys

PowerGrip Timing Pulleys

Notes

Gates PowerGrip Timing belts are measured by:

Length — The length of a PowerGrip Timing Belts is shown in the first part of the belt designation. The first number is the pitch length in tenths of an inch. A 300L075 has a 30.0" pitch length.

Pitch — The pitch is the distance from center to center of the teeth (in inches). It is shown in the second part of the belt designation by a letter or letters. Part number 300L075 has a .375" pitch. The letters correspond to pitches as follows:

MXL = Mini Extra Light = 0.080" pitch;

XL = Extra Light = 0.200" pitch;

L = Light = 0.375" pitch;

H = Heavy = 0.500" pitch;

XH = Extra Heavy = 0.875" pitch;

XXH = Double Extra Heavy = 1.250" pitch.

Width — The width is shown in the last part of the belt designation. Part number 300L075 is .75" wide.

Product No. Series 9257

2/25" Pitch (.080"/MXL) — 1/8" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 32MXL012 | 9257-0129 | 40 | 3.20 | .01 |
| 34MXL012 | 9257-0130 | 42 | 3.36 | .01 |
| 36MXL012 | 9257-0119 | 45 | 3.60 | .01 |
| 38MXL012 | 9257-0131 | 47 | 3.76 | .01 |
| 40MXL012 | 9257-0120 | 50 | 4.00 | .01 |
| 43MXL012 | 9257-0132 | 54 | 4.32 | .01 |
| 44MXL012 | 9257-0121 | 55 | 4.40 | .01 |
| 45MXL012 | 9257-0133 | 56 | 4.48 | .01 |
| 47MXL012 | 9257-0134 | 59 | 4.72 | .01 |
| 48MXL012 | 9257-0122 | 60 | 4.80 | .01 |
| 51MXL012 | 9257-0135 | 64 | 5.12 | .01 |
| 52MXL012 | 9257-0136 | 65 | 5.20 | .01 |
| 53MXL012 | 9257-0137 | 67 | 5.36 | .01 |
| 54MXL012 | 9257-0138 | 68 | 5.44 | .01 |
| 56MXL012 | 9257-0104 | 70 | 5.60 | .01 |
| 57MXL012 | 9257-0139 | 71 | 5.68 | .01 |
| 58MXL012 | 9257-0140 | 72 | 5.76 | .01 |
| 59MXL012 | 9257-0141 | 74 | 5.92 | .01 |
| 61MXL012 | 9257-0142 | 76 | 6.08 | .01 |
| 62MXL012 | 9257-0143 | 77 | 6.16 | .01 |
| 63MXL012 | 9257-0144 | 79 | 6.32 | .01 |
| 64MXL012 | 9257-0105 | 80 | 6.40 | .01 |
| 66MXL012 | 9257-0145 | 83 | 6.64 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 68MXL012 | 9257-0123 | 85 | 6.80 | .01 |
| 69MXL012 | 9257-0146 | 87 | 6.96 | .01 |
| 70MXL012 | 9257-0147 | 88 | 7.04 | .01 |
| 72MXL012 | 9257-0106 | 90 | 7.20 | .01 |
| 74MXL012 | 9257-0148 | 92 | 7.36 | .01 |
| 75MXL012 | 9257-0149 | 94 | 7.52 | .01 |
| 76MXL012 | 9257-0124 | 95 | 7.60 | .01 |
| 80MXL012 | 9257-0107 | 100 | 8.00 | .01 |
| 81MXL012 | 9257-0150 | 102 | 8.16 | .01 |
| 82MXL012 | 9257-0151 | 103 | 8.24 | .01 |
| 84MXL012 | 9257-0152 | 105 | 8.40 | .01 |
| 85MXL012 | 9257-0153 | 107 | 8.56 | .01 |
| 86MXL012 | 9257-0154 | 108 | 8.64 | .01 |
| 87MXL012 | 9257-0155 | 109 | 8.72 | .01 |
| 88MXL012 | 9257-0108 | 110 | 8.80 | .01 |
| 90MXL012 | 9257-0156 | 112 | 8.96 | .01 |
| 91MXL012 | 9257-0157 | 114 | 9.12 | .01 |
| 96MXL012 | 9257-0100 | 120 | 9.60 | .01 |
| 98MXL012 | 9257-0158 | 123 | 9.84 | .01 |
| 100MXL012 | 9257-0159 | 125 | 10.00 | .01 |
| 101MXL012 | 9257-0160 | 126 | 10.08 | .01 |
| 104MXL012 | 9257-0109 | 130 | 10.40 | .01 |
| 106MXL012 | 9257-0161 | 132 | 10.56 | .01 |



**PowerGrip® Timing Belts****Product No. Series 9257 (continued)****2/25" Pitch (.080"/MXL) — 1/8" Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 112MXL012 | 9257-0110 | 140 | 11.20 | .01 |
| 115MXL012 | 9257-0162 | 144 | 11.52 | .01 |
| 120MXL012 | 9257-0111 | 150 | 12.00 | .01 |
| 122MXL012 | 9257-0163 | 153 | 12.24 | .01 |
| 124MXL012 | 9257-0164 | 155 | 12.40 | .01 |
| 132MXL012 | 9257-0125 | 165 | 13.20 | .01 |
| 133MXL012 | 9257-0165 | 166 | 13.28 | .01 |
| 136MXL012 | 9257-0166 | 170 | 13.60 | .01 |
| 140MXL012 | 9257-0112 | 175 | 14.00 | .01 |
| 147MXL012 | 9257-0167 | 184 | 14.72 | .01 |
| 152MXL012 | 9257-0126 | 190 | 15.20 | .01 |
| 156MXL012 | 9257-0168 | 195 | 15.60 | .01 |
| 160MXL012 | 9257-0113 | 200 | 16.00 | .01 |
| 166MXL012 | 9257-0169 | 208 | 16.64 | .01 |
| 168MXL012 | 9257-0127 | 210 | 16.80 | .01 |
| 170MXL012 | 9257-0170 | 212 | 16.96 | .01 |
| 177MXL012 | 9257-0171 | 221 | 17.68 | .01 |
| 178MXL012 | 9257-0172 | 222 | 17.76 | .01 |
| 180MXL012 | 9257-0114 | 225 | 18.00 | .01 |
| 184MXL012 | 9257-0173 | 230 | 18.40 | .01 |
| 196MXL012 | 9257-0174 | 245 | 19.60 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 198MXL012 | 9257-0175 | 248 | 19.84 | .01 |
| 200MXL012 | 9257-0115 | 250 | 20.00 | .01 |
| 208MXL012 | 9257-0116 | 260 | 20.80 | .01 |
| 212MXL012 | 9257-0176 | 265 | 21.20 | .01 |
| 224MXL012 | 9257-0177 | 280 | 22.40 | .01 |
| 236MXL012 | 9257-0128 | 295 | 23.60 | .01 |
| 240MXL012 | 9257-0117 | 300 | 24.00 | .01 |
| 252MXL012 | 9257-0178 | 315 | 25.20 | .01 |
| 278MXL012 | 9257-0179 | 347 | 27.76 | .01 |
| 297MXL012 | 9257-0180 | 371 | 29.68 | .01 |
| 298MXL012 | 9257-0181 | 372 | 29.76 | .02 |
| 320MXL012 | 9257-0118 | 400 | 32.00 | .02 |
| 330MXL012 | 9257-0182 | 412 | 32.96 | .02 |
| 339MXL012 | 9257-0183 | 424 | 33.92 | .02 |
| 347MXL012 | 9257-0184 | 434 | 34.72 | .02 |
| 348MXL012 | 9257-0185 | 435 | 34.80 | .02 |
| 390MXL012 | 9257-0186 | 487 | 38.96 | .02 |
| 398MXL012 | 9257-0187 | 498 | 39.84 | .02 |
| 480MXL012 | 9257-0188 | 600 | 48.00 | .02 |
| 490MXL012 | 9257-0189 | 612 | 48.96 | .02 |
| 518MXL012 | 9257-0190 | 648 | 51.84 | .02 |

2/25" Pitch (.080"/MXL) — 3/16" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 32MXL019 | 9257-0229 | 40 | 3.20 | .01 |
| 34MXL019 | 9257-0230 | 42 | 3.36 | .01 |
| 36MXL019 | 9257-0219 | 45 | 3.60 | .01 |
| 38MXL019 | 9257-0231 | 47 | 3.76 | .01 |
| 40MXL019 | 9257-0220 | 50 | 4.00 | .01 |
| 43MXL019 | 9257-0232 | 54 | 4.32 | .01 |
| 44MXL019 | 9257-0221 | 55 | 4.40 | .01 |
| 45MXL019 | 9257-0233 | 56 | 4.48 | .01 |
| 47MXL019 | 9257-0234 | 59 | 4.72 | .01 |
| 48MXL019 | 9257-0222 | 60 | 4.80 | .01 |
| 51MXL019 | 9257-0235 | 64 | 5.12 | .01 |
| 52MXL019 | 9257-0236 | 65 | 5.20 | .01 |
| 53MXL019 | 9257-0237 | 67 | 5.36 | .01 |
| 54MXL019 | 9257-0238 | 68 | 5.44 | .01 |
| 56MXL019 | 9257-0204 | 70 | 5.60 | .01 |
| 57MXL019 | 9257-0239 | 71 | 5.68 | .01 |
| 58MXL019 | 9257-0240 | 72 | 5.76 | .01 |
| 59MXL019 | 9257-0241 | 74 | 5.92 | .01 |
| 61MXL019 | 9257-0242 | 76 | 6.08 | .01 |
| 62MXL019 | 9257-0243 | 77 | 6.16 | .01 |
| 63MXL019 | 9257-0244 | 79 | 6.32 | .01 |
| 64MXL019 | 9257-0205 | 80 | 6.40 | .01 |
| 66MXL019 | 9257-0245 | 83 | 6.64 | .01 |
| 68MXL019 | 9257-0223 | 85 | 6.80 | .01 |
| 69MXL019 | 9257-0246 | 87 | 6.96 | .01 |
| 70MXL019 | 9257-0247 | 88 | 7.04 | .01 |
| 72MXL019 | 9257-0206 | 90 | 7.20 | .01 |
| 74MXL019 | 9257-0248 | 92 | 7.36 | .01 |
| 75MXL019 | 9257-0249 | 94 | 7.52 | .01 |
| 76MXL019 | 9257-0224 | 95 | 7.60 | .01 |
| 80MXL019 | 9257-0207 | 100 | 8.00 | .01 |
| 81MXL019 | 9257-0250 | 102 | 8.16 | .01 |
| 82MXL019 | 9257-0251 | 103 | 8.24 | .01 |
| 84MXL019 | 9257-0252 | 105 | 8.40 | .01 |
| 85MXL019 | 9257-0253 | 107 | 8.56 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 86MXL019 | 9257-0254 | 108 | 8.64 | .01 |
| 87MXL019 | 9257-0255 | 109 | 8.72 | .01 |
| 88MXL019 | 9257-0208 | 110 | 8.80 | .01 |
| 90MXL019 | 9257-0256 | 112 | 8.96 | .01 |
| 91MXL019 | 9257-0257 | 114 | 9.12 | .01 |
| 96MXL019 | 9257-0200 | 120 | 9.60 | .01 |
| 98MXL019 | 9257-0258 | 123 | 9.84 | .01 |
| 100MXL019 | 9257-0259 | 125 | 10.00 | .01 |
| 101MXL019 | 9257-0260 | 126 | 10.08 | .01 |
| 104MXL019 | 9257-0209 | 130 | 10.40 | .01 |
| 106MXL019 | 9257-0261 | 132 | 10.56 | .01 |
| 112MXL019 | 9257-0210 | 140 | 11.20 | .01 |
| 115MXL019 | 9257-0262 | 144 | 11.52 | .01 |
| 120MXL019 | 9257-0211 | 150 | 12.00 | .01 |
| 122MXL019 | 9257-0263 | 153 | 12.24 | .01 |
| 124MXL019 | 9257-0264 | 155 | 12.40 | .01 |
| 132MXL019 | 9257-0225 | 165 | 13.20 | .01 |
| 133MXL019 | 9257-0265 | 166 | 13.28 | .01 |
| 136MXL019 | 9257-0266 | 170 | 13.60 | .01 |
| 140MXL019 | 9257-0212 | 175 | 14.00 | .01 |
| 147MXL019 | 9257-0267 | 184 | 14.72 | .01 |
| 152MXL019 | 9257-0226 | 190 | 15.20 | .01 |
| 156MXL019 | 9257-0268 | 195 | 15.60 | .01 |
| 160MXL019 | 9257-0213 | 200 | 16.00 | .01 |
| 166MXL019 | 9257-0269 | 208 | 16.64 | .01 |
| 168MXL019 | 9257-0227 | 210 | 16.80 | .01 |
| 170MXL019 | 9257-0270 | 212 | 16.96 | .01 |
| 177MXL019 | 9257-0271 | 221 | 17.68 | .01 |
| 178MXL019 | 9257-0272 | 222 | 17.76 | .01 |
| 180MXL019 | 9257-0214 | 225 | 18.00 | .01 |
| 184MXL019 | 9257-0273 | 230 | 18.40 | .01 |
| 196MXL019 | 9257-0274 | 245 | 19.60 | .01 |
| 198MXL019 | 9257-0275 | 248 | 19.84 | .01 |
| 200MXL019 | 9257-0215 | 250 | 20.00 | .01 |
| 208MXL019 | 9257-0216 | 260 | 20.80 | .01 |



PowerGrip® Timing Belts

Product No. Series 9257 (continued)

2/25" Pitch (.080"/MXL) — 3/16" Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 212MXL019 | 9257-0276 | 265 | 21.20 | .01 |
| 224MXL019 | 9257-0277 | 280 | 22.40 | .01 |
| 236MXL019 | 9257-0228 | 295 | 23.60 | .01 |
| 240MXL019 | 9257-0217 | 300 | 24.00 | .01 |
| 252MXL019 | 9257-0278 | 315 | 25.20 | .01 |
| 278MXL019 | 9257-0279 | 347 | 27.76 | .01 |
| 297MXL019 | 9257-0280 | 371 | 29.68 | .02 |
| 298MXL019 | 9257-0281 | 372 | 29.76 | .02 |
| 320MXL019 | 9257-0218 | 400 | 32.00 | .02 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 330MXL019 | 9257-0282 | 412 | 32.96 | .02 |
| 339MXL019 | 9257-0283 | 424 | 33.92 | .02 |
| 347MXL019 | 9257-0284 | 434 | 34.72 | .02 |
| 348MXL019 | 9257-0285 | 435 | 34.80 | .02 |
| 390MXL019 | 9257-0286 | 487 | 38.96 | .02 |
| 398MXL019 | 9257-0287 | 498 | 39.84 | .02 |
| 480MXL019 | 9257-0288 | 600 | 48.00 | .02 |
| 490MXL019 | 9257-0289 | 612 | 48.96 | .02 |
| 518MXL019 | 9257-0290 | 648 | 51.84 | .02 |

2/25" Pitch (.080"/MXL) — 1/4" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 32MXL025 | 9257-0329 | 40 | 3.20 | .01 |
| 34MXL025 | 9257-0330 | 42 | 3.36 | .01 |
| 36MXL025 | 9257-0319 | 45 | 3.60 | .01 |
| 38MXL025 | 9257-0331 | 47 | 3.76 | .01 |
| 40MXL025 | 9257-0320 | 50 | 4.00 | .01 |
| 43MXL025 | 9257-0332 | 54 | 4.32 | .01 |
| 44MXL025 | 9257-0321 | 55 | 4.40 | .01 |
| 45MXL025 | 9257-0333 | 56 | 4.48 | .01 |
| 47MXL025 | 9257-0334 | 59 | 4.72 | .01 |
| 48MXL025 | 9257-0322 | 60 | 4.80 | .01 |
| 51MXL025 | 9257-0335 | 64 | 5.12 | .01 |
| 52MXL025 | 9257-0336 | 65 | 5.20 | .01 |
| 53MXL025 | 9257-0337 | 67 | 5.36 | .01 |
| 54MXL025 | 9257-0338 | 68 | 5.44 | .01 |
| 56MXL025 | 9257-0304 | 70 | 5.60 | .01 |
| 57MXL025 | 9257-0339 | 71 | 5.68 | .01 |
| 58MXL025 | 9257-0340 | 72 | 5.76 | .01 |
| 59MXL025 | 9257-0341 | 74 | 5.92 | .01 |
| 61MXL025 | 9257-0342 | 76 | 6.08 | .01 |
| 62MXL025 | 9257-0343 | 77 | 6.16 | .01 |
| 63MXL025 | 9257-0344 | 79 | 6.32 | .01 |
| 64MXL025 | 9257-0305 | 80 | 6.40 | .01 |
| 66MXL025 | 9257-0345 | 83 | 6.64 | .01 |
| 68MXL025 | 9257-0323 | 85 | 6.80 | .01 |
| 69MXL025 | 9257-0346 | 87 | 6.96 | .01 |
| 70MXL025 | 9257-0347 | 88 | 7.04 | .01 |
| 72MXL025 | 9257-0306 | 90 | 7.20 | .01 |
| 74MXL025 | 9257-0348 | 92 | 7.36 | .01 |
| 75MXL025 | 9257-0349 | 94 | 7.52 | .01 |
| 76MXL025 | 9257-0324 | 95 | 7.60 | .01 |
| 80MXL025 | 9257-0307 | 100 | 8.00 | .01 |
| 81MXL025 | 9257-0350 | 102 | 8.16 | .01 |
| 82MXL025 | 9257-0351 | 103 | 8.24 | .01 |
| 84MXL025 | 9257-0352 | 105 | 8.40 | .01 |
| 85MXL025 | 9257-0353 | 107 | 8.56 | .01 |
| 86MXL025 | 9257-0354 | 108 | 8.64 | .01 |
| 87MXL025 | 9257-0355 | 109 | 8.72 | .01 |
| 88MXL025 | 9257-0308 | 110 | 8.80 | .01 |
| 90MXL025 | 9257-0356 | 112 | 8.96 | .01 |
| 91MXL025 | 9257-0357 | 114 | 9.12 | .01 |
| 96MXL025 | 9257-0300 | 120 | 9.60 | .01 |
| 98MXL025 | 9257-0358 | 123 | 9.84 | .01 |
| 100MXL025 | 9257-0359 | 125 | 10.00 | .01 |
| 101MXL025 | 9257-0360 | 126 | 10.08 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 104MXL025 | 9257-0309 | 130 | 10.40 | .01 |
| 106MXL025 | 9257-0361 | 132 | 10.56 | .01 |
| 112MXL025 | 9257-0310 | 140 | 11.20 | .01 |
| 115MXL025 | 9257-0362 | 144 | 11.52 | .01 |
| 120MXL025 | 9257-0311 | 150 | 12.00 | .01 |
| 122MXL025 | 9257-0363 | 153 | 12.24 | .01 |
| 124MXL025 | 9257-0364 | 155 | 12.40 | .01 |
| 132MXL025 | 9257-0325 | 165 | 13.20 | .01 |
| 133MXL025 | 9257-0365 | 166 | 13.28 | .01 |
| 136MXL025 | 9257-0366 | 170 | 13.60 | .01 |
| 140MXL025 | 9257-0312 | 175 | 14.00 | .01 |
| 147MXL025 | 9257-0367 | 184 | 14.72 | .01 |
| 152MXL025 | 9257-0326 | 190 | 15.20 | .01 |
| 156MXL025 | 9257-0368 | 195 | 15.60 | .01 |
| 160MXL025 | 9257-0313 | 200 | 16.00 | .01 |
| 166MXL025 | 9257-0369 | 208 | 16.64 | .01 |
| 168MXL025 | 9257-0327 | 210 | 16.80 | .01 |
| 170MXL025 | 9257-0370 | 212 | 16.96 | .01 |
| 177MXL025 | 9257-0371 | 221 | 17.68 | .01 |
| 178MXL025 | 9257-0372 | 222 | 17.76 | .01 |
| 180MXL025 | 9257-0314 | 225 | 18.00 | .01 |
| 184MXL025 | 9257-0373 | 230 | 18.40 | .01 |
| 196MXL025 | 9257-0374 | 245 | 19.60 | .01 |
| 198MXL025 | 9257-0375 | 248 | 19.84 | .01 |
| 200MXL025 | 9257-0315 | 250 | 20.00 | .01 |
| 208MXL025 | 9257-0316 | 260 | 20.80 | .01 |
| 212MXL025 | 9257-0376 | 265 | 21.20 | .01 |
| 224MXL025 | 9257-0377 | 280 | 22.40 | .02 |
| 236MXL025 | 9257-0328 | 295 | 23.60 | .01 |
| 240MXL025 | 9257-0317 | 300 | 24.00 | .01 |
| 252MXL025 | 9257-0378 | 315 | 25.20 | .01 |
| 278MXL025 | 9257-0379 | 347 | 27.76 | .01 |
| 297MXL025 | 9257-0380 | 371 | 29.68 | .02 |
| 298MXL025 | 9257-0381 | 372 | 29.76 | .02 |
| 320MXL025 | 9257-0318 | 400 | 32.00 | .02 |
| 330MXL025 | 9257-0382 | 412 | 32.96 | .02 |
| 339MXL025 | 9257-0383 | 424 | 33.92 | .02 |
| 347MXL025 | 9257-0384 | 434 | 34.72 | .02 |
| 348MXL025 | 9257-0385 | 435 | 34.80 | .02 |
| 390MXL025 | 9257-0386 | 487 | 38.96 | .02 |
| 398MXL025 | 9257-0387 | 498 | 39.84 | .02 |
| 480MXL025 | 9257-0388 | 600 | 48.00 | .02 |
| 490MXL025 | 9257-0389 | 612 | 48.96 | .02 |
| 518MXL025 | 9257-0390 | 648 | 51.84 | .02 |

POWERGRIP TIMING BELTS



**PowerGrip® Timing Belts****Product No. Series 9257 (continued)****1/5" Pitch (.200"/XL) — 1/4" Wide**

POWERGRIP TIMING BELTS

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 42XL025 | 9257-1141 | 21 | 4.20 | .01 |
| 50XL025 | 9257-1121 | 25 | 5.00 | .01 |
| 54XL025 | 9257-1142 | 27 | 5.40 | .01 |
| 56XL025 | 9257-1143 | 28 | 5.60 | .01 |
| 58XL025 | 9257-1144 | 29 | 5.80 | .01 |
| 60XL025 | 9257-1100 | 30 | 6.00 | .01 |
| 62XL025 | 9257-1145 | 31 | 6.20 | .01 |
| 64XL025 | 9257-1146 | 32 | 6.40 | .01 |
| 66XL025 | 9257-1147 | 33 | 6.60 | .01 |
| 68XL025 | 9257-1148 | 34 | 6.80 | .01 |
| 70XL025 | 9257-1101 | 35 | 7.00 | .01 |
| 72XL025 | 9257-1149 | 36 | 7.20 | .01 |
| 74XL025 | 9257-1150 | 37 | 7.40 | .01 |
| 76XL025 | 9257-1151 | 38 | 7.60 | .01 |
| 78XL025 | 9257-1152 | 39 | 7.80 | .01 |
| 80XL025 | 9257-1102 | 40 | 8.00 | .01 |
| 82XL025 | 9257-1153 | 41 | 8.20 | .01 |
| 84XL025 | 9257-1154 | 42 | 8.40 | .01 |
| 86XL025 | 9257-1155 | 43 | 8.60 | .01 |
| 88XL025 | 9257-1156 | 44 | 8.80 | .01 |
| 90XL025 | 9257-1103 | 45 | 9.00 | .01 |
| 92XL025 | 9257-1157 | 46 | 9.20 | .01 |
| 94XL025 | 9257-1158 | 47 | 9.40 | .01 |
| 96XL025 | 9257-1159 | 48 | 9.60 | .01 |
| 98XL025 | 9257-1160 | 49 | 9.80 | .01 |
| 100XL025 | 9257-1104 | 50 | 10.00 | .01 |
| 102XL025 | 9257-1161 | 51 | 10.20 | .01 |
| 106XL025 | 9257-1162 | 53 | 10.60 | .01 |
| 108XL025 | 9257-1163 | 54 | 10.80 | .01 |
| 110XL025 | 9257-1105 | 55 | 11.00 | .01 |
| 112XL025 | 9257-1164 | 56 | 11.20 | .01 |
| 114XL025 | 9257-1165 | 57 | 11.40 | .01 |
| 116XL025 | 9257-1166 | 58 | 11.60 | .01 |
| 120XL025 | 9257-1106 | 60 | 12.00 | .01 |
| 122XL025 | 9257-1167 | 61 | 12.20 | .01 |
| 124XL025 | 9257-1168 | 62 | 12.40 | .01 |
| 126XL025 | 9257-1169 | 63 | 12.60 | .01 |
| 128XL025 | 9257-1170 | 64 | 12.80 | .01 |
| 130XL025 | 9257-1107 | 65 | 13.00 | .01 |
| 132XL025 | 9257-1171 | 66 | 13.20 | .01 |
| 134XL025 | 9257-1172 | 67 | 13.40 | .01 |
| 136XL025 | 9257-1173 | 68 | 13.60 | .01 |
| 138XL025 | 9257-1174 | 69 | 13.80 | .01 |
| 140XL025 | 9257-1108 | 70 | 14.00 | .01 |
| 142XL025 | 9257-1175 | 71 | 14.20 | .01 |
| 144XL025 | 9257-1176 | 72 | 14.40 | .01 |
| 146XL025 | 9257-1177 | 73 | 14.60 | .01 |
| 148XL025 | 9257-1178 | 74 | 14.80 | .01 |
| 150XL025 | 9257-1109 | 75 | 15.00 | .01 |
| 152XL025 | 9257-1179 | 76 | 15.20 | .01 |
| 154XL025 | 9257-1180 | 77 | 15.40 | .01 |
| 156XL025 | 9257-1181 | 78 | 15.60 | .01 |
| 158XL025 | 9257-1182 | 79 | 15.80 | .01 |
| 160XL025 | 9257-1110 | 80 | 16.00 | .02 |
| 162XL025 | 9257-1183 | 81 | 16.20 | .01 |
| 164XL025 | 9257-1184 | 82 | 16.40 | .01 |
| 166XL025 | 9257-1185 | 83 | 16.60 | .01 |
| 168XL025 | 9257-1186 | 84 | 16.80 | .01 |
| 170XL025 | 9257-1111 | 85 | 17.00 | .02 |
| 172XL025 | 9257-1187 | 86 | 17.20 | .02 |
| 174XL025 | 9257-1188 | 87 | 17.40 | .02 |
| 176XL025 | 9257-1189 | 88 | 17.60 | .02 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 178XL025 | 9257-1190 | 89 | 17.80 | .02 |
| 180XL025 | 9257-1112 | 90 | 18.00 | .02 |
| 182XL025 | 9257-1191 | 91 | 18.20 | .02 |
| 184XL025 | 9257-1192 | 92 | 18.40 | .02 |
| 186XL025 | 9257-1193 | 93 | 18.60 | .02 |
| 188XL025 | 9257-1194 | 94 | 18.80 | .02 |
| 190XL025 | 9257-1113 | 95 | 19.00 | .02 |
| 192XL025 | 9257-1195 | 96 | 19.20 | .02 |
| 194XL025 | 9257-1196 | 97 | 19.40 | .02 |
| 200XL025 | 9257-1114 | 100 | 20.00 | .02 |
| 202XL025 | 9257-1197 | 101 | 20.20 | .02 |
| 204XL025 | 9257-1198 | 102 | 20.40 | .02 |
| 206XL025 | 9257-1199 | 103 | 20.60 | .02 |
| 210XL025 | 9257-1115 | 105 | 21.00 | .02 |
| 212XL025 | 9257-8100 | 106 | 21.20 | .02 |
| 214XL025 | 9257-8101 | 107 | 21.40 | .02 |
| 218XL025 | 9257-8102 | 109 | 21.80 | .02 |
| 220XL025 | 9257-1116 | 110 | 22.00 | .02 |
| 222XL025 | 9257-8103 | 111 | 22.20 | .02 |
| 226XL025 | 9257-8104 | 113 | 22.60 | .01 |
| 228XL025 | 9257-8105 | 114 | 22.80 | .01 |
| 230XL025 | 9257-1117 | 115 | 23.00 | .02 |
| 232XL025 | 9257-8106 | 116 | 23.20 | .01 |
| 234XL025 | 9257-8107 | 117 | 23.40 | .02 |
| 236XL025 | 9257-8108 | 118 | 23.60 | .02 |
| 240XL025 | 9257-1118 | 120 | 24.00 | .02 |
| 244XL025 | 9257-8109 | 122 | 24.40 | .01 |
| 246XL025 | 9257-8110 | 123 | 24.60 | .02 |
| 250XL025 | 9257-1119 | 125 | 25.00 | .02 |
| 254XL025 | 9257-8111 | 127 | 25.40 | .01 |
| 258XL025 | 9257-8112 | 129 | 25.80 | .02 |
| 260XL025 | 9257-1120 | 130 | 26.00 | .02 |
| 262XL025 | 9257-8113 | 131 | 26.20 | .02 |
| 264XL025 | 9257-8114 | 132 | 26.40 | .01 |
| 266XL025 | 9257-8115 | 133 | 26.60 | .02 |
| 268XL025 | 9257-8116 | 134 | 26.80 | .02 |
| 274XL025 | 9257-8117 | 137 | 27.40 | .02 |
| 280XL025 | 9257-1122 | 140 | 28.00 | .02 |
| 286XL025 | 9257-8118 | 143 | 28.60 | .03 |
| 290XL025 | 9257-1123 | 145 | 29.00 | .02 |
| 296XL025 | 9257-8119 | 148 | 29.60 | .01 |
| 300XL025 | 9257-1124 | 150 | 30.00 | .02 |
| 306XL025 | 9257-8120 | 153 | 30.60 | .03 |
| 310XL025 | 9257-1125 | 155 | 31.00 | .02 |
| 316XL025 | 9257-8121 | 158 | 31.60 | .03 |
| 320XL025 | 9257-8122 | 160 | 32.00 | .02 |
| 322XL025 | 9257-8123 | 161 | 32.20 | .03 |
| 330XL025 | 9257-1126 | 165 | 33.00 | .02 |
| 338XL025 | 9257-8124 | 169 | 33.80 | .03 |
| 340XL025 | 9257-1127 | 170 | 34.00 | .02 |
| 344XL025 | 9257-8125 | 172 | 34.40 | .03 |
| 348XL025 | 9257-8126 | 174 | 34.80 | .04 |
| 350XL025 | 9257-1128 | 175 | 35.00 | .02 |
| 362XL025 | 9257-8127 | 181 | 36.20 | .01 |
| 370XL025 | 9257-1129 | 185 | 37.00 | .03 |
| 380XL025 | 9257-1130 | 190 | 38.00 | .03 |
| 384XL025 | 9257-8128 | 192 | 38.40 | .04 |
| 390XL025 | 9257-1131 | 195 | 39.00 | .03 |
| 400XL025 | 9257-1132 | 200 | 40.00 | .03 |
| 412XL025 | 9257-8129 | 206 | 41.20 | .01 |
| 420XL025 | 9257-1133 | 210 | 42.00 | .03 |
| 424XL025 | 9257-8130 | 212 | 42.40 | .05 |



PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/5" Pitch (.200"/XL) — 1/4" Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 432XL025 | 9257-8131 | 216 | 43.20 | .05 |
| 438XL025 | 9257-8132 | 219 | 43.80 | .04 |
| 444XL025 | 9257-8133 | 222 | 44.40 | .05 |
| 450XL025 | 9257-1134 | 225 | 45.00 | .03 |
| 454XL025 | 9257-8134 | 227 | 45.40 | .05 |
| 460XL025 | 9257-1135 | 230 | 46.00 | .03 |
| 468XL025 | 9257-8135 | 234 | 46.80 | .05 |
| 480XL025 | 9257-1136 | 240 | 48.00 | .03 |
| 492XL025 | 9257-8136 | 246 | 49.20 | .04 |
| 498XL025 | 9257-8137 | 249 | 49.80 | .05 |
| 500XL025 | 9257-1137 | 250 | 50.00 | .03 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 506XL025 | 9257-8138 | 253 | 50.60 | .04 |
| 524XL025 | 9257-8139 | 262 | 52.40 | .04 |
| 570XL025 | 9257-1138 | 285 | 57.00 | .04 |
| 580XL025 | 9257-8140 | 290 | 58.00 | .05 |
| 592XL025 | 9257-8141 | 296 | 59.20 | .05 |
| 612XL025 | 9257-8142 | 306 | 61.20 | .05 |
| 630XL025 | 9257-1139 | 315 | 63.00 | .05 |
| 672XL025 | 9257-8143 | 336 | 67.20 | .04 |
| 690XL025 | 9257-8144 | 345 | 69.00 | .04 |
| 770XL025 | 9257-1140 | 385 | 77.00 | .06 |
| 850XL025 | 9257-8145 | 425 | 85.00 | .06 |

1/5" Pitch (.200"/XL) — 3/8" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 42XL037 | 9257-1341 | 21 | 4.20 | .01 |
| 50XL037 | 9257-1321 | 25 | 5.00 | .01 |
| 54XL037 | 9257-1342 | 27 | 5.40 | .01 |
| 56XL037 | 9257-1343 | 28 | 5.60 | .01 |
| 58XL037 | 9257-1344 | 29 | 5.80 | .01 |
| 60XL037 | 9257-1300 | 30 | 6.00 | .01 |
| 62XL037 | 9257-1345 | 31 | 6.20 | .01 |
| 64XL037 | 9257-1346 | 32 | 6.40 | .01 |
| 66XL037 | 9257-1347 | 33 | 6.60 | .01 |
| 68XL037 | 9257-1348 | 34 | 6.80 | .01 |
| 70XL037 | 9257-1301 | 35 | 7.00 | .01 |
| 72XL037 | 9257-1349 | 36 | 7.20 | .01 |
| 74XL037 | 9257-1350 | 37 | 7.40 | .01 |
| 76XL037 | 9257-1351 | 38 | 7.60 | .01 |
| 78XL037 | 9257-1352 | 39 | 7.80 | .01 |
| 80XL037 | 9257-1302 | 40 | 8.00 | .01 |
| 82XL037 | 9257-1353 | 41 | 8.20 | .01 |
| 84XL037 | 9257-1354 | 42 | 8.40 | .01 |
| 86XL037 | 9257-1355 | 43 | 8.60 | .01 |
| 88XL037 | 9257-1356 | 44 | 8.80 | .01 |
| 90XL037 | 9257-1303 | 45 | 9.00 | .01 |
| 92XL037 | 9257-1357 | 46 | 9.20 | .02 |
| 94XL037 | 9257-1358 | 47 | 9.40 | .02 |
| 96XL037 | 9257-1359 | 48 | 9.60 | .01 |
| 98XL037 | 9257-1360 | 49 | 9.80 | .02 |
| 100XL037 | 9257-1304 | 50 | 10.00 | .02 |
| 102XL037 | 9257-1361 | 51 | 10.20 | .01 |
| 106XL037 | 9257-1362 | 53 | 10.60 | .02 |
| 108XL037 | 9257-1363 | 54 | 10.80 | .01 |
| 110XL037 | 9257-1305 | 55 | 11.00 | .01 |
| 112XL037 | 9257-1364 | 56 | 11.20 | .01 |
| 114XL037 | 9257-1365 | 57 | 11.40 | .01 |
| 116XL037 | 9257-1366 | 58 | 11.60 | .01 |
| 120XL037 | 9257-1306 | 60 | 12.00 | .01 |
| 122XL037 | 9257-1367 | 61 | 12.20 | .01 |
| 124XL037 | 9257-1368 | 62 | 12.40 | .01 |
| 126XL037 | 9257-1369 | 63 | 12.60 | .01 |
| 128XL037 | 9257-1370 | 64 | 12.80 | .01 |
| 130XL037 | 9257-1307 | 65 | 13.00 | .01 |
| 132XL037 | 9257-1371 | 66 | 13.20 | .01 |
| 134XL037 | 9257-1372 | 67 | 13.40 | .01 |
| 136XL037 | 9257-1373 | 68 | 13.60 | .01 |
| 138XL037 | 9257-1374 | 69 | 13.80 | .01 |
| 140XL037 | 9257-1308 | 70 | 14.00 | .01 |
| 142XL037 | 9257-1375 | 71 | 14.20 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 144XL037 | 9257-1376 | 72 | 14.40 | .02 |
| 146XL037 | 9257-1377 | 73 | 14.60 | .02 |
| 148XL037 | 9257-1378 | 74 | 14.80 | .02 |
| 150XL037 | 9257-1309 | 75 | 15.00 | .02 |
| 152XL037 | 9257-1379 | 76 | 15.20 | .02 |
| 154XL037 | 9257-1380 | 77 | 15.40 | .02 |
| 156XL037 | 9257-1381 | 78 | 15.60 | .02 |
| 158XL037 | 9257-1382 | 79 | 15.80 | .02 |
| 160XL037 | 9257-1310 | 80 | 16.00 | .02 |
| 162XL037 | 9257-1383 | 81 | 16.20 | .02 |
| 164XL037 | 9257-1384 | 82 | 16.40 | .02 |
| 166XL037 | 9257-1385 | 83 | 16.60 | .02 |
| 168XL037 | 9257-1386 | 84 | 16.80 | .02 |
| 170XL037 | 9257-1311 | 85 | 17.00 | .02 |
| 172XL037 | 9257-1387 | 86 | 17.20 | .02 |
| 174XL037 | 9257-1388 | 87 | 17.40 | .02 |
| 176XL037 | 9257-1389 | 88 | 17.60 | .02 |
| 178XL037 | 9257-1390 | 89 | 17.80 | .02 |
| 180XL037 | 9257-1312 | 90 | 18.00 | .02 |
| 182XL037 | 9257-1391 | 91 | 18.20 | .02 |
| 184XL037 | 9257-1392 | 92 | 18.40 | .02 |
| 186XL037 | 9257-1393 | 93 | 18.60 | .02 |
| 188XL037 | 9257-1394 | 94 | 18.80 | .02 |
| 190XL037 | 9257-1313 | 95 | 19.00 | .02 |
| 192XL037 | 9257-1395 | 96 | 19.20 | .02 |
| 194XL037 | 9257-1396 | 97 | 19.40 | .02 |
| 200XL037 | 9257-1314 | 100 | 20.00 | .02 |
| 202XL037 | 9257-1397 | 101 | 20.20 | .02 |
| 204XL037 | 9257-1398 | 102 | 20.40 | .02 |
| 206XL037 | 9257-1399 | 103 | 20.60 | .02 |
| 210XL037 | 9257-1315 | 105 | 21.00 | .02 |
| 212XL037 | 9257-8300 | 106 | 21.20 | .02 |
| 214XL037 | 9257-8301 | 107 | 21.40 | .02 |
| 218XL037 | 9257-8302 | 109 | 21.80 | .03 |
| 220XL037 | 9257-1316 | 110 | 22.00 | .02 |
| 222XL037 | 9257-8303 | 111 | 22.20 | .02 |
| 226XL037 | 9257-8304 | 113 | 22.60 | .03 |
| 228XL037 | 9257-8305 | 114 | 22.80 | .02 |
| 230XL037 | 9257-1317 | 115 | 23.00 | .02 |
| 232XL037 | 9257-8306 | 116 | 23.20 | .03 |
| 234XL037 | 9257-8307 | 117 | 23.40 | .03 |
| 236XL037 | 9257-8308 | 118 | 23.60 | .03 |
| 240XL037 | 9257-1318 | 120 | 24.00 | .02 |
| 244XL037 | 9257-8309 | 122 | 24.40 | .03 |
| 246XL037 | 9257-8310 | 123 | 24.60 | .03 |

POWERGRIP TIMING BELTS



**PowerGrip® Timing Belts****Product No. Series 9257 (continued)****1/5" Pitch (.200"/XL) — 3/8" Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 250XL037 | 9257-1319 | 125 | 25.00 | .03 |
| 254XL037 | 9257-8311 | 127 | 25.40 | .03 |
| 258XL037 | 9257-8312 | 129 | 25.80 | .03 |
| 260XL037 | 9257-1320 | 130 | 26.00 | .03 |
| 262XL037 | 9257-8313 | 131 | 26.20 | .20 |
| 264XL037 | 9257-8314 | 132 | 26.40 | .20 |
| 266XL037 | 9257-8315 | 133 | 26.60 | .20 |
| 268XL037 | 9257-8316 | 134 | 26.80 | .03 |
| 274XL037 | 9257-8317 | 137 | 27.40 | .03 |
| 280XL037 | 9257-1322 | 140 | 28.00 | .03 |
| 286XL037 | 9257-8318 | 143 | 28.60 | .03 |
| 290XL037 | 9257-1323 | 145 | 29.00 | .03 |
| 296XL037 | 9257-8319 | 148 | 29.60 | .03 |
| 300XL037 | 9257-1324 | 150 | 30.00 | .03 |
| 306XL037 | 9257-8320 | 153 | 30.60 | .03 |
| 310XL037 | 9257-1325 | 155 | 31.00 | .03 |
| 316XL037 | 9257-8321 | 158 | 31.60 | .03 |
| 320XL037 | 9257-8322 | 160 | 32.00 | .04 |
| 322XL037 | 9257-8323 | 161 | 32.20 | .04 |
| 330XL037 | 9257-1326 | 165 | 33.00 | .03 |
| 338XL037 | 9257-8324 | 169 | 33.80 | .04 |
| 340XL037 | 9257-1327 | 170 | 34.00 | .03 |
| 344XL037 | 9257-8325 | 172 | 34.40 | .05 |
| 348XL037 | 9257-8326 | 174 | 34.80 | .04 |
| 350XL037 | 9257-1328 | 175 | 35.00 | .03 |
| 362XL037 | 9257-8327 | 181 | 36.20 | .04 |
| 370XL037 | 9257-1329 | 185 | 37.00 | .04 |
| 380XL037 | 9257-1330 | 190 | 38.00 | .04 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 384XL037 | 9257-8328 | 192 | 38.40 | .05 |
| 390XL037 | 9257-1331 | 195 | 39.00 | .04 |
| 400XL037 | 9257-1332 | 200 | 40.00 | .04 |
| 412XL037 | 9257-8329 | 206 | 41.20 | .05 |
| 420XL037 | 9257-1333 | 210 | 42.00 | .04 |
| 424XL037 | 9257-8330 | 212 | 42.40 | .05 |
| 432XL037 | 9257-8331 | 216 | 43.20 | .05 |
| 438XL037 | 9257-8332 | 219 | 43.80 | .05 |
| 444XL037 | 9257-8333 | 222 | 44.40 | .05 |
| 450XL037 | 9257-1334 | 225 | 45.00 | .04 |
| 454XL037 | 9257-8334 | 227 | 45.40 | .06 |
| 460XL037 | 9257-1335 | 230 | 46.00 | .05 |
| 468XL037 | 9257-8335 | 234 | 46.80 | .06 |
| 480XL037 | 9257-1336 | 240 | 48.00 | .05 |
| 492XL037 | 9257-8336 | 246 | 49.20 | .06 |
| 498XL037 | 9257-8337 | 249 | 49.80 | .06 |
| 500XL037 | 9257-1337 | 250 | 50.00 | .05 |
| 506XL037 | 9257-8338 | 253 | 50.60 | .08 |
| 524XL037 | 9257-8339 | 262 | 52.40 | .06 |
| 570XL037 | 9257-1338 | 285 | 57.00 | .06 |
| 580XL037 | 9257-8340 | 290 | 58.00 | .07 |
| 592XL037 | 9257-8341 | 296 | 59.20 | .06 |
| 612XL037 | 9257-8342 | 306 | 61.20 | .08 |
| 630XL037 | 9257-1339 | 315 | 63.00 | .07 |
| 672XL037 | 9257-8343 | 336 | 67.20 | .10 |
| 690XL037 | 9257-8344 | 345 | 69.00 | .10 |
| 770XL037 | 9257-1340 | 385 | 77.00 | .08 |
| 850XL037 | 9257-8345 | 425 | 85.00 | .09 |

3/8" Pitch (.375"/L) — 1/2" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 124L050 | 9257-2100 | 33 | 12.38 | .02 |
| 135L050 | 9257-2120 | 36 | 13.50 | .03 |
| 150L050 | 9257-2101 | 40 | 15.00 | .03 |
| 154L050 | 9257-2127 | 41 | 15.38 | .03 |
| 158L050 | 9257-2128 | 42 | 15.75 | .04 |
| 165L050 | 9257-2121 | 44 | 16.50 | .04 |
| 173L050 | 9257-2129 | 46 | 17.25 | .04 |
| 176L050 | 9257-7133 | 47 | 17.63 | .04 |
| 187L050 | 9257-2102 | 50 | 18.75 | .04 |
| 195L050 | 9257-2122 | 52 | 19.50 | .04 |
| 199L050 | 9257-7134 | 53 | 19.88 | .04 |
| 203L050 | 9257-7135 | 54 | 20.25 | .04 |
| 210L050 | 9257-2103 | 56 | 21.00 | .04 |
| 218L050 | 9257-7136 | 58 | 21.75 | .05 |
| 225L050 | 9257-2104 | 60 | 22.50 | .05 |
| 240L050 | 9257-2105 | 64 | 24.00 | .05 |
| 248L050 | 9257-7137 | 66 | 24.75 | .05 |
| 255L050 | 9257-2106 | 68 | 25.50 | .06 |
| 263L050 | 9257-7138 | 70 | 26.25 | .06 |
| 270L050 | 9257-2107 | 72 | 27.00 | .06 |
| 285L050 | 9257-2108 | 76 | 28.50 | .06 |
| 300L050 | 9257-2109 | 80 | 30.00 | .07 |
| 315L050 | 9257-2123 | 84 | 31.50 | .07 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 322L050 | 9257-2110 | 86 | 32.25 | .07 |
| 345L050 | 9257-2111 | 92 | 34.50 | .07 |
| 367L050 | 9257-2112 | 98 | 36.75 | .08 |
| 375L050 | 9257-7139 | 100 | 37.50 | .08 |
| 390L050 | 9257-2113 | 104 | 39.00 | .09 |
| 420L050 | 9257-2114 | 112 | 42.00 | .10 |
| 446L050 | 9257-7140 | 119 | 44.63 | .10 |
| 450L050 | 9257-2115 | 120 | 45.00 | .11 |
| 480L050 | 9257-2116 | 128 | 48.00 | .11 |
| 510L050 | 9257-2117 | 136 | 51.00 | .12 |
| 540L050 | 9257-2118 | 144 | 54.00 | .12 |
| 566L050 | 9257-7141 | 151 | 56.63 | .14 |
| 570L050 | 9257-7142 | 152 | 57.00 | .14 |
| 581L050 | 9257-7143 | 155 | 58.13 | .14 |
| 600L050 | 9257-2119 | 160 | 60.00 | .14 |
| 630L050 | 9257-7144 | 168 | 63.00 | .15 |
| 660L050 | 9257-2124 | 176 | 66.00 | .15 |
| 720L050 | 9257-7145 | 192 | 72.00 | .17 |
| 731L050 | 9257-7146 | 195 | 73.13 | .18 |
| 817L050 | 9257-2125 | 218 | 81.75 | .20 |
| 900L050 | 9257-2126 | 240 | 90.00 | .22 |
| 915L050 | 9257-7147 | 244 | 91.50 | .22 |
| 945L050 | 9257-7148 | 252 | 94.50 | .23 |



PowerGrip® Timing Belts

Product No. Series 9257 (continued)

3/8" Pitch (.375"/L) — 3/4" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 124L075 | 9257-2200 | 33 | 12.38 | .04 |
| 135L075 | 9257-2220 | 36 | 13.50 | .04 |
| 150L075 | 9257-2201 | 40 | 15.00 | .04 |
| 154L075 | 9257-2227 | 41 | 15.38 | .04 |
| 158L075 | 9257-2228 | 42 | 15.75 | .05 |
| 165L075 | 9257-2221 | 44 | 16.50 | .05 |
| 173L075 | 9257-2229 | 46 | 17.25 | .05 |
| 176L075 | 9257-7233 | 47 | 17.63 | .06 |
| 187L075 | 9257-2202 | 50 | 18.75 | .06 |
| 195L075 | 9257-2222 | 52 | 19.50 | .06 |
| 199L075 | 9257-7234 | 53 | 19.88 | .06 |
| 203L075 | 9257-7235 | 54 | 20.25 | .06 |
| 210L075 | 9257-2203 | 56 | 21.00 | .06 |
| 218L075 | 9257-7236 | 58 | 21.75 | .07 |
| 225L075 | 9257-2204 | 60 | 22.50 | .07 |
| 240L075 | 9257-2205 | 64 | 24.00 | .08 |
| 248L075 | 9257-7237 | 66 | 24.75 | .08 |
| 255L075 | 9257-2206 | 68 | 25.50 | .08 |
| 263L075 | 9257-7238 | 70 | 26.25 | .08 |
| 270L075 | 9257-2207 | 72 | 27.00 | .09 |
| 285L075 | 9257-2208 | 76 | 28.50 | .10 |
| 300L075 | 9257-2209 | 80 | 30.00 | .10 |
| 315L075 | 9257-2223 | 84 | 31.50 | .11 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 322L075 | 9257-2210 | 86 | 32.25 | .11 |
| 345L075 | 9257-2211 | 92 | 34.50 | .12 |
| 367L075 | 9257-2212 | 98 | 36.75 | .12 |
| 375L075 | 9257-7239 | 100 | 37.50 | .13 |
| 390L075 | 9257-2213 | 104 | 39.00 | .14 |
| 420L075 | 9257-2214 | 112 | 42.00 | .15 |
| 446L075 | 9257-7240 | 119 | 44.63 | .16 |
| 450L075 | 9257-2215 | 120 | 45.00 | .16 |
| 480L075 | 9257-2216 | 128 | 48.00 | .18 |
| 510L075 | 9257-2217 | 136 | 51.00 | .19 |
| 540L075 | 9257-2218 | 144 | 54.00 | .20 |
| 566L075 | 9257-7241 | 151 | 56.63 | .21 |
| 570L075 | 9257-7242 | 152 | 57.00 | .21 |
| 581L075 | 9257-7243 | 155 | 58.13 | .22 |
| 600L075 | 9257-2219 | 160 | 60.00 | .23 |
| 630L075 | 9257-7244 | 168 | 63.00 | .25 |
| 660L075 | 9257-2224 | 176 | 66.00 | .26 |
| 720L075 | 9257-7245 | 192 | 72.00 | .28 |
| 731L075 | 9257-7246 | 195 | 73.13 | .28 |
| 817L075 | 9257-2225 | 218 | 81.75 | .32 |
| 900L075 | 9257-2226 | 240 | 90.00 | .36 |
| 915L075 | 9257-7247 | 244 | 91.50 | .37 |
| 945L075 | 9257-7248 | 252 | 94.50 | .38 |

POWERGRIP TIMING BELTS

3/8" Pitch (.375"/L) — 1" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 124L100 | 9257-2300 | 33 | 12.38 | .05 |
| 135L100 | 9257-2320 | 36 | 13.50 | .05 |
| 150L100 | 9257-2301 | 40 | 15.00 | .06 |
| 154L100 | 9257-2327 | 41 | 15.38 | .06 |
| 158L100 | 9257-2328 | 42 | 15.75 | .06 |
| 165L100 | 9257-2321 | 44 | 16.50 | .06 |
| 173L100 | 9257-2329 | 46 | 17.25 | .07 |
| 176L100 | 9257-7333 | 47 | 17.63 | .07 |
| 187L100 | 9257-2302 | 50 | 18.75 | .08 |
| 195L100 | 9257-2322 | 52 | 19.50 | .08 |
| 199L100 | 9257-7334 | 53 | 19.88 | .09 |
| 203L100 | 9257-7335 | 54 | 20.25 | .09 |
| 210L100 | 9257-2303 | 56 | 21.00 | .09 |
| 218L100 | 9257-7336 | 58 | 21.75 | .09 |
| 225L100 | 9257-2304 | 60 | 22.50 | .10 |
| 240L100 | 9257-2305 | 64 | 24.00 | .10 |
| 248L100 | 9257-7337 | 66 | 24.75 | .10 |
| 255L100 | 9257-2306 | 68 | 25.50 | .11 |
| 263L100 | 9257-7338 | 70 | 26.25 | .11 |
| 270L100 | 9257-2307 | 72 | 27.00 | .12 |
| 285L100 | 9257-2308 | 76 | 28.50 | .12 |
| 300L100 | 9257-2309 | 80 | 30.00 | .13 |
| 315L100 | 9257-2323 | 84 | 31.50 | .15 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 322L100 | 9257-2310 | 86 | 32.25 | .15 |
| 345L100 | 9257-2311 | 92 | 34.50 | .16 |
| 367L100 | 9257-2312 | 98 | 36.75 | .17 |
| 375L100 | 9257-7339 | 100 | 37.50 | .17 |
| 390L100 | 9257-2313 | 104 | 39.00 | .18 |
| 420L100 | 9257-2314 | 112 | 42.00 | .20 |
| 446L100 | 9257-7340 | 119 | 44.63 | .22 |
| 450L100 | 9257-2315 | 120 | 45.00 | .22 |
| 480L100 | 9257-2316 | 128 | 48.00 | .24 |
| 510L100 | 9257-2317 | 136 | 51.00 | .25 |
| 540L100 | 9257-2318 | 144 | 54.00 | .27 |
| 566L100 | 9257-7341 | 151 | 56.63 | .29 |
| 570L100 | 9257-7342 | 152 | 57.00 | .29 |
| 581L100 | 9257-7343 | 155 | 58.13 | .29 |
| 600L100 | 9257-2319 | 160 | 60.00 | .30 |
| 630L100 | 9257-7344 | 168 | 63.00 | .32 |
| 660L100 | 9257-2324 | 176 | 66.00 | .34 |
| 720L100 | 9257-7345 | 192 | 72.00 | .37 |
| 731L100 | 9257-7346 | 195 | 73.13 | .38 |
| 817L100 | 9257-2325 | 218 | 81.75 | .42 |
| 900L100 | 9257-2326 | 240 | 90.00 | .47 |
| 915L100 | 9257-7347 | 244 | 91.50 | .48 |
| 945L100 | 9257-7348 | 252 | 94.50 | .50 |

1/2" Pitch (.500"/H) — 3/4" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 210H075 | 9257-3125 | 42 | 21.00 | .07 |
| 220H075 | 9257-3126 | 44 | 22.00 | .07 |
| 225H075 | 9257-3145 | 45 | 22.50 | .08 |
| 230H075 | 9257-3127 | 46 | 23.00 | .09 |
| 240H075 | 9257-3100 | 48 | 24.00 | .09 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 270H075 | 9257-3101 | 54 | 27.00 | .10 |
| 300H075 | 9257-3102 | 60 | 30.00 | .10 |
| 310H075 | 9257-3146 | 62 | 31.00 | .12 |
| 315H075 | 9257-3147 | 63 | 31.50 | .12 |
| 320H075 | 9257-3128 | 64 | 32.00 | .12 |



**PowerGrip® Timing Belts****Product No. Series 9257 (continued)****1/2" Pitch (.500"/H) — 3/4" Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 330H075 | 9257-3103 | 66 | 33.00 | .12 |
| 340H075 | 9257-3129 | 68 | 34.00 | .14 |
| 350H075 | 9257-3130 | 70 | 35.00 | .15 |
| 360H075 | 9257-3104 | 72 | 36.00 | .15 |
| 370H075 | 9257-3131 | 74 | 37.00 | .15 |
| 390H075 | 9257-3105 | 78 | 39.00 | .16 |
| 400H075 | 9257-3132 | 80 | 40.00 | .16 |
| 410H075 | 9257-3133 | 82 | 41.00 | .16 |
| 415H075 | 9257-3148 | 83 | 41.50 | .16 |
| 420H075 | 9257-3106 | 84 | 42.00 | .17 |
| 445H075 | 9257-3149 | 89 | 44.50 | .18 |
| 450H075 | 9257-3107 | 90 | 45.00 | .18 |
| 455H075 | 9257-8150 | 91 | 45.50 | .19 |
| 465H075 | 9257-8151 | 93 | 46.50 | .19 |
| 480H075 | 9257-3108 | 96 | 48.00 | .20 |
| 490H075 | 9257-3134 | 98 | 49.00 | .20 |
| 495H075 | 9257-8152 | 99 | 49.50 | .21 |
| 510H075 | 9257-3109 | 102 | 51.00 | .21 |
| 525H075 | 9257-8153 | 105 | 52.50 | .22 |
| 540H075 | 9257-3110 | 108 | 54.00 | .23 |
| 555H075 | 9257-8154 | 111 | 55.50 | .23 |
| 560H075 | 9257-3135 | 112 | 56.00 | .24 |
| 570H075 | 9257-3111 | 114 | 57.00 | .24 |
| 585H075 | 9257-3136 | 117 | 58.50 | .25 |
| 600H075 | 9257-3112 | 120 | 60.00 | .26 |
| 605H075 | 9257-8155 | 121 | 60.50 | .26 |
| 630H075 | 9257-3113 | 126 | 63.00 | .28 |
| 645H075 | 9257-3137 | 129 | 64.50 | .27 |
| 655H075 | 9257-8156 | 131 | 65.50 | .28 |
| 660H075 | 9257-3114 | 132 | 66.00 | .28 |
| 670H075 | 9257-8157 | 134 | 67.00 | .29 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 700H075 | 9257-3115 | 140 | 70.00 | .30 |
| 730H075 | 9257-3138 | 146 | 73.00 | .32 |
| 750H075 | 9257-3116 | 150 | 75.00 | .33 |
| 775H075 | 9257-8158 | 155 | 77.50 | .34 |
| 780H075 | 9257-3139 | 156 | 78.00 | .35 |
| 800H075 | 9257-3117 | 160 | 80.00 | .35 |
| 810H075 | 9257-8159 | 162 | 81.00 | .36 |
| 820H075 | 9257-3140 | 164 | 82.00 | .36 |
| 840H075 | 9257-3141 | 168 | 84.00 | .38 |
| 850H075 | 9257-3118 | 170 | 85.00 | .38 |
| 900H075 | 9257-3119 | 180 | 90.00 | .41 |
| 950H075 | 9257-8160 | 190 | 95.00 | .44 |
| 960H075 | 9257-3142 | 192 | 96.00 | .44 |
| 1000H075 | 9257-3120 | 200 | 100.00 | .45 |
| 1100H075 | 9257-3121 | 220 | 110.00 | .50 |
| 1140H075 | 9257-3143 | 228 | 114.00 | .52 |
| 1180H075 | 9257-8161 | 236 | 118.00 | .55 |
| 1250H075 | 9257-3122 | 250 | 125.00 | .57 |
| 1325H075 | 9257-8162 | 265 | 132.50 | .60 |
| 1350H075 | 9257-8163 | 270 | 135.00 | .62 |
| 1365H075 | 9257-8164 | 273 | 136.50 | .62 |
| 1400H075 | 9257-3123 | 280 | 140.00 | .65 |
| 1510H075 | 9257-8165 | 302 | 151.00 | .69 |
| 1550H075 | 9257-3144 | 310 | 155.00 | .70 |
| 1645H075 | 9257-8166 | 329 | 164.50 | .76 |
| 1680H075 | 9257-8167 | 336 | 168.00 | .79 |
| 1700H075 | 9257-3124 | 340 | 170.00 | .80 |
| 2090H075 | 9257-8168 | 418 | 209.00 | .98 |
| 2100H075 | 9257-8169 | 420 | 210.00 | .98 |
| 2120H075 | 9257-8170 | 424 | 212.00 | 1.00 |
| 2330H075 | 9257-8171 | 466 | 233.00 | 1.10 |

1/2" Pitch (.500"/H) — 1" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 210H100 | 9257-3225 | 42 | 21.00 | .08 |
| 220H100 | 9257-3226 | 44 | 22.00 | .08 |
| 225H100 | 9257-3245 | 45 | 22.50 | .08 |
| 230H100 | 9257-3227 | 46 | 23.00 | .09 |
| 240H100 | 9257-3200 | 48 | 24.00 | .10 |
| 270H100 | 9257-3201 | 54 | 27.00 | .11 |
| 300H100 | 9257-3202 | 60 | 30.00 | .13 |
| 310H100 | 9257-3246 | 62 | 31.00 | .14 |
| 315H100 | 9257-3247 | 63 | 31.50 | .14 |
| 320H100 | 9257-3228 | 64 | 32.00 | .15 |
| 330H100 | 9257-3203 | 66 | 33.00 | .15 |
| 340H100 | 9257-3229 | 68 | 34.00 | .16 |
| 350H100 | 9257-3230 | 70 | 35.00 | .16 |
| 360H100 | 9257-3204 | 72 | 36.00 | .17 |
| 370H100 | 9257-3231 | 74 | 37.00 | .17 |
| 390H100 | 9257-3205 | 78 | 39.00 | .18 |
| 400H100 | 9257-3232 | 80 | 40.00 | .19 |
| 410H100 | 9257-3233 | 82 | 41.00 | .19 |
| 415H100 | 9257-3248 | 83 | 41.50 | .20 |
| 420H100 | 9257-3206 | 84 | 42.00 | .20 |
| 445H100 | 9257-3249 | 89 | 44.50 | .23 |
| 450H100 | 9257-3207 | 90 | 45.00 | .23 |
| 455H100 | 9257-8250 | 91 | 45.50 | .23 |
| 465H100 | 9257-8251 | 93 | 46.50 | .23 |
| 480H100 | 9257-3208 | 96 | 48.00 | .23 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 490H100 | 9257-3234 | 98 | 49.00 | .24 |
| 495H100 | 9257-8252 | 99 | 49.50 | .25 |
| 510H100 | 9257-3209 | 102 | 51.00 | .26 |
| 525H100 | 9257-8253 | 105 | 52.50 | .27 |
| 540H100 | 9257-3210 | 108 | 54.00 | .28 |
| 555H100 | 9257-8254 | 111 | 55.50 | .29 |
| 560H100 | 9257-3235 | 112 | 56.00 | .30 |
| 570H100 | 9257-3211 | 114 | 57.00 | .32 |
| 585H100 | 9257-3236 | 117 | 58.50 | .33 |
| 600H100 | 9257-3212 | 120 | 60.00 | .33 |
| 605H100 | 9257-8255 | 121 | 60.50 | .33 |
| 630H100 | 9257-3213 | 126 | 63.00 | .34 |
| 645H100 | 9257-3237 | 129 | 64.50 | .35 |
| 655H100 | 9257-8256 | 131 | 65.50 | .36 |
| 660H100 | 9257-3214 | 132 | 66.00 | .36 |
| 670H100 | 9257-8257 | 134 | 67.00 | .37 |
| 700H100 | 9257-3215 | 140 | 70.00 | .40 |
| 730H100 | 9257-3238 | 146 | 73.00 | .41 |
| 750H100 | 9257-3216 | 150 | 75.00 | .42 |
| 775H100 | 9257-8258 | 155 | 77.50 | .43 |
| 780H100 | 9257-3239 | 156 | 78.00 | .44 |
| 800H100 | 9257-3217 | 160 | 80.00 | .45 |
| 810H100 | 9257-8259 | 162 | 81.00 | .46 |
| 820H100 | 9257-3240 | 164 | 82.00 | .46 |
| 840H100 | 9257-3241 | 168 | 84.00 | .48 |



PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/2" Pitch (.500"/H) — 1" Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 850H100 | 9257-3218 | 170 | 85.00 | .48 |
| 900H100 | 9257-3219 | 180 | 90.00 | .51 |
| 950H100 | 9257-8260 | 190 | 95.00 | .53 |
| 960H100 | 9257-3242 | 192 | 96.00 | .55 |
| 1000H100 | 9257-3220 | 200 | 100.00 | .58 |
| 1100H100 | 9257-3221 | 220 | 110.00 | .64 |
| 1140H100 | 9257-3243 | 228 | 114.00 | .67 |
| 1180H100 | 9257-8261 | 236 | 118.00 | .69 |
| 1250H100 | 9257-3222 | 250 | 125.00 | .75 |
| 1325H100 | 9257-8262 | 265 | 132.50 | .78 |
| 1350H100 | 9257-8263 | 270 | 135.00 | .80 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 1365H100 | 9257-8264 | 273 | 136.50 | .80 |
| 1400H100 | 9257-3223 | 280 | 140.00 | .84 |
| 1510H100 | 9257-8265 | 302 | 151.00 | .90 |
| 1550H100 | 9257-3244 | 310 | 155.00 | .94 |
| 1645H100 | 9257-8266 | 329 | 164.50 | 1.00 |
| 1680H100 | 9257-8267 | 336 | 168.00 | 1.01 |
| 1700H100 | 9257-3224 | 340 | 170.00 | 1.03 |
| 2090H100 | 9257-8268 | 418 | 209.00 | 1.26 |
| 2100H100 | 9257-8269 | 420 | 210.00 | 1.26 |
| 2120H100 | 9257-8270 | 424 | 212.00 | 1.30 |
| 2330H100 | 9257-8271 | 466 | 233.00 | 1.44 |

1/2" Pitch (.500"/H) — 1 1/2" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 210H150 | 9257-3325 | 42 | 21.00 | .15 |
| 220H150 | 9257-3326 | 44 | 22.00 | .15 |
| 225H150 | 9257-3345 | 45 | 22.50 | .18 |
| 230H150 | 9257-3327 | 46 | 23.00 | .15 |
| 240H150 | 9257-3300 | 48 | 24.00 | .15 |
| 270H150 | 9257-3301 | 54 | 27.00 | .20 |
| 300H150 | 9257-3302 | 60 | 30.00 | .21 |
| 310H150 | 9257-3346 | 62 | 31.00 | .22 |
| 315H150 | 9257-3347 | 63 | 31.50 | .24 |
| 320H150 | 9257-3328 | 64 | 32.00 | .25 |
| 330H150 | 9257-3303 | 66 | 33.00 | .26 |
| 340H150 | 9257-3329 | 68 | 34.00 | .27 |
| 350H150 | 9257-3330 | 70 | 35.00 | .28 |
| 360H150 | 9257-3304 | 72 | 36.00 | .30 |
| 370H150 | 9257-3331 | 74 | 37.00 | .31 |
| 390H150 | 9257-3305 | 78 | 39.00 | .32 |
| 400H150 | 9257-3332 | 80 | 40.00 | .33 |
| 410H150 | 9257-3333 | 82 | 41.00 | .34 |
| 415H150 | 9257-3348 | 83 | 41.50 | .35 |
| 420H150 | 9257-3306 | 84 | 42.00 | .37 |
| 445H150 | 9257-3349 | 89 | 44.50 | .38 |
| 450H150 | 9257-3307 | 90 | 45.00 | .39 |
| 455H150 | 9257-8350 | 91 | 45.50 | .40 |
| 465H150 | 9257-8351 | 93 | 46.50 | .42 |
| 480H150 | 9257-3308 | 96 | 48.00 | .43 |
| 490H150 | 9257-3334 | 98 | 49.00 | .44 |
| 495H150 | 9257-8352 | 99 | 49.50 | .45 |
| 510H150 | 9257-3309 | 102 | 51.00 | .49 |
| 525H150 | 9257-8353 | 105 | 52.50 | .50 |
| 540H150 | 9257-3310 | 108 | 54.00 | .51 |
| 555H150 | 9257-8354 | 111 | 55.50 | .52 |
| 560H150 | 9257-3335 | 112 | 56.00 | .53 |
| 570H150 | 9257-3311 | 114 | 57.00 | .53 |
| 585H150 | 9257-3336 | 117 | 58.50 | .54 |
| 600H150 | 9257-3312 | 120 | 60.00 | .54 |
| 605H150 | 9257-8355 | 121 | 60.50 | .55 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 630H150 | 9257-3313 | 126 | 63.00 | .56 |
| 645H150 | 9257-3337 | 129 | 64.50 | .57 |
| 655H150 | 9257-8356 | 131 | 65.50 | .58 |
| 660H150 | 9257-3314 | 132 | 66.00 | .59 |
| 670H150 | 9257-8357 | 134 | 67.00 | .60 |
| 700H150 | 9257-3315 | 140 | 70.00 | .61 |
| 730H150 | 9257-3338 | 146 | 73.00 | .64 |
| 750H150 | 9257-3316 | 150 | 75.00 | .70 |
| 775H150 | 9257-8358 | 155 | 77.50 | .70 |
| 780H150 | 9257-3339 | 156 | 78.00 | .70 |
| 800H150 | 9257-3317 | 160 | 80.00 | .72 |
| 810H150 | 9257-8359 | 162 | 81.00 | .74 |
| 820H150 | 9257-3340 | 164 | 82.00 | .75 |
| 840H150 | 9257-3341 | 168 | 84.00 | .75 |
| 850H150 | 9257-3318 | 170 | 85.00 | .76 |
| 900H150 | 9257-3319 | 180 | 90.00 | .82 |
| 950H150 | 9257-8360 | 190 | 95.00 | .86 |
| 960H150 | 9257-3342 | 192 | 96.00 | .87 |
| 1000H150 | 9257-3320 | 200 | 100.00 | .90 |
| 1100H150 | 9257-3321 | 220 | 110.00 | 1.02 |
| 1140H150 | 9257-3343 | 228 | 114.00 | 1.07 |
| 1180H150 | 9257-8361 | 236 | 118.00 | 1.10 |
| 1250H150 | 9257-3322 | 250 | 125.00 | 1.20 |
| 1325H150 | 9257-8362 | 265 | 132.50 | 1.23 |
| 1350H150 | 9257-8363 | 270 | 135.00 | 1.25 |
| 1365H150 | 9257-8364 | 273 | 136.50 | 1.30 |
| 1400H150 | 9257-3323 | 280 | 140.00 | 1.35 |
| 1510H150 | 9257-8365 | 302 | 151.00 | 1.45 |
| 1550H150 | 9257-3344 | 310 | 155.00 | 1.50 |
| 1645H150 | 9257-8366 | 329 | 164.50 | 1.55 |
| 1680H150 | 9257-8367 | 336 | 168.00 | 1.60 |
| 1700H150 | 9257-3324 | 340 | 170.00 | 1.65 |
| 2090H150 | 9257-8368 | 418 | 209.00 | 2.05 |
| 2100H150 | 9257-8369 | 420 | 210.00 | 2.05 |
| 2120H150 | 9257-8370 | 424 | 212.00 | 2.05 |
| 2330H150 | 9257-8371 | 466 | 233.00 | 2.30 |

1/2" Pitch (.500"/H) — 2" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 210H200 | 9257-3425 | 42 | 21.00 | .15 |
| 220H200 | 9257-3426 | 44 | 22.00 | .16 |
| 225H200 | 9257-3445 | 45 | 22.50 | .19 |
| 230H200 | 9257-3427 | 46 | 23.00 | .22 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 240H200 | 9257-3400 | 48 | 24.00 | .23 |
| 270H200 | 9257-3401 | 54 | 27.00 | .25 |
| 300H200 | 9257-3402 | 60 | 30.00 | .30 |
| 310H200 | 9257-3446 | 62 | 31.00 | .30 |

POWERGRIP TIMING BELTS



**PowerGrip® Timing Belts****Product No. Series 9257 (continued)****1/2" Pitch (.500"/H) — 2" Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 315H200 | 9257-3447 | 63 | 31.50 | .30 |
| 320H200 | 9257-3428 | 64 | 32.00 | .30 |
| 330H200 | 9257-3403 | 66 | 33.00 | .32 |
| 340H200 | 9257-3429 | 68 | 34.00 | .35 |
| 350H200 | 9257-3430 | 70 | 35.00 | .35 |
| 360H200 | 9257-3404 | 72 | 36.00 | .37 |
| 370H200 | 9257-3431 | 74 | 37.00 | .38 |
| 390H200 | 9257-3405 | 78 | 39.00 | .40 |
| 400H200 | 9257-3432 | 80 | 40.00 | .40 |
| 410H200 | 9257-3433 | 82 | 41.00 | .42 |
| 415H200 | 9257-3448 | 83 | 41.50 | .43 |
| 420H200 | 9257-3406 | 84 | 42.00 | .45 |
| 445H200 | 9257-3449 | 89 | 44.50 | .50 |
| 450H200 | 9257-3407 | 90 | 45.00 | .50 |
| 455H200 | 9257-8450 | 91 | 45.50 | .50 |
| 465H200 | 9257-8451 | 93 | 46.50 | .50 |
| 480H200 | 9257-3408 | 96 | 48.00 | .52 |
| 490H200 | 9257-3434 | 98 | 49.00 | .53 |
| 495H200 | 9257-8452 | 99 | 49.50 | .54 |
| 510H200 | 9257-3409 | 102 | 51.00 | .57 |
| 525H200 | 9257-8453 | 105 | 52.50 | .58 |
| 540H200 | 9257-3410 | 108 | 54.00 | .60 |
| 555H200 | 9257-8454 | 111 | 55.50 | .62 |
| 560H200 | 9257-3435 | 112 | 56.00 | .63 |
| 570H200 | 9257-3411 | 114 | 57.00 | .68 |
| 585H200 | 9257-3436 | 117 | 58.50 | .69 |
| 600H200 | 9257-3412 | 120 | 60.00 | .70 |
| 605H200 | 9257-8455 | 121 | 60.50 | .70 |
| 630H200 | 9257-3413 | 126 | 63.00 | .74 |
| 645H200 | 9257-3437 | 129 | 64.50 | .75 |
| 655H200 | 9257-8456 | 131 | 65.50 | .77 |
| 660H200 | 9257-3414 | 132 | 66.00 | .78 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 670H200 | 9257-8457 | 134 | 67.00 | .86 |
| 700H200 | 9257-3415 | 140 | 70.00 | .84 |
| 730H200 | 9257-3438 | 146 | 73.00 | .87 |
| 750H200 | 9257-3416 | 150 | 75.00 | .90 |
| 775H200 | 9257-8458 | 155 | 77.50 | .95 |
| 780H200 | 9257-3439 | 156 | 78.00 | .95 |
| 800H200 | 9257-3417 | 160 | 80.00 | .97 |
| 810H200 | 9257-8459 | 162 | 81.00 | .99 |
| 820H200 | 9257-3440 | 164 | 82.00 | 1.00 |
| 840H200 | 9257-3441 | 168 | 84.00 | 1.04 |
| 850H200 | 9257-3418 | 170 | 85.00 | 1.05 |
| 900H200 | 9257-3419 | 180 | 90.00 | 1.12 |
| 950H200 | 9257-8460 | 190 | 95.00 | 1.20 |
| 960H200 | 9257-3442 | 192 | 96.00 | 1.22 |
| 1000H200 | 9257-3420 | 200 | 100.00 | 1.25 |
| 1100H200 | 9257-3421 | 220 | 110.00 | 1.40 |
| 1140H200 | 9257-3443 | 228 | 114.00 | 1.47 |
| 1180H200 | 9257-8461 | 236 | 118.00 | 1.55 |
| 1250H200 | 9257-3422 | 250 | 125.00 | 1.64 |
| 1325H200 | 9257-8462 | 265 | 132.50 | 1.75 |
| 1350H200 | 9257-8463 | 270 | 135.00 | 1.77 |
| 1365H200 | 9257-8464 | 273 | 136.50 | 1.80 |
| 1400H200 | 9257-3423 | 280 | 140.00 | 1.85 |
| 1510H200 | 9257-8465 | 302 | 151.00 | 2.00 |
| 1550H200 | 9257-3444 | 310 | 155.00 | 2.10 |
| 1645H200 | 9257-8466 | 329 | 164.50 | 2.20 |
| 1680H200 | 9257-8467 | 336 | 168.00 | 2.25 |
| 1700H200 | 9257-3424 | 340 | 170.00 | 2.30 |
| 2090H200 | 9257-8468 | 418 | 209.00 | 2.80 |
| 2100H200 | 9257-8469 | 420 | 210.00 | 2.85 |
| 2120H200 | 9257-8470 | 424 | 212.00 | 2.90 |
| 2330H200 | 9257-8471 | 466 | 233.00 | 3.20 |

1/2" Pitch (.500"/H) — 3" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 210H300 | 9257-3525 | 42 | 21.00 | .40 |
| 220H300 | 9257-3526 | 44 | 22.00 | .40 |
| 225H300 | 9257-3545 | 45 | 22.50 | .41 |
| 230H300 | 9257-3527 | 46 | 23.00 | .42 |
| 240H300 | 9257-3500 | 48 | 24.00 | .45 |
| 270H300 | 9257-3501 | 54 | 27.00 | .50 |
| 300H300 | 9257-3502 | 60 | 30.00 | .57 |
| 310H300 | 9257-3546 | 62 | 31.00 | .58 |
| 315H300 | 9257-3547 | 63 | 31.50 | .58 |
| 320H300 | 9257-3528 | 64 | 32.00 | .60 |
| 330H300 | 9257-3503 | 66 | 33.00 | .60 |
| 340H300 | 9257-3529 | 68 | 34.00 | .60 |
| 350H300 | 9257-3530 | 70 | 35.00 | .60 |
| 360H300 | 9257-3504 | 72 | 36.00 | .65 |
| 370H300 | 9257-3531 | 74 | 37.00 | .68 |
| 390H300 | 9257-3505 | 78 | 39.00 | .70 |
| 400H300 | 9257-3532 | 80 | 40.00 | .75 |
| 410H300 | 9257-3533 | 82 | 41.00 | .75 |
| 415H300 | 9257-3548 | 83 | 41.50 | .76 |
| 420H300 | 9257-3506 | 84 | 42.00 | .75 |
| 445H300 | 9257-3549 | 89 | 44.50 | .78 |
| 450H300 | 9257-3507 | 90 | 45.00 | .79 |
| 455H300 | 9257-8550 | 91 | 45.50 | .79 |
| 465H300 | 9257-8551 | 93 | 46.50 | .83 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 480H300 | 9257-3508 | 96 | 48.00 | .85 |
| 490H300 | 9257-3534 | 98 | 49.00 | .86 |
| 495H300 | 9257-8552 | 99 | 49.50 | .88 |
| 510H300 | 9257-3509 | 102 | 51.00 | .89 |
| 525H300 | 9257-8553 | 105 | 52.50 | .92 |
| 540H300 | 9257-3510 | 108 | 54.00 | .97 |
| 555H300 | 9257-8554 | 111 | 55.50 | .95 |
| 560H300 | 9257-3535 | 112 | 56.00 | .97 |
| 570H300 | 9257-3511 | 114 | 57.00 | .98 |
| 585H300 | 9257-3536 | 117 | 58.50 | 1.00 |
| 600H300 | 9257-3512 | 120 | 60.00 | 1.03 |
| 605H300 | 9257-8555 | 121 | 60.50 | 1.03 |
| 630H300 | 9257-3513 | 126 | 63.00 | 1.04 |
| 645H300 | 9257-3537 | 129 | 64.50 | 1.10 |
| 655H300 | 9257-8556 | 131 | 65.50 | 1.11 |
| 660H300 | 9257-3514 | 132 | 66.00 | 1.12 |
| 670H300 | 9257-8557 | 134 | 67.00 | 1.13 |
| 700H300 | 9257-3515 | 140 | 70.00 | 1.17 |
| 730H300 | 9257-3538 | 146 | 73.00 | 1.20 |
| 750H300 | 9257-3516 | 150 | 75.00 | 1.23 |
| 775H300 | 9257-8558 | 155 | 77.50 | 1.30 |
| 780H300 | 9257-3539 | 156 | 78.00 | 1.31 |
| 800H300 | 9257-3517 | 160 | 80.00 | 1.32 |
| 810H300 | 9257-8559 | 162 | 81.00 | 1.33 |



PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/2" Pitch (.500"/H) — 3" Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 820H300 | 9257-3540 | 164 | 82.00 | 1.34 |
| 840H300 | 9257-3541 | 168 | 84.00 | 1.35 |
| 850H300 | 9257-3518 | 170 | 85.00 | 1.35 |
| 900H300 | 9257-3519 | 180 | 90.00 | 1.44 |
| 950H300 | 9257-8560 | 190 | 95.00 | 1.50 |
| 960H300 | 9257-3542 | 192 | 96.00 | 1.50 |
| 1000H300 | 9257-3520 | 200 | 100.00 | 1.60 |
| 1100H300 | 9257-3521 | 220 | 110.00 | 1.77 |
| 1140H300 | 9257-3543 | 228 | 114.00 | 1.80 |
| 1180H300 | 9257-8561 | 236 | 118.00 | 1.85 |
| 1250H300 | 9257-3522 | 250 | 125.00 | 1.95 |
| 1325H300 | 9257-8562 | 265 | 132.50 | 2.05 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 1350H300 | 9257-8563 | 270 | 135.00 | 2.13 |
| 1365H300 | 9257-8564 | 273 | 136.50 | 3.19 |
| 1400H300 | 9257-3523 | 280 | 140.00 | 2.20 |
| 1510H300 | 9257-8565 | 302 | 151.00 | 2.40 |
| 1550H300 | 9257-3544 | 310 | 155.00 | 2.44 |
| 1645H300 | 9257-8566 | 329 | 164.50 | 2.60 |
| 1680H300 | 9257-8567 | 336 | 168.00 | 2.62 |
| 1700H300 | 9257-3524 | 340 | 170.00 | 2.65 |
| 2090H300 | 9257-8568 | 418 | 209.00 | 3.25 |
| 2100H300 | 9257-8569 | 420 | 210.00 | 3.30 |
| 2120H300 | 9257-8570 | 424 | 212.00 | 3.33 |
| 2330H300 | 9257-8571 | 466 | 233.00 | 3.70 |

7/8" Pitch (.875"/XH) — 2" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 507XH200 | 9257-4100 | 58 | 50.75 | 2.40 |
| 560XH200 | 9257-4101 | 64 | 56.00 | 2.60 |
| 630XH200 | 9257-4102 | 72 | 63.00 | 2.85 |
| 700XH200 | 9257-4103 | 80 | 70.00 | 3.25 |
| 770XH200 | 9257-4104 | 88 | 77.00 | 3.50 |
| 840XH200 | 9257-4105 | 96 | 84.00 | 3.70 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 980XH200 | 9257-4106 | 112 | 98.00 | 4.10 |
| 1120XH200 | 9257-4107 | 128 | 112.00 | 4.60 |
| 1260XH200 | 9257-4108 | 144 | 126.00 | 5.10 |
| 1400XH200 | 9257-4109 | 160 | 140.00 | 5.60 |
| 1540XH200 | 9257-4110 | 176 | 154.00 | 3.95 |
| 1750XH200 | 9257-4111 | 200 | 175.00 | 6.90 |

7/8" Pitch (.875"/XH) — 3" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 507XH300 | 9257-4200 | 58 | 50.75 | 3.60 |
| 560XH300 | 9257-4201 | 64 | 56.00 | 3.80 |
| 630XH300 | 9257-4202 | 72 | 63.00 | 4.20 |
| 700XH300 | 9257-4203 | 80 | 70.00 | 4.60 |
| 770XH300 | 9257-4204 | 88 | 77.00 | 4.90 |
| 840XH300 | 9257-4205 | 96 | 84.00 | 5.20 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 980XH300 | 9257-4206 | 112 | 98.00 | 6.00 |
| 1120XH300 | 9257-4207 | 128 | 112.00 | 6.70 |
| 1260XH300 | 9257-4208 | 144 | 126.00 | 7.30 |
| 1400XH300 | 9257-4209 | 160 | 140.00 | 7.90 |
| 1540XH300 | 9257-4210 | 176 | 154.00 | 7.10 |
| 1750XH300 | 9257-4211 | 200 | 175.00 | 9.60 |

7/8" Pitch (.875"/XH) — 4" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 507XH400 | 9257-4300 | 58 | 50.75 | 4.60 |
| 560XH400 | 9257-4301 | 64 | 56.00 | 4.90 |
| 630XH400 | 9257-4302 | 72 | 63.00 | 5.25 |
| 700XH400 | 9257-4303 | 80 | 70.00 | 5.70 |
| 770XH400 | 9257-4304 | 88 | 77.00 | 6.25 |
| 840XH400 | 9257-4305 | 96 | 84.00 | 6.60 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 980XH400 | 9257-4306 | 112 | 98.00 | 7.30 |
| 1120XH400 | 9257-4307 | 128 | 112.00 | 8.15 |
| 1260XH400 | 9257-4308 | 144 | 126.00 | 9.00 |
| 1400XH400 | 9257-4309 | 160 | 140.00 | 9.80 |
| 1540XH400 | 9257-4310 | 176 | 154.00 | 10.70 |
| 1750XH400 | 9257-4311 | 200 | 175.00 | 11.80 |

1 1/4" Pitch (1.250"/XXH) — 2" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 700XXH200 | 9257-5100 | 56 | 70.00 | 4.00 |
| 800XXH200 | 9257-5101 | 64 | 80.00 | 4.45 |
| 900XXH200 | 9257-5102 | 72 | 90.00 | 4.90 |
| 1000XXH200 | 9257-5103 | 80 | 100.00 | 5.55 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 1200XXH200 | 9257-5104 | 96 | 120.00 | 6.35 |
| 1400XXH200 | 9257-5105 | 112 | 140.00 | 7.25 |
| 1600XXH200 | 9257-5106 | 128 | 160.00 | 8.05 |
| 1800XXH200 | 9257-5107 | 144 | 180.00 | 8.95 |

POWERGRIP TIMING BELTS



**PowerGrip® Timing Belts****Product No. Series 9257 (continued)****1 1/4" Pitch (1.250"/XXH) — 3" Wide**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 700XXH300 | 9257-5200 | 56 | 70.00 | 5.70 |
| 800XXH300 | 9257-5201 | 64 | 80.00 | 6.40 |
| 900XXH300 | 9257-5202 | 72 | 90.00 | 6.85 |
| 1000XXH300 | 9257-5203 | 80 | 100.00 | 7.55 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 1200XXH300 | 9257-5204 | 96 | 120.00 | 8.80 |
| 1400XXH300 | 9257-5205 | 112 | 140.00 | 10.35 |
| 1600XXH300 | 9257-5206 | 128 | 160.00 | 11.30 |
| 1800XXH300 | 9257-5207 | 144 | 180.00 | 12.60 |

1 1/4" Pitch (1.250"/XXH) — 4" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 700XXH400 | 9257-5300 | 56 | 70.00 | 7.02 |
| 800XXH400 | 9257-5301 | 64 | 80.00 | 7.95 |
| 900XXH400 | 9257-5302 | 72 | 90.00 | 9.00 |
| 1000XXH400 | 9257-5303 | 80 | 100.00 | 10.05 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 1200XXH400 | 9257-5304 | 96 | 120.00 | 11.60 |
| 1400XXH400 | 9257-5305 | 112 | 140.00 | 13.60 |
| 1600XXH400 | 9257-5306 | 128 | 160.00 | 15.50 |
| 1800XXH400 | 9257-5307 | 144 | 180.00 | 17.30 |

1 1/4" Pitch (1.250"/XXH) — 5" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 700XXH500 | 9257-5400 | 56 | 70.00 | 8.75 |
| 800XXH500 | 9257-5401 | 64 | 80.00 | 9.60 |
| 900XXH500 | 9257-5402 | 72 | 90.00 | 10.80 |
| 1000XXH500 | 9257-5403 | 80 | 100.00 | 12.00 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|--------------------|----------------|
| 1200XXH500 | 9257-5404 | 96 | 120.00 | 14.00 |
| 1400XXH500 | 9257-5405 | 112 | 140.00 | 16.15 |
| 1600XXH500 | 9257-5406 | 128 | 160.00 | 18.05 |
| 1800XXH500 | 9257-5407 | 144 | 180.00 | 20.15 |



Cotton Cleaner Belts

Cotton cleaner belts have a trapezoidal tooth profile and now KEVLAR® tensile cords.


Markets/Applications

Cotton Cleaner belts are specifically designed for use on Cotton Gin and inclined cleaner machines.

Features/Advantages

- KEVLAR tensile cords for increased shock resistance.
- Long service life in harsh environments.

Recommended Pulleys—Contact the Gates Made-To-Order Metals Team.



Product No. Series 9259

1" Pitch

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|--------------------|----------------|
| 61CCB142K | 9259-3831 | 60 | 61.07 | 1.34 |
| 63CCB165K | 9259-3832 | 63 | 63.00 | 1.41 |
| 64CCB170K | 9259-3833 | 64 | 63.95 | 1.50 |
| 65CCB175K | 9259-3834 | 65 | 64.95 | 1.46 |

NOTE: Steel tensile cord available as a made to order product. Lead time and minimum order quantities apply. Contact Customer Service for availability.

POWERGRIP TIMING BELTS

PowerGrip® GT®2 Twin Power® Belts - 3MR and 5MR


Twin Power® belts have teeth on both sides to provide synchronization from both driving surfaces.

Markets/Applications

PowerGrip® GT®2 Twin Power® belts are ideal for many applications including data storage, machine tool, hand power tools, postage handling, medicine diagnostic, sewing machines, ticket dispensers, robotics, vending machines and vacuum cleaners.

Features/Advantages

- Gates Twin Power® belts have **nylon facing** on both tooth surfaces providing equal load carrying capabilities on either side of belt.
- Belt capacity is equal to standard single-sided PowerGrip® belts.
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on the drive.



Recommended Sprockets

PowerGrip® GT®2 Sprockets - 3MR
5M Sprockets - PowerGrip® GT®2 and Poly Chain® GT®

Notes

PowerGrip® GT®2 Twin Power® belts in standard width are Standard/Non-Stock. Minimum order quantities are not required on standard widths.

| 3MR GT2 Standard Belt Widths | | |
|------------------------------|-----------------|------------------|
| Belt Width Code | Belt Width (mm) | Belt Width (In.) |
| 06 | 6 | 0.236 |
| 09 | 9 | 0.354 |
| 15 | 15 | 0.591 |

| 5MR GT2 Standard Belt Widths | | |
|------------------------------|-----------------|------------------|
| Belt Width Code | Belt Width (mm) | Belt Width (In.) |
| 09 | 9 | 0.354 |
| 15 | 15 | 0.591 |
| 25 | 25 | 0.984 |

PowerGrip GT2 Twin Power part numbers are comprised of pitch, pitch length and width. For example; part number TP3MR-426-06 denotes "TP" for Twin Power, 3mm pitch, 426mm pitch length and 6mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT2 Twin Power belt lies within the tensile member.

Product No. Series 9232

3MR - Twin Power Belts

| Part No. | Pitch Length (mm) | Pitch Length (In.) | No. of Teeth |
|-----------|-------------------|--------------------|--------------|
| TP3MR-381 | 381 | 15.00 | 127 |
| TP3MR-396 | 396 | 15.59 | 132 |
| TP3MR-399 | 399 | 15.71 | 133 |
| TP3MR-405 | 405 | 15.94 | 135 |
| TP3MR-411 | 411 | 16.18 | 137 |
| TP3MR-420 | 420 | 16.54 | 140 |
| TP3MR-426 | 426 | 16.77 | 142 |
| TP3MR-432 | 432 | 17.01 | 144 |
| TP3MR-435 | 435 | 17.13 | 145 |
| TP3MR-447 | 447 | 17.60 | 149 |
| TP3MR-465 | 465 | 18.31 | 155 |
| TP3MR-468 | 468 | 18.43 | 156 |
| TP3MR-471 | 471 | 18.54 | 157 |
| TP3MR-474 | 474 | 18.66 | 158 |
| TP3MR-480 | 480 | 18.90 | 160 |
| TP3MR-486 | 486 | 19.13 | 162 |
| TP3MR-489 | 489 | 19.25 | 163 |
| TP3MR-492 | 492 | 19.37 | 164 |
| TP3MR-501 | 501 | 19.72 | 167 |

| Part No. | Pitch Length (mm) | Pitch Length (In.) | No. of Teeth |
|-----------|-------------------|--------------------|--------------|
| TP3MR-510 | 510 | 20.08 | 170 |
| TP3MR-513 | 513 | 20.20 | 171 |
| TP3MR-519 | 519 | 20.43 | 173 |
| TP3MR-525 | 525 | 20.67 | 175 |
| TP3MR-528 | 528 | 20.79 | 176 |
| TP3MR-531 | 531 | 20.91 | 177 |
| TP3MR-537 | 537 | 21.14 | 179 |
| TP3MR-552 | 552 | 21.73 | 184 |
| TP3MR-558 | 558 | 21.97 | 186 |
| TP3MR-564 | 564 | 22.20 | 188 |
| TP3MR-570 | 570 | 22.44 | 190 |
| TP3MR-576 | 576 | 22.68 | 192 |
| TP3MR-585 | 585 | 23.03 | 195 |
| TP3MR-591 | 591 | 23.27 | 197 |
| TP3MR-597 | 597 | 23.50 | 199 |
| TP3MR-600 | 600 | 23.62 | 200 |
| TP3MR-606 | 606 | 23.86 | 202 |
| TP3MR-609 | 609 | 23.98 | 203 |
| TP3MR-612 | 612 | 24.09 | 204 |

| Part No. | Pitch Length (mm) | Pitch Length (In.) | No. of Teeth |
|-----------|-------------------|--------------------|--------------|
| TP3MR-627 | 627 | 24.69 | 209 |
| TP3MR-633 | 633 | 24.92 | 211 |
| TP3MR-639 | 639 | 25.16 | 213 |
| TP3MR-645 | 645 | 25.39 | 215 |
| TP3MR-648 | 648 | 25.51 | 216 |
| TP3MR-654 | 654 | 25.75 | 218 |
| TP3MR-657 | 657 | 25.87 | 219 |
| TP3MR-663 | 663 | 26.10 | 221 |
| TP3MR-669 | 669 | 26.34 | 223 |
| TP3MR-684 | 684 | 26.93 | 228 |
| TP3MR-687 | 687 | 27.05 | 229 |
| TP3MR-696 | 696 | 27.40 | 232 |
| TP3MR-711 | 711 | 27.99 | 237 |
| TP3MR-735 | 735 | 28.94 | 245 |
| TP3MR-738 | 738 | 29.06 | 246 |
| TP3MR-750 | 750 | 29.53 | 250 |
| TP3MR-753 | 753 | 29.65 | 251 |
| TP3MR-786 | 786 | 30.94 | 262 |
| TP3MR-795 | 795 | 31.30 | 265 |

TWIN POWER BELTS

PowerGrip® GT®2 Twin Power® Belts - 3MR and 5MR

Product No. Series 9232 (continued)

3MR - Twin Power Belts (continued)

| Part No. | Pitch Length (mm) | Pitch Length (In.) | No. of Teeth |
|-----------|-------------------|--------------------|--------------|
| TP3MR-822 | 822 | 32.36 | 274 |
| TP3MR-837 | 837 | 32.95 | 279 |
| TP3MR-840 | 840 | 33.07 | 280 |
| TP3MR-843 | 843 | 33.19 | 281 |
| TP3MR-873 | 873 | 34.37 | 291 |
| TP3MR-882 | 882 | 34.72 | 294 |
| TP3MR-891 | 891 | 35.08 | 297 |
| TP3MR-900 | 900 | 35.43 | 300 |
| TP3MR-915 | 915 | 36.02 | 305 |
| TP3MR-945 | 945 | 37.20 | 315 |
| TP3MR-951 | 951 | 37.44 | 317 |

| Part No. | Pitch Length (mm) | Pitch Length (In.) | No. of Teeth |
|------------|-------------------|--------------------|--------------|
| TP3MR-981 | 981 | 38.62 | 327 |
| TP3MR-1002 | 1002 | 39.45 | 334 |
| TP3MR-1026 | 1026 | 40.39 | 342 |
| TP3MR-1035 | 1035 | 40.74 | 345 |
| TP3MR-1050 | 1050 | 41.34 | 350 |
| TP3MR-1056 | 1056 | 41.57 | 352 |
| TP3MR-1062 | 1062 | 41.81 | 354 |
| TP3MR-1080 | 1080 | 42.52 | 360 |
| TP3MR-1125 | 1125 | 44.29 | 375 |
| TP3MR-1155 | 1155 | 45.47 | 385 |
| TP3MR-1191 | 1191 | 46.89 | 397 |

| Part No. | Pitch Length (mm) | Pitch Length (In.) | No. of Teeth |
|------------|-------------------|--------------------|--------------|
| TP3MR-1263 | 1263 | 49.72 | 421 |
| TP3MR-1335 | 1335 | 52.56 | 445 |
| TP3MR-1500 | 1500 | 59.06 | 500 |
| TP3MR-1512 | 1512 | 59.53 | 504 |
| TP3MR-1536 | 1536 | 60.47 | 512 |
| TP3MR-1587 | 1587 | 62.48 | 529 |
| TP3MR-1956 | 1956 | 77.01 | 652 |
| TP3MR-2004 | 2004 | 78.90 | 668 |
| TP3MR-2061 | 2061 | 81.14 | 687 |

5MR - Twin Power Belts

| Part No. | Pitch Length (mm) | Pitch Length (In.) | No. of Teeth |
|-----------|-------------------|--------------------|--------------|
| TP5MR-400 | 400 | 15.75 | 80 |
| TP5MR-425 | 425 | 16.73 | 85 |
| TP5MR-450 | 450 | 17.72 | 90 |
| TP5MR-500 | 500 | 19.69 | 100 |
| TP5MR-535 | 535 | 21.06 | 107 |
| TP5MR-565 | 565 | 22.24 | 113 |
| TP5MR-575 | 575 | 22.64 | 115 |
| TP5MR-580 | 580 | 22.83 | 116 |
| TP5MR-600 | 600 | 23.62 | 120 |
| TP5MR-625 | 625 | 24.61 | 125 |
| TP5MR-650 | 650 | 25.69 | 130 |
| TP5MR-700 | 700 | 27.56 | 140 |
| TP5MR-710 | 710 | 27.95 | 142 |
| TP5MR-740 | 740 | 29.13 | 148 |
| TP5MR-745 | 745 | 29.33 | 149 |
| TP5MR-750 | 750 | 29.53 | 150 |
| TP5MR-765 | 765 | 30.12 | 153 |
| TP5MR-790 | 790 | 31.10 | 158 |
| TP5MR-800 | 800 | 31.50 | 160 |
| TP5MR-815 | 815 | 32.09 | 163 |
| TP5MR-830 | 830 | 32.68 | 166 |

| Part No. | Pitch Length (mm) | Pitch Length (In.) | No. of Teeth |
|------------|-------------------|--------------------|--------------|
| TP5MR-835 | 835 | 32.87 | 167 |
| TP5MR-850 | 850 | 33.46 | 170 |
| TP5MR-870 | 870 | 34.25 | 174 |
| TP5MR-890 | 890 | 35.04 | 178 |
| TP5MR-900 | 900 | 35.43 | 180 |
| TP5MR-925 | 925 | 36.42 | 185 |
| TP5MR-950 | 950 | 37.40 | 190 |
| TP5MR-975 | 975 | 38.39 | 195 |
| TP5MR-985 | 985 | 38.78 | 197 |
| TP5MR-1000 | 1000 | 39.37 | 200 |
| TP5MR-1050 | 1050 | 41.34 | 210 |
| TP5MR-1115 | 1115 | 43.91 | 223 |
| TP5MR-1125 | 1125 | 44.29 | 225 |
| TP5MR-1150 | 1150 | 45.28 | 230 |
| TP5MR-1195 | 1195 | 47.05 | 239 |
| TP5MR-1250 | 1250 | 49.21 | 250 |
| TP5MR-1270 | 1270 | 50.00 | 254 |
| TP5MR-1295 | 1295 | 50.98 | 259 |
| TP5MR-1300 | 1300 | 51.18 | 260 |
| TP5MR-1375 | 1375 | 54.13 | 275 |
| TP5MR-1420 | 1420 | 55.91 | 284 |

| Part No. | Pitch Length (mm) | Pitch Length (In.) | No. of Teeth |
|------------|-------------------|--------------------|--------------|
| TP5MR-1450 | 1450 | 57.09 | 290 |
| TP5MR-1575 | 1575 | 62.01 | 315 |
| TP5MR-1595 | 1595 | 62.80 | 319 |
| TP5MR-1635 | 1635 | 64.37 | 327 |
| TP5MR-1690 | 1690 | 66.54 | 338 |
| TP5MR-1790 | 1790 | 70.47 | 358 |
| TP5MR-1800 | 1800 | 70.87 | 360 |
| TP5MR-1895 | 1895 | 74.61 | 379 |
| TP5MR-1945 | 1945 | 76.57 | 389 |
| TP5MR-2000 | 2000 | 78.74 | 400 |
| TP5MR-2110 | 2110 | 83.07 | 422 |
| TP5MR-2250 | 2250 | 88.58 | 450 |
| TP5MR-2525 | 2525 | 99.41 | 505 |
| TP5MR-2760 | 2760 | 108.66 | 552 |
| TP5MR-3120 | 3120 | 122.83 | 624 |
| TP5MR-3170 | 3170 | 124.80 | 634 |
| TP5MR-3200 | 3200 | 125.98 | 640 |
| TP5MR-3430 | 3430 | 135.04 | 686 |
| TP5MR-3800 | 3800 | 149.61 | 760 |

TWIN POWER BELTS





PowerGrip® GT®2 Twin Power® Belts


Twin Power belts have teeth on both sides to provide synchronization from both driving surfaces.

Markets/Applications

PowerGrip GT2 Twin Power belts are ideal for serpentine applications requiring rotation reversal or synchronization of driven shafts. Ideal for use in industries such as textile, paper, packaging and printing.

Features/Advantages

- Gates Twin Power belts have **nylon facing** on both tooth surfaces providing equal load carrying capabilities on either side of belt.
- Belt capacity is equal to standard single-sided PowerGrip GT2 belts.
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.



Recommended Sprockets

PowerGrip GT2 Sprockets

Notes

If you currently use PowerGrip HTD Twin Power belts, consider PowerGrip GT2 Twin Power belts at reduced widths to lower your costs. PowerGrip GT2 Twin Power part numbers are comprised of pitch, pitch length and width. For example; part number TP4400-8MGT-30 denotes a "TP" for Twin Power, 4400mm pitch length, 8mm pitch and 30mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT2 Twin Power belt lies within the tensile member.

TWIN POWER BELTS

Product No. Series 9232

8mm Pitch — 20mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------------------|-------------|--------------|--------------------|----------------|
| ² TP560-8MGT-20 | 9232-0005 | 70 | 22.05 | .16 |
| TP600-8MGT-20 | 9232-0009 | 75 | 23.62 | .17 |
| TP640-8MGT-20 | 9232-0013 | 80 | 25.20 | .18 |
| TP720-8MGT-20 | 9232-0017 | 90 | 28.35 | .20 |
| TP800-8MGT-20 | 9232-0021 | 100 | 31.50 | .24 |
| TP840-8MGT-20 | 9232-1025 | 105 | 33.08 | .25 |
| TP880-8MGT-20 | 9232-0025 | 110 | 34.65 | .26 |
| TP920-8MGT-20 | 9232-1001 | 115 | 36.23 | .27 |
| TP960-8MGT-20 | 9232-0029 | 120 | 37.80 | .28 |
| TP1040-8MGT-20 | 9232-0033 | 130 | 40.95 | .30 |
| ² TP1064-8MGT-20 | 9232-1005 | 133 | 41.89 | .32 |
| TP1120-8MGT-20 | 9232-0037 | 140 | 44.10 | .33 |
| TP1160-8MGT-20 | 9232-2049 | 146 | 45.83 | .66 |
| TP1200-8MGT-20 | 9232-0041 | 150 | 47.25 | .35 |
| TP1224-8MGT-20 | 9232-1029 | 153 | 48.20 | .36 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| TP1280-8MGT-20 | 9232-0045 | 160 | 50.40 | .36 |
| TP1440-8MGT-20 | 9232-0049 | 180 | 56.70 | .42 |
| TP1512-8MGT-20 | 9232-1013 | 189 | 59.53 | .43 |
| TP1600-8MGT-20 | 9232-0053 | 200 | 63.00 | .46 |
| TP1760-8MGT-20 | 9232-0057 | 220 | 69.30 | .50 |
| TP1800-8MGT-20 | 9232-0061 | 225 | 70.88 | .52 |
| TP2000-8MGT-20 | 9232-0065 | 250 | 78.75 | .60 |
| TP2200-8MGT-20 | 9232-1033 | 275 | 86.63 | .65 |
| TP2400-8MGT-20 | 9232-0069 | 300 | 94.50 | .70 |
| TP2600-8MGT-20 | 9232-0077 | 325 | 102.38 | .74 |
| TP2800-8MGT-20 | 9232-0073 | 350 | 110.25 | .80 |
| TP3048-8MGT-20 | 9232-0081 | 381 | 120.02 | .87 |
| TP3280-8MGT-20 | 9232-0085 | 410 | 129.15 | .93 |
| TP3600-8MGT-20 | 9232-0089 | 450 | 141.75 | 1.02 |
| TP4400-8MGT-20 | 9232-0093 | 550 | 173.25 | 1.25 |

8mm Pitch — 30mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------------------|-------------|--------------|--------------------|----------------|
| ² TP560-8MGT-30 | 9232-0006 | 70 | 22.05 | .26 |
| TP600-8MGT-30 | 9232-0010 | 75 | 23.62 | .28 |
| TP640-8MGT-30 | 9232-0014 | 80 | 25.20 | .30 |
| TP720-8MGT-30 | 9232-0018 | 90 | 28.35 | .34 |
| TP800-8MGT-30 | 9232-0022 | 100 | 31.50 | .37 |
| TP840-8MGT-30 | 9232-1026 | 105 | 33.08 | .38 |
| TP880-8MGT-30 | 9232-0026 | 110 | 34.65 | .40 |
| TP920-8MGT-30 | 9232-1002 | 115 | 36.23 | .42 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------------------|-------------|--------------|--------------------|----------------|
| TP960-8MGT-30 | 9232-0030 | 120 | 37.80 | .45 |
| TP1040-8MGT-30 | 9232-0034 | 130 | 40.95 | .47 |
| ² TP1064-8MGT-30 | 9232-1006 | 133 | 41.89 | .49 |
| TP1120-8MGT-30 | 9232-0038 | 140 | 44.10 | .50 |
| TP1160-8MGT-30 | 9232-1010 | 146 | 45.83 | .53 |
| TP1200-8MGT-30 | 9232-0042 | 150 | 47.25 | .55 |
| TP1224-8MGT-30 | 9232-1030 | 153 | 48.20 | .56 |
| TP1280-8MGT-30 | 9232-0046 | 160 | 50.40 | .60 |

² MTO Minimum Required. Check with Customer Service for availability.



PowerGrip® GT®2 Twin Power® Belts

Product No. Series 9232 (continued)

8mm Pitch — 30mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| TP1440-8MGT-30 | 9232-0050 | 180 | 56.70 | .65 |
| TP1512-8MGT-30 | 9232-1014 | 189 | 59.53 | .66 |
| TP1600-8MGT-30 | 9232-0054 | 200 | 63.00 | .71 |
| TP1760-8MGT-30 | 9232-0058 | 220 | 69.30 | .78 |
| TP1800-8MGT-30 | 9232-0062 | 225 | 70.88 | .80 |
| TP2000-8MGT-30 | 9232-0066 | 250 | 78.75 | .90 |
| TP2200-8MGT-30 | 9232-1034 | 275 | 86.63 | .96 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| TP2400-8MGT-30 | 9232-0070 | 300 | 94.50 | 1.04 |
| TP2600-8MGT-30 | 9232-0078 | 325 | 102.38 | 1.14 |
| TP2800-8MGT-30 | 9232-0074 | 350 | 110.25 | 1.20 |
| TP3048-8MGT-30 | 9232-0082 | 381 | 120.02 | 1.32 |
| TP3280-8MGT-30 | 9232-0086 | 410 | 129.15 | 1.45 |
| TP3600-8MGT-30 | 9232-0090 | 450 | 141.75 | 1.55 |
| TP4400-8MGT-30 | 9232-0094 | 550 | 173.25 | 1.90 |

8mm Pitch — 50mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------------------|-------------|--------------|--------------------|----------------|
| ² TP560-8MGT-50 | 9232-0007 | 70 | 22.05 | .42 |
| TP600-8MGT-50 | 9232-0011 | 75 | 23.62 | .47 |
| TP640-8MGT-50 | 9232-0015 | 80 | 25.20 | .50 |
| TP720-8MGT-50 | 9232-0019 | 90 | 28.35 | .55 |
| TP800-8MGT-50 | 9232-0023 | 100 | 31.50 | .60 |
| TP840-8MGT-50 | 9232-1027 | 105 | 33.08 | .67 |
| TP880-8MGT-50 | 9232-0027 | 110 | 34.65 | .68 |
| TP920-8MGT-50 | 9232-1003 | 115 | 36.23 | .73 |
| TP960-8MGT-50 | 9232-0031 | 120 | 37.80 | .74 |
| TP1040-8MGT-50 | 9232-0035 | 130 | 40.95 | .78 |
| ² TP1064-8MGT-50 | 9232-1007 | 133 | 41.89 | .80 |
| TP1120-8MGT-50 | 9232-0039 | 140 | 44.10 | .86 |
| TP1160-8MGT-50 | 9232-1011 | 146 | 45.83 | .83 |
| TP1200-8MGT-50 | 9232-0043 | 150 | 47.25 | .90 |
| ² TP1224-8MGT-50 | 9232-1031 | 153 | 48.20 | .92 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------------|-------------|--------------|--------------------|----------------|
| TP1280-8MGT-50 | 9232-0047 | 160 | 50.40 | .95 |
| TP1440-8MGT-50 | 9232-0051 | 180 | 56.70 | 1.10 |
| TP1512-8MGT-50 | 9232-1015 | 189 | 59.53 | 1.11 |
| TP1600-8MGT-50 | 9232-0055 | 200 | 63.00 | 1.20 |
| TP1760-8MGT-50 | 9232-0059 | 220 | 69.30 | 1.30 |
| TP1800-8MGT-50 | 9232-0063 | 225 | 70.88 | 1.30 |
| TP2000-8MGT-50 | 9232-0067 | 250 | 78.75 | 1.45 |
| TP2200-8MGT-50 | 9232-1035 | 275 | 86.63 | 1.60 |
| TP2400-8MGT-50 | 9232-0071 | 300 | 94.50 | 1.80 |
| TP2600-8MGT-50 | 9232-0079 | 325 | 102.38 | 1.90 |
| TP2800-8MGT-50 | 9232-0075 | 350 | 110.25 | 2.00 |
| TP3048-8MGT-50 | 9232-0083 | 381 | 120.02 | 2.20 |
| TP3280-8MGT-50 | 9232-0087 | 410 | 129.15 | 2.40 |
| TP3600-8MGT-50 | 9232-0091 | 450 | 141.75 | 2.60 |
| TP4400-8MGT-50 | 9232-0095 | 550 | 173.25 | 3.20 |

8mm Pitch — 85mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------------------|-------------|--------------|--------------------|----------------|
| ² TP560-8MGT-85 | 9232-0008 | 70 | 22.05 | 1.32 |
| TP600-8MGT-85 | 9232-0012 | 75 | 23.62 | 1.42 |
| TP640-8MGT-85 | 9232-0016 | 80 | 25.20 | 1.52 |
| TP720-8MGT-85 | 9232-0020 | 90 | 28.35 | 1.70 |
| TP800-8MGT-85 | 9232-0024 | 100 | 31.50 | 1.90 |
| TP840-8MGT-85 | 9232-1028 | 105 | 33.08 | 1.98 |
| TP880-8MGT-85 | 9232-0028 | 110 | 34.65 | 2.08 |
| TP920-8MGT-85 | 9232-1004 | 115 | 36.23 | 2.17 |
| TP960-8MGT-85 | 9232-1008 | 120 | 37.80 | 2.27 |
| TP1040-8MGT-85 | 9232-0036 | 130 | 40.95 | 2.46 |
| TP1064-8MGT-85 | 9232-2048 | 133 | 41.89 | 2.50 |
| TP1120-8MGT-85 | 9232-0040 | 140 | 44.10 | 2.65 |
| TP1160-8MGT-85 | 9232-1012 | 146 | 45.83 | 2.76 |
| TP1200-8MGT-85 | 9232-0044 | 150 | 47.25 | 2.84 |
| ² TP1224-8MGT-85 | 9232-1032 | 153 | 48.20 | 2.89 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------------------|-------------|--------------|--------------------|----------------|
| TP1280-8MGT-85 | 9232-0048 | 160 | 50.40 | 3.04 |
| TP1440-8MGT-85 | 9232-0052 | 180 | 56.70 | 3.42 |
| ² TP1512-8MGT-85 | 9232-1016 | 189 | 59.53 | 3.56 |
| TP1600-8MGT-85 | 9232-0056 | 200 | 63.00 | 3.80 |
| TP1760-8MGT-85 | 9232-0060 | 220 | 69.30 | 4.16 |
| TP1800-8MGT-85 | 9232-0064 | 225 | 70.88 | 4.30 |
| TP2000-8MGT-85 | 9232-0068 | 250 | 78.75 | 4.74 |
| TP2200-8MGT-85 | 9232-1036 | 275 | 86.63 | 5.20 |
| TP2400-8MGT-85 | 9232-0072 | 300 | 94.50 | 5.68 |
| TP2600-8MGT-85 | 9232-0080 | 325 | 102.38 | 6.18 |
| TP2800-8MGT-85 | 9232-0076 | 350 | 110.25 | 6.64 |
| TP3048-8MGT-85 | 9232-0084 | 381 | 120.02 | 7.24 |
| TP3280-8MGT-85 | 9232-0088 | 410 | 129.15 | 7.78 |
| TP3600-8MGT-85 | 9232-0092 | 450 | 141.75 | 8.50 |
| TP4400-8MGT-85 | 9232-0096 | 550 | 173.25 | 10.44 |

14mm Pitch — 40mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| TP966-14MGT-40 | 9232-0100 | 69 | 38.03 | 2.20 |
| TP1190-14MGT-40 | 9232-0105 | 85 | 46.85 | 2.40 |
| TP1400-14MGT-40 | 9232-0110 | 100 | 55.12 | 2.50 |
| TP1610-14MGT-40 | 9232-0115 | 115 | 63.38 | 2.80 |
| TP1778-14MGT-40 | 9232-0120 | 127 | 70.00 | 3.00 |
| TP1890-14MGT-40 | 9232-0125 | 135 | 74.41 | 3.10 |
| TP2100-14MGT-40 | 9232-0130 | 150 | 82.67 | 3.30 |
| TP2310-14MGT-40 | 9232-0135 | 165 | 90.94 | 3.40 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| TP2450-14MGT-40 | 9232-0140 | 175 | 96.45 | 3.60 |
| TP2590-14MGT-40 | 9232-0145 | 185 | 101.96 | 3.85 |
| TP2800-14MGT-40 | 9232-0150 | 200 | 110.23 | 3.95 |
| TP3150-14MGT-40 | 9232-0155 | 225 | 124.01 | 4.30 |
| TP3360-14MGT-40 | 9232-0180 | 240 | 132.28 | 4.50 |
| TP3500-14MGT-40 | 9232-0160 | 250 | 137.79 | 4.70 |
| TP3850-14MGT-40 | 9232-0165 | 275 | 151.57 | 5.10 |
| TP4326-14MGT-40 | 9232-0170 | 309 | 170.31 | 5.40 |

² MTO Minimum Required. Check with Customer Service for availability.



TWIN POWER BELTS

**PowerGrip® GT®2 Twin Power® Belts****Product No. Series 9232 (continued)****14mm Pitch — 40mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| TP4578-14MGT-40 | 9232-0175 | 327 | 180.23 | 5.70 |
| TP4956-14MGT-40 | 9232-0185 | 354 | 195.12 | 6.20 |
| TP5320-14MGT-40 | 9232-0190 | 380 | 209.45 | 6.50 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| TP5740-14MGT-40 | 9232-0195 | 410 | 225.98 | 6.90 |
| TP6160-14MGT-40 | 9232-0200 | 440 | 242.52 | 7.40 |
| TP6860-14MGT-40 | 9232-0205 | 490 | 270.08 | 8.00 |

14mm Pitch — 55mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| TP966-14MGT-55 | 9232-0101 | 69 | 38.03 | 3.50 |
| TP1190-14MGT-55 | 9232-0106 | 85 | 46.85 | 3.80 |
| TP1400-14MGT-55 | 9232-0111 | 100 | 55.12 | 3.90 |
| TP1610-14MGT-55 | 9232-0116 | 115 | 63.38 | 4.10 |
| TP1778-14MGT-55 | 9232-0121 | 127 | 70.00 | 4.30 |
| TP1890-14MGT-55 | 9232-0126 | 135 | 74.41 | 4.52 |
| TP2100-14MGT-55 | 9232-0131 | 150 | 82.67 | 4.60 |
| TP2310-14MGT-55 | 9232-0136 | 165 | 90.94 | 4.90 |
| TP2450-14MGT-55 | 9232-0141 | 175 | 96.45 | 5.10 |
| TP2590-14MGT-55 | 9232-0146 | 185 | 101.96 | 5.20 |
| TP2800-14MGT-55 | 9232-0151 | 200 | 110.23 | 5.40 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| TP3150-14MGT-55 | 9232-0156 | 225 | 124.01 | 5.70 |
| TP3360-14MGT-55 | 9232-0181 | 240 | 132.28 | 5.90 |
| TP3500-14MGT-55 | 9232-0161 | 250 | 137.79 | 6.00 |
| TP3850-14MGT-55 | 9232-0166 | 275 | 151.57 | 6.50 |
| TP4326-14MGT-55 | 9232-0171 | 309 | 170.31 | 7.00 |
| TP4578-14MGT-55 | 9232-0176 | 327 | 180.23 | 7.20 |
| TP4956-14MGT-55 | 9232-0186 | 354 | 195.12 | 7.60 |
| TP5320-14MGT-55 | 9232-0191 | 380 | 209.45 | 8.00 |
| TP5740-14MGT-55 | 9232-0196 | 410 | 225.98 | 8.40 |
| TP6160-14MGT-55 | 9232-0201 | 440 | 242.52 | 8.80 |
| TP6860-14MGT-55 | 9232-0206 | 490 | 270.08 | 9.50 |

14mm Pitch — 85mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| TP966-14MGT-85 | 9232-0102 | 69 | 38.03 | 2.30 |
| TP1190-14MGT-85 | 9232-0107 | 85 | 46.85 | 2.80 |
| TP1400-14MGT-85 | 9232-0112 | 100 | 55.12 | 3.20 |
| TP1610-14MGT-85 | 9232-0117 | 115 | 63.38 | 3.80 |
| TP1778-14MGT-85 | 9232-0122 | 127 | 70.00 | 4.25 |
| TP1890-14MGT-85 | 9232-0127 | 135 | 74.41 | 4.50 |
| TP2100-14MGT-85 | 9232-0132 | 150 | 82.67 | 5.00 |
| TP2310-14MGT-85 | 9232-0137 | 165 | 90.94 | 5.50 |
| TP2450-14MGT-85 | 9232-0142 | 175 | 96.45 | 5.80 |
| TP2590-14MGT-85 | 9232-0147 | 185 | 101.96 | 6.10 |
| TP2800-14MGT-85 | 9232-0152 | 200 | 110.23 | 6.80 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------|--------------------|----------------|
| TP3150-14MGT-85 | 9232-0157 | 225 | 124.01 | 7.70 |
| TP3360-14MGT-85 | 9232-0182 | 240 | 132.28 | 7.90 |
| TP3500-14MGT-85 | 9232-0162 | 250 | 137.79 | 8.20 |
| TP3850-14MGT-85 | 9232-0167 | 275 | 151.57 | 9.20 |
| TP4326-14MGT-85 | 9232-0172 | 309 | 170.31 | 10.40 |
| TP4578-14MGT-85 | 9232-0177 | 327 | 180.23 | 10.70 |
| TP4956-14MGT-85 | 9232-0187 | 354 | 195.12 | 11.70 |
| TP5320-14MGT-85 | 9232-0192 | 380 | 209.45 | 12.50 |
| TP5740-14MGT-85 | 9232-0197 | 410 | 225.98 | 13.50 |
| TP6160-14MGT-85 | 9232-0202 | 440 | 242.52 | 14.50 |
| TP6860-14MGT-85 | 9232-0207 | 490 | 270.08 | 16.30 |

14mm Pitch — 115mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------|-------------|--------------|--------------------|----------------|
| TP966-14MGT-115 | 9232-0103 | 69 | 38.03 | 3.50 |
| TP1190-14MGT-115 | 9232-0108 | 85 | 46.85 | 4.20 |
| TP1400-14MGT-115 | 9232-0113 | 100 | 55.12 | 4.80 |
| TP1610-14MGT-115 | 9232-0118 | 115 | 63.38 | 5.50 |
| TP1778-14MGT-115 | 9232-0123 | 127 | 70.00 | 6.00 |
| TP1890-14MGT-115 | 9232-0128 | 135 | 74.41 | 6.40 |
| TP2100-14MGT-115 | 9232-0133 | 150 | 82.67 | 7.00 |
| TP2310-14MGT-115 | 9232-0138 | 165 | 90.94 | 7.70 |
| TP2450-14MGT-115 | 9232-0143 | 175 | 96.45 | 8.20 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------|-------------|--------------|--------------------|----------------|
| TP2590-14MGT-115 | 9232-0148 | 185 | 101.96 | 8.60 |
| TP2800-14MGT-115 | 9232-0153 | 200 | 110.23 | 9.30 |
| TP3150-14MGT-115 | 9232-0158 | 225 | 124.01 | 10.60 |
| TP3360-14MGT-115 | 9232-0183 | 240 | 132.28 | 11.20 |
| TP3500-14MGT-115 | 9232-0163 | 250 | 137.79 | 11.50 |
| TP3850-14MGT-115 | 9232-0168 | 275 | 151.57 | 12.70 |
| TP4326-14MGT-115 | 9232-0173 | 309 | 170.31 | 14.30 |
| TP4578-14MGT-115 | 9232-0178 | 327 | 180.23 | 15.00 |

14mm Pitch — 170mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------|-------------|--------------|--------------------|----------------|
| TP966-14MGT-170 | 9232-0104 | 69 | 38.03 | 5.00 |
| TP1190-14MGT-170 | 9232-0109 | 85 | 46.85 | 6.00 |
| TP1400-14MGT-170 | 9232-0114 | 100 | 55.12 | 7.00 |
| TP1610-14MGT-170 | 9232-0119 | 115 | 63.38 | 7.80 |
| TP1778-14MGT-170 | 9232-0124 | 127 | 70.00 | 8.50 |
| TP1890-14MGT-170 | 9232-0129 | 135 | 74.41 | 9.00 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------|-------------|--------------|--------------------|----------------|
| TP2100-14MGT-170 | 9232-0134 | 150 | 82.67 | 10.00 |
| TP2310-14MGT-170 | 9232-0139 | 165 | 90.94 | 10.70 |
| TP2450-14MGT-170 | 9232-0144 | 175 | 96.45 | 11.40 |
| TP2590-14MGT-170 | 9232-0149 | 185 | 101.96 | 12.00 |
| TP2800-14MGT-170 | 9232-0154 | 200 | 110.23 | 13.00 |
| TP3150-14MGT-170 | 9232-0159 | 225 | 124.01 | 14.50 |



PowerGrip® GT®2 Twin Power® Belts

Product No. Series 9232 (continued)

14mm Pitch — 170mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------|-------------|--------------|--------------------|----------------|
| TP3360-14MGT-170 | 9232-0184 | 240 | 132.28 | 15.40 |
| TP3500-14MGT-170 | 9232-0164 | 250 | 137.79 | 15.80 |
| TP3850-14MGT-170 | 9232-0169 | 275 | 151.57 | 17.50 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------|-------------|--------------|--------------------|----------------|
| TP4326-14MGT-170 | 9232-0174 | 309 | 170.31 | 19.50 |
| TP4578-14MGT-170 | 9232-0179 | 327 | 180.23 | 20.50 |



PowerGrip® HTD® Twin Power® Belts


Twin Power® belts have teeth on both sides to provide synchronization from both driving surfaces.

Markets/Applications

PowerGrip® HTD® Twin Power® belts are suitable for many applications including data storage, hand power tools, postage handling, food processors, office machines, centrifuges, money handling, medicine diagnostic, sewing machines, ticket dispensers, robotics, vending machines and vacuum cleaners.

Features/Advantages

- Gates Twin Power® belts have **nylon facing** on both tooth surfaces providing equal load carrying capabilities on either side of the belt.
- Belt capacity is equal to standard single-sided PowerGrip® HTD® belts.
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Quieter than roller chain drives and eliminates lubrication and re-tensioning to reduce maintenance and labor.



Recommended Sprockets

PowerGrip® HTD® Sprockets

Notes

PowerGrip® HTD® Twin Power® belts in standard widths are Standard/Non-Stock. Minimum order quantities are not required on standard widths.

| 3M HTD Standard Belt Widths | | |
|-----------------------------|-----------------|------------------|
| Belt Width Code | Belt Width (mm) | Belt Width (In.) |
| 06 | 6 | 0.236 |
| 09 | 9 | 0.354 |
| 15 | 15 | 0.591 |

| 5M HTD Standard Belt Widths | | |
|-----------------------------|-----------------|------------------|
| Belt Width Code | Belt Width (mm) | Belt Width (In.) |
| 09 | 9 | 0.354 |
| 15 | 15 | 0.591 |
| 25 | 25 | 0.984 |

PowerGrip HTD Twin Power part numbers are comprised of pitch, pitch length and width. For example; part number TP444-3M-09 denotes "TP" for Twin Power, 444mm pitch length, 3mm pitch and 9mm width.

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip HTD Twin Power belt lies within the tensile member.

Product No. Series 9252

3mm Pitch

| Part No. | No. of Teeth | Pitch Length (In.) | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (In.) | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (In.) | Pitch Length (mm) |
|----------|--------------|--------------------|-------------------|----------|--------------|--------------------|-------------------|----------|--------------|--------------------|-------------------|
| TP381-3M | 127 | 15.00 | 381 | TP501-3M | 167 | 19.72 | 500 | TP633-3M | 211 | 24.92 | 632 |
| TP396-3M | 132 | 15.59 | 396 | TP510-3M | 170 | 20.08 | 510 | TP639-3M | 213 | 25.16 | 639 |
| TP399-3M | 133 | 15.71 | 399 | TP513-3M | 171 | 20.20 | 513 | TP645-3M | 215 | 25.39 | 644 |
| TP405-3M | 135 | 15.94 | 404 | TP525-3M | 175 | 20.67 | 525 | TP648-3M | 216 | 25.51 | 647 |
| TP411-3M | 137 | 16.18 | 410 | TP528-3M | 176 | 20.79 | 528 | TP654-3M | 218 | 25.75 | 657 |
| TP417-3M | 139 | 16.42 | 417 | TP531-3M | 177 | 20.91 | 531 | TP657-3M | 219 | 25.87 | 662 |
| TP420-3M | 140 | 16.54 | 420 | TP537-3M | 179 | 21.14 | 536 | TP663-3M | 221 | 26.10 | 669 |
| TP426-3M | 142 | 16.77 | 425 | TP558-3M | 186 | 21.97 | 558 | TP669-3M | 223 | 26.34 | 669 |
| TP432-3M | 144 | 17.01 | 432 | TP564-3M | 188 | 22.20 | 563 | TP684-3M | 228 | 26.93 | 684 |
| TP435-3M | 145 | 17.13 | 435 | TP570-3M | 190 | 22.44 | 569 | TP687-3M | 229 | 27.05 | 687 |
| TP438-3M | 146 | 17.24 | 437 | TP576-3M | 192 | 22.68 | 576 | TP696-3M | 232 | 27.40 | 695 |
| TP447-3M | 149 | 17.60 | 447 | TP585-3M | 195 | 23.03 | 584 | TP711-3M | 237 | 27.99 | 710 |
| TP468-3M | 156 | 18.43 | 468 | TP591-3M | 197 | 23.07 | 585 | TP735-3M | 245 | 28.94 | 735 |
| TP471-3M | 157 | 18.54 | 470 | TP597-3M | 199 | 23.50 | 596 | TP738-3M | 246 | 29.06 | 738 |
| TP474-3M | 158 | 18.66 | 473 | TP600-3M | 200 | 23.62 | 599 | TP753-3M | 251 | 29.65 | 753 |
| TP480-3M | 160 | 18.90 | 480 | TP606-3M | 202 | 23.86 | 606 | TP795-3M | 265 | 31.30 | 795 |
| TP486-3M | 162 | 19.13 | 485 | TP609-3M | 203 | 23.98 | 609 | TP822-3M | 274 | 32.36 | 821 |
| TP489-3M | 163 | 19.25 | 488 | TP612-3M | 204 | 24.09 | 611 | TP837-3M | 279 | 32.95 | 836 |
| TP492-3M | 164 | 19.37 | 492 | TP627-3M | 209 | 24.69 | 627 | TP843-3M | 281 | 33.19 | 843 |

TWIN POWER BELTS

PowerGrip® HTD® Twin Power® Belts

Product No. Series 9252 (continued)

3mm Pitch (continued)

| Part No. | No. of Teeth | Pitch Length (In.) | Pitch Length (mm) |
|----------|--------------|--------------------|-------------------|
| TP873-3M | 291 | 34.37 | 873 |
| TP882-3M | 294 | 34.72 | 881 |
| TP891-3M | 297 | 35.08 | 891 |
| TP900-3M | 300 | 35.43 | 899 |
| TP915-3M | 305 | 36.02 | 914 |
| TP945-3M | 315 | 37.20 | 944 |
| TP951-3M | 317 | 37.44 | 950 |

| Part No. | No. of Teeth | Pitch Length (In.) | Pitch Length (mm) |
|-----------|--------------|--------------------|-------------------|
| TP981-3M | 327 | 38.62 | 980 |
| TP1002-3M | 334 | 39.45 | 1002 |
| TP1026-3M | 342 | 40.39 | 1025 |
| TP1035-3M | 345 | 40.75 | 1035 |
| TP1062-3M | 354 | 41.81 | 1061 |
| TP1125-3M | 375 | 44.29 | 1124 |
| TP1155-3M | 385 | 45.47 | 1154 |

| Part No. | No. of Teeth | Pitch Length (In.) | Pitch Length (mm) |
|-----------|--------------|--------------------|-------------------|
| TP1191-3M | 397 | 46.89 | 1191 |
| TP1263-3M | 421 | 49.72 | 1262 |
| TP1500-3M | 500 | 59.06 | 1500 |
| TP1512-3M | 504 | 59.53 | 1512 |
| TP1587-3M | 529 | 62.48 | 1587 |
| TP1956-3M | 652 | 77.01 | 1956 |
| TP2004-3M | 668 | 78.90 | 2004 |

5mm Pitch

| Part No. | No. of Teeth | Pitch Length (In.) | Pitch Length (mm) |
|----------|--------------|--------------------|-------------------|
| TP400-5M | 80 | 15.75 | 400 |
| TP415-5M | 83 | 16.34 | 415 |
| TP425-5M | 85 | 16.73 | 425 |
| TP450-5M | 90 | 17.72 | 450 |
| TP460-5M | 92 | 18.11 | 460 |
| TP475-5M | 95 | 18.70 | 475 |
| TP480-5M | 96 | 18.90 | 480 |
| TP495-5M | 99 | 19.49 | 495 |
| TP500-5M | 100 | 19.69 | 500 |
| TP520-5M | 104 | 20.47 | 520 |
| TP535-5M | 107 | 21.06 | 535 |
| TP555-5M | 111 | 21.85 | 555 |
| TP565-5M | 113 | 22.24 | 565 |
| TP580-5M | 116 | 22.83 | 580 |
| TP585-5M | 117 | 23.03 | 585 |
| TP600-5M | 120 | 23.62 | 600 |
| TP615-5M | 123 | 24.21 | 615 |
| TP635-5M | 127 | 25.00 | 635 |
| TP655-5M | 131 | 25.79 | 655 |
| TP665-5M | 133 | 26.18 | 665 |
| TP670-5M | 134 | 26.38 | 671 |
| TP680-5M | 136 | 26.77 | 680 |
| TP685-5M | 137 | 29.97 | 685 |

| Part No. | No. of Teeth | Pitch Length (In.) | Pitch Length (mm) |
|-----------|--------------|--------------------|-------------------|
| TP695-5M | 139 | 29.36 | 695 |
| TP710-5M | 142 | 27.95 | 710 |
| TP740-5M | 148 | 29.13 | 740 |
| TP745-5M | 149 | 29.33 | 745 |
| TP765-5M | 153 | 30.12 | 765 |
| TP790-5M | 158 | 31.10 | 790 |
| TP800-5M | 160 | 31.50 | 800 |
| TP830-5M | 166 | 32.68 | 830 |
| TP835-5M | 167 | 32.87 | 835 |
| TP850-5M | 170 | 33.46 | 850 |
| TP870-5M | 174 | 34.25 | 870 |
| TP890-5M | 178 | 35.04 | 890 |
| TP925-5M | 185 | 36.42 | 925 |
| TP950-5M | 190 | 37.40 | 950 |
| TP975-5M | 195 | 38.39 | 975 |
| TP985-5M | 197 | 38.78 | 985 |
| TP1000-5M | 200 | 39.37 | 1000 |
| TP1050-5M | 210 | 41.34 | 1050 |
| TP1115-5M | 223 | 43.90 | 1115 |
| TP1125-5M | 225 | 44.29 | 1125 |
| TP1195-5M | 239 | 47.05 | 1195 |
| TP1250-5M | 250 | 49.21 | 1250 |
| TP1270-5M | 254 | 50.00 | 1270 |

| Part No. | No. of Teeth | Pitch Length (In.) | Pitch Length (mm) |
|-----------|--------------|--------------------|-------------------|
| TP1295-5M | 259 | 50.98 | 1295 |
| TP1375-5M | 275 | 64.13 | 1629 |
| TP1420-5M | 284 | 55.91 | 1420 |
| TP1575-5M | 315 | 62.01 | 1575 |
| TP1595-5M | 319 | 62.80 | 1595 |
| TP1635-5M | 327 | 64.37 | 1635 |
| TP1690-5M | 338 | 66.54 | 1690 |
| TP1720-5M | 344 | 67.72 | 1720 |
| TP1790-5M | 358 | 70.47 | 1790 |
| TP1800-5M | 360 | 70.87 | 1800 |
| TP1895-5M | 379 | 74.61 | 1895 |
| TP1945-5M | 389 | 76.57 | 1945 |
| TP1980-5M | 396 | 77.95 | 1980 |
| TP2000-5M | 400 | 78.74 | 2000 |
| TP2110-5M | 422 | 83.07 | 2110 |
| TP2250-5M | 450 | 88.58 | 2250 |
| TP2525-5M | 505 | 99.41 | 2525 |
| TP2760-5M | 552 | 108.66 | 2760 |
| TP3120-5M | 624 | 122.83 | 3120 |
| TP3170-5M | 634 | 124.80 | 3170 |
| TP3430-5M | 686 | 135.04 | 3430 |
| TP3800-5M | 760 | 149.61 | 3800 |

TWIN POWER BELTS





PowerGrip® Twin Power® Timing Belts


Twin Power belts have teeth on both sides to provide synchronization from both driving surfaces.

Markets/Applications

PowerGrip Twin Power Timing belts are suitable for all industrial serpentine applications requiring rotation reversal in some driven shafts.

Features/Advantages

- Gates Twin Power belts have **nylon facing** on both tooth surfaces providing equal load carrying capabilities on either side of belt.
- Belt capacity is equal to standard single-sided PowerGrip Timing belts.
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- Quieter than roller chain drives and eliminates lubrication and re-tensioning to reduce maintenance and labor.



Recommended Pulleys—PowerGrip Timing Pulleys

Notes

Gates PowerGrip Twin Power Timing belt part numbers are comprised of pitch length, pitch and width. TP denotes Twin Power.

Length — The length is shown in the first part of the belt designation. The first number is the pitch length in tenths of an inch. A TP300L075 has a 30.0" pitch length.

Pitch — The pitch of a PowerGrip Twin Power Timing belt is the distance from center to center of the teeth (in inches). It is shown in the second part of the belt designation by a letter or letters. Part number TP300L075 has a .375" pitch. The letters correspond to pitches as follows:

XL = Extra Light = 0.200" pitch;

L = Light = 0.375" pitch;

H = Heavy = 0.500" pitch.

Width — The width is shown in the last part of the belt designation. Part number TP300L075 is .75" wide.

TWIN POWER BELTS

Product No. Series 9246

1/5" Pitch (.200"/XL) — 1/4" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| ² TP126XL025 | 9246-1169 | 63 | 12.60 | .01 |
| TP128XL025 | 9246-1170 | 64 | 12.80 | .01 |
| TP130XL025 | 9246-1107 | 65 | 13.00 | .01 |
| ² TP132XL025 | 9246-1171 | 66 | 13.20 | .01 |
| ² TP134XL025 | 9246-1172 | 67 | 13.40 | .01 |
| ² TP136XL025 | 9246-1173 | 68 | 13.60 | .01 |
| ² TP138XL025 | 9246-1174 | 69 | 13.80 | .01 |
| TP140XL025 | 9246-1108 | 70 | 14.00 | .01 |
| ² TP142XL025 | 9246-1175 | 71 | 14.20 | .01 |
| ² TP144XL025 | 9246-1176 | 72 | 14.40 | .01 |
| TP146XL025 | 9246-1177 | 73 | 14.60 | .01 |
| ² TP148XL025 | 9246-1178 | 74 | 14.80 | .01 |
| TP150XL025 | 9246-1109 | 75 | 15.00 | .01 |
| ² TP152XL025 | 9246-1179 | 76 | 15.20 | .01 |
| TP156XL025 | 9246-1181 | 78 | 15.60 | .01 |
| ² TP158XL025 | 9246-1182 | 79 | 15.80 | .01 |
| TP160XL025 | 9246-1110 | 80 | 16.00 | .01 |
| ² TP162XL025 | 9246-1183 | 81 | 16.20 | .01 |
| ² TP166XL025 | 9246-1185 | 83 | 16.60 | .01 |
| ² TP168XL025 | 9246-1186 | 84 | 16.80 | .01 |
| TP170XL025 | 9246-1111 | 85 | 17.00 | .02 |
| ² TP172XL025 | 9246-1187 | 86 | 17.20 | .02 |
| ² TP174XL025 | 9246-1188 | 87 | 17.40 | .02 |
| TP176XL025 | 9246-1189 | 88 | 17.60 | .02 |
| ² TP178XL025 | 9246-1190 | 89 | 17.80 | .02 |
| TP180XL025 | 9246-1112 | 90 | 18.00 | .03 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| TP182XL025 | 9246-1191 | 91 | 18.20 | .03 |
| ² TP184XL025 | 9246-1192 | 92 | 18.40 | .03 |
| ² TP186XL025 | 9246-1193 | 93 | 18.60 | .03 |
| TP188XL025 | 9246-1194 | 94 | 18.80 | .03 |
| TP190XL025 | 9246-1113 | 95 | 19.00 | .03 |
| ² TP192XL025 | 9246-1195 | 96 | 19.20 | .03 |
| TP200XL025 | 9246-1114 | 100 | 20.00 | .03 |
| TP202XL025 | 9246-1197 | 101 | 20.20 | .03 |
| ² TP204XL025 | 9246-1198 | 102 | 20.40 | .03 |
| ² TP206XL025 | 9246-1199 | 103 | 20.60 | .03 |
| TP210XL025 | 9246-1115 | 105 | 21.00 | .03 |
| TP212XL025 | 9246-8100 | 106 | 21.20 | .03 |
| TP214XL025 | 9246-8101 | 107 | 21.40 | .03 |
| TP218XL025 | 9246-8102 | 109 | 21.80 | .03 |
| TP220XL025 | 9246-1116 | 110 | 22.00 | .03 |
| ² TP222XL025 | 9246-8103 | 111 | 22.20 | .03 |
| ² TP226XL025 | 9246-8104 | 113 | 22.60 | .03 |
| ² TP228XL025 | 9246-8105 | 114 | 22.80 | .03 |
| TP230XL025 | 9246-1117 | 115 | 23.00 | .03 |
| ² TP232XL025 | 9246-8106 | 116 | 23.20 | .03 |
| TP234XL025 | 9246-8107 | 117 | 23.40 | .03 |
| ² TP236XL025 | 9246-8108 | 118 | 23.60 | .03 |
| TP240XL025 | 9246-1118 | 120 | 24.00 | .03 |
| ² TP244XL025 | 9246-8109 | 122 | 24.40 | .03 |
| TP246XL025 | 9246-8110 | 123 | 24.60 | .03 |
| TP250XL025 | 9246-1119 | 125 | 25.00 | .03 |

² MTO Minimum Required. Check with Customer Service for availability.



PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

1/5" Pitch (.200"/XL) — 1/4" Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| ² TP254XL025 | 9246-8111 | 127 | 25.40 | .03 |
| ² TP258XL025 | 9246-8112 | 129 | 25.80 | .03 |
| TP260XL025 | 9246-1120 | 130 | 26.00 | .03 |
| ² TP262XL025 | 9246-8113 | 131 | 26.20 | .03 |
| ² TP264XL025 | 9246-8114 | 132 | 26.40 | .03 |
| ² TP266XL025 | 9246-8115 | 133 | 26.60 | .03 |
| ² TP268XL025 | 9246-8116 | 134 | 26.80 | .03 |
| ² TP274XL025 | 9246-8117 | 137 | 27.40 | .03 |
| TP280XL025 | 9246-1122 | 140 | 28.00 | .03 |
| ² TP286XL025 | 9246-8118 | 143 | 28.60 | .03 |
| TP290XL025 | 9246-1123 | 145 | 29.00 | .04 |
| ² TP296XL025 | 9246-8119 | 148 | 29.60 | .04 |
| TP300XL025 | 9246-1124 | 150 | 30.00 | .04 |
| ² TP306XL025 | 9246-8120 | 153 | 30.60 | .04 |
| TP310XL025 | 9246-1125 | 155 | 31.00 | .04 |
| TP316XL025 | 9246-8121 | 158 | 31.60 | .04 |
| TP320XL025 | 9246-8122 | 160 | 32.00 | .04 |
| ² TP322XL025 | 9246-8123 | 161 | 32.20 | .04 |
| TP330XL025 | 9246-1126 | 165 | 33.00 | .04 |
| ² TP338XL025 | 9246-8124 | 169 | 33.80 | .04 |
| ² TP340XL025 | 9246-1128 | 170 | 34.00 | .05 |
| TP344XL025 | 9246-8125 | 172 | 34.40 | .05 |
| ² TP348XL025 | 9246-8126 | 174 | 34.80 | .05 |
| ² TP350XL025 | 9246-1127 | 175 | 35.00 | .05 |
| TP352XL025 | 9246-8146 | 176 | 35.20 | .05 |
| TP362XL025 | 9246-8127 | 181 | 36.20 | .05 |
| TP370XL025 | 9246-1129 | 185 | 37.00 | .05 |
| TP380XL025 | 9246-1130 | 190 | 38.00 | .05 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| TP384XL025 | 9246-8128 | 192 | 38.40 | .05 |
| TP390XL025 | 9246-1131 | 195 | 39.00 | .05 |
| ² TP400XL025 | 9246-1132 | 200 | 40.00 | .06 |
| ² TP412XL025 | 9246-8129 | 206 | 41.20 | .06 |
| ² TP420XL025 | 9246-1133 | 210 | 42.00 | .06 |
| ² TP424XL025 | 9246-8130 | 212 | 42.40 | .06 |
| ² TP432XL025 | 9246-8131 | 216 | 43.20 | .06 |
| ² TP438XL025 | 9246-8132 | 219 | 43.80 | .06 |
| ² TP444XL025 | 9246-8133 | 222 | 44.40 | .06 |
| TP450XL025 | 9246-1134 | 225 | 45.00 | .06 |
| TP454XL025 | 9246-8134 | 227 | 45.40 | .07 |
| TP460XL025 | 9246-1135 | 230 | 46.00 | .07 |
| ² TP468XL025 | 9246-8135 | 234 | 46.80 | .07 |
| ² TP480XL025 | 9246-1136 | 240 | 48.00 | .08 |
| TP492XL025 | 9246-8136 | 246 | 49.20 | .08 |
| TP498XL025 | 9246-8137 | 249 | 49.80 | .08 |
| ² TP500XL025 | 9246-1137 | 250 | 50.00 | .08 |
| ² TP506XL025 | 9246-8138 | 253 | 50.60 | .08 |
| ² TP524XL025 | 9246-8139 | 262 | 52.40 | .08 |
| ² TP570XL025 | 9246-1138 | 285 | 57.00 | .08 |
| ² TP580XL025 | 9246-8140 | 290 | 58.00 | .09 |
| ² TP592XL025 | 9246-8141 | 296 | 59.20 | .09 |
| ² TP612XL025 | 9246-8142 | 306 | 61.20 | .09 |
| ² TP630XL025 | 9246-1139 | 315 | 63.00 | .09 |
| ² TP672XL025 | 9246-8143 | 336 | 67.20 | .10 |
| TP690XL025 | 9246-8147 | 345 | 69.00 | .10 |
| ² TP770XL025 | 9246-1140 | 385 | 77.00 | .12 |
| ² TP850XL025 | 9246-8145 | 425 | 85.00 | .14 |

1/5" Pitch (.200"/XL) — 3/8" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| ² TP126XL037 | 9246-1369 | 63 | 12.60 | .02 |
| TP128XL037 | 9246-1370 | 64 | 12.80 | .02 |
| TP130XL037 | 9246-1307 | 65 | 13.00 | .02 |
| ² TP132XL037 | 9246-1371 | 66 | 13.20 | .02 |
| ² TP134XL037 | 9246-1372 | 67 | 13.40 | .02 |
| ² TP136XL037 | 9246-1373 | 68 | 13.60 | .02 |
| ² TP138XL037 | 9246-1374 | 69 | 13.80 | .02 |
| TP140XL037 | 9246-1308 | 70 | 14.00 | .02 |
| ² TP142XL037 | 9246-1375 | 71 | 14.20 | .02 |
| ² TP144XL037 | 9246-1376 | 72 | 14.40 | .02 |
| TP146XL037 | 9246-1377 | 73 | 14.60 | .02 |
| ² TP148XL037 | 9246-1378 | 74 | 14.80 | .02 |
| TP150XL037 | 9246-1309 | 75 | 15.00 | .02 |
| ² TP152XL037 | 9246-1379 | 76 | 15.20 | .02 |
| TP156XL037 | 9246-1381 | 78 | 15.60 | .02 |
| ² TP158XL037 | 9246-1382 | 79 | 15.80 | .02 |
| TP160XL037 | 9246-1310 | 80 | 16.00 | .02 |
| ² TP162XL037 | 9246-1383 | 81 | 16.20 | .02 |
| ² TP166XL037 | 9246-1385 | 83 | 16.60 | .02 |
| ² TP168XL037 | 9246-1386 | 84 | 16.80 | .02 |
| TP170XL037 | 9246-1311 | 85 | 17.00 | .03 |
| ² TP172XL037 | 9246-1387 | 86 | 17.20 | .03 |
| ² TP174XL037 | 9246-1388 | 87 | 17.40 | .03 |
| TP176XL037 | 9246-1389 | 88 | 17.60 | .03 |
| ² TP178XL037 | 9246-1390 | 89 | 17.80 | .03 |
| TP180XL037 | 9246-1312 | 90 | 18.00 | .03 |
| TP182XL037 | 9246-1391 | 91 | 18.20 | .03 |
| ² TP184XL037 | 9246-1392 | 92 | 18.40 | .03 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| ² TP186XL037 | 9246-1393 | 93 | 18.60 | .03 |
| TP188XL037 | 9246-1394 | 94 | 18.80 | .04 |
| TP190XL037 | 9246-1313 | 95 | 19.00 | .04 |
| ² TP192XL037 | 9246-1395 | 96 | 19.20 | .04 |
| TP200XL037 | 9246-1314 | 100 | 20.00 | .04 |
| TP202XL037 | 9246-1397 | 101 | 20.20 | .04 |
| ² TP204XL037 | 9246-1398 | 102 | 20.40 | .04 |
| ² TP206XL037 | 9246-1399 | 103 | 20.60 | .04 |
| TP210XL037 | 9246-1315 | 105 | 21.00 | .04 |
| TP212XL037 | 9246-8300 | 106 | 21.20 | .04 |
| TP214XL037 | 9246-8301 | 107 | 21.40 | .04 |
| ² TP218XL037 | 9246-8302 | 109 | 21.80 | .04 |
| TP220XL037 | 9246-1316 | 110 | 22.00 | .04 |
| ² TP222XL037 | 9246-8303 | 111 | 22.20 | .04 |
| ² TP226XL037 | 9246-8304 | 113 | 22.60 | .04 |
| ² TP228XL037 | 9246-8305 | 114 | 22.80 | .04 |
| TP230XL037 | 9246-1317 | 115 | 23.00 | .04 |
| ² TP232XL037 | 9246-8306 | 116 | 23.20 | .04 |
| TP234XL037 | 9246-8307 | 117 | 23.40 | .05 |
| ² TP236XL037 | 9246-8308 | 118 | 23.60 | .05 |
| TP240XL037 | 9246-1318 | 120 | 24.00 | .05 |
| ² TP244XL037 | 9246-8309 | 122 | 24.40 | .05 |
| ² TP246XL037 | 9246-8310 | 123 | 24.60 | .05 |
| TP250XL037 | 9246-1319 | 125 | 25.00 | .05 |
| ² TP254XL037 | 9246-8311 | 127 | 25.40 | .05 |
| ² TP258XL037 | 9246-8312 | 129 | 25.80 | .05 |
| TP260XL037 | 9246-1320 | 130 | 26.00 | .05 |
| ² TP262XL037 | 9246-8313 | 131 | 26.20 | .05 |

² MTO Minimum Required. Check with Customer Service for availability.



TWIN POWER BELTS

**PowerGrip® Twin Power® Timing Belts****Product No. Series 9246 (continued)****1/5" Pitch (.200"/XL) — 3/8" Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| ² TP264XL037 | 9246-8314 | 132 | 26.40 | .05 |
| ² TP266XL037 | 9246-8315 | 133 | 26.60 | .05 |
| ² TP268XL037 | 9246-8316 | 134 | 26.80 | .05 |
| ² TP274XL037 | 9246-8317 | 137 | 27.40 | .05 |
| TP280XL037 | 9246-1322 | 140 | 28.00 | .05 |
| ² TP286XL037 | 9246-8318 | 143 | 28.60 | .05 |
| TP290XL037 | 9246-1323 | 145 | 29.00 | .06 |
| ² TP296XL037 | 9246-8319 | 148 | 29.60 | .06 |
| TP300XL037 | 9246-1324 | 150 | 30.00 | .06 |
| ² TP306XL037 | 9246-8320 | 153 | 30.60 | .06 |
| TP310XL037 | 9246-1325 | 155 | 31.00 | .06 |
| TP316XL037 | 9246-8321 | 158 | 31.60 | .06 |
| TP320XL037 | 9246-8322 | 160 | 32.00 | .06 |
| ² TP322XL037 | 9246-8323 | 161 | 32.20 | .06 |
| TP330XL037 | 9246-1326 | 165 | 33.00 | .06 |
| ² TP338XL037 | 9246-8324 | 169 | 33.80 | .06 |
| TP340XL037 | 9246-1328 | 170 | 34.00 | .06 |
| TP344XL037 | 9246-8325 | 172 | 34.40 | .06 |
| ² TP348XL037 | 9246-8326 | 174 | 34.80 | .06 |
| TP350XL037 | 9246-1327 | 175 | 35.00 | .06 |
| TP352XL037 | 9246-8346 | 176 | 35.20 | .06 |
| TP362XL037 | 9246-8327 | 181 | 36.20 | .06 |
| TP370XL037 | 9246-1329 | 185 | 37.00 | .07 |
| TP380XL037 | 9246-1330 | 190 | 38.00 | .07 |
| TP384XL037 | 9246-8328 | 192 | 38.40 | .07 |
| TP390XL037 | 9246-1331 | 195 | 39.00 | .07 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| ² TP400XL037 | 9246-1332 | 200 | 40.00 | .07 |
| ² TP412XL037 | 9246-8329 | 206 | 41.20 | .08 |
| TP420XL037 | 9246-1333 | 210 | 42.00 | .08 |
| ² TP424XL037 | 9246-8330 | 212 | 42.40 | .08 |
| ² TP432XL037 | 9246-8331 | 216 | 43.20 | .08 |
| ² TP438XL037 | 9246-8332 | 219 | 43.80 | .08 |
| ² TP444XL037 | 9246-8333 | 222 | 44.40 | .09 |
| TP450XL037 | 9246-1334 | 225 | 45.00 | .09 |
| TP454XL037 | 9246-8334 | 227 | 45.40 | .09 |
| TP460XL037 | 9246-1335 | 230 | 46.00 | .09 |
| ² TP468XL037 | 9246-8335 | 234 | 46.80 | .09 |
| ² TP480XL037 | 9246-1336 | 240 | 48.00 | .09 |
| TP492XL037 | 9246-8336 | 246 | 49.20 | .10 |
| TP498XL037 | 9246-8337 | 249 | 49.80 | .10 |
| ² TP500XL037 | 9246-1337 | 250 | 50.00 | .10 |
| ² TP506XL037 | 9246-8338 | 253 | 50.60 | .10 |
| ² TP524XL037 | 9246-8339 | 262 | 52.40 | .11 |
| ² TP570XL037 | 9246-1338 | 285 | 57.00 | .11 |
| ² TP580XL037 | 9246-8340 | 290 | 58.00 | .12 |
| ² TP592XL037 | 9246-8341 | 296 | 59.20 | .12 |
| ² TP612XL037 | 9246-8342 | 306 | 61.20 | .12 |
| ² TP630XL037 | 9246-1339 | 315 | 63.00 | .13 |
| ² TP672XL037 | 9246-8343 | 336 | 67.20 | .13 |
| TP690XL037 | 9246-8347 | 345 | 69.00 | .14 |
| ² TP770XL037 | 9246-1340 | 385 | 77.00 | .15 |
| ² TP850XL037 | 9246-8345 | 425 | 85.00 | .17 |

3/8" Pitch (.375"/L) — 1/2" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| TP150L050 | 9246-2101 | 40 | 15.00 | .05 |
| ² TP154L050 | 9246-2127 | 41 | 15.38 | .05 |
| ² TP158L050 | 9246-2128 | 42 | 15.75 | .05 |
| ² TP165L050 | 9246-2121 | 44 | 16.50 | .05 |
| TP173L050 | 9246-2129 | 46 | 17.25 | .06 |
| ² TP176L050 | 9246-7133 | 47 | 17.63 | .06 |
| TP187L050 | 9246-2102 | 50 | 18.75 | .06 |
| ² TP195L050 | 9246-2122 | 52 | 19.50 | .06 |
| ² TP199L050 | 9246-7134 | 53 | 19.88 | .06 |
| TP210L050 | 9246-2103 | 56 | 21.00 | .07 |
| TP218L050 | 9246-7136 | 58 | 21.75 | .07 |
| TP225L050 | 9246-2104 | 60 | 22.50 | .07 |
| TP240L050 | 9246-2105 | 64 | 24.00 | .07 |
| ² TP248L050 | 9246-7137 | 66 | 24.75 | .08 |
| TP255L050 | 9246-2106 | 68 | 25.50 | .08 |
| ² TP263L050 | 9246-7138 | 70 | 26.25 | .08 |
| TP270L050 | 9246-2107 | 72 | 27.00 | .08 |
| TP285L050 | 9246-2108 | 76 | 28.50 | .09 |
| TP300L050 | 9246-2109 | 80 | 30.00 | .09 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| ² TP315L050 | 9246-2123 | 84 | 31.50 | .10 |
| TP322L050 | 9246-2110 | 86 | 32.25 | .10 |
| TP345L050 | 9246-2111 | 92 | 34.50 | .10 |
| TP367L050 | 9246-2112 | 98 | 36.75 | .11 |
| ² TP375L050 | 9246-7139 | 100 | 37.50 | .11 |
| TP390L050 | 9246-2113 | 104 | 39.00 | .12 |
| TP420L050 | 9246-2114 | 112 | 42.00 | .13 |
| ² TP446L050 | 9246-7140 | 119 | 44.63 | .13 |
| TP450L050 | 9246-2115 | 120 | 45.00 | .14 |
| TP480L050 | 9246-2116 | 128 | 48.00 | .14 |
| TP510L050 | 9246-2117 | 136 | 51.00 | .15 |
| TP540L050 | 9246-2118 | 144 | 54.00 | .16 |
| ² TP566L050 | 9246-7141 | 151 | 56.63 | .17 |
| TP600L050 | 9246-2119 | 160 | 60.00 | .18 |
| TP660L050 | 9246-2120 | 176 | 66.00 | .20 |
| TP817L050 | 9246-2125 | 218 | 81.75 | .24 |
| ² TP900L050 | 9246-2126 | 240 | 90.00 | .26 |
| ² TP945L050 | 9246-7148 | 252 | 94.50 | .27 |

3/8" Pitch (.375"/L) — 3/4" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| TP150L075 | 9246-2201 | 40 | 15.00 | .08 |
| ² TP154L075 | 9246-2227 | 41 | 15.38 | .08 |
| ² TP158L075 | 9246-2228 | 42 | 15.75 | .08 |
| ² TP165L075 | 9246-2221 | 44 | 16.50 | .08 |
| TP173L075 | 9246-2229 | 46 | 17.25 | .09 |
| ² TP176L075 | 9246-7223 | 47 | 17.63 | .09 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| TP187L075 | 9246-2202 | 50 | 18.75 | .09 |
| ² TP195L075 | 9246-2222 | 52 | 19.50 | .10 |
| ² TP199L075 | 9246-7234 | 53 | 19.88 | .10 |
| TP210L075 | 9246-2203 | 56 | 21.00 | .10 |
| ² TP218L075 | 9246-7236 | 58 | 21.75 | .11 |
| TP225L075 | 9246-2204 | 60 | 22.50 | .11 |

2 MTO Minimum Required. Check with Customer Service for availability.



PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

3/8" Pitch (.375"/L) — 3/4" Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| TP240L075 | 9246-2205 | 64 | 24.00 | .12 |
| ² TP248L075 | 9246-7237 | 66 | 24.75 | .12 |
| TP255L075 | 9246-2206 | 68 | 25.50 | .12 |
| ² TP263L075 | 9246-7238 | 70 | 26.25 | .13 |
| TP270L075 | 9246-2207 | 72 | 27.00 | .13 |
| TP285L075 | 9246-2208 | 76 | 28.50 | .14 |
| TP300L075 | 9246-2209 | 80 | 30.00 | .14 |
| ² TP315L075 | 9246-2223 | 84 | 31.50 | .15 |
| TP322L075 | 9246-2210 | 86 | 32.25 | .15 |
| TP345L075 | 9246-2211 | 92 | 34.50 | .17 |
| TP367L075 | 9246-2212 | 98 | 36.75 | .18 |
| ² TP375L075 | 9246-7239 | 100 | 37.50 | .18 |
| TP390L075 | 9246-2213 | 104 | 39.00 | .19 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| TP420L075 | 9246-2214 | 112 | 42.00 | .20 |
| ² TP446L075 | 9246-7240 | 119 | 44.63 | .21 |
| TP450L075 | 9246-2215 | 120 | 45.00 | .21 |
| TP480L075 | 9246-2216 | 128 | 48.00 | .23 |
| TP510L075 | 9246-2217 | 136 | 51.00 | .24 |
| TP540L075 | 9246-2218 | 144 | 54.00 | .25 |
| ² TP566L075 | 9246-7241 | 151 | 56.63 | .27 |
| TP600L075 | 9246-2219 | 160 | 60.00 | .28 |
| TP660L075 | 9246-2220 | 176 | 66.00 | .31 |
| TP817L075 | 9246-2225 | 218 | 81.75 | .38 |
| ² TP900L075 | 9246-2226 | 240 | 90.00 | .42 |
| ² TP945L075 | 9246-7248 | 252 | 94.50 | .44 |

3/8" Pitch (.375"/L) — 1" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| TP150L100 | 9246-2301 | 40 | 15.00 | .02 |
| ² TP154L100 | 9246-2327 | 41 | 15.38 | .02 |
| ² TP158L100 | 9246-2328 | 42 | 15.75 | .03 |
| ² TP165L100 | 9246-2321 | 44 | 16.50 | .04 |
| TP173L100 | 9246-2329 | 46 | 17.25 | .05 |
| ² TP176L100 | 9246-7333 | 47 | 17.63 | .07 |
| TP187L100 | 9246-2302 | 50 | 18.75 | .08 |
| ² TP195L100 | 9246-2322 | 52 | 19.50 | .10 |
| ² TP199L100 | 9246-7334 | 53 | 19.88 | .10 |
| TP210L100 | 9246-2303 | 56 | 21.00 | .12 |
| ² TP218L100 | 9246-7336 | 58 | 21.75 | .13 |
| TP225L100 | 9246-2304 | 60 | 22.50 | .15 |
| TP240L100 | 9246-2305 | 64 | 24.00 | .16 |
| ² TP248L100 | 9246-7337 | 66 | 24.75 | .17 |
| TP255L100 | 9246-2306 | 68 | 25.50 | .18 |
| ² TP263L100 | 9246-7338 | 70 | 26.25 | .20 |
| TP270L100 | 9246-2307 | 72 | 27.00 | .20 |
| TP285L100 | 9246-2308 | 76 | 28.50 | .22 |
| TP300L100 | 9246-2309 | 80 | 30.00 | .23 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| ² TP315L100 | 9246-2323 | 84 | 31.50 | .24 |
| TP322L100 | 9246-2310 | 86 | 32.25 | .25 |
| TP345L100 | 9246-2311 | 92 | 34.50 | .26 |
| TP367L100 | 9246-2312 | 98 | 36.75 | .27 |
| ² TP375L100 | 9246-7339 | 100 | 37.50 | .28 |
| TP390L100 | 9246-2313 | 104 | 39.00 | .29 |
| TP420L100 | 9246-2314 | 112 | 42.00 | .30 |
| ² TP446L100 | 9246-7340 | 119 | 44.63 | .31 |
| TP450L100 | 9246-2315 | 120 | 45.00 | .32 |
| TP480L100 | 9246-2316 | 128 | 48.00 | .33 |
| TP510L100 | 9246-2317 | 136 | 51.00 | .34 |
| TP540L100 | 9246-2318 | 144 | 54.00 | .35 |
| ² TP566L100 | 9246-7341 | 151 | 56.63 | .36 |
| TP600L100 | 9246-2319 | 160 | 60.00 | .39 |
| TP660L100 | 9246-2320 | 176 | 66.00 | .41 |
| TP817L100 | 9246-2325 | 218 | 81.75 | .44 |
| TP900L100 | 9246-2326 | 240 | 90.00 | .45 |
| ² TP945L100 | 9246-7348 | 252 | 94.50 | .47 |

1/2" Pitch (.500"/H) — 3/4" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| ² TP210H075 | 9246-3125 | 42 | 21.00 | .15 |
| ² TP220H075 | 9246-3126 | 44 | 22.00 | .16 |
| ² TP225H075 | 9246-3145 | 45 | 22.50 | .16 |
| ² TP230H075 | 9246-3127 | 46 | 23.00 | .16 |
| TP240H075 | 9246-3100 | 48 | 24.00 | .17 |
| TP270H075 | 9246-3101 | 54 | 27.00 | .17 |
| TP300H075 | 9246-3102 | 60 | 30.00 | .18 |
| ² TP310H075 | 9246-3103 | 62 | 31.00 | .18 |
| ² TP315H075 | 9246-3147 | 63 | 31.50 | .18 |
| ² TP320H075 | 9246-3128 | 64 | 32.00 | .18 |
| TP330H075 | 9246-3124 | 66 | 33.00 | .19 |
| ² TP340H075 | 9246-3129 | 68 | 34.00 | .19 |
| ² TP350H075 | 9246-3130 | 70 | 35.00 | .20 |
| TP360H075 | 9246-3104 | 72 | 36.00 | .20 |
| ² TP370H075 | 9246-3131 | 74 | 37.00 | .21 |
| TP390H075 | 9246-3105 | 78 | 39.00 | .22 |
| ² TP400H075 | 9246-3132 | 80 | 40.00 | .22 |
| ² TP410H075 | 9246-3133 | 82 | 41.00 | .22 |
| ² TP415H075 | 9246-3148 | 83 | 41.50 | .22 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| TP420H075 | 9246-3106 | 84 | 42.00 | .22 |
| ² TP445H075 | 9246-3149 | 89 | 44.50 | .23 |
| TP450H075 | 9246-3107 | 90 | 45.00 | .23 |
| ² TP455H075 | 9246-8150 | 91 | 45.50 | .24 |
| ² TP465H075 | 9246-8151 | 93 | 46.50 | .25 |
| TP480H075 | 9246-3108 | 96 | 48.00 | .25 |
| ² TP490H075 | 9246-3134 | 98 | 49.00 | .25 |
| ² TP495H075 | 9246-8152 | 99 | 49.50 | .26 |
| TP510H075 | 9246-3109 | 102 | 51.00 | .25 |
| TP525H075 | 9246-8153 | 105 | 52.50 | .26 |
| TP540H075 | 9246-3110 | 108 | 54.00 | .27 |
| ² TP555H075 | 9246-8154 | 111 | 55.50 | .28 |
| TP560H075 | 9246-3135 | 112 | 56.00 | .28 |
| TP570H075 | 9246-3111 | 114 | 57.00 | .28 |
| ² TP585H075 | 9246-3136 | 117 | 58.50 | .28 |
| TP600H075 | 9246-3112 | 120 | 60.00 | .29 |
| ² TP605H075 | 9246-8155 | 121 | 60.50 | .29 |
| TP630H075 | 9246-3113 | 126 | 63.00 | .30 |
| ² TP645H075 | 9246-3137 | 129 | 64.50 | .31 |

² MTO Minimum Required. Check with Customer Service for availability.



TWIN POWER BELTS

**PowerGrip® Twin Power® Timing Belts****Product No. Series 9246 (continued)****1/2" Pitch (.500"/H) — 3/4" Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| ² TP655H075 | 9246-8156 | 131 | 65.50 | .31 |
| TP660H075 | 9246-3114 | 132 | 66.00 | .31 |
| TP700H075 | 9246-3115 | 140 | 70.00 | .33 |
| ² TP730H075 | 9246-3138 | 146 | 73.00 | .34 |
| TP750H075 | 9246-3116 | 150 | 75.00 | .35 |
| ² TP775H075 | 9246-8158 | 155 | 77.50 | .35 |
| ² TP780H075 | 9246-3139 | 156 | 78.00 | .36 |
| TP800H075 | 9246-3117 | 160 | 80.00 | .35 |
| ² TP820H075 | 9246-3140 | 164 | 82.00 | .37 |
| ² TP840H075 | 9246-3141 | 168 | 84.00 | .38 |
| TP850H075 | 9246-3118 | 170 | 85.00 | .38 |
| TP900H075 | 9246-3119 | 180 | 90.00 | .40 |
| ² TP960H075 | 9246-3142 | 192 | 96.00 | .42 |
| TP1000H075 | 9246-3120 | 200 | 100.00 | .44 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| TP1100H075 | 9246-3121 | 220 | 110.00 | .48 |
| TP1140H075 | 9246-3143 | 228 | 114.00 | .49 |
| ² TP1180H075 | 9246-8161 | 236 | 118.00 | .50 |
| TP1250H075 | 9246-3122 | 250 | 125.00 | .54 |
| TP1400H075 | 9246-3123 | 280 | 140.00 | .58 |
| ² TP1510H075 | 9246-8165 | 302 | 151.00 | .63 |
| ² TP1550H075 | 9246-3144 | 310 | 155.00 | .64 |
| TP1645H075 | 9246-8166 | 329 | 164.50 | .68 |
| ² TP1680H075 | 9246-8167 | 336 | 168.00 | .69 |
| TP1700H075 | 9246-3146 | 340 | 170.00 | .70 |
| ² TP2090H075 | 9246-8168 | 418 | 209.00 | .83 |
| ² TP2100H075 | 9246-8169 | 420 | 210.00 | .84 |
| ² TP2120H075 | 9246-8170 | 424 | 212.00 | .85 |
| ² TP2330H075 | 9246-8171 | 466 | 233.00 | .92 |

1/2" Pitch (.500"/H) — 1" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| ² TP210H100 | 9246-3225 | 42 | 21.00 | .15 |
| ² TP220H100 | 9246-3226 | 44 | 22.00 | .16 |
| ² TP225H100 | 9246-3245 | 45 | 22.50 | .16 |
| ² TP230H100 | 9246-3227 | 46 | 23.00 | .17 |
| TP240H100 | 9246-3200 | 48 | 24.00 | .17 |
| TP270H100 | 9246-3201 | 54 | 27.00 | .18 |
| TP300H100 | 9246-3202 | 60 | 30.00 | .20 |
| ² TP315H100 | 9246-3247 | 63 | 31.50 | .23 |
| ² TP320H100 | 9246-3228 | 64 | 32.00 | .22 |
| TP330H100 | 9246-3224 | 66 | 33.00 | .23 |
| ² TP340H100 | 9246-3229 | 68 | 34.00 | .24 |
| ² TP350H100 | 9246-3230 | 70 | 35.00 | .25 |
| TP360H100 | 9246-3204 | 72 | 36.00 | .25 |
| ² TP370H100 | 9246-3231 | 74 | 37.00 | .26 |
| TP390H100 | 9246-3205 | 78 | 39.00 | .27 |
| TP400H100 | 9246-3232 | 80 | 40.00 | .28 |
| ² TP410H100 | 9246-3233 | 82 | 41.00 | .28 |
| ² TP415H100 | 9246-3248 | 83 | 41.50 | .29 |
| TP420H100 | 9246-3206 | 84 | 42.00 | .30 |
| TP445H100 | 9246-3249 | 89 | 44.50 | .32 |
| TP450H100 | 9246-3207 | 90 | 45.00 | .32 |
| ² TP455H100 | 9246-8250 | 91 | 45.50 | .32 |
| ² TP465H100 | 9246-8251 | 93 | 46.50 | .32 |
| TP480H100 | 9246-3208 | 96 | 48.00 | .33 |
| TP490H100 | 9246-3234 | 98 | 49.00 | .34 |
| ² TP495H100 | 9246-8252 | 99 | 49.50 | .34 |
| TP510H100 | 9246-3209 | 102 | 51.00 | .36 |
| ² TP525H100 | 9246-8253 | 105 | 52.50 | .36 |
| TP540H100 | 9246-3210 | 108 | 54.00 | .37 |
| TP555H100 | 9246-8254 | 111 | 55.50 | .38 |
| TP560H100 | 9246-3235 | 112 | 56.00 | .38 |
| TP570H100 | 9246-3211 | 114 | 57.00 | .39 |
| ² TP585H100 | 9246-3236 | 117 | 58.50 | .41 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| TP600H100 | 9246-3212 | 120 | 60.00 | .41 |
| ² TP605H100 | 9246-8255 | 121 | 60.50 | .42 |
| TP630H100 | 9246-3213 | 126 | 63.00 | .45 |
| TP645H100 | 9246-3237 | 129 | 64.50 | .45 |
| ² TP655H100 | 9246-8256 | 131 | 65.50 | .46 |
| TP660H100 | 9246-3214 | 132 | 66.00 | .46 |
| TP700H100 | 9246-3215 | 140 | 70.00 | .47 |
| TP730H100 | 9246-3238 | 146 | 73.00 | .50 |
| TP750H100 | 9246-3216 | 150 | 75.00 | .52 |
| ² TP775H100 | 9246-8258 | 155 | 77.50 | .53 |
| TP780H100 | 9246-3239 | 156 | 78.00 | .54 |
| TP800H100 | 9246-3217 | 160 | 80.00 | .55 |
| TP820H100 | 9246-3240 | 164 | 82.00 | .56 |
| ² TP840H100 | 9246-3241 | 168 | 84.00 | .58 |
| TP850H100 | 9246-3218 | 170 | 85.00 | .58 |
| TP900H100 | 9246-3219 | 180 | 90.00 | .62 |
| ² TP960H100 | 9246-3242 | 192 | 96.00 | .66 |
| TP1000H100 | 9246-3220 | 200 | 100.00 | .68 |
| TP1100H100 | 9246-3221 | 220 | 110.00 | .75 |
| TP1140H100 | 9246-3243 | 228 | 114.00 | .77 |
| TP1180H100 | 9246-8261 | 236 | 118.00 | .80 |
| TP1250H100 | 9246-3222 | 250 | 125.00 | .85 |
| TP1400H100 | 9246-3223 | 280 | 140.00 | .95 |
| ² TP1510H100 | 9246-8265 | 302 | 151.00 | 1.03 |
| ² TP1550H100 | 9246-3244 | 310 | 155.00 | 1.05 |
| TP1645H100 | 9246-8266 | 329 | 164.50 | 1.12 |
| ² TP1680H100 | 9246-8267 | 336 | 168.00 | 1.15 |
| TP1700H100 | 9246-3246 | 340 | 170.00 | 1.16 |
| ² TP2090H100 | 9246-8268 | 418 | 209.00 | 1.40 |
| ² TP2100H100 | 9246-8269 | 420 | 210.00 | 1.42 |
| ² TP2120H100 | 9246-8270 | 424 | 212.00 | 1.45 |
| ² TP2330H100 | 9246-8271 | 466 | 233.00 | 1.60 |

1/2" Pitch (.500"/H) — 1 1/2" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| ² TP210H150 | 9246-3325 | 42 | 21.00 | .33 |
| ² TP220H150 | 9246-3326 | 44 | 22.00 | .35 |
| ² TP225H150 | 9246-3345 | 45 | 22.50 | .36 |
| ² TP230H150 | 9246-3327 | 46 | 23.00 | .37 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| TP240H150 | 9246-3300 | 48 | 24.00 | .38 |
| TP270H150 | 9246-3301 | 54 | 27.00 | .40 |
| TP300H150 | 9246-3302 | 60 | 30.00 | .42 |
| ² TP310H150 | 9246-3303 | 62 | 31.00 | .43 |

² MTO Minimum Required. Check with Customer Service for availability.

PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

1/2" Pitch (.500"/H) — 1 1/2" Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| ² TP315H150 | 9246-3347 | 63 | 31.50 | .43 |
| ² TP320H150 | 9246-3328 | 64 | 32.00 | .44 |
| TP330H150 | 9246-3324 | 66 | 33.00 | .45 |
| ² TP340H150 | 9246-3329 | 68 | 34.00 | .46 |
| ² TP350H150 | 9246-3330 | 70 | 35.00 | .46 |
| TP360H150 | 9246-3304 | 72 | 36.00 | .47 |
| ² TP370H150 | 9246-3331 | 74 | 37.00 | .47 |
| TP390H150 | 9246-3305 | 78 | 39.00 | .50 |
| ² TP400H150 | 9246-3332 | 80 | 40.00 | .51 |
| ² TP410H150 | 9246-3333 | 82 | 41.00 | .53 |
| ² TP415H150 | 9246-3348 | 83 | 41.50 | .53 |
| TP420H150 | 9246-3306 | 84 | 42.00 | .54 |
| ² TP445H150 | 9246-3349 | 89 | 44.50 | .55 |
| TP450H150 | 9246-3307 | 90 | 45.00 | .56 |
| ² TP455H150 | 9246-8350 | 91 | 45.50 | .56 |
| ² TP465H150 | 9246-8351 | 93 | 46.50 | .56 |
| TP480H150 | 9246-3308 | 96 | 48.00 | .58 |
| ² TP490H150 | 9246-3334 | 98 | 49.00 | .61 |
| ² TP495H150 | 9246-8352 | 99 | 49.50 | .60 |
| TP510H150 | 9246-3309 | 102 | 51.00 | .62 |
| ² TP525H150 | 9246-8353 | 105 | 52.50 | .63 |
| TP540H150 | 9246-3310 | 108 | 54.00 | .65 |
| ² TP555H150 | 9246-8354 | 111 | 55.50 | .66 |
| TP560H150 | 9246-3335 | 112 | 56.00 | .66 |
| TP570H150 | 9246-3311 | 114 | 57.00 | .68 |
| ² TP585H150 | 9246-3336 | 117 | 58.50 | .68 |
| TP600H150 | 9246-3312 | 120 | 60.00 | .74 |
| ² TP605H150 | 9246-8355 | 121 | 60.50 | .71 |
| TP630H150 | 9246-3313 | 126 | 63.00 | .73 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| ² TP645H150 | 9246-3337 | 129 | 64.50 | .74 |
| ² TP655H150 | 9246-8356 | 131 | 65.50 | .74 |
| TP660H150 | 9246-3314 | 132 | 66.00 | .76 |
| TP700H150 | 9246-3315 | 140 | 70.00 | .80 |
| ² TP730H150 | 9246-3338 | 146 | 73.00 | .83 |
| TP750H150 | 9246-3316 | 150 | 75.00 | .84 |
| ² TP775H150 | 9246-8358 | 155 | 77.50 | .86 |
| ² TP780H150 | 9246-3339 | 156 | 78.00 | .86 |
| TP800H150 | 9246-3317 | 160 | 80.00 | .89 |
| ² TP820H150 | 9246-3340 | 164 | 82.00 | .90 |
| ² TP840H150 | 9246-3341 | 168 | 84.00 | .95 |
| TP850H150 | 9246-3318 | 170 | 85.00 | .95 |
| TP900H150 | 9246-3319 | 180 | 90.00 | .97 |
| ² TP960H150 | 9246-3342 | 192 | 96.00 | 1.04 |
| TP1000H150 | 9246-3320 | 200 | 100.00 | 1.08 |
| TP1100H150 | 9246-3321 | 220 | 110.00 | 1.14 |
| TP1140H150 | 9246-3343 | 228 | 114.00 | 1.20 |
| ² TP1180H150 | 9246-8361 | 236 | 118.00 | 1.25 |
| TP1250H150 | 9246-3322 | 250 | 125.00 | 1.30 |
| TP1400H150 | 9246-3323 | 280 | 140.00 | 1.45 |
| ² TP1510H150 | 9246-8365 | 302 | 151.00 | 1.53 |
| ² TP1550H150 | 9246-3344 | 310 | 155.00 | 1.58 |
| TP1645H150 | 9246-8366 | 329 | 164.50 | 1.68 |
| ² TP1680H150 | 9246-8367 | 336 | 168.00 | 1.70 |
| TP1700H150 | 9246-3346 | 340 | 170.00 | 1.72 |
| ² TP2090H150 | 9246-8368 | 418 | 209.00 | 1.55 |
| ² TP2100H150 | 9246-8369 | 420 | 210.00 | 2.10 |
| ² TP2120H150 | 9246-8370 | 424 | 212.00 | 2.12 |
| TP2330H150 | 9246-8371 | 466 | 233.00 | 2.30 |

1/2" Pitch (.500"/H) — 2" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| ² TP210H200 | 9246-3425 | 42 | 21.00 | .43 |
| ² TP220H200 | 9246-3426 | 44 | 22.00 | .45 |
| ² TP225H200 | 9246-3445 | 45 | 22.50 | .46 |
| ² TP230H200 | 9246-3427 | 46 | 23.00 | .47 |
| TP240H200 | 9246-3400 | 48 | 24.00 | .49 |
| TP270H200 | 9246-3401 | 54 | 27.00 | .57 |
| TP300H200 | 9246-3402 | 60 | 30.00 | .61 |
| ² TP310H200 | 9246-3403 | 62 | 31.00 | .63 |
| ² TP315H200 | 9246-3447 | 63 | 31.50 | .64 |
| ² TP320H200 | 9246-3428 | 64 | 32.00 | .66 |
| TP330H200 | 9246-3424 | 66 | 33.00 | .68 |
| ² TP340H200 | 9246-3429 | 68 | 34.00 | .69 |
| ² TP350H200 | 9246-3430 | 70 | 35.00 | .70 |
| TP360H200 | 9246-3404 | 72 | 36.00 | .72 |
| ² TP370H200 | 9246-3431 | 74 | 37.00 | .75 |
| TP390H200 | 9246-3405 | 78 | 39.00 | .79 |
| ² TP400H200 | 9246-3432 | 80 | 40.00 | .80 |
| ² TP410H200 | 9246-3433 | 82 | 41.00 | .83 |
| ² TP415H200 | 9246-3448 | 83 | 41.50 | .84 |
| TP420H200 | 9246-3406 | 84 | 42.00 | .85 |
| ² TP445H200 | 9246-3449 | 89 | 44.50 | .90 |
| TP450H200 | 9246-3407 | 90 | 45.00 | .91 |
| ² TP455H200 | 9246-8450 | 91 | 45.50 | .92 |
| ² TP465H200 | 9246-8451 | 93 | 46.50 | .94 |
| TP480H200 | 9246-3408 | 96 | 48.00 | .98 |
| ² TP490H200 | 9246-3434 | 98 | 49.00 | .99 |
| ² TP495H200 | 9246-8452 | 99 | 49.50 | 1.00 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| TP510H200 | 9246-3409 | 102 | 51.00 | 1.00 |
| ² TP525H200 | 9246-8453 | 105 | 52.50 | 1.06 |
| TP540H200 | 9246-3410 | 108 | 54.00 | 1.09 |
| ² TP555H200 | 9246-8454 | 111 | 55.50 | 1.12 |
| TP560H200 | 9246-3435 | 112 | 56.00 | 1.13 |
| TP570H200 | 9246-3411 | 114 | 57.00 | 1.16 |
| ² TP585H200 | 9246-3436 | 117 | 58.50 | 1.18 |
| TP600H200 | 9246-3412 | 120 | 60.00 | 1.21 |
| ² TP605H200 | 9246-8455 | 121 | 60.50 | 1.22 |
| TP630H200 | 9246-3413 | 126 | 63.00 | 1.27 |
| ² TP645H200 | 9246-3437 | 129 | 64.50 | 1.29 |
| ² TP655H200 | 9246-8456 | 131 | 65.50 | 1.32 |
| TP660H200 | 9246-3414 | 132 | 66.00 | 1.33 |
| TP700H200 | 9246-3415 | 140 | 70.00 | 1.40 |
| TP730H200 | 9246-3438 | 146 | 73.00 | 1.47 |
| TP750H200 | 9246-3416 | 150 | 75.00 | 1.52 |
| ² TP775H200 | 9246-8458 | 155 | 77.50 | 1.56 |
| ² TP780H200 | 9246-3439 | 156 | 78.00 | 1.57 |
| TP800H200 | 9246-3417 | 160 | 80.00 | 1.62 |
| ² TP820H200 | 9246-3440 | 164 | 82.00 | 1.65 |
| ² TP840H200 | 9246-3441 | 168 | 84.00 | 1.69 |
| TP850H200 | 9246-3418 | 170 | 85.00 | 1.72 |
| TP900H200 | 9246-3419 | 180 | 90.00 | 1.82 |
| ² TP960H200 | 9246-3442 | 192 | 96.00 | 1.94 |
| TP1000H200 | 9246-3420 | 200 | 100.00 | 2.00 |
| TP1100H200 | 9246-3421 | 220 | 110.00 | 2.20 |
| TP1140H200 | 9246-3443 | 228 | 114.00 | 2.30 |

² MTO Minimum Required. Check with Customer Service for availability.



TWIN POWER BELTS

**PowerGrip® Twin Power® Timing Belts****Product No. Series 9246 (continued)****1/2" Pitch (.500"/H) — 2" Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| ² TP1180H200 | 9246-8461 | 236 | 118.00 | 2.38 |
| TP1250H200 | 9246-3422 | 250 | 125.00 | 2.52 |
| TP1400H200 | 9246-3423 | 280 | 140.00 | 2.82 |
| ² TP1510H200 | 9246-8465 | 302 | 151.00 | 3.04 |
| TP1550H200 | 9246-3444 | 310 | 155.00 | 3.12 |
| TP1645H200 | 9246-8466 | 329 | 164.50 | 3.31 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| ² TP1680H200 | 9246-8467 | 336 | 168.00 | 3.38 |
| TP1700H200 | 9246-3446 | 340 | 170.00 | 3.42 |
| ² TP2090H200 | 9246-8468 | 418 | 209.00 | 4.20 |
| ² TP2100H200 | 9246-8469 | 420 | 210.00 | 4.22 |
| ² TP2120H200 | 9246-8470 | 424 | 212.00 | 4.26 |
| ² TP2330H200 | 9246-8471 | 466 | 233.00 | 4.68 |

1/2" Pitch (.500"/H) — 3" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|--------------|--------------------|----------------|
| ² TP210H300 | 9246-3525 | 42 | 21.00 | .66 |
| ² TP220H300 | 9246-3526 | 44 | 22.00 | .69 |
| ² TP225H300 | 9246-3545 | 45 | 22.50 | .71 |
| ² TP230H300 | 9246-3527 | 46 | 23.00 | .73 |
| TP240H300 | 9246-3500 | 48 | 24.00 | .75 |
| TP270H300 | 9246-3501 | 54 | 27.00 | .82 |
| TP300H300 | 9246-3502 | 60 | 30.00 | .91 |
| ² TP310H300 | 9246-3503 | 62 | 31.00 | .94 |
| ² TP315H300 | 9246-3547 | 63 | 31.50 | .95 |
| ² TP320H300 | 9246-3528 | 64 | 32.00 | .96 |
| TP330H300 | 9246-3524 | 66 | 33.00 | .98 |
| ² TP340H300 | 9246-3529 | 68 | 34.00 | 1.01 |
| ² TP350H300 | 9246-3530 | 70 | 35.00 | 1.04 |
| TP360H300 | 9246-3504 | 72 | 36.00 | 1.09 |
| ² TP370H300 | 9246-3531 | 74 | 37.00 | 1.14 |
| TP390H300 | 9246-3505 | 78 | 39.00 | 1.18 |
| ² TP400H300 | 9246-3532 | 80 | 40.00 | 1.23 |
| ² TP410H300 | 9246-3533 | 82 | 41.00 | 1.25 |
| ² TP415H300 | 9246-3548 | 83 | 41.50 | 1.26 |
| TP420H300 | 9246-3506 | 84 | 42.00 | 1.27 |
| ² TP445H300 | 9246-3549 | 89 | 44.50 | 1.36 |
| TP450H300 | 9246-3507 | 90 | 45.00 | 1.37 |
| ² TP455H300 | 9246-8550 | 91 | 45.50 | 1.39 |
| ² TP465H300 | 9246-8551 | 93 | 46.50 | 1.42 |
| TP480H300 | 9246-3508 | 96 | 48.00 | 1.46 |
| ² TP490H300 | 9246-3534 | 98 | 49.00 | 1.48 |
| ² TP495H300 | 9246-8552 | 99 | 49.50 | 1.49 |
| TP510H300 | 9246-3509 | 102 | 51.00 | 1.55 |
| ² TP525H300 | 9246-8553 | 105 | 52.50 | 1.60 |
| TP540H300 | 9246-3510 | 108 | 54.00 | 1.64 |
| ² TP555H300 | 9246-8554 | 111 | 55.50 | 1.68 |
| TP560H300 | 9246-3535 | 112 | 56.00 | 1.70 |
| TP570H300 | 9246-3511 | 114 | 57.00 | 1.73 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|--------------|--------------------|----------------|
| ² TP585H300 | 9246-3536 | 117 | 58.50 | 1.77 |
| TP600H300 | 9246-3512 | 120 | 60.00 | 1.80 |
| ² TP605H300 | 9246-8555 | 121 | 60.50 | 1.84 |
| TP630H300 | 9246-3513 | 126 | 63.00 | 1.91 |
| ² TP645H300 | 9246-3537 | 129 | 64.50 | 1.95 |
| ² TP655H300 | 9246-8556 | 131 | 65.50 | 1.97 |
| TP660H300 | 9246-3514 | 132 | 66.00 | 2.00 |
| TP700H300 | 9246-3515 | 140 | 70.00 | 2.13 |
| TP730H300 | 9246-3538 | 146 | 73.00 | 2.23 |
| TP750H300 | 9246-3516 | 150 | 75.00 | 2.30 |
| ² TP775H300 | 9246-8558 | 155 | 77.50 | 2.36 |
| ² TP780H300 | 9246-3539 | 156 | 78.00 | 2.38 |
| TP800H300 | 9246-3517 | 160 | 80.00 | 2.43 |
| ² TP820H300 | 9246-3540 | 164 | 82.00 | 2.49 |
| TP840H300 | 9246-3541 | 168 | 84.00 | 2.54 |
| TP850H300 | 9246-3518 | 170 | 85.00 | 2.59 |
| TP900H300 | 9246-3519 | 180 | 90.00 | 2.73 |
| TP960H300 | 9246-3542 | 192 | 96.00 | 2.94 |
| TP1000H300 | 9246-3520 | 200 | 100.00 | 3.06 |
| TP1100H300 | 9246-3521 | 220 | 110.00 | 3.34 |
| TP1140H300 | 9246-3543 | 228 | 114.00 | 3.45 |
| ² TP1180H300 | 9246-8561 | 236 | 118.00 | 3.63 |
| TP1250H300 | 9246-3522 | 250 | 125.00 | 3.80 |
| TP1400H300 | 9246-3523 | 280 | 140.00 | 4.26 |
| ² TP1510H300 | 9246-8565 | 302 | 151.00 | 4.59 |
| ² TP1550H300 | 9246-3544 | 310 | 155.00 | 4.71 |
| TP1645H300 | 9246-8566 | 329 | 164.50 | 5.00 |
| ² TP1680H300 | 9246-8567 | 336 | 168.00 | 5.11 |
| TP1700H300 | 9246-3546 | 340 | 170.00 | 5.16 |
| TP2090H300 | 9246-8568 | 418 | 209.00 | 6.34 |
| ² TP2100H300 | 9246-8569 | 420 | 210.00 | 6.37 |
| ² TP2120H300 | 9246-8570 | 424 | 212.00 | 6.46 |
| ² TP2330H300 | 9246-8571 | 466 | 233.00 | 7.07 |

TWIN POWER BELTS

² MTO Minimum Required. Check with Customer Service for availability.

Long-Length Poly Chain® GT® Carbon™ Belting

An innovative construction combined with the Gates tooth profile makes Poly Chain® GT® Carbon™ Gates most powerful synchronous belt. Compact and lightweight, Poly Chain® GT® Carbon™ belt drives deliver more power in less space.

Markets/Applications

Long length Poly Chain® GT® Carbon™ belting is a cost effective, low maintenance drive alternative that is well suited for linear movement, positioning and conveying applications.

Features/Advantages

- Gates **patented curvilinear tooth profile** provides excellent positioning characteristics, noise reduction, high shear strength, and improved load carrying capacity.
- Robust **carbon tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth** facing reduces friction and eliminates the need for lubrication.
- Eliminates lubrication and re-tensioning reduce maintenance and labor as compared to roller chain drives.
- Fully operational in temperature extremes of -65°F to +185°F (-54°C to +85°C).

Recommended Sprockets


Poly Chain® GT®2 Sprockets

Notes

Minimum order length for Poly Chain® GT® Carbon™ belting is 50 feet, ordered in 50 foot increments thereafter. Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum order quantity. Continuous lengths may require lead times.

Poly Chain® GT® Carbon™ belting can be used on existing drives as replacement for Poly Chain® GT® belting.

Minimum order quantities may vary for non-standard widths. Check with Customer Service.



Product No. Series 9302

8mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|------------|-------------|------------|-----------------|---------------|-------------------|
| LL8MGT-012 | 9302-1000 | 12 | .04 | 50 ft. | 900 ft. |
| LL8MGT-021 | 9302-1100 | 21 | .07 | 50 ft. | 504 ft. |
| LL8MGT-036 | 9302-1200 | 36 | .11 | 50 ft. | 298 ft. |

14mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|-------------|-------------|------------|-----------------|---------------|-------------------|
| LL14MGT-020 | 9302-1300 | 20 | .11 | 50 ft. | 522 ft. |
| LL14MGT-037 | 9302-1400 | 37 | .19 | 50 ft. | 298 ft. |

LONG-LENGTH BELTING





Long-Length PowerGrip® GT[®]2 Belting

Long length PowerGrip GT2 belting is a cost effective, low maintenance drive alternative.

Markets/Applications

Well suited for linear movement, positioning and conveying applications.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation. Steel tensile cord is available in some belt types for added length stability.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- The PowerGrip GT2 **belt tooth** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip GT2 has more tooth ratchet resistance than HTD[®].
- Eliminates lubrication and re-tensioning reduce maintenance and labor as compared to roller chain drives.
- PowerGrip GT2 belt/sprocket combinations match or exceed the positional accuracy of PowerGrip Timing belt/pulley systems.
- Fully operational in temperature extremes of -35°F to +180°F (-34°C to +82°C).



Recommended Sprockets

PowerGrip GT2 Sprockets

Notes

Minimum order lengths for belting is 50 feet, ordered in 50 foot increments thereafter.

Minimum order lengths for some belting is 98 feet, ordered in 98 foot increments thereafter.

Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum order quantity (unless ordering the maximum continuous lengths).

Minimum order quantities may vary for non-standard widths. Continuous lengths may require lead times. Check with Customer Service.

Product No. Series 9396

2mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------|-------------|------------|-----------------|---------------|-------------------|
| LL2MR04 | 9396-0033 | 4 | .01 | 50 ft. | 300 ft. |
| LL2MR06 | 9396-0009 | 6 | .01 | 50 ft. | 300 ft. |
| LL2MR09 | 9396-0052 | 9 | .02 | 50 ft. | 300 ft. |

8mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------|-------------|------------|-----------------|---------------|-------------------|
| LL8MR20 | 9396-0029 | 20 | .08 | 98 ft. | 590 ft. |
| LL8MR30 | 9396-0030 | 30 | .13 | 98 ft. | 590 ft. |
| LL8MR50 | 9396-0031 | 50 | .21 | 98 ft. | 590 ft. |
| LL8MR85 | 9396-0032 | 85 | .36 | 98 ft. | 590 ft. |

3mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------|-------------|------------|-----------------|---------------|-------------------|
| LL3MR06 | 9396-0002 | 6 | .02 | 50 ft. | 600 ft. |
| LL3MR09 | 9396-0012 | 9 | .02 | 50 ft. | 385 ft. |
| LL3MR15 | 9396-0021 | 15 | .04 | 50 ft. | 240 ft. |

Steel Tensile — 5mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|------------|-------------|------------|-----------------|---------------|-------------------|
| LL5MR15 ST | 9396-10043 | 15 | .18 | 98 ft. | 392 ft. |
| LL5MR25 ST | 9396-40417 | 25 | .23 | 98 ft. | 392 ft. |

5mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------|-------------|------------|-----------------|---------------|-------------------|
| LL5MR09 | 9396-0020 | 9 | .03 | 50 ft. | 360 ft. |
| LL5MR15 | 9396-0025 | 15 | .04 | 50 ft. | 230 ft. |

Steel Tensile — 8mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|------------|-------------|------------|-----------------|---------------|-------------------|
| LL8MR20 ST | 9396-10049 | 20 | .29 | 98 ft. | 392 ft. |
| LL8MR30 ST | 9396-10050 | 30 | .37 | 98 ft. | 392 ft. |
| LL8MR50 ST | 9396-40433 | 50 | .53 | 98 ft. | 392 ft. |

LONG-LENGTH BELTING



Long-Length PowerGrip® HTD® Belting

PowerGrip HTD belts have a larger, more robust tooth profile for increased capacity, as compared to timing belts.

Markets/Applications

Long length PowerGrip HTD belting is a cost effective, low maintenance drive alternative that is well suited for linear movement, positing and conveying applications.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation. Steel tensile cord is available in some belt types for added length stability.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.



Recommended Sprockets

PowerGrip HTD Sprockets

Notes

Minimum order lengths for fiberglass tensile cord belting is 50 feet, ordered in 50 foot increments thereafter.

Minimum order lengths for steel tensile belting is 98 feet, ordered in 98 foot increments thereafter.

Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum order quantity (unless ordering the maximum continuous lengths).

Continuous lengths may require lead times.

Minimum order quantities may vary for non-standard widths. Check with Customer Service.

Product No. Series 9308

3mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------|-------------|------------|-----------------|---------------|-------------------|
| LL3M06 | 9308-0044 | 6 | .01 | 50 ft. | 300 ft. |
| LL3M09 | 9308-0003 | 9 | .01 | 50 ft. | 300 ft. |
| LL3M15 | 9308-0084 | 15 | .01 | 50 ft. | 185 ft. |

5mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------|-------------|------------|-----------------|---------------|-------------------|
| LL5M09 | 9308-0045 | 9 | .01 | 50 ft. | 300 ft. |
| LL5M15 | 9308-0033 | 15 | .04 | 50 ft. | 185 ft. |
| LL5M25 | 9308-0025 | 25 | .05 | 50 ft. | 100 ft. |

8mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------------------|-------------|------------|-----------------|---------------|-------------------|
| ¹⁷ LL8M20 | 9308-0001 | 20 | .08 | 50 ft. | 170 ft. |
| ¹⁷ LL8M30 | 9308-0004 | 30 | .13 | 50 ft. | 300 ft. |
| ¹⁷ LL8M50 | 9308-0005 | 50 | .21 | 50 ft. | 300 ft. |
| ¹⁷ LL8M85 | 9308-0006 | 85 | .36 | 50 ft. | 300 ft. |

14mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------|-------------|------------|-----------------|---------------|-------------------|
| LL14M40 | 9308-10009 | 40 | .26 | 98 ft. | 392 ft. |
| LL14M55 | 9308-10020 | 55 | .35 | 98 ft. | 392 ft. |
| LL14M85 | 9308-10057 | 85 | .55 | 98 ft. | 392 ft. |

Steel Tensile — 14mm Pitch

| Part No. | Product No. | Width (mm) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|------------|-------------|------------|-----------------|---------------|-------------------|
| LL14M40 ST | 9308-10016 | 40 | .76 | 98 ft. | 392 ft. |
| LL14M55 ST | 9308-10051 | 55 | 1.02 | 98 ft. | 392 ft. |
| LL14M85 ST | 9308-10084 | 85 | 1.51 | 98 ft. | 392 ft. |

LONG-LENGTH BELTING

¹⁷ Longer continuous lengths may be available by special order, contact Customer Service.





Long-Length PowerGrip® Timing Belting

The trapezoidal tooth makes this belt well suited for use in positioning applications.

Markets/Applications

Long length PowerGrip Timing belting is a cost effective, low maintenance drive alternative that is well suited for linear movement, positioning and conveying applications.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation. Steel tensile cord is available in some belt types for added length stability.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.

Notes

Minimum order lengths for fiberglass tensile cord belting is 50 feet, ordered in 50 foot increments thereafter.

Minimum order lengths for steel tensile belting is 98 feet, ordered in 98 foot increments thereafter.

Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum order quantity (unless ordering the maximum continuous lengths).

Continuous lengths may require lead times.

Minimum order quantities may vary for non-standard widths. Check with Customer Service.



Product No. Series 9314

MXL (.080" Pitch)

| Part No. | Product No. | Width (In.) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------|-------------|-------------|-----------------|---------------|-------------------|
| LL025MXL | 9314-2020 | 1/4 | .01 | 50 ft. | 475 ft. |
| LL037MXL | 9314-2014 | 3/8 | .01 | 50 ft. | 300 ft. |
| LL050MXL | 9314-2038 | 1/2 | .02 | 50 ft. | 240 ft. |

XL (.200" Pitch)

| Part No. | Product No. | Width (In.) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------|-------------|-------------|-----------------|---------------|-------------------|
| LL025XL | 9314-0001 | 1/4 | .01 | 50 ft. | 460 ft. |
| LL037XL | 9314-0002 | 3/8 | .02 | 50 ft. | 300 ft. |
| LL050XL | 9314-2012 | 1/2 | .03 | 50 ft. | 225 ft. |

L (.375" Pitch)

| Part No. | Product No. | Width (In.) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------|-------------|-------------|-----------------|---------------|-------------------|
| LL037L | 9314-2089 | 3/8 | .03 | 50 ft. | 575 ft. |
| LL050L | 9314-0004 | 1/2 | .02 | 50 ft. | 430 ft. |
| LL075L | 9314-0007 | 3/4 | .04 | 50 ft. | 275 ft. |
| LL100L | 9314-0015 | 1 | .05 | 50 ft. | 200 ft. |

H (.500" Pitch)

| Part No. | Product No. | Width (In.) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|----------------------|-------------|-------------|-----------------|---------------|-------------------|
| ¹⁷ LL050H | 9314-0003 | 1/2 | .04 | 50 ft. | 400 ft. |
| ¹⁷ LL075H | 9314-0006 | 3/4 | .06 | 50 ft. | 275 ft. |
| ¹⁷ LL100H | 9314-0008 | 1 | .12 | 50 ft. | 200 ft. |
| LL150H | 9314-0017 | 1 1/2 | .12 | 98 ft. | 656 ft. |
| LL200H | 9314-0021 | 2 | .13 | 98 ft. | 656 ft. |
| LL300H | 9314-0025 | 3 | .27 | 98 ft. | 656 ft. |

Steel Tensile — H (.500 Pitch)

| Part No. | Product No. | Width (In.) | Net Wt. per Ft. | Min Order Qty | Max. Cont. Length |
|-----------|-------------|-------------|-----------------|---------------|-------------------|
| LL075H ST | 9314-10011 | 3/4 | .22 | 98 ft. | 492 ft. |
| LL100H ST | 9314-10037 | 1 | .25 | 98 ft. | 492 ft. |

LONG-LENGTH BELTING

¹⁷ Longer continuous lengths may be available by special order, contact Customer Service.



Synchro-Power® Polyurethane Belting

Urethane belting can be modified in a variety of ways to suit users needs.

Markets/Applications

Synchro-Power belting is ideal for various applications such as, vacuum conveyors, linear positioning, assembly conveyors, robotics, packaging conveying, glass conveyors, incline conveyors, paper transfer, wafer conveying, food and beverage and indexing.

Features/Advantages


- Modifications include molded profiles, tensile cords, lamination with various backings, and FDA and USDA constructions.
- Can be welded endless.
- Wide range of widths up to 18 inches.
- **Steel tensile cord** for length stability.
- **Polyurethane body** is abrasion, chemical and wear resistant for extended life.

Recommended Pulleys

PowerGrip® Timing Pulleys

Notes

Synchro-Power LL belting is made to order. Contact Customer Service for price and availability.



Product No. Series 7787

| Available Pitches | |
|-------------------|-----------------|
| Metric | Timing |
| T5 | XL |
| T10 | L |
| WT10 (Wide Width) | H |
| T20 | XH |
| AT5 | WH (Wide Width) |
| AT10 | |
| AT20 | |
| 5M HTD | |
| 8M HTD | |
| 14M HTD | |

| Constructions Available |
|-------------------------|
| Steel Tensile |
| High Flex Steel Tensile |
| Kevlar Tensile |
| Nylon Tooth |
| Nylon Backing |
| Heavy Backing |
| FDA |





Synchro-Power® Polyurethane Belts

Endless urethane construction provides higher strength as compared to welded urethane belts, making them well-suited for use in power transmission and high-performance positioning applications.

Markets/Applications

Synchro-Power metric pitch timing belts are ideal for use in office machines, machine tools, postage equipment, sewing machines, vending machines, agriculture, outdoor power equipment, wood and paper, sand/gravel operations, oil fields, food processing and HVAC.

Features/Advantages

- Steel tensile cord for length stability.
- Abrasion, chemical, and wear resistant for extended life.
- Temperature ranges from -22°F to +176°F (-30°C to +80°C).


Recommended Sprockets

Contact the Gates Made-To-Order Metal Team

Notes

Synchro-Power belts listed on the following pages are available in custom widths as Standard/Non-Stock with no minimum order quantities required. Contact Customer Service for minimum and maximum width range.

See end of this section for Made-to-Order lengths available. The minimum order quantity is full sleeve yield +/- 10%. Sleeve widths are 300mm unless otherwise noted. Minimum belt width is 4mm. Please contact Customer Service for price and availability.



Steel Tensile Cord

Product No. Series 7762

T5 Pitch — 4mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|-------------------|----------------|
| T5-150-4 | 7762-1000 | 48 | 150 | .01 |
| T5-165-4 | 7762-1001 | 33 | 165 | .01 |
| T5-180-4 | 7762-1002 | 58 | 180 | .01 |
| T5-185-4 | 7762-1003 | 37 | 185 | .01 |
| T5-200-4 | 7762-1004 | 40 | 200 | .01 |
| T5-215-4 | 7762-1005 | 43 | 215 | .01 |
| T5-220-4 | 7762-1006 | 44 | 220 | .01 |
| T5-225-4 | 7762-1007 | 45 | 225 | .01 |
| T5-245-4 | 7762-1008 | 49 | 245 | .01 |
| T5-250-4 | 7762-1009 | 50 | 250 | .01 |
| T5-255-4 | 7762-1010 | 51 | 255 | .01 |
| T5-260-4 | 7762-1011 | 52 | 260 | .01 |
| T5-270-4 | 7762-1012 | 54 | 270 | .01 |
| T5-275-4 | 7762-1013 | 55 | 275 | .01 |
| T5-280-4 | 7762-1014 | 56 | 280 | .01 |
| T5-295-4 | 7762-1015 | 59 | 295 | .01 |
| T5-305-4 | 7762-1016 | 61 | 305 | .01 |
| T5-330-4 | 7762-1018 | 66 | 330 | .01 |
| T5-340-4 | 7762-1019 | 68 | 340 | .01 |
| T5-350-4 | 7762-1020 | 70 | 350 | .01 |
| T5-355-4 | 7762-1021 | 71 | 355 | .01 |
| T5-365-4 | 7762-1022 | 73 | 365 | .01 |
| T5-390-4 | 7762-1023 | 78 | 390 | .01 |
| T5-400-4 | 7762-1024 | 80 | 400 | .01 |
| T5-410-4 | 7762-1025 | 82 | 410 | .01 |
| T5-420-4 | 7762-1026 | 84 | 420 | .01 |
| T5-445-4 | 7762-1027 | 89 | 445 | .01 |
| T5-450-4 | 7762-1028 | 90 | 450 | .01 |
| T5-455-4 | 7762-1029 | 91 | 455 | .01 |
| T5-475-4 | 7762-1030 | 95 | 475 | .01 |
| T5-480-4 | 7762-1031 | 96 | 480 | .01 |
| T5-500-4 | 7762-1032 | 100 | 500 | .01 |
| T5-510-4 | 7762-1033 | 102 | 510 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-525-4 | 7762-1034 | 105 | 525 | .01 |
| T5-545-4 | 7762-1035 | 109 | 545 | .01 |
| T5-550-4 | 7762-1036 | 110 | 550 | .01 |
| T5-560-4 | 7762-1037 | 112 | 560 | .01 |
| T5-575-4 | 7762-1038 | 115 | 575 | .01 |
| T5-590-4 | 7762-0490 | 118 | 590 | .01 |
| T5-600-4 | 7762-0478 | 120 | 600 | .01 |
| T5-610-4 | 7762-1039 | 122 | 610 | .01 |
| T5-620-4 | 7762-1040 | 124 | 620 | .01 |
| T5-630-4 | 7762-1041 | 126 | 630 | .01 |
| T5-640-4 | 7762-1042 | 128 | 640 | .01 |
| T5-650-4 | 7762-1043 | 130 | 650 | .01 |
| T5-660-4 | 7762-1044 | 132 | 660 | .01 |
| T5-675-4 | 7762-1045 | 135 | 675 | .01 |
| T5-690-4 | 7762-1046 | 138 | 690 | .01 |
| T5-700-4 | 7762-1047 | 140 | 700 | .01 |
| T5-720-4 | 7762-1048 | 144 | 720 | .01 |
| T5-725-4 | 7762-0454 | 145 | 725 | .01 |
| T5-750-4 | 7762-1049 | 150 | 750 | .01 |
| T5-780-4 | 7762-1050 | 156 | 780 | .02 |
| T5-800-4 | 7762-0363 | 160 | 800 | .02 |
| T5-815-4 | 7762-1051 | 163 | 815 | .02 |
| T5-830-4 | 7762-0604 | 166 | 830 | .02 |
| T5-840-4 | 7762-1052 | 168 | 840 | .02 |
| T5-850-4 | 7762-0377 | 170 | 850 | .02 |
| T5-900-4 | 7762-1053 | 180 | 900 | .02 |
| T5-940-4 | 7762-1054 | 188 | 940 | .02 |
| T5-990-4 | 7762-1055 | 198 | 990 | .02 |
| T5-1075-4 | 7762-1056 | 215 | 1075 | .02 |
| T5-1100-4 | 7762-1057 | 220 | 1100 | .02 |
| T5-1215-4 | 7762-1058 | 243 | 1215 | .02 |
| T5-1315-4 | 7762-1059 | 263 | 1315 | .03 |
| T5-1380-4 | 7762-1060 | 276 | 1380 | .03 |



Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 6mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|-------------------|----------------|
| T5-150-6 | 7762-1070 | 30 | 150 | .01 |
| T5-165-6 | 7762-1071 | 33 | 165 | .01 |
| T5-180-6 | 7762-1072 | 36 | 180 | .01 |
| T5-185-6 | 7762-1073 | 37 | 185 | .01 |
| T5-200-6 | 7762-1074 | 40 | 200 | .01 |
| T5-215-6 | 7762-1075 | 43 | 215 | .01 |
| T5-220-6 | 7762-1076 | 44 | 220 | .01 |
| T5-225-6 | 7762-1077 | 45 | 225 | .01 |
| T5-245-6 | 7762-1078 | 49 | 245 | .01 |
| T5-250-6 | 7762-1079 | 50 | 250 | .01 |
| T5-255-6 | 7762-1080 | 51 | 255 | .01 |
| T5-260-6 | 7762-1081 | 52 | 260 | .01 |
| T5-270-6 | 7762-1082 | 54 | 270 | .01 |
| T5-275-6 | 7762-1083 | 55 | 275 | .01 |
| T5-280-6 | 7762-1084 | 56 | 280 | .01 |
| T5-295-6 | 7762-1085 | 59 | 295 | .01 |
| T5-305-6 | 7762-1086 | 61 | 305 | .01 |
| T5-330-6 | 7762-1088 | 66 | 330 | .01 |
| T5-340-6 | 7762-1089 | 68 | 340 | .01 |
| T5-350-6 | 7762-1090 | 70 | 350 | .01 |
| T5-355-6 | 7762-1091 | 71 | 355 | .01 |
| T5-365-6 | 7762-1092 | 73 | 365 | .01 |
| T5-390-6 | 7762-1093 | 78 | 390 | .01 |
| T5-400-6 | 7762-1094 | 80 | 400 | .01 |
| T5-410-6 | 7762-1095 | 82 | 410 | .01 |
| T5-420-6 | 7762-1096 | 84 | 420 | .01 |
| T5-445-6 | 7762-1097 | 89 | 445 | .01 |
| T5-450-6 | 7762-1098 | 90 | 450 | .01 |
| T5-455-6 | 7762-1099 | 91 | 455 | .01 |
| T5-475-6 | 7762-1100 | 95 | 475 | .01 |
| T5-480-6 | 7762-1101 | 96 | 480 | .01 |
| T5-500-6 | 7762-1102 | 100 | 500 | .01 |
| T5-510-6 | 7762-1103 | 102 | 510 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-525-6 | 7762-1104 | 105 | 525 | .02 |
| T5-545-6 | 7762-1105 | 109 | 545 | .02 |
| T5-550-6 | 7762-1106 | 110 | 550 | .02 |
| T5-560-6 | 7762-1107 | 112 | 560 | .02 |
| T5-575-6 | 7762-1108 | 115 | 575 | .02 |
| T5-590-6 | 7762-0491 | 118 | 590 | .02 |
| T5-600-6 | 7762-0479 | 120 | 600 | .02 |
| T5-610-6 | 7762-1109 | 122 | 610 | .02 |
| T5-620-6 | 7762-1110 | 124 | 620 | .02 |
| T5-630-6 | 7762-1111 | 126 | 630 | .02 |
| T5-640-6 | 7762-1112 | 128 | 640 | .02 |
| T5-650-6 | 7762-1113 | 130 | 650 | .02 |
| T5-660-6 | 7762-1114 | 132 | 660 | .02 |
| T5-675-6 | 7762-1115 | 135 | 675 | .02 |
| T5-690-6 | 7762-1116 | 138 | 690 | .02 |
| T5-700-6 | 7762-1117 | 140 | 700 | .02 |
| T5-720-6 | 7762-1118 | 144 | 720 | .02 |
| T5-725-6 | 7762-0455 | 145 | 725 | .01 |
| T5-750-6 | 7762-1119 | 150 | 750 | .02 |
| T5-780-6 | 7762-1120 | 156 | 780 | .02 |
| T5-800-6 | 7762-0364 | 160 | 800 | .05 |
| T5-815-6 | 7762-1121 | 163 | 815 | .02 |
| T5-830-6 | 7762-0605 | 166 | 830 | .02 |
| T5-840-6 | 7762-1122 | 168 | 840 | .02 |
| T5-850-6 | 7762-0378 | 170 | 850 | .05 |
| T5-900-6 | 7762-1123 | 180 | 900 | .03 |
| T5-940-6 | 7762-1124 | 188 | 940 | .03 |
| T5-990-6 | 7762-1125 | 198 | 990 | .03 |
| T5-1075-6 | 7762-1126 | 215 | 1075 | .03 |
| T5-1100-6 | 7762-1127 | 220 | 1100 | .03 |
| T5-1215-6 | 7762-1128 | 243 | 1215 | .04 |
| T5-1315-6 | 7762-1129 | 263 | 1315 | .04 |
| T5-1380-6 | 7762-1130 | 276 | 1380 | .04 |

T5 Pitch — 8mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|-------------------|----------------|
| T5-150-8 | 7762-1140 | 30 | 150 | .01 |
| T5-165-8 | 7762-1141 | 33 | 165 | .01 |
| T5-180-8 | 7762-1142 | 36 | 180 | .01 |
| T5-185-8 | 7762-1143 | 37 | 185 | .01 |
| T5-200-8 | 7762-1144 | 40 | 200 | .01 |
| T5-215-8 | 7762-1145 | 43 | 215 | .01 |
| T5-220-8 | 7762-1146 | 44 | 220 | .01 |
| T5-225-8 | 7762-1147 | 45 | 225 | .01 |
| T5-245-8 | 7762-1148 | 49 | 245 | .01 |
| T5-250-8 | 7762-1149 | 50 | 250 | .01 |
| T5-255-8 | 7762-1150 | 51 | 255 | .01 |
| T5-260-8 | 7762-1151 | 52 | 260 | .01 |
| T5-270-8 | 7762-1152 | 54 | 270 | .01 |
| T5-275-8 | 7762-1153 | 55 | 275 | .01 |
| T5-280-8 | 7762-1154 | 56 | 280 | .01 |
| T5-295-8 | 7762-1155 | 59 | 295 | .01 |
| T5-305-8 | 7762-1156 | 61 | 305 | .01 |
| T5-330-8 | 7762-1158 | 66 | 330 | .01 |
| T5-340-8 | 7762-1159 | 68 | 340 | .01 |
| T5-350-8 | 7762-1160 | 70 | 350 | .01 |
| T5-355-8 | 7762-1161 | 71 | 355 | .01 |
| T5-365-8 | 7762-1162 | 73 | 365 | .01 |
| T5-390-8 | 7762-1163 | 78 | 390 | .02 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|-------------------|----------------|
| T5-400-8 | 7762-1164 | 80 | 400 | .02 |
| T5-410-8 | 7762-1165 | 82 | 410 | .02 |
| T5-420-8 | 7762-1166 | 84 | 420 | .02 |
| T5-445-8 | 7762-1167 | 89 | 445 | .02 |
| T5-450-8 | 7762-1168 | 90 | 450 | .02 |
| T5-455-8 | 7762-1169 | 91 | 455 | .02 |
| T5-475-8 | 7762-1170 | 95 | 475 | .02 |
| T5-480-8 | 7762-1171 | 96 | 480 | .02 |
| T5-500-8 | 7762-1172 | 100 | 500 | .02 |
| T5-510-8 | 7762-1173 | 102 | 510 | .02 |
| T5-525-8 | 7762-1174 | 105 | 525 | .02 |
| T5-545-8 | 7762-1175 | 109 | 545 | .02 |
| T5-550-8 | 7762-1176 | 110 | 550 | .02 |
| T5-560-8 | 7762-1177 | 112 | 560 | .02 |
| T5-575-8 | 7762-1178 | 115 | 575 | .02 |
| T5-590-8 | 7762-0492 | 118 | 590 | .02 |
| T5-600-8 | 7762-0480 | 120 | 600 | .02 |
| T5-610-8 | 7762-1179 | 122 | 610 | .02 |
| T5-620-8 | 7762-1180 | 124 | 620 | .02 |
| T5-630-8 | 7762-1181 | 126 | 630 | .02 |
| T5-640-8 | 7762-1182 | 128 | 640 | .02 |
| T5-650-8 | 7762-1183 | 130 | 650 | .03 |
| T5-660-8 | 7762-1184 | 132 | 660 | .03 |

SYNCHRO-POWER BELTS



**Synchro-Power® Polyurethane Belts****Product No. Series 7762 (continued)****T5 Pitch — 8mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|-------------------|----------------|
| T5-675-8 | 7762-1185 | 135 | 675 | .03 |
| T5-690-8 | 7762-1186 | 138 | 690 | .03 |
| T5-700-8 | 7762-1187 | 140 | 700 | .03 |
| T5-720-8 | 7762-1188 | 144 | 720 | .03 |
| T5-725-8 | 7762-0456 | 145 | 725 | .01 |
| T5-750-8 | 7762-1189 | 150 | 750 | .03 |
| T5-780-8 | 7762-1190 | 156 | 780 | .03 |
| T5-800-8 | 7762-0365 | 160 | 800 | .01 |
| T5-815-8 | 7762-1191 | 163 | 815 | .03 |
| T5-830-8 | 7762-0606 | 166 | 830 | .03 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-840-8 | 7762-1192 | 168 | 840 | .03 |
| T5-850-8 | 7762-0379 | 170 | 850 | .05 |
| T5-900-8 | 7762-1193 | 180 | 900 | .03 |
| T5-940-8 | 7762-1194 | 188 | 940 | .04 |
| T5-990-8 | 7762-1195 | 198 | 990 | .04 |
| T5-1075-8 | 7762-1196 | 215 | 1075 | .04 |
| T5-1100-8 | 7762-1197 | 220 | 1100 | .04 |
| T5-1215-8 | 7762-1198 | 243 | 1215 | .05 |
| T5-1315-8 | 7762-1199 | 263 | 1315 | .05 |
| T5-1380-8 | 7762-1200 | 276 | 1380 | .05 |

T5 Pitch — 10mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-150-10 | 7762-1210 | 30 | 150 | .01 |
| T5-165-10 | 7762-1211 | 33 | 165 | .01 |
| T5-180-10 | 7762-1212 | 36 | 180 | .01 |
| T5-185-10 | 7762-1213 | 37 | 185 | .01 |
| T5-200-10 | 7762-1214 | 40 | 200 | .01 |
| T5-215-10 | 7762-1215 | 43 | 215 | .01 |
| T5-220-10 | 7762-1216 | 44 | 220 | .01 |
| T5-225-10 | 7762-1217 | 45 | 225 | .01 |
| T5-245-10 | 7762-1218 | 49 | 245 | .01 |
| T5-250-10 | 7762-1219 | 50 | 250 | .01 |
| T5-255-10 | 7762-1220 | 51 | 255 | .01 |
| T5-260-10 | 7762-1221 | 52 | 260 | .01 |
| T5-270-10 | 7762-1222 | 54 | 270 | .01 |
| T5-275-10 | 7762-1223 | 55 | 275 | .01 |
| T5-280-10 | 7762-1224 | 56 | 280 | .01 |
| T5-295-10 | 7762-1225 | 59 | 295 | .01 |
| T5-305-10 | 7762-1226 | 61 | 305 | .01 |
| T5-330-10 | 7762-1228 | 66 | 330 | .02 |
| T5-340-10 | 7762-1229 | 68 | 340 | .02 |
| T5-350-10 | 7762-1230 | 70 | 350 | .02 |
| T5-355-10 | 7762-1231 | 71 | 355 | .02 |
| T5-365-10 | 7762-1232 | 73 | 365 | .02 |
| T5-390-10 | 7762-1233 | 78 | 390 | .02 |
| T5-400-10 | 7762-1234 | 80 | 400 | .02 |
| T5-410-10 | 7762-1235 | 82 | 410 | .02 |
| T5-420-10 | 7762-1236 | 84 | 420 | .02 |
| T5-445-10 | 7762-1237 | 89 | 445 | .02 |
| T5-450-10 | 7762-1238 | 90 | 450 | .02 |
| T5-455-10 | 7762-1239 | 91 | 455 | .02 |
| T5-475-10 | 7762-1240 | 95 | 475 | .02 |
| T5-480-10 | 7762-1241 | 96 | 480 | .02 |
| T5-500-10 | 7762-1242 | 100 | 500 | .02 |
| T5-510-10 | 7762-1243 | 102 | 510 | .02 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T5-525-10 | 7762-1244 | 105 | 525 | .03 |
| T5-545-10 | 7762-1245 | 109 | 545 | .03 |
| T5-550-10 | 7762-1246 | 110 | 550 | .03 |
| T5-560-10 | 7762-1247 | 112 | 560 | .03 |
| T5-575-10 | 7762-1248 | 115 | 575 | .03 |
| T5-590-10 | 7762-0493 | 118 | 590 | .03 |
| T5-600-10 | 7762-0481 | 120 | 600 | .03 |
| T5-610-10 | 7762-1249 | 122 | 610 | .03 |
| T5-620-10 | 7762-1250 | 124 | 620 | .03 |
| T5-630-10 | 7762-1251 | 126 | 630 | .03 |
| T5-640-10 | 7762-1252 | 128 | 640 | .03 |
| T5-650-10 | 7762-1253 | 130 | 650 | .03 |
| T5-660-10 | 7762-1254 | 132 | 660 | .03 |
| T5-675-10 | 7762-1255 | 135 | 675 | .03 |
| T5-690-10 | 7762-1256 | 138 | 690 | .03 |
| T5-700-10 | 7762-1257 | 140 | 700 | .03 |
| T5-720-10 | 7762-1258 | 144 | 720 | .03 |
| T5-725-10 | 7762-0457 | 145 | 725 | .05 |
| T5-750-10 | 7762-1259 | 150 | 750 | .04 |
| T5-780-10 | 7762-1260 | 156 | 780 | .04 |
| T5-800-10 | 7762-0366 | 160 | 800 | .05 |
| T5-815-10 | 7762-1261 | 163 | 815 | .04 |
| T5-830-10 | 7762-0607 | 166 | 830 | .04 |
| T5-840-10 | 7762-1262 | 168 | 840 | .04 |
| T5-850-10 | 7762-0380 | 170 | 850 | .05 |
| T5-900-10 | 7762-1263 | 180 | 900 | .04 |
| T5-940-10 | 7762-1264 | 188 | 940 | .05 |
| T5-990-10 | 7762-1265 | 198 | 990 | .05 |
| T5-1075-10 | 7762-1266 | 215 | 1075 | .05 |
| T5-1100-10 | 7762-1267 | 220 | 1100 | .05 |
| T5-1215-10 | 7762-1268 | 243 | 1215 | .06 |
| T5-1315-10 | 7762-1269 | 263 | 1315 | .06 |
| T5-1380-10 | 7762-1270 | 276 | 1380 | .07 |

T5 Pitch — 12mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-150-12 | 7762-1280 | 30 | 150 | .01 |
| T5-165-12 | 7762-1281 | 33 | 165 | .01 |
| T5-180-12 | 7762-1282 | 36 | 180 | .01 |
| T5-185-12 | 7762-1283 | 37 | 185 | .01 |
| T5-200-12 | 7762-1284 | 40 | 200 | .01 |
| T5-215-12 | 7762-1285 | 43 | 215 | .01 |
| T5-220-12 | 7762-1286 | 44 | 220 | .01 |
| T5-225-12 | 7762-1287 | 45 | 225 | .01 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-245-12 | 7762-1288 | 49 | 245 | .01 |
| T5-250-12 | 7762-1289 | 50 | 250 | .01 |
| T5-255-12 | 7762-1290 | 51 | 255 | .01 |
| T5-260-12 | 7762-1291 | 52 | 260 | .02 |
| T5-270-12 | 7762-1292 | 54 | 270 | .02 |
| T5-275-12 | 7762-1293 | 55 | 275 | .02 |
| T5-280-12 | 7762-1294 | 56 | 280 | .02 |
| T5-295-12 | 7762-1295 | 59 | 295 | .02 |



Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 12mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-305-12 | 7762-1296 | 61 | 305 | .02 |
| T5-330-12 | 7762-1298 | 66 | 330 | .02 |
| T5-340-12 | 7762-1299 | 68 | 340 | .02 |
| T5-350-12 | 7762-1300 | 70 | 350 | .02 |
| T5-355-12 | 7762-1301 | 71 | 355 | .02 |
| T5-365-12 | 7762-1302 | 73 | 365 | .02 |
| T5-390-12 | 7762-1303 | 78 | 390 | .02 |
| T5-400-12 | 7762-1304 | 80 | 400 | .02 |
| T5-410-12 | 7762-1305 | 82 | 410 | .02 |
| T5-420-12 | 7762-1306 | 84 | 420 | .02 |
| T5-445-12 | 7762-1307 | 89 | 445 | .03 |
| T5-450-12 | 7762-1308 | 90 | 450 | .03 |
| T5-455-12 | 7762-1309 | 91 | 455 | .03 |
| T5-475-12 | 7762-1310 | 95 | 475 | .03 |
| T5-480-12 | 7762-1311 | 96 | 480 | .03 |
| T5-500-12 | 7762-1312 | 100 | 500 | .03 |
| T5-510-12 | 7762-1313 | 102 | 510 | .03 |
| T5-525-12 | 7762-1314 | 105 | 525 | .03 |
| T5-545-12 | 7762-1315 | 109 | 545 | .03 |
| T5-550-12 | 7762-1316 | 110 | 550 | .03 |
| T5-560-12 | 7762-1317 | 112 | 560 | .03 |
| T5-575-12 | 7762-1318 | 115 | 575 | .03 |
| T5-590-12 | 7762-0494 | 118 | 590 | .03 |
| T5-600-12 | 7762-0482 | 120 | 600 | .03 |
| T5-610-12 | 7762-1319 | 122 | 610 | .04 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T5-620-12 | 7762-1320 | 124 | 620 | .04 |
| T5-630-12 | 7762-1321 | 126 | 630 | .04 |
| T5-640-12 | 7762-1322 | 128 | 640 | .04 |
| T5-650-12 | 7762-1323 | 130 | 650 | .04 |
| T5-660-12 | 7762-1324 | 132 | 660 | .04 |
| T5-675-12 | 7762-1325 | 135 | 675 | .04 |
| T5-690-12 | 7762-1326 | 138 | 690 | .04 |
| T5-700-12 | 7762-1327 | 140 | 700 | .04 |
| T5-720-12 | 7762-1328 | 144 | 720 | .04 |
| T5-725-12 | 7762-0458 | 145 | 725 | .05 |
| T5-750-12 | 7762-1329 | 150 | 750 | .04 |
| T5-780-12 | 7762-1330 | 156 | 780 | .05 |
| T5-800-12 | 7762-0367 | 160 | 800 | .05 |
| T5-815-12 | 7762-1331 | 163 | 815 | .05 |
| T5-830-12 | 7762-0608 | 166 | 830 | .05 |
| T5-840-12 | 7762-1332 | 168 | 840 | .05 |
| T5-850-12 | 7762-0381 | 170 | 850 | .10 |
| T5-900-12 | 7762-1333 | 180 | 900 | .05 |
| T5-940-12 | 7762-1334 | 188 | 940 | .05 |
| T5-990-12 | 7762-1335 | 198 | 990 | .06 |
| T5-1075-12 | 7762-1336 | 215 | 1075 | .06 |
| T5-1100-12 | 7762-1337 | 220 | 1100 | .06 |
| T5-1215-12 | 7762-1338 | 243 | 1215 | .07 |
| T5-1315-12 | 7762-1339 | 263 | 1315 | .08 |
| T5-1380-12 | 7762-1340 | 276 | 1380 | .08 |

T5 Pitch — 16mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-150-16 | 7762-1350 | 30 | 150 | .01 |
| T5-165-16 | 7762-1351 | 33 | 165 | .01 |
| T5-180-16 | 7762-1352 | 36 | 180 | .01 |
| T5-185-16 | 7762-1353 | 37 | 185 | .01 |
| T5-200-16 | 7762-1354 | 40 | 200 | .02 |
| T5-215-16 | 7762-1355 | 43 | 215 | .02 |
| T5-220-16 | 7762-1356 | 44 | 220 | .02 |
| T5-225-16 | 7762-1357 | 45 | 225 | .02 |
| T5-245-16 | 7762-1358 | 49 | 245 | .02 |
| T5-250-16 | 7762-1359 | 50 | 250 | .02 |
| T5-255-16 | 7762-1360 | 51 | 255 | .02 |
| T5-260-16 | 7762-1361 | 52 | 260 | .02 |
| T5-270-16 | 7762-1362 | 54 | 270 | .02 |
| T5-275-16 | 7762-1363 | 55 | 275 | .02 |
| T5-280-16 | 7762-1364 | 56 | 280 | .02 |
| T5-295-16 | 7762-1365 | 59 | 295 | .02 |
| T5-305-16 | 7762-1366 | 61 | 305 | .02 |
| T5-330-16 | 7762-1368 | 66 | 330 | .03 |
| T5-340-16 | 7762-1369 | 68 | 340 | .03 |
| T5-350-16 | 7762-1370 | 70 | 350 | .03 |
| T5-355-16 | 7762-1371 | 71 | 355 | .03 |
| T5-365-16 | 7762-1372 | 73 | 365 | .03 |
| T5-390-16 | 7762-1373 | 78 | 390 | .03 |
| T5-400-16 | 7762-1374 | 80 | 400 | .03 |
| T5-410-16 | 7762-1375 | 82 | 410 | .03 |
| T5-420-16 | 7762-1376 | 84 | 420 | .03 |
| T5-445-16 | 7762-1377 | 89 | 445 | .03 |
| T5-450-16 | 7762-1378 | 90 | 450 | .03 |
| T5-455-16 | 7762-1379 | 91 | 455 | .04 |
| T5-475-16 | 7762-1380 | 95 | 475 | .04 |
| T5-480-16 | 7762-1381 | 96 | 480 | .04 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T5-500-16 | 7762-1382 | 100 | 500 | .04 |
| T5-510-16 | 7762-1383 | 102 | 510 | .04 |
| T5-525-16 | 7762-1384 | 105 | 525 | .04 |
| T5-545-16 | 7762-1385 | 109 | 545 | .04 |
| T5-550-16 | 7762-1386 | 110 | 550 | .04 |
| T5-560-16 | 7762-1387 | 112 | 560 | .04 |
| T5-575-16 | 7762-1388 | 115 | 575 | .04 |
| T5-590-16 | 7762-0495 | 118 | 590 | .04 |
| T5-600-16 | 7762-0483 | 120 | 600 | .04 |
| T5-610-16 | 7762-1389 | 122 | 610 | .05 |
| T5-620-16 | 7762-1390 | 124 | 620 | .05 |
| T5-630-16 | 7762-1391 | 126 | 630 | .05 |
| T5-640-16 | 7762-1392 | 128 | 640 | .05 |
| T5-650-16 | 7762-1393 | 130 | 650 | .05 |
| T5-660-16 | 7762-1394 | 132 | 660 | .05 |
| T5-675-16 | 7762-1395 | 135 | 675 | .05 |
| T5-690-16 | 7762-1396 | 138 | 690 | .05 |
| T5-700-16 | 7762-1397 | 140 | 700 | .05 |
| T5-720-16 | 7762-1398 | 144 | 720 | .06 |
| T5-725-16 | 7762-0459 | 145 | 725 | .10 |
| T5-750-16 | 7762-1399 | 150 | 750 | .06 |
| T5-780-16 | 7762-1400 | 156 | 780 | .06 |
| T5-800-16 | 7762-0369 | 160 | 800 | .10 |
| T5-815-16 | 7762-1401 | 163 | 815 | .06 |
| T5-830-16 | 7762-0609 | 166 | 830 | .06 |
| T5-840-16 | 7762-1402 | 168 | 840 | .06 |
| T5-850-16 | 7762-0383 | 170 | 850 | .10 |
| T5-900-16 | 7762-1403 | 180 | 900 | .07 |
| T5-940-16 | 7762-1404 | 188 | 940 | .07 |
| T5-990-16 | 7762-1405 | 198 | 990 | .08 |
| T5-1075-16 | 7762-1406 | 215 | 1075 | .08 |

SYNCHRO-POWER BELTS



**Synchro-Power® Polyurethane Belts****Product No. Series 7762 (continued)****T5 Pitch — 16mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T5-1100-16 | 7762-1407 | 220 | 1100 | .08 |
| T5-1215-16 | 7762-1408 | 243 | 1215 | .09 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T5-1315-16 | 7762-1409 | 263 | 1315 | .10 |
| T5-1380-16 | 7762-1410 | 276 | 1380 | .11 |

T5 Pitch — 20mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-150-20 | 7762-1420 | 30 | 150 | .01 |
| T5-165-20 | 7762-1421 | 33 | 165 | .02 |
| T5-180-20 | 7762-1422 | 36 | 180 | .02 |
| T5-185-20 | 7762-1423 | 37 | 185 | .02 |
| T5-200-20 | 7762-1424 | 40 | 200 | .02 |
| T5-215-20 | 7762-1425 | 43 | 215 | .02 |
| T5-220-20 | 7762-1426 | 44 | 220 | .02 |
| T5-225-20 | 7762-1427 | 45 | 225 | .02 |
| T5-245-20 | 7762-1428 | 49 | 245 | .02 |
| T5-250-20 | 7762-1429 | 50 | 250 | .02 |
| T5-255-20 | 7762-1430 | 51 | 255 | .02 |
| T5-260-20 | 7762-1431 | 52 | 260 | .03 |
| T5-270-20 | 7762-1432 | 54 | 270 | .03 |
| T5-275-20 | 7762-1433 | 55 | 275 | .03 |
| T5-280-20 | 7762-1434 | 56 | 280 | .03 |
| T5-295-20 | 7762-1435 | 59 | 295 | .03 |
| T5-305-20 | 7762-1436 | 61 | 305 | .03 |
| T5-330-20 | 7762-1438 | 66 | 330 | .03 |
| T5-340-20 | 7762-1439 | 68 | 340 | .03 |
| T5-350-20 | 7762-1440 | 70 | 350 | .03 |
| T5-355-20 | 7762-1441 | 71 | 355 | .03 |
| T5-365-20 | 7762-1442 | 73 | 365 | .04 |
| T5-390-20 | 7762-1443 | 78 | 390 | .04 |
| T5-400-20 | 7762-1444 | 80 | 400 | .04 |
| T5-410-20 | 7762-1445 | 82 | 410 | .04 |
| T5-420-20 | 7762-1446 | 84 | 420 | .04 |
| T5-445-20 | 7762-1447 | 89 | 445 | .04 |
| T5-450-20 | 7762-1448 | 90 | 450 | .04 |
| T5-455-20 | 7762-1449 | 91 | 455 | .04 |
| T5-475-20 | 7762-1450 | 95 | 475 | .05 |
| T5-480-20 | 7762-1451 | 96 | 480 | .05 |
| T5-500-20 | 7762-1452 | 100 | 500 | .05 |
| T5-510-20 | 7762-1453 | 102 | 510 | .05 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T5-525-20 | 7762-1454 | 105 | 525 | .05 |
| T5-545-20 | 7762-1455 | 109 | 545 | .05 |
| T5-550-20 | 7762-1456 | 110 | 550 | .05 |
| T5-560-20 | 7762-1457 | 112 | 560 | .05 |
| T5-575-20 | 7762-1458 | 115 | 575 | .06 |
| T5-590-20 | 7762-0496 | 118 | 590 | .06 |
| T5-600-20 | 7762-0484 | 120 | 600 | .06 |
| T5-610-20 | 7762-1459 | 122 | 610 | .06 |
| T5-620-20 | 7762-1460 | 124 | 620 | .06 |
| T5-630-20 | 7762-1461 | 126 | 630 | .06 |
| T5-640-20 | 7762-1462 | 128 | 640 | .06 |
| T5-650-20 | 7762-1463 | 130 | 650 | .06 |
| T5-660-20 | 7762-1464 | 132 | 660 | .06 |
| T5-675-20 | 7762-1465 | 135 | 675 | .06 |
| T5-690-20 | 7762-1466 | 138 | 690 | .07 |
| T5-700-20 | 7762-1467 | 140 | 700 | .07 |
| T5-720-20 | 7762-1468 | 144 | 720 | .07 |
| T5-725-20 | 7762-0460 | 145 | 725 | .10 |
| T5-750-20 | 7762-1469 | 150 | 750 | .07 |
| T5-780-20 | 7762-1470 | 156 | 780 | .08 |
| T5-800-20 | 7762-0370 | 160 | 800 | .10 |
| T5-815-20 | 7762-1471 | 163 | 815 | .08 |
| T5-830-20 | 7762-0610 | 166 | 830 | .08 |
| T5-840-20 | 7762-1472 | 168 | 840 | .08 |
| T5-850-20 | 7762-0384 | 170 | 850 | .10 |
| T5-900-20 | 7762-1473 | 180 | 900 | .09 |
| T5-940-20 | 7762-1474 | 188 | 940 | .09 |
| T5-990-20 | 7762-1475 | 198 | 990 | .10 |
| T5-1075-20 | 7762-1476 | 215 | 1075 | .10 |
| T5-1100-20 | 7762-1477 | 220 | 1100 | .11 |
| T5-1215-20 | 7762-1478 | 243 | 1215 | .12 |
| T5-1315-20 | 7762-1479 | 263 | 1315 | .13 |
| T5-1380-20 | 7762-1480 | 276 | 1380 | .13 |

T5 Pitch — 25mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-150-25 | 7762-1490 | 30 | 150 | .02 |
| T5-165-25 | 7762-1491 | 33 | 165 | .02 |
| T5-180-25 | 7762-1492 | 36 | 180 | .02 |
| T5-185-25 | 7762-1493 | 37 | 185 | .02 |
| T5-200-25 | 7762-1494 | 40 | 200 | .02 |
| T5-215-25 | 7762-1495 | 43 | 215 | .03 |
| T5-220-25 | 7762-1496 | 44 | 220 | .03 |
| T5-225-25 | 7762-1497 | 45 | 225 | .03 |
| T5-245-25 | 7762-1498 | 49 | 245 | .03 |
| T5-250-25 | 7762-1499 | 50 | 250 | .03 |
| T5-255-25 | 7762-1500 | 51 | 255 | .03 |
| T5-260-25 | 7762-1501 | 52 | 260 | .03 |
| T5-270-25 | 7762-1502 | 54 | 270 | .03 |
| T5-275-25 | 7762-1503 | 55 | 275 | .03 |
| T5-280-25 | 7762-1504 | 56 | 280 | .03 |
| T5-295-25 | 7762-1505 | 59 | 295 | .04 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-305-25 | 7762-1506 | 61 | 305 | .04 |
| T5-330-25 | 7762-1508 | 66 | 330 | .04 |
| T5-340-25 | 7762-1509 | 68 | 340 | .04 |
| T5-350-25 | 7762-1510 | 70 | 350 | .04 |
| T5-355-25 | 7762-1511 | 71 | 355 | .04 |
| T5-365-25 | 7762-1512 | 73 | 365 | .04 |
| T5-390-25 | 7762-1513 | 78 | 390 | .05 |
| T5-400-25 | 7762-1514 | 80 | 400 | .05 |
| T5-410-25 | 7762-1515 | 82 | 410 | .05 |
| T5-420-25 | 7762-1516 | 84 | 420 | .05 |
| T5-445-25 | 7762-1517 | 89 | 445 | .05 |
| T5-450-25 | 7762-1518 | 90 | 450 | .05 |
| T5-455-25 | 7762-1519 | 91 | 455 | .05 |
| T5-475-25 | 7762-1520 | 95 | 475 | .06 |
| T5-480-25 | 7762-1521 | 96 | 480 | .06 |
| T5-500-25 | 7762-1522 | 100 | 500 | .06 |



Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 25mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-510-25 | 7762-1523 | 102 | 510 | .06 |
| T5-525-25 | 7762-1524 | 105 | 525 | .06 |
| T5-545-25 | 7762-1525 | 109 | 545 | .07 |
| T5-550-25 | 7762-1526 | 110 | 550 | .07 |
| T5-560-25 | 7762-1527 | 112 | 560 | .07 |
| T5-575-25 | 7762-1528 | 115 | 575 | .07 |
| T5-590-25 | 7762-0497 | 118 | 590 | .07 |
| T5-600-25 | 7762-0485 | 120 | 600 | .07 |
| T5-610-25 | 7762-1529 | 122 | 610 | .07 |
| T5-620-25 | 7762-1530 | 124 | 620 | .07 |
| T5-630-25 | 7762-1531 | 126 | 630 | .08 |
| T5-640-25 | 7762-1532 | 128 | 640 | .08 |
| T5-650-25 | 7762-1533 | 130 | 650 | .08 |
| T5-660-25 | 7762-1534 | 132 | 660 | .08 |
| T5-675-25 | 7762-1535 | 135 | 675 | .08 |
| T5-690-25 | 7762-1536 | 138 | 690 | .08 |
| T5-700-25 | 7762-1537 | 140 | 700 | .08 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T5-720-25 | 7762-1538 | 144 | 720 | .09 |
| T5-725-25 | 7762-0461 | 145 | 725 | .10 |
| T5-750-25 | 7762-1539 | 150 | 750 | .09 |
| T5-780-25 | 7762-1540 | 156 | 780 | .09 |
| T5-800-25 | 7762-0371 | 160 | 800 | .15 |
| T5-815-25 | 7762-1541 | 163 | 815 | .10 |
| T5-830-25 | 7762-0611 | 166 | 830 | .10 |
| T5-840-25 | 7762-1542 | 168 | 840 | .10 |
| T5-850-25 | 7762-0385 | 170 | 850 | .15 |
| T5-900-25 | 7762-1543 | 180 | 900 | .11 |
| T5-940-25 | 7762-1544 | 188 | 940 | .11 |
| T5-990-25 | 7762-1545 | 198 | 990 | .12 |
| T5-1075-25 | 7762-1546 | 215 | 1075 | .13 |
| T5-1100-25 | 7762-1547 | 220 | 1100 | .13 |
| T5-1215-25 | 7762-1548 | 243 | 1215 | .15 |
| T5-1315-25 | 7762-1549 | 263 | 1315 | .16 |
| T5-1380-25 | 7762-1550 | 276 | 1380 | .17 |

T5 Pitch — 32mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-150-32 | 7762-1560 | 30 | 150 | .02 |
| T5-165-32 | 7762-1561 | 33 | 165 | .03 |
| T5-180-32 | 7762-1562 | 36 | 180 | .03 |
| T5-185-32 | 7762-1563 | 37 | 185 | .03 |
| T5-200-32 | 7762-1564 | 40 | 200 | .03 |
| T5-215-32 | 7762-1565 | 43 | 215 | .03 |
| T5-220-32 | 7762-1566 | 44 | 220 | .03 |
| T5-225-32 | 7762-1567 | 45 | 225 | .03 |
| T5-245-32 | 7762-1568 | 49 | 245 | .04 |
| T5-250-32 | 7762-1569 | 50 | 250 | .04 |
| T5-255-32 | 7762-1570 | 51 | 255 | .04 |
| T5-260-32 | 7762-1571 | 52 | 260 | .04 |
| T5-270-32 | 7762-1572 | 54 | 270 | .04 |
| T5-275-32 | 7762-1573 | 55 | 275 | .04 |
| T5-280-32 | 7762-1574 | 56 | 280 | .04 |
| T5-295-32 | 7762-1575 | 59 | 295 | .05 |
| T5-305-32 | 7762-1576 | 61 | 305 | .05 |
| T5-330-32 | 7762-1578 | 66 | 330 | .05 |
| T5-340-32 | 7762-1579 | 68 | 340 | .05 |
| T5-350-32 | 7762-1580 | 70 | 350 | .05 |
| T5-355-32 | 7762-1581 | 71 | 355 | .05 |
| T5-365-32 | 7762-1582 | 73 | 365 | .06 |
| T5-390-32 | 7762-1583 | 78 | 390 | .06 |
| T5-400-32 | 7762-1584 | 80 | 400 | .06 |
| T5-410-32 | 7762-1585 | 82 | 410 | .06 |
| T5-420-32 | 7762-1586 | 84 | 420 | .06 |
| T5-445-32 | 7762-1587 | 89 | 445 | .07 |
| T5-450-32 | 7762-1588 | 90 | 450 | .07 |
| T5-455-32 | 7762-1589 | 91 | 455 | .07 |
| T5-475-32 | 7762-1590 | 95 | 475 | .07 |
| T5-480-32 | 7762-1591 | 96 | 480 | .07 |
| T5-500-32 | 7762-1592 | 100 | 500 | .08 |
| T5-510-32 | 7762-1593 | 102 | 510 | .08 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T5-525-32 | 7762-1594 | 105 | 525 | .08 |
| T5-545-32 | 7762-1595 | 109 | 545 | .08 |
| T5-550-32 | 7762-1596 | 110 | 550 | .08 |
| T5-560-32 | 7762-1597 | 112 | 560 | .09 |
| T5-575-32 | 7762-1598 | 115 | 575 | .09 |
| T5-590-32 | 7762-0498 | 118 | 590 | .09 |
| T5-600-32 | 7762-0486 | 120 | 600 | .09 |
| T5-610-32 | 7762-1599 | 122 | 610 | .09 |
| T5-620-32 | 7762-1600 | 124 | 620 | .10 |
| T5-630-32 | 7762-1601 | 126 | 630 | .10 |
| T5-640-32 | 7762-1602 | 128 | 640 | .10 |
| T5-650-32 | 7762-1603 | 130 | 650 | .10 |
| T5-660-32 | 7762-1604 | 132 | 660 | .10 |
| T5-675-32 | 7762-1605 | 135 | 675 | .10 |
| T5-690-32 | 7762-1606 | 138 | 690 | .11 |
| T5-700-32 | 7762-1607 | 140 | 700 | .11 |
| T5-720-32 | 7762-1608 | 144 | 720 | .11 |
| T5-725-32 | 7762-0462 | 145 | 725 | .11 |
| T5-750-32 | 7762-1609 | 150 | 750 | .12 |
| T5-780-32 | 7762-1610 | 156 | 780 | .12 |
| T5-800-32 | 7762-0372 | 160 | 800 | .13 |
| T5-815-32 | 7762-1611 | 163 | 815 | .13 |
| T5-830-32 | 7762-0612 | 166 | 830 | .13 |
| T5-840-32 | 7762-1612 | 168 | 840 | .13 |
| T5-850-32 | 7762-0386 | 170 | 850 | .13 |
| T5-900-32 | 7762-1613 | 180 | 900 | .14 |
| T5-940-32 | 7762-1614 | 188 | 940 | .14 |
| T5-990-32 | 7762-1615 | 198 | 990 | .15 |
| T5-1075-32 | 7762-1616 | 215 | 1075 | .17 |
| T5-1100-32 | 7762-1617 | 220 | 1100 | .17 |
| T5-1215-32 | 7762-1618 | 243 | 1215 | .19 |
| T5-1315-32 | 7762-1619 | 263 | 1315 | .20 |
| T5-1380-32 | 7762-1620 | 276 | 1380 | .21 |

SYNCHRO-POWER BELTS



**Synchro-Power® Polyurethane Belts****Product No. Series 7762 (continued)****T5 Pitch — 50mm Wide**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-150-50 | 7762-1630 | 30 | 150 | .04 |
| T5-165-50 | 7762-1631 | 33 | 165 | .04 |
| T5-180-50 | 7762-1632 | 36 | 180 | .04 |
| T5-185-50 | 7762-1633 | 37 | 185 | .04 |
| T5-200-50 | 7762-1634 | 40 | 200 | .05 |
| T5-215-50 | 7762-1635 | 43 | 215 | .05 |
| T5-220-50 | 7762-1636 | 44 | 220 | .05 |
| T5-225-50 | 7762-1637 | 45 | 225 | .05 |
| T5-245-50 | 7762-1638 | 49 | 245 | .06 |
| T5-250-50 | 7762-1639 | 50 | 250 | .06 |
| T5-255-50 | 7762-1640 | 51 | 255 | .06 |
| T5-260-50 | 7762-1641 | 52 | 260 | .06 |
| T5-270-50 | 7762-1642 | 54 | 270 | .06 |
| T5-275-50 | 7762-1643 | 55 | 275 | .07 |
| T5-280-50 | 7762-1644 | 56 | 280 | .07 |
| T5-295-50 | 7762-1645 | 59 | 295 | .07 |
| T5-305-50 | 7762-1646 | 61 | 305 | .07 |
| T5-330-50 | 7762-1648 | 66 | 330 | .08 |
| T5-340-50 | 7762-1649 | 68 | 340 | .08 |
| T5-350-50 | 7762-1650 | 70 | 350 | .08 |
| T5-355-50 | 7762-1651 | 71 | 355 | .09 |
| T5-365-50 | 7762-1652 | 73 | 365 | .09 |
| T5-390-50 | 7762-1653 | 78 | 390 | .09 |
| T5-400-50 | 7762-1654 | 80 | 400 | .10 |
| T5-410-50 | 7762-1655 | 82 | 410 | .10 |
| T5-420-50 | 7762-1656 | 84 | 420 | .10 |
| T5-445-50 | 7762-1657 | 89 | 445 | .11 |
| T5-450-50 | 7762-1658 | 90 | 450 | .11 |
| T5-455-50 | 7762-1659 | 91 | 455 | .11 |
| T5-475-50 | 7762-1660 | 95 | 475 | .11 |
| T5-480-50 | 7762-1661 | 96 | 480 | .12 |
| T5-500-50 | 7762-1662 | 100 | 500 | .12 |
| T5-510-50 | 7762-1663 | 102 | 510 | .12 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T5-525-50 | 7762-1664 | 105 | 525 | .13 |
| T5-545-50 | 7762-1665 | 109 | 545 | .13 |
| T5-550-50 | 7762-1666 | 110 | 550 | .13 |
| T5-560-50 | 7762-1667 | 112 | 560 | .13 |
| T5-575-50 | 7762-1668 | 115 | 575 | .14 |
| T5-590-50 | 7762-0499 | 118 | 590 | .14 |
| T5-600-50 | 7762-0487 | 120 | 600 | .14 |
| T5-610-50 | 7762-1669 | 122 | 610 | .15 |
| T5-620-50 | 7762-1670 | 124 | 620 | .15 |
| T5-630-50 | 7762-1671 | 126 | 630 | .15 |
| T5-640-50 | 7762-1672 | 128 | 640 | .15 |
| T5-650-50 | 7762-1673 | 130 | 650 | .16 |
| T5-660-50 | 7762-1674 | 132 | 660 | .16 |
| T5-675-50 | 7762-1675 | 135 | 675 | .16 |
| T5-690-50 | 7762-1676 | 138 | 690 | .17 |
| T5-700-50 | 7762-1677 | 140 | 700 | .17 |
| T5-720-50 | 7762-1678 | 144 | 720 | .17 |
| T5-725-50 | 7762-0463 | 145 | 725 | .17 |
| T5-750-50 | 7762-1679 | 150 | 750 | .18 |
| T5-780-50 | 7762-1680 | 156 | 780 | .19 |
| T5-800-50 | 7762-0373 | 160 | 800 | .20 |
| T5-815-50 | 7762-1681 | 163 | 815 | .20 |
| T5-830-50 | 7762-0613 | 166 | 830 | .20 |
| T5-840-50 | 7762-1682 | 168 | 840 | .20 |
| T5-850-50 | 7762-0387 | 170 | 850 | .20 |
| T5-900-50 | 7762-1683 | 180 | 900 | .22 |
| T5-940-50 | 7762-1684 | 188 | 940 | .23 |
| T5-990-50 | 7762-1685 | 198 | 990 | .24 |
| T5-1075-50 | 7762-1686 | 215 | 1075 | .26 |
| T5-1100-50 | 7762-1687 | 220 | 1100 | .26 |
| T5-1215-50 | 7762-1688 | 243 | 1215 | .29 |
| T5-1315-50 | 7762-1689 | 263 | 1315 | .32 |
| T5-1380-50 | 7762-1690 | 276 | 1380 | .33 |

T5 Pitch — 75mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-150-75 | 7762-1700 | 30 | 150 | .05 |
| T5-165-75 | 7762-1701 | 33 | 165 | .06 |
| T5-180-75 | 7762-1702 | 36 | 180 | .06 |
| T5-185-75 | 7762-1703 | 37 | 185 | .07 |
| T5-200-75 | 7762-1704 | 40 | 200 | .07 |
| T5-215-75 | 7762-1705 | 43 | 215 | .08 |
| T5-220-75 | 7762-1706 | 44 | 220 | .08 |
| T5-225-75 | 7762-1707 | 45 | 225 | .08 |
| T5-245-75 | 7762-1708 | 49 | 245 | .09 |
| T5-250-75 | 7762-1709 | 50 | 250 | .09 |
| T5-255-75 | 7762-1710 | 51 | 255 | .09 |
| T5-260-75 | 7762-1711 | 52 | 260 | .09 |
| T5-270-75 | 7762-1712 | 54 | 270 | .10 |
| T5-275-75 | 7762-1713 | 55 | 275 | .10 |
| T5-280-75 | 7762-1714 | 56 | 280 | .10 |
| T5-295-75 | 7762-1715 | 59 | 295 | .11 |
| T5-305-75 | 7762-1716 | 61 | 305 | .11 |
| T5-330-75 | 7762-1718 | 66 | 330 | .12 |
| T5-340-75 | 7762-1719 | 68 | 340 | .12 |
| T5-350-75 | 7762-1720 | 70 | 350 | .13 |
| T5-355-75 | 7762-1721 | 71 | 355 | .13 |
| T5-365-75 | 7762-1722 | 73 | 365 | .13 |
| T5-390-75 | 7762-1723 | 78 | 390 | .14 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-400-75 | 7762-1724 | 80 | 400 | .14 |
| T5-410-75 | 7762-1725 | 82 | 410 | .15 |
| T5-420-75 | 7762-1726 | 84 | 420 | .15 |
| T5-445-75 | 7762-1727 | 89 | 445 | .16 |
| T5-450-75 | 7762-1728 | 90 | 450 | .16 |
| T5-455-75 | 7762-1729 | 91 | 455 | .16 |
| T5-475-75 | 7762-1730 | 95 | 475 | .17 |
| T5-480-75 | 7762-1731 | 96 | 480 | .17 |
| T5-500-75 | 7762-1732 | 100 | 500 | .18 |
| T5-510-75 | 7762-1733 | 102 | 510 | .18 |
| T5-525-75 | 7762-1734 | 105 | 525 | .19 |
| T5-545-75 | 7762-1735 | 109 | 545 | .20 |
| T5-550-75 | 7762-1736 | 110 | 550 | .20 |
| T5-560-75 | 7762-1737 | 112 | 560 | .20 |
| T5-575-75 | 7762-1738 | 115 | 575 | .21 |
| T5-590-75 | 7762-0500 | 118 | 590 | .21 |
| T5-600-75 | 7762-0488 | 120 | 600 | .21 |
| T5-610-75 | 7762-1739 | 122 | 610 | .22 |
| T5-620-75 | 7762-1740 | 124 | 620 | .22 |
| T5-630-75 | 7762-1741 | 126 | 630 | .23 |
| T5-640-75 | 7762-1742 | 128 | 640 | .23 |
| T5-650-75 | 7762-1743 | 130 | 650 | .23 |
| T5-660-75 | 7762-1744 | 132 | 660 | .24 |



Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 75mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| T5-675-75 | 7762-1745 | 135 | 675 | .24 |
| T5-690-75 | 7762-1746 | 138 | 690 | .25 |
| T5-700-75 | 7762-1747 | 140 | 700 | .25 |
| T5-720-75 | 7762-1748 | 144 | 720 | .26 |
| T5-725-75 | 7762-0464 | 145 | 725 | .26 |
| T5-750-75 | 7762-1749 | 150 | 750 | .27 |
| T5-780-75 | 7762-1750 | 156 | 780 | .28 |
| T5-800-75 | 7762-0374 | 160 | 800 | .29 |
| T5-815-75 | 7762-1751 | 163 | 815 | .29 |
| T5-830-75 | 7762-0614 | 166 | 830 | .29 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T5-840-75 | 7762-1752 | 168 | 840 | .30 |
| T5-850-75 | 7762-0388 | 170 | 850 | .30 |
| T5-900-75 | 7762-1753 | 180 | 900 | .32 |
| T5-940-75 | 7762-1754 | 188 | 940 | .34 |
| T5-990-75 | 7762-1755 | 198 | 990 | .36 |
| T5-1075-75 | 7762-1756 | 215 | 1075 | .39 |
| T5-1100-75 | 7762-1757 | 220 | 1100 | .40 |
| T5-1215-75 | 7762-1758 | 243 | 1215 | .44 |
| T5-1315-75 | 7762-1759 | 263 | 1315 | .47 |
| T5-1380-75 | 7762-1760 | 276 | 1380 | .50 |

T5 Pitch — 200mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T5-150-200 | 7762-1770 | 30 | 150 | .14 |
| T5-165-200 | 7762-1771 | 33 | 165 | .16 |
| T5-180-200 | 7762-1772 | 36 | 180 | .17 |
| T5-185-200 | 7762-1773 | 37 | 185 | .18 |
| T5-200-200 | 7762-1774 | 40 | 200 | .19 |
| T5-215-200 | 7762-1775 | 43 | 215 | .21 |
| T5-220-200 | 7762-1776 | 44 | 220 | .21 |
| T5-225-200 | 7762-1777 | 45 | 225 | .22 |
| T5-245-200 | 7762-1778 | 49 | 245 | .24 |
| T5-250-200 | 7762-1779 | 50 | 250 | .24 |
| T5-255-200 | 7762-1780 | 51 | 255 | .25 |
| T5-260-200 | 7762-1781 | 52 | 260 | .25 |
| T5-270-200 | 7762-1782 | 54 | 270 | .26 |
| T5-275-200 | 7762-1783 | 55 | 275 | .26 |
| T5-280-200 | 7762-1784 | 56 | 280 | .27 |
| T5-295-200 | 7762-1785 | 59 | 295 | .28 |
| T5-305-200 | 7762-1786 | 61 | 305 | .29 |
| T5-330-200 | 7762-1788 | 66 | 330 | .32 |
| T5-340-200 | 7762-1789 | 68 | 340 | .33 |
| T5-350-200 | 7762-1790 | 70 | 350 | .34 |
| T5-355-200 | 7762-1791 | 71 | 355 | .34 |
| T5-365-200 | 7762-1792 | 73 | 365 | .35 |
| T5-390-200 | 7762-1793 | 78 | 390 | .38 |
| T5-400-200 | 7762-1794 | 80 | 400 | .38 |
| T5-410-200 | 7762-1795 | 82 | 410 | .39 |
| T5-420-200 | 7762-1796 | 84 | 420 | .40 |
| T5-445-200 | 7762-1797 | 89 | 445 | .43 |
| T5-450-200 | 7762-1798 | 90 | 450 | .43 |
| T5-455-200 | 7762-1799 | 91 | 455 | .44 |
| T5-475-200 | 7762-1800 | 95 | 475 | .46 |
| T5-480-200 | 7762-1801 | 96 | 480 | .46 |
| T5-500-200 | 7762-1802 | 100 | 500 | .48 |
| T5-510-200 | 7762-1803 | 102 | 510 | .49 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T5-525-200 | 7762-1804 | 105 | 525 | .51 |
| T5-545-200 | 7762-1805 | 109 | 545 | .52 |
| T5-550-200 | 7762-1806 | 110 | 550 | .53 |
| T5-560-200 | 7762-1807 | 112 | 560 | .54 |
| T5-575-200 | 7762-1808 | 115 | 575 | .55 |
| T5-590-200 | 7762-0501 | 118 | 590 | .56 |
| T5-600-200 | 7762-0489 | 120 | 600 | .58 |
| T5-610-200 | 7762-1809 | 122 | 610 | .59 |
| T5-620-200 | 7762-1810 | 124 | 620 | .60 |
| T5-630-200 | 7762-1811 | 126 | 630 | .61 |
| T5-640-200 | 7762-1812 | 128 | 640 | .62 |
| T5-650-200 | 7762-1813 | 130 | 650 | .63 |
| T5-660-200 | 7762-1814 | 132 | 660 | .63 |
| T5-675-200 | 7762-1815 | 135 | 675 | .65 |
| T5-690-200 | 7762-1816 | 138 | 690 | .66 |
| T5-700-200 | 7762-1817 | 140 | 700 | .67 |
| T5-720-200 | 7762-1818 | 144 | 720 | .69 |
| T5-725-200 | 7762-0465 | 145 | 725 | .69 |
| T5-750-200 | 7762-1819 | 150 | 750 | .72 |
| T5-780-200 | 7762-1820 | 156 | 780 | .75 |
| T5-800-200 | 7762-0376 | 160 | 800 | .77 |
| T5-815-200 | 7762-1821 | 163 | 815 | .78 |
| T5-830-200 | 7762-0615 | 166 | 830 | .78 |
| T5-840-200 | 7762-1822 | 168 | 840 | .81 |
| T5-850-200 | 7762-0390 | 170 | 850 | .82 |
| T5-900-200 | 7762-1823 | 180 | 900 | .87 |
| T5-940-200 | 7762-1824 | 188 | 940 | .90 |
| T5-990-200 | 7762-1825 | 198 | 990 | .95 |
| T5-1075-200 | 7762-1826 | 215 | 1075 | 1.03 |
| T5-1100-200 | 7762-1827 | 220 | 1100 | 1.06 |
| T5-1215-200 | 7762-1828 | 243 | 1215 | 1.17 |
| T5-1315-200 | 7762-1829 | 263 | 1315 | 1.26 |
| T5-1380-200 | 7762-1830 | 276 | 1380 | 1.33 |

T10 Pitch — 10mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T10-260-10 | 7762-2000 | 26 | 260 | .03 |
| T10-370-10 | 7762-2001 | 37 | 370 | .04 |
| T10-400-10 | 7762-2002 | 40 | 400 | .04 |
| T10-410-10 | 7762-2003 | 41 | 410 | .04 |
| T10-440-10 | 7762-2004 | 44 | 440 | .04 |
| T10-450-10 | 7762-2005 | 45 | 450 | .05 |
| T10-500-10 | 7762-2006 | 50 | 500 | .05 |
| T10-530-10 | 7762-2007 | 53 | 530 | .05 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T10-560-10 | 7762-2008 | 56 | 560 | .06 |
| T10-600-10 | 7762-2009 | 60 | 600 | .06 |
| T10-610-10 | 7762-2010 | 61 | 610 | .06 |
| T10-630-10 | 7762-2011 | 63 | 630 | .06 |
| T10-660-10 | 7762-2012 | 66 | 660 | .07 |
| T10-690-10 | 7762-2013 | 69 | 690 | .07 |
| T10-700-10 | 7762-2014 | 70 | 700 | .07 |
| T10-720-10 | 7762-2015 | 72 | 720 | .07 |

SYNCHRO-POWER BELTS



**Synchro-Power® Polyurethane Belts****Product No. Series 7762 (continued)****T10 Pitch — 10mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-730-10 | 7762-2016 | 73 | 730 | .07 |
| T10-750-10 | 7762-2017 | 75 | 750 | .08 |
| T10-780-10 | 7762-2018 | 78 | 780 | .08 |
| T10-800-10 | 7762-0326 | 80 | 800 | .10 |
| T10-810-10 | 7762-2019 | 81 | 810 | .08 |
| T10-840-10 | 7762-2020 | 84 | 840 | .08 |
| T10-880-10 | 7762-2021 | 88 | 880 | .09 |
| T10-890-10 | 7762-2022 | 89 | 890 | .09 |
| T10-900-10 | 7762-2023 | 90 | 900 | .09 |
| T10-910-10 | 7762-2024 | 91 | 910 | .09 |
| T10-920-10 | 7762-2025 | 92 | 920 | .09 |
| T10-950-10 | 7762-0339 | 95 | 950 | .10 |
| T10-960-10 | 7762-2026 | 96 | 960 | .10 |
| T10-970-10 | 7762-2027 | 97 | 970 | .10 |
| T10-980-10 | 7762-2028 | 98 | 980 | .10 |
| T10-1000-10 | 7762-0352 | 100 | 1000 | .15 |
| T10-1010-10 | 7762-2029 | 101 | 1010 | .10 |
| T10-1080-10 | 7762-2030 | 108 | 1080 | .11 |
| T10-1100-10 | 7762-2031 | 110 | 1100 | .11 |
| T10-1110-10 | 7762-2032 | 111 | 1110 | .11 |
| T10-1140-10 | 7762-2033 | 114 | 1140 | .11 |
| T10-1150-10 | 7762-2034 | 115 | 1150 | .12 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-1210-10 | 7762-2035 | 121 | 1210 | .12 |
| T10-1240-10 | 7762-2036 | 124 | 1240 | .12 |
| T10-1250-10 | 7762-2037 | 125 | 1250 | .13 |
| T10-1300-10 | 7762-2038 | 130 | 1300 | .13 |
| T10-1320-10 | 7762-2039 | 132 | 1320 | .13 |
| T10-1350-10 | 7762-2040 | 135 | 1350 | .14 |
| T10-1390-10 | 7762-2041 | 139 | 1390 | .14 |
| T10-1400-10 | 7762-2042 | 140 | 1400 | .14 |
| T10-1420-10 | 7762-2043 | 142 | 1420 | .14 |
| T10-1450-10 | 7762-2044 | 145 | 1450 | .15 |
| T10-1460-10 | 7762-2045 | 146 | 1460 | .15 |
| T10-1500-10 | 7762-2046 | 150 | 1500 | .15 |
| T10-1560-10 | 7762-2047 | 156 | 1600 | .16 |
| T10-1600-10 | 7762-0616 | 160 | 1600 | .16 |
| T10-1610-10 | 7762-2048 | 161 | 1610 | .16 |
| T10-1700-10 | 7762-0593 | 170 | 1700 | .09 |
| T10-1750-10 | 7762-2049 | 175 | 1750 | .18 |
| T10-1780-10 | 7762-2050 | 178 | 1780 | .18 |
| T10-1880-10 | 7762-2051 | 188 | 1880 | .19 |
| T10-1960-10 | 7762-2052 | 196 | 1960 | .20 |
| T10-2250-10 | 7762-2053 | 225 | 2250 | .23 |

T10 Pitch — 12mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T10-260-12 | 7762-2054 | 26 | 260 | .03 |
| T10-370-12 | 7762-2055 | 37 | 370 | .04 |
| T10-400-12 | 7762-2056 | 40 | 400 | .05 |
| T10-410-12 | 7762-2057 | 41 | 410 | .05 |
| T10-440-12 | 7762-2058 | 44 | 440 | .05 |
| T10-450-12 | 7762-2059 | 45 | 450 | .05 |
| T10-500-12 | 7762-2060 | 50 | 500 | .06 |
| T10-530-12 | 7762-2061 | 53 | 530 | .06 |
| T10-560-12 | 7762-2062 | 56 | 560 | .07 |
| T10-600-12 | 7762-2063 | 60 | 600 | .07 |
| T10-610-12 | 7762-2064 | 61 | 610 | .07 |
| T10-630-12 | 7762-2065 | 63 | 630 | .08 |
| T10-660-12 | 7762-2066 | 66 | 660 | .08 |
| T10-690-12 | 7762-2067 | 69 | 690 | .08 |
| T10-700-12 | 7762-2068 | 70 | 700 | .08 |
| T10-720-12 | 7762-2069 | 72 | 720 | .09 |
| T10-730-12 | 7762-2070 | 73 | 730 | .09 |
| T10-750-12 | 7762-2071 | 75 | 750 | .09 |
| T10-780-12 | 7762-2072 | 78 | 780 | .09 |
| T10-800-12 | 7762-0327 | 80 | 800 | .10 |
| T10-810-12 | 7762-2073 | 81 | 810 | .10 |
| T10-840-12 | 7762-2074 | 84 | 840 | .10 |
| T10-880-12 | 7762-2075 | 88 | 880 | .11 |
| T10-890-12 | 7762-2076 | 89 | 890 | .11 |
| T10-900-12 | 7762-2077 | 90 | 900 | .11 |
| T10-910-12 | 7762-2078 | 91 | 910 | .11 |
| T10-920-12 | 7762-2079 | 92 | 920 | .11 |
| T10-950-12 | 7762-0340 | 95 | 950 | .12 |
| T10-960-12 | 7762-2080 | 96 | 960 | .12 |
| T10-970-12 | 7762-2081 | 97 | 970 | .12 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-980-12 | 7762-2082 | 98 | 980 | .12 |
| T10-1000-12 | 7762-0353 | 100 | 1000 | .12 |
| T10-1010-12 | 7762-2083 | 101 | 1010 | .12 |
| T10-1080-12 | 7762-2084 | 108 | 1080 | .13 |
| T10-1100-12 | 7762-2085 | 110 | 1100 | .13 |
| T10-1110-12 | 7762-2086 | 111 | 1110 | .13 |
| T10-1140-12 | 7762-2087 | 114 | 1140 | .14 |
| T10-1150-12 | 7762-2088 | 115 | 1150 | .14 |
| T10-1210-12 | 7762-2089 | 121 | 1210 | .15 |
| T10-1240-12 | 7762-2090 | 124 | 1240 | .15 |
| T10-1250-12 | 7762-2091 | 125 | 1250 | .15 |
| T10-1300-12 | 7762-2092 | 130 | 1300 | .16 |
| T10-1320-12 | 7762-2093 | 132 | 1320 | .16 |
| T10-1350-12 | 7762-2094 | 135 | 1350 | .16 |
| T10-1390-12 | 7762-2095 | 139 | 1390 | .17 |
| T10-1400-12 | 7762-2096 | 140 | 1400 | .17 |
| T10-1420-12 | 7762-2097 | 142 | 1420 | .17 |
| T10-1450-12 | 7762-2098 | 145 | 1450 | .17 |
| T10-1460-12 | 7762-2099 | 146 | 1460 | .18 |
| T10-1500-12 | 7762-2100 | 150 | 1500 | .18 |
| T10-1560-12 | 7762-2101 | 156 | 1560 | .19 |
| T10-1600-12 | 7762-0617 | 160 | 1600 | .19 |
| T10-1610-12 | 7762-2102 | 161 | 1610 | .19 |
| T10-1700-12 | 7762-0594 | 170 | 1700 | .11 |
| T10-1750-12 | 7762-2103 | 175 | 1750 | .21 |
| T10-1780-12 | 7762-2104 | 178 | 1780 | .21 |
| T10-1880-12 | 7762-2105 | 188 | 1880 | .23 |
| T10-1960-12 | 7762-2106 | 196 | 1960 | .24 |
| T10-2250-12 | 7762-2107 | 225 | 2250 | .27 |



Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch — 14mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T10-260-14 | 7762-2108 | 26 | 260 | .04 |
| T10-370-14 | 7762-2109 | 37 | 370 | .05 |
| T10-400-14 | 7762-2110 | 40 | 400 | .06 |
| T10-410-14 | 7762-2111 | 41 | 410 | .06 |
| T10-440-14 | 7762-2112 | 44 | 440 | .06 |
| T10-450-14 | 7762-2113 | 45 | 450 | .06 |
| T10-500-14 | 7762-2114 | 50 | 500 | .07 |
| T10-530-14 | 7762-2115 | 63 | 530 | .07 |
| T10-560-14 | 7762-2116 | 56 | 560 | .08 |
| T10-600-14 | 7762-2117 | 60 | 600 | .08 |
| T10-610-14 | 7762-2118 | 61 | 610 | .09 |
| T10-630-14 | 7762-2119 | 63 | 630 | .09 |
| T10-660-14 | 7762-2120 | 66 | 660 | .09 |
| T10-690-14 | 7762-2121 | 69 | 690 | .10 |
| T10-700-14 | 7762-2122 | 70 | 700 | .10 |
| T10-720-14 | 7762-2123 | 72 | 720 | .10 |
| T10-730-14 | 7762-2124 | 73 | 730 | .10 |
| T10-750-14 | 7762-2125 | 75 | 750 | .11 |
| T10-780-14 | 7762-2126 | 78 | 780 | .11 |
| T10-800-14 | 7762-0328 | 80 | 800 | .15 |
| T10-810-14 | 7762-2127 | 81 | 810 | .11 |
| T10-840-14 | 7762-2128 | 84 | 840 | .12 |
| T10-880-14 | 7762-2129 | 88 | 880 | .12 |
| T10-890-14 | 7762-2130 | 89 | 890 | .13 |
| T10-900-14 | 7762-2131 | 90 | 900 | .13 |
| T10-910-14 | 7762-2132 | 91 | 910 | .13 |
| T10-920-14 | 7762-2133 | 92 | 920 | .13 |
| T10-950-14 | 7762-0341 | 95 | 950 | .20 |
| T10-960-14 | 7762-2134 | 96 | 960 | .13 |
| T10-970-14 | 7762-2135 | 97 | 970 | .14 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-980-14 | 7762-2136 | 98 | 980 | .14 |
| T10-1000-14 | 7762-0354 | 100 | 1000 | .20 |
| T10-1010-14 | 7762-2137 | 101 | 1010 | .14 |
| T10-1080-14 | 7762-2138 | 108 | 1080 | .15 |
| T10-1100-14 | 7762-2139 | 110 | 1100 | .15 |
| T10-1110-14 | 7762-2140 | 111 | 1110 | .16 |
| T10-1140-14 | 7762-2141 | 114 | 1140 | .16 |
| T10-1150-14 | 7762-2142 | 115 | 1150 | .16 |
| T10-1210-14 | 7762-2143 | 121 | 1210 | .17 |
| T10-1240-14 | 7762-2144 | 124 | 1240 | .17 |
| T10-1250-14 | 7762-2145 | 125 | 1250 | .18 |
| T10-1300-14 | 7762-2146 | 130 | 1300 | .18 |
| T10-1320-14 | 7762-2147 | 132 | 1320 | .19 |
| T10-1350-14 | 7762-2148 | 135 | 1350 | .19 |
| T10-1390-14 | 7762-2149 | 139 | 1390 | .20 |
| T10-1400-14 | 7762-2150 | 140 | 1400 | .20 |
| T10-1420-14 | 7762-2151 | 142 | 1420 | .20 |
| T10-1450-14 | 7762-2152 | 145 | 1450 | .20 |
| T10-1460-14 | 7762-2153 | 146 | 1460 | .21 |
| T10-1500-14 | 7762-2154 | 150 | 1500 | .21 |
| T10-1560-14 | 7762-2155 | 156 | 1560 | .22 |
| T10-1600-14 | 7762-0618 | 160 | 1600 | .27 |
| T10-1610-14 | 7762-2156 | 161 | 1610 | .23 |
| T10-1700-14 | 7762-0595 | 170 | 1700 | .13 |
| T10-1750-14 | 7762-2157 | 175 | 1750 | .25 |
| T10-1780-14 | 7762-2158 | 178 | 1780 | .25 |
| T10-1880-14 | 7762-2159 | 188 | 1880 | .26 |
| T10-1960-14 | 7762-2160 | 196 | 1960 | .28 |
| T10-2250-14 | 7762-2161 | 225 | 2250 | .32 |

T10 Pitch — 16mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T10-260-16 | 7762-2165 | 26 | 260 | .04 |
| T10-370-16 | 7762-2166 | 37 | 370 | .06 |
| T10-400-16 | 7762-2167 | 40 | 400 | .06 |
| T10-410-16 | 7762-2168 | 41 | 410 | .07 |
| T10-440-16 | 7762-2169 | 44 | 440 | .07 |
| T10-450-16 | 7762-2170 | 45 | 450 | .07 |
| T10-500-16 | 7762-2171 | 50 | 500 | .08 |
| T10-530-16 | 7762-2172 | 53 | 530 | .09 |
| T10-560-16 | 7762-2173 | 56 | 560 | .09 |
| T10-600-16 | 7762-2174 | 60 | 600 | .10 |
| T10-610-16 | 7762-2175 | 61 | 610 | .10 |
| T10-630-16 | 7762-2176 | 63 | 630 | .10 |
| T10-660-16 | 7762-2177 | 66 | 660 | .11 |
| T10-690-16 | 7762-2178 | 69 | 690 | .11 |
| T10-700-16 | 7762-2179 | 70 | 700 | .11 |
| T10-720-16 | 7762-2180 | 72 | 720 | .12 |
| T10-730-16 | 7762-2181 | 73 | 730 | .12 |
| T10-750-16 | 7762-2182 | 75 | 750 | .12 |
| T10-780-16 | 7762-2183 | 78 | 780 | .13 |
| T10-800-16 | 7762-0329 | 80 | 800 | .15 |
| T10-810-16 | 7762-2184 | 81 | 810 | .13 |
| T10-840-16 | 7762-2185 | 84 | 840 | .13 |
| T10-880-16 | 7762-2186 | 88 | 880 | .14 |
| T10-890-16 | 7762-2187 | 89 | 890 | .14 |
| T10-900-16 | 7762-2188 | 90 | 900 | .14 |
| T10-910-16 | 7762-2189 | 91 | 910 | .15 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-920-16 | 7762-2190 | 92 | 920 | .15 |
| T10-950-16 | 7762-0342 | 95 | 950 | .20 |
| T10-960-16 | 7762-2191 | 96 | 960 | .15 |
| T10-970-16 | 7762-2192 | 97 | 970 | .16 |
| T10-980-16 | 7762-2193 | 98 | 980 | .16 |
| T10-1000-16 | 7762-0355 | 100 | 1000 | .20 |
| T10-1010-16 | 7762-2194 | 101 | 1010 | .16 |
| T10-1080-16 | 7762-2195 | 108 | 1080 | .17 |
| T10-1100-16 | 7762-2196 | 110 | 1100 | .18 |
| T10-1110-16 | 7762-2197 | 111 | 1110 | .18 |
| T10-1140-16 | 7762-2198 | 114 | 1140 | .18 |
| T10-1150-16 | 7762-2199 | 115 | 1150 | .18 |
| T10-1210-16 | 7762-2200 | 121 | 1210 | .19 |
| T10-1240-16 | 7762-2201 | 124 | 1240 | .20 |
| T10-1250-16 | 7762-2202 | 125 | 1250 | .20 |
| T10-1300-16 | 7762-2203 | 130 | 1300 | .21 |
| T10-1320-16 | 7762-2204 | 132 | 1320 | .21 |
| T10-1350-16 | 7762-2205 | 135 | 1350 | .22 |
| T10-1390-16 | 7762-2206 | 139 | 1390 | .22 |
| T10-1400-16 | 7762-2207 | 140 | 1400 | .22 |
| T10-1420-16 | 7762-2208 | 142 | 1420 | .23 |
| T10-1450-16 | 7762-2209 | 145 | 1450 | .23 |
| T10-1460-16 | 7762-2210 | 146 | 1460 | .23 |
| T10-1500-16 | 7762-2211 | 150 | 1500 | .24 |
| T10-1560-16 | 7762-2212 | 156 | 1560 | .25 |
| T10-1600-16 | 7762-0619 | 160 | 1600 | .26 |

SYNCHRO-POWER BELTS



**Synchro-Power® Polyurethane Belts****Product No. Series 7762 (continued)****T10 Pitch — 16mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-1610-16 | 7762-2213 | 161 | 1610 | .26 |
| T10-1700-16 | 7762-0596 | 170 | 1700 | .15 |
| T10-1750-16 | 7762-2214 | 175 | 1750 | .28 |
| T10-1780-16 | 7762-2215 | 178 | 1780 | .29 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-1880-16 | 7762-2216 | 188 | 1880 | .30 |
| T10-1960-16 | 7762-2217 | 196 | 1960 | .31 |
| T10-2250-16 | 7762-2218 | 225 | 2250 | .36 |

T10 Pitch — 20mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T10-260-20 | 7762-2220 | 26 | 260 | .05 |
| T10-370-20 | 7762-2221 | 37 | 370 | .07 |
| T10-400-20 | 7762-2222 | 40 | 400 | .08 |
| T10-410-20 | 7762-2223 | 41 | 410 | .08 |
| T10-440-20 | 7762-2224 | 44 | 440 | .09 |
| T10-450-20 | 7762-2225 | 45 | 450 | .09 |
| T10-500-20 | 7762-2226 | 50 | 500 | .10 |
| T10-530-20 | 7762-2227 | 53 | 530 | .11 |
| T10-560-20 | 7762-2228 | 56 | 560 | .11 |
| T10-600-20 | 7762-2229 | 60 | 600 | .12 |
| T10-610-20 | 7762-2230 | 61 | 610 | .12 |
| T10-630-20 | 7762-2231 | 63 | 630 | .13 |
| T10-660-20 | 7762-2232 | 66 | 660 | .13 |
| T10-690-20 | 7762-2233 | 69 | 690 | .14 |
| T10-700-20 | 7762-2234 | 70 | 700 | .14 |
| T10-720-20 | 7762-2235 | 72 | 720 | .14 |
| T10-730-20 | 7762-2236 | 73 | 730 | .15 |
| T10-750-20 | 7762-2237 | 75 | 750 | .15 |
| T10-780-20 | 7762-2238 | 78 | 780 | .16 |
| T10-800-20 | 7762-0330 | 80 | 800 | .20 |
| T10-810-20 | 7762-2239 | 81 | 810 | .16 |
| T10-840-20 | 7762-2240 | 84 | 840 | .17 |
| T10-880-20 | 7762-2241 | 88 | 880 | .18 |
| T10-890-20 | 7762-2242 | 89 | 890 | .18 |
| T10-900-20 | 7762-2243 | 90 | 900 | .18 |
| T10-910-20 | 7762-2244 | 91 | 910 | .18 |
| T10-920-20 | 7762-2245 | 92 | 920 | .18 |
| T10-950-20 | 7762-0343 | 95 | 950 | .25 |
| T10-960-20 | 7762-2246 | 96 | 960 | .19 |
| T10-970-20 | 7762-2247 | 97 | 970 | .19 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-980-20 | 7762-2248 | 98 | 980 | .20 |
| T10-1000-20 | 7762-0356 | 100 | 1000 | .25 |
| T10-1010-20 | 7762-2249 | 101 | 1010 | .20 |
| T10-1080-20 | 7762-2250 | 108 | 1080 | .22 |
| T10-1100-20 | 7762-2251 | 110 | 1100 | .22 |
| T10-1110-20 | 7762-2252 | 111 | 1110 | .22 |
| T10-1140-20 | 7762-2253 | 114 | 1140 | .23 |
| T10-1150-20 | 7762-2254 | 115 | 1150 | .23 |
| T10-1210-20 | 7762-2255 | 121 | 1210 | .24 |
| T10-1240-20 | 7762-2256 | 124 | 1240 | .25 |
| T10-1250-20 | 7762-2257 | 125 | 1250 | .25 |
| T10-1300-20 | 7762-2258 | 130 | 1300 | .26 |
| T10-1320-20 | 7762-2259 | 132 | 1320 | .27 |
| T10-1350-20 | 7762-2260 | 135 | 1350 | .27 |
| T10-1390-20 | 7762-2261 | 139 | 1390 | .28 |
| T10-1400-20 | 7762-2262 | 140 | 1400 | .28 |
| T10-1420-20 | 7762-2263 | 142 | 1420 | .29 |
| T10-1450-20 | 7762-2264 | 145 | 1450 | .29 |
| T10-1460-20 | 7762-2265 | 146 | 1460 | .29 |
| T10-1500-20 | 7762-2266 | 150 | 1500 | .30 |
| T10-1560-20 | 7762-2267 | 156 | 1560 | .31 |
| T10-1600-20 | 7762-0620 | 160 | 1600 | .32 |
| T10-1610-20 | 7762-2268 | 161 | 1610 | .32 |
| T10-1700-20 | 7762-0597 | 170 | 1700 | .19 |
| T10-1750-20 | 7762-2269 | 175 | 1750 | .35 |
| T10-1780-20 | 7762-2270 | 178 | 1780 | .36 |
| T10-1880-20 | 7762-2271 | 188 | 1880 | .38 |
| T10-1960-20 | 7762-2272 | 196 | 1960 | .39 |
| T10-2250-20 | 7762-2273 | 225 | 2250 | .45 |

T10 Pitch — 25mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T10-260-25 | 7762-2275 | 26 | 260 | .07 |
| T10-370-25 | 7762-2276 | 37 | 370 | .09 |
| T10-400-25 | 7762-2277 | 40 | 400 | .10 |
| T10-410-25 | 7762-2278 | 41 | 410 | .10 |
| T10-440-25 | 7762-2279 | 44 | 440 | .11 |
| T10-450-25 | 7762-2280 | 45 | 450 | .11 |
| T10-500-25 | 7762-2281 | 50 | 500 | .13 |
| T10-530-25 | 7762-2282 | 53 | 530 | .13 |
| T10-560-25 | 7762-2283 | 56 | 560 | .14 |
| T10-600-25 | 7762-2284 | 60 | 600 | .15 |
| T10-610-25 | 7762-2285 | 61 | 610 | .15 |
| T10-630-25 | 7762-2286 | 63 | 630 | .16 |
| T10-660-25 | 7762-2287 | 66 | 660 | .17 |
| T10-690-25 | 7762-2288 | 69 | 690 | .17 |
| T10-700-25 | 7762-2289 | 70 | 700 | .18 |
| T10-720-25 | 7762-2290 | 72 | 720 | .18 |
| T10-730-25 | 7762-2291 | 73 | 730 | .18 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-750-25 | 7762-2292 | 75 | 750 | .19 |
| T10-780-25 | 7762-2293 | 78 | 780 | .20 |
| T10-800-25 | 7762-0331 | 80 | 800 | .25 |
| T10-810-25 | 7762-2294 | 81 | 810 | .20 |
| T10-840-25 | 7762-2295 | 84 | 840 | .21 |
| T10-880-25 | 7762-2296 | 88 | 880 | .22 |
| T10-890-25 | 7762-2297 | 89 | 890 | .22 |
| T10-900-25 | 7762-2298 | 90 | 900 | .23 |
| T10-910-25 | 7762-2299 | 91 | 910 | .23 |
| T10-920-25 | 7762-2300 | 92 | 920 | .23 |
| T10-950-25 | 7762-0344 | 95 | 950 | .25 |
| T10-960-25 | 7762-2301 | 96 | 960 | .24 |
| T10-970-25 | 7762-2302 | 97 | 970 | .24 |
| T10-980-25 | 7762-2303 | 98 | 980 | .25 |
| T10-1000-25 | 7762-0357 | 100 | 1000 | .25 |
| T10-1010-25 | 7762-2304 | 101 | 1010 | .25 |
| T10-1080-25 | 7762-2305 | 108 | 1080 | .27 |



Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch — 25mm Wide (continued)

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-1100-25 | 7762-2306 | 110 | 1100 | .28 |
| T10-1110-25 | 7762-2307 | 111 | 1110 | .28 |
| T10-1140-25 | 7762-2308 | 114 | 1140 | .29 |
| T10-1150-25 | 7762-2309 | 115 | 1150 | .29 |
| T10-1210-25 | 7762-2310 | 121 | 1210 | .30 |
| T10-1240-25 | 7762-2311 | 124 | 1240 | .31 |
| T10-1250-25 | 7762-2312 | 125 | 1250 | .31 |
| T10-1300-25 | 7762-2313 | 130 | 1300 | .33 |
| T10-1320-25 | 7762-2314 | 132 | 1320 | .33 |
| T10-1350-25 | 7762-2315 | 135 | 1350 | .34 |
| T10-1390-25 | 7762-2316 | 139 | 1390 | .35 |
| T10-1400-25 | 7762-2317 | 140 | 1400 | .35 |
| T10-1420-25 | 7762-2318 | 142 | 1420 | .36 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-1450-25 | 7762-2319 | 145 | 1450 | .36 |
| T10-1460-25 | 7762-2320 | 146 | 1460 | .37 |
| T10-1500-25 | 7762-2321 | 150 | 1500 | .38 |
| T10-1560-25 | 7762-2322 | 156 | 1560 | .39 |
| T10-1600-25 | 7762-0621 | 160 | 1600 | .40 |
| T10-1610-25 | 7762-2323 | 161 | 1610 | .40 |
| T10-1700-25 | 7762-0598 | 170 | 1700 | .24 |
| T10-1750-25 | 7762-2324 | 175 | 1750 | .44 |
| T10-1780-25 | 7762-2325 | 178 | 1780 | .45 |
| T10-1880-25 | 7762-2326 | 188 | 1880 | .47 |
| T10-1960-25 | 7762-2327 | 196 | 1960 | .49 |
| T10-2250-25 | 7762-2328 | 225 | 2250 | .56 |

T10 Pitch — 32mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T10-260-32 | 7762-2330 | 26 | 260 | .08 |
| T10-370-32 | 7762-2331 | 37 | 370 | .12 |
| T10-400-32 | 7762-2332 | 40 | 400 | .13 |
| T10-410-32 | 7762-2333 | 41 | 410 | .13 |
| T10-440-32 | 7762-2334 | 44 | 440 | .14 |
| T10-450-32 | 7762-2335 | 45 | 450 | .14 |
| T10-500-32 | 7762-2336 | 50 | 500 | .16 |
| T10-530-32 | 7762-2337 | 53 | 530 | .17 |
| T10-560-32 | 7762-2338 | 56 | 560 | .18 |
| T10-600-32 | 7762-2339 | 60 | 600 | .19 |
| T10-610-32 | 7762-2340 | 61 | 610 | .20 |
| T10-630-32 | 7762-2341 | 63 | 630 | .20 |
| T10-660-32 | 7762-2342 | 66 | 660 | .21 |
| T10-690-32 | 7762-2343 | 69 | 690 | .22 |
| T10-700-32 | 7762-2344 | 70 | 700 | .22 |
| T10-720-32 | 7762-2345 | 72 | 720 | .23 |
| T10-730-32 | 7762-2346 | 73 | 730 | .23 |
| T10-750-32 | 7762-2347 | 75 | 750 | .24 |
| T10-780-32 | 7762-2348 | 78 | 780 | .25 |
| T10-800-32 | 7762-0332 | 80 | 800 | .25 |
| T10-810-32 | 7762-2349 | 81 | 810 | .26 |
| T10-840-32 | 7762-2350 | 84 | 840 | .27 |
| T10-880-32 | 7762-2351 | 88 | 880 | .28 |
| T10-890-32 | 7762-2352 | 89 | 890 | .29 |
| T10-900-32 | 7762-2353 | 90 | 900 | .29 |
| T10-910-32 | 7762-2354 | 91 | 910 | .29 |
| T10-920-32 | 7762-2355 | 92 | 920 | .30 |
| T10-950-32 | 7762-0345 | 95 | 950 | .30 |
| T10-960-32 | 7762-2356 | 96 | 960 | .31 |
| T10-970-32 | 7762-2357 | 97 | 970 | .31 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-980-32 | 7762-2358 | 98 | 980 | .31 |
| T10-1000-32 | 7762-0358 | 100 | 1000 | .30 |
| T10-1010-32 | 7762-2359 | 101 | 1010 | .32 |
| T10-1080-32 | 7762-2360 | 108 | 1080 | .35 |
| T10-1100-32 | 7762-2361 | 110 | 1100 | .35 |
| T10-1110-32 | 7762-2362 | 111 | 1110 | .36 |
| T10-1140-32 | 7762-2363 | 114 | 1140 | .37 |
| T10-1150-32 | 7762-2364 | 115 | 1150 | .37 |
| T10-1210-32 | 7762-2365 | 121 | 1210 | .39 |
| T10-1240-32 | 7762-2366 | 124 | 1240 | .40 |
| T10-1250-32 | 7762-2367 | 125 | 1250 | .40 |
| T10-1300-32 | 7762-2368 | 130 | 1300 | .42 |
| T10-1320-32 | 7762-2369 | 132 | 1320 | .42 |
| T10-1350-32 | 7762-2370 | 135 | 1350 | .43 |
| T10-1390-32 | 7762-2371 | 139 | 1390 | .45 |
| T10-1400-32 | 7762-2372 | 140 | 1400 | .45 |
| T10-1420-32 | 7762-2373 | 142 | 1420 | .46 |
| T10-1450-32 | 7762-2374 | 145 | 1450 | .47 |
| T10-1460-32 | 7762-2375 | 146 | 1460 | .47 |
| T10-1500-32 | 7762-2376 | 150 | 1500 | .48 |
| T10-1560-32 | 7762-2377 | 156 | 1560 | .50 |
| T10-1600-32 | 7762-0622 | 160 | 1600 | .52 |
| T10-1610-32 | 7762-2378 | 161 | 1610 | .52 |
| T10-1700-32 | 7762-0599 | 170 | 1700 | .33 |
| T10-1750-32 | 7762-2379 | 175 | 1750 | .56 |
| T10-1780-32 | 7762-2380 | 178 | 1780 | .57 |
| T10-1880-32 | 7762-2381 | 188 | 1880 | .60 |
| T10-1960-32 | 7762-2382 | 196 | 1960 | .63 |
| T10-2250-32 | 7762-2383 | 225 | 2250 | .72 |

T10 Pitch — 50mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T10-260-50 | 7762-2385 | 26 | 260 | .13 |
| T10-370-50 | 7762-2386 | 37 | 370 | .19 |
| T10-400-50 | 7762-2387 | 40 | 400 | .20 |
| T10-410-50 | 7762-2388 | 41 | 410 | .21 |
| T10-440-50 | 7762-2389 | 44 | 440 | .22 |
| T10-450-50 | 7762-2390 | 45 | 450 | .23 |
| T10-500-50 | 7762-2391 | 50 | 500 | .25 |
| T10-530-50 | 7762-2392 | 53 | 530 | .27 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T10-560-50 | 7762-2393 | 56 | 560 | .28 |
| T10-600-50 | 7762-2394 | 60 | 600 | .30 |
| T10-610-50 | 7762-2395 | 61 | 610 | .31 |
| T10-630-50 | 7762-2396 | 63 | 630 | .32 |
| T10-660-50 | 7762-2397 | 66 | 660 | .33 |
| T10-690-50 | 7762-2398 | 69 | 690 | .35 |
| T10-700-50 | 7762-2399 | 70 | 700 | .35 |
| T10-720-50 | 7762-2400 | 72 | 720 | .36 |

SYNCHRO-POWER BELTS



**Synchro-Power® Polyurethane Belts****Product No. Series 7762 (continued)****T10 Pitch — 50mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-730-50 | 7762-2401 | 73 | 730 | .37 |
| T10-750-50 | 7762-2402 | 75 | 750 | .38 |
| T10-780-50 | 7762-2403 | 78 | 780 | .39 |
| T10-800-50 | 7762-0333 | 80 | 800 | .17 |
| T10-810-50 | 7762-2404 | 81 | 810 | .41 |
| T10-840-50 | 7762-2405 | 84 | 840 | .42 |
| T10-880-50 | 7762-2406 | 88 | 880 | .44 |
| T10-890-50 | 7762-2407 | 89 | 890 | .45 |
| T10-900-50 | 7762-2408 | 90 | 900 | .45 |
| T10-910-50 | 7762-2409 | 91 | 910 | .46 |
| T10-920-50 | 7762-2410 | 92 | 920 | .46 |
| T10-950-50 | 7762-0346 | 95 | 950 | .50 |
| T10-960-50 | 7762-2411 | 96 | 960 | .48 |
| T10-970-50 | 7762-2412 | 97 | 970 | .49 |
| T10-980-50 | 7762-2413 | 98 | 980 | .49 |
| T10-1000-50 | 7762-0359 | 100 | 1000 | .55 |
| T10-1010-50 | 7762-2414 | 101 | 1010 | .51 |
| T10-1080-50 | 7762-2415 | 108 | 1080 | .54 |
| T10-1100-50 | 7762-2416 | 110 | 1100 | .55 |
| T10-1110-50 | 7762-2417 | 111 | 1110 | .56 |
| T10-1140-50 | 7762-2418 | 114 | 1140 | .57 |
| T10-1150-50 | 7762-2419 | 115 | 1150 | .58 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-1210-50 | 7762-2420 | 121 | 1210 | .61 |
| T10-1240-50 | 7762-2421 | 124 | 1240 | .62 |
| T10-1250-50 | 7762-2422 | 125 | 1250 | .63 |
| T10-1300-50 | 7762-2423 | 130 | 1300 | .65 |
| T10-1320-50 | 7762-2424 | 132 | 1320 | .66 |
| T10-1350-50 | 7762-2425 | 135 | 1350 | .68 |
| T10-1390-50 | 7762-2426 | 139 | 1390 | .70 |
| T10-1400-50 | 7762-2427 | 140 | 1400 | .70 |
| T10-1420-50 | 7762-2428 | 142 | 1420 | .71 |
| T10-1450-50 | 7762-2429 | 145 | 1450 | .73 |
| T10-1460-50 | 7762-2430 | 146 | 1460 | .73 |
| T10-1500-50 | 7762-2431 | 150 | 1500 | .75 |
| T10-1560-50 | 7762-2432 | 156 | 1560 | .78 |
| T10-1600-50 | 7762-0623 | 160 | 1600 | .81 |
| T10-1610-50 | 7762-2433 | 161 | 1610 | .81 |
| T10-1700-50 | 7762-0600 | 170 | 1700 | .50 |
| T10-1750-50 | 7762-2434 | 175 | 1750 | .88 |
| T10-1780-50 | 7762-2435 | 178 | 1780 | .89 |
| T10-1880-50 | 7762-2436 | 188 | 1880 | .94 |
| T10-1960-50 | 7762-2437 | 196 | 1960 | .98 |
| T10-2250-50 | 7762-2438 | 225 | 2250 | 1.13 |

T10 Pitch — 75mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| T10-260-75 | 7762-2450 | 26 | 260 | .20 |
| T10-370-75 | 7762-2451 | 37 | 370 | .28 |
| T10-400-75 | 7762-2452 | 40 | 400 | .30 |
| T10-410-75 | 7762-2453 | 41 | 410 | .31 |
| T10-440-75 | 7762-2454 | 44 | 440 | .33 |
| T10-450-75 | 7762-2455 | 45 | 450 | .34 |
| T10-500-75 | 7762-2456 | 50 | 500 | .38 |
| T10-530-75 | 7762-2457 | 53 | 530 | .40 |
| T10-560-75 | 7762-2458 | 56 | 560 | .42 |
| T10-600-75 | 7762-2459 | 60 | 600 | .45 |
| T10-610-75 | 7762-2460 | 61 | 610 | .46 |
| T10-630-75 | 7762-2461 | 63 | 630 | .47 |
| T10-660-75 | 7762-2462 | 66 | 660 | .50 |
| T10-690-75 | 7762-2463 | 69 | 690 | .52 |
| T10-700-75 | 7762-2464 | 70 | 700 | .53 |
| T10-720-75 | 7762-2465 | 72 | 720 | .54 |
| T10-730-75 | 7762-2466 | 73 | 730 | .55 |
| T10-750-75 | 7762-2467 | 75 | 750 | .56 |
| T10-780-75 | 7762-2468 | 78 | 780 | .59 |
| T10-800-75 | 7762-0334 | 80 | 800 | .60 |
| T10-810-75 | 7762-2469 | 81 | 810 | .61 |
| T10-840-75 | 7762-2470 | 84 | 840 | .63 |
| T10-880-75 | 7762-2471 | 88 | 880 | .66 |
| T10-890-75 | 7762-2472 | 89 | 890 | .67 |
| T10-900-75 | 7762-2473 | 90 | 900 | .68 |
| T10-910-75 | 7762-2474 | 91 | 910 | .69 |
| T10-920-75 | 7762-2475 | 92 | 920 | .69 |
| T10-950-75 | 7762-0347 | 95 | 950 | .71 |
| T10-960-75 | 7762-2476 | 96 | 960 | .72 |
| T10-970-75 | 7762-2477 | 97 | 970 | .73 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-980-75 | 7762-2478 | 98 | 980 | .74 |
| T10-1000-75 | 7762-0360 | 100 | 1000 | .75 |
| T10-1010-75 | 7762-2479 | 101 | 1010 | .76 |
| T10-1080-75 | 7762-2480 | 108 | 1080 | .81 |
| T10-1100-75 | 7762-2481 | 110 | 1100 | .83 |
| T10-1110-75 | 7762-2482 | 111 | 1110 | .84 |
| T10-1140-75 | 7762-2483 | 114 | 1140 | .86 |
| T10-1150-75 | 7762-2484 | 115 | 1150 | .87 |
| T10-1210-75 | 7762-2485 | 121 | 1210 | .91 |
| T10-1240-75 | 7762-2486 | 124 | 1240 | .93 |
| T10-1250-75 | 7762-2487 | 125 | 1250 | .94 |
| T10-1300-75 | 7762-2488 | 130 | 1300 | .98 |
| T10-1320-75 | 7762-2489 | 132 | 1320 | .99 |
| T10-1350-75 | 7762-2490 | 135 | 1350 | 1.02 |
| T10-1390-75 | 7762-2491 | 139 | 1390 | 1.05 |
| T10-1400-75 | 7762-2492 | 140 | 1400 | 1.05 |
| T10-1420-75 | 7762-2493 | 142 | 1420 | 1.07 |
| T10-1450-75 | 7762-2494 | 145 | 1450 | 1.09 |
| T10-1460-75 | 7762-2495 | 146 | 1460 | 1.10 |
| T10-1500-75 | 7762-2496 | 150 | 1500 | 1.13 |
| T10-1560-75 | 7762-2497 | 156 | 1560 | 1.17 |
| T10-1600-75 | 7762-0624 | 160 | 1600 | 1.21 |
| T10-1610-75 | 7762-2498 | 161 | 1610 | 1.21 |
| T10-1700-75 | 7762-0601 | 170 | 1700 | 1.26 |
| T10-1750-75 | 7762-2499 | 175 | 1750 | 1.32 |
| T10-1780-75 | 7762-2500 | 178 | 1780 | 1.34 |
| T10-1880-75 | 7762-2501 | 188 | 1880 | 1.42 |
| T10-1960-75 | 7762-2502 | 196 | 1960 | 1.48 |
| T10-2250-75 | 7762-2503 | 225 | 2250 | 1.69 |



Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch — 100mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-260-100 | 7762-2505 | 26 | 260 | .52 |
| T10-370-100 | 7762-2506 | 37 | 370 | .74 |
| T10-400-100 | 7762-2507 | 40 | 400 | .80 |
| T10-410-100 | 7762-2508 | 41 | 410 | .82 |
| T10-440-100 | 7762-2509 | 44 | 440 | .88 |
| T10-450-100 | 7762-2510 | 45 | 450 | .90 |
| T10-500-100 | 7762-2511 | 50 | 500 | 1.00 |
| T10-530-100 | 7762-2512 | 43 | 530 | 1.06 |
| T10-560-100 | 7762-2513 | 56 | 560 | 1.12 |
| T10-600-100 | 7762-2514 | 60 | 600 | 1.20 |
| T10-610-100 | 7762-2515 | 61 | 610 | 1.22 |
| T10-630-100 | 7762-2516 | 63 | 630 | 1.26 |
| T10-660-100 | 7762-2517 | 66 | 660 | 1.33 |
| T10-690-100 | 7762-2518 | 69 | 690 | 1.39 |
| T10-700-100 | 7762-2519 | 70 | 700 | 1.41 |
| T10-720-100 | 7762-2520 | 72 | 720 | 1.45 |
| T10-730-100 | 7762-2521 | 73 | 730 | 1.47 |
| T10-750-100 | 7762-2522 | 75 | 750 | 1.51 |
| T10-780-100 | 7762-2523 | 78 | 780 | 1.57 |
| T10-800-100 | 7762-0335 | 80 | 800 | .79 |
| T10-810-100 | 7762-2524 | 81 | 810 | 1.63 |
| T10-840-100 | 7762-2525 | 84 | 840 | 1.69 |
| T10-880-100 | 7762-2526 | 88 | 880 | 1.77 |
| T10-890-100 | 7762-2527 | 89 | 890 | 1.79 |
| T10-900-100 | 7762-2528 | 90 | 900 | 1.81 |
| T10-910-100 | 7762-2529 | 91 | 910 | 1.83 |
| T10-920-100 | 7762-2530 | 92 | 920 | 1.85 |
| T10-950-100 | 7762-0348 | 95 | 950 | 1.00 |
| T10-960-100 | 7762-2531 | 96 | 960 | 1.93 |
| T10-970-100 | 7762-2532 | 97 | 970 | 1.95 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| T10-980-100 | 7762-2533 | 98 | 980 | 1.97 |
| T10-1000-100 | 7762-0361 | 100 | 1000 | 1.10 |
| T10-1010-100 | 7762-2534 | 101 | 1010 | 2.03 |
| T10-1080-100 | 7762-2535 | 108 | 1080 | 2.17 |
| T10-1100-100 | 7762-2536 | 110 | 1100 | 2.21 |
| T10-1110-100 | 7762-2537 | 111 | 1110 | 2.23 |
| T10-1140-100 | 7762-2538 | 114 | 1140 | 2.29 |
| T10-1150-100 | 7762-2539 | 115 | 1150 | 2.31 |
| T10-1210-100 | 7762-2540 | 121 | 1210 | 2.43 |
| T10-1240-100 | 7762-2541 | 124 | 1240 | 1.24 |
| T10-1250-100 | 7762-2542 | 125 | 1250 | 1.25 |
| T10-1300-100 | 7762-2543 | 130 | 1300 | 1.31 |
| T10-1320-100 | 7762-2544 | 132 | 1320 | 1.33 |
| T10-1350-100 | 7762-2545 | 135 | 1350 | 1.36 |
| T10-1390-100 | 7762-2546 | 139 | 1390 | 1.40 |
| T10-1400-100 | 7762-2547 | 140 | 1400 | 1.41 |
| T10-1420-100 | 7762-2548 | 142 | 1420 | 1.43 |
| T10-1450-100 | 7762-2549 | 145 | 1450 | 1.46 |
| T10-1460-100 | 7762-2550 | 146 | 1460 | 1.47 |
| T10-1500-100 | 7762-2551 | 150 | 1500 | 1.51 |
| T10-1560-100 | 7762-2552 | 156 | 1560 | 1.57 |
| T10-1600-100 | 7762-0625 | 160 | 1600 | 1.62 |
| T10-1610-100 | 7762-2553 | 161 | 1610 | 1.62 |
| T10-1700-100 | 7762-0602 | 170 | 1700 | 1.00 |
| T10-1750-100 | 7762-2554 | 175 | 1750 | 1.76 |
| T10-1780-100 | 7762-2555 | 178 | 1780 | 1.79 |
| T10-1880-100 | 7762-2556 | 188 | 1880 | 1.89 |
| T10-1960-100 | 7762-2557 | 196 | 1960 | 1.97 |
| T10-2250-100 | 7762-2558 | 225 | 2250 | 2.26 |

T10 Pitch — 200mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| T10-260-200 | 7762-2560 | 26 | 260 | .52 |
| T10-370-200 | 7762-2561 | 37 | 370 | .74 |
| T10-400-200 | 7762-2562 | 40 | 400 | .80 |
| T10-410-200 | 7762-2563 | 41 | 410 | .82 |
| T10-440-200 | 7762-2564 | 44 | 440 | .88 |
| T10-450-200 | 7762-2565 | 45 | 450 | .90 |
| T10-500-200 | 7762-2566 | 50 | 500 | 1.00 |
| T10-530-200 | 7762-2567 | 53 | 530 | 1.06 |
| T10-560-200 | 7762-2568 | 56 | 560 | 1.12 |
| T10-600-200 | 7762-2569 | 60 | 600 | 1.20 |
| T10-610-200 | 7762-2570 | 61 | 610 | 1.22 |
| T10-630-200 | 7762-2571 | 63 | 630 | 1.26 |
| T10-660-200 | 7762-2572 | 66 | 660 | 1.33 |
| T10-690-200 | 7762-2573 | 69 | 690 | 1.39 |
| T10-700-200 | 7762-2574 | 70 | 700 | 1.41 |
| T10-720-200 | 7762-2575 | 72 | 720 | 1.45 |
| T10-730-200 | 7762-2576 | 73 | 730 | 1.47 |
| T10-750-200 | 7762-2577 | 75 | 750 | 1.51 |
| T10-780-200 | 7762-2578 | 78 | 780 | 1.57 |
| T10-800-200 | 7762-0336 | 80 | 800 | 1.61 |
| T10-810-200 | 7762-2579 | 81 | 810 | 1.63 |
| T10-840-200 | 7762-2580 | 84 | 840 | 1.69 |
| T10-880-200 | 7762-2581 | 88 | 880 | 1.77 |
| T10-890-200 | 7762-2582 | 89 | 890 | 1.79 |
| T10-900-200 | 7762-2583 | 90 | 900 | 1.81 |
| T10-910-200 | 7762-2584 | 91 | 910 | 1.83 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| T10-920-200 | 7762-2585 | 92 | 920 | 1.85 |
| T10-950-200 | 7762-0349 | 95 | 950 | 1.91 |
| T10-960-200 | 7762-2586 | 96 | 960 | 1.93 |
| T10-970-200 | 7762-2587 | 97 | 970 | 1.95 |
| T10-980-200 | 7762-2588 | 98 | 980 | 1.97 |
| T10-1000-200 | 7762-0362 | 100 | 1000 | 1.97 |
| T10-1010-200 | 7762-2589 | 101 | 1010 | 2.03 |
| T10-1080-200 | 7762-2590 | 108 | 1080 | 2.17 |
| T10-1100-200 | 7762-2591 | 110 | 1100 | 2.21 |
| T10-1110-200 | 7762-2592 | 111 | 1110 | 2.23 |
| T10-1140-200 | 7762-2593 | 114 | 1140 | 2.29 |
| T10-1150-200 | 7762-2594 | 115 | 1150 | 2.31 |
| T10-1210-200 | 7762-2595 | 121 | 1210 | 2.43 |
| T10-1240-200 | 7762-2596 | 124 | 1240 | 2.49 |
| T10-1250-200 | 7762-2597 | 125 | 1250 | 2.51 |
| T10-1300-200 | 7762-2598 | 130 | 1300 | 2.61 |
| T10-1320-200 | 7762-2599 | 132 | 1320 | 2.65 |
| T10-1350-200 | 7762-2600 | 135 | 1350 | 2.71 |
| T10-1390-200 | 7762-2601 | 139 | 1390 | 2.79 |
| T10-1400-200 | 7762-2602 | 140 | 1400 | 2.81 |
| T10-1420-200 | 7762-2603 | 142 | 1420 | 2.85 |
| T10-1450-200 | 7762-2604 | 145 | 1450 | 2.91 |
| T10-1460-200 | 7762-2605 | 146 | 1460 | 2.93 |
| T10-1500-200 | 7762-2606 | 150 | 1500 | 3.01 |
| T10-1560-200 | 7762-2607 | 156 | 1560 | 3.13 |
| T10-1600-200 | 7762-0626 | 160 | 1600 | 3.23 |

SYNCHRO-POWER BELTS



**Synchro-Power® Polyurethane Belts****Product No. Series 7762 (continued)****T10 Pitch — 200mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| T10-1610-200 | 7762-2608 | 161 | 1610 | 3.23 |
| T10-1700-200 | 7762-0603 | 170 | 1700 | 3.33 |
| T10-1750-200 | 7762-2609 | 175 | 1750 | 3.51 |
| T10-1780-200 | 7762-2610 | 178 | 1780 | 3.57 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| T10-1880-200 | 7762-2611 | 188 | 1880 | 3.77 |
| T10-1960-200 | 7762-2612 | 196 | 1960 | 3.94 |
| T10-2250-200 | 7762-2613 | 225 | 2250 | 4.52 |

AT5 Pitch — 4mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| AT5-255-4 | 7762-3001 | 51 | 255 | .01 |
| AT5-275-4 | 7762-3002 | 55 | 275 | .01 |
| AT5-280-4 | 7762-3003 | 56 | 280 | .01 |
| AT5-300-4 | 7762-3004 | 60 | 300 | .01 |
| AT5-340-4 | 7762-3005 | 68 | 340 | .01 |
| AT5-375-4 | 7762-3006 | 75 | 375 | .01 |
| AT5-390-4 | 7762-3007 | 78 | 390 | .01 |
| AT5-420-4 | 7762-3008 | 84 | 420 | .01 |
| AT5-455-4 | 7762-3009 | 91 | 455 | .01 |
| AT5-500-4 | 7762-3010 | 100 | 500 | .02 |
| AT5-545-4 | 7762-3011 | 109 | 545 | .02 |
| AT5-600-4 | 7762-3012 | 120 | 600 | .02 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-610-4 | 7762-3013 | 122 | 610 | .02 |
| AT5-630-4 | 7762-3014 | 126 | 630 | .02 |
| AT5-660-4 | 7762-3015 | 132 | 660 | .02 |
| AT5-720-4 | 7762-3016 | 144 | 720 | .02 |
| AT5-750-4 | 7762-3017 | 150 | 750 | .02 |
| AT5-780-4 | 7762-3018 | 156 | 780 | .02 |
| AT5-825-4 | 7762-3019 | 165 | 825 | .02 |
| AT5-975-4 | 7762-3020 | 195 | 975 | .03 |
| AT5-1050-4 | 7762-3021 | 210 | 1050 | .03 |
| AT5-1125-4 | 7762-3022 | 225 | 1125 | .03 |
| AT5-1500-4 | 7762-3311 | 300 | 1500 | .04 |

AT5 Pitch — 6mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| AT5-255-6 | 7762-3025 | 51 | 255 | .01 |
| AT5-275-6 | 7762-3026 | 55 | 275 | .01 |
| AT5-280-6 | 7762-3027 | 56 | 280 | .01 |
| AT5-300-6 | 7762-3028 | 60 | 300 | .01 |
| AT5-340-6 | 7762-3029 | 68 | 340 | .02 |
| AT5-375-6 | 7762-3030 | 75 | 375 | .02 |
| AT5-390-6 | 7762-3031 | 78 | 390 | .02 |
| AT5-420-6 | 7762-3032 | 84 | 420 | .02 |
| AT5-455-6 | 7762-3033 | 91 | 455 | .02 |
| AT5-500-6 | 7762-3034 | 100 | 500 | .02 |
| AT5-545-6 | 7762-3035 | 109 | 545 | .02 |
| AT5-600-6 | 7762-3036 | 120 | 600 | .03 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-610-6 | 7762-3037 | 122 | 610 | .03 |
| AT5-630-6 | 7762-3038 | 126 | 630 | .03 |
| AT5-660-6 | 7762-3039 | 132 | 660 | .03 |
| AT5-720-6 | 7762-3040 | 144 | 720 | .03 |
| AT5-750-6 | 7762-3041 | 150 | 750 | .03 |
| AT5-780-6 | 7762-3042 | 156 | 780 | .04 |
| AT5-825-6 | 7762-3043 | 165 | 825 | .04 |
| AT5-975-6 | 7762-3044 | 195 | 975 | .04 |
| AT5-1050-6 | 7762-3045 | 210 | 1050 | .05 |
| AT5-1125-6 | 7762-3046 | 225 | 1125 | .05 |
| AT5-1500-6 | 7762-3312 | 300 | 1500 | .06 |

AT5 Pitch — 8mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------|-------------------|----------------|
| AT5-255-8 | 7762-3049 | 51 | 255 | .02 |
| AT5-275-8 | 7762-3050 | 55 | 275 | .02 |
| AT5-280-8 | 7762-3051 | 56 | 280 | .02 |
| AT5-300-8 | 7762-3052 | 60 | 300 | .02 |
| AT5-340-8 | 7762-3053 | 68 | 340 | .02 |
| AT5-375-8 | 7762-3054 | 75 | 375 | .02 |
| AT5-390-8 | 7762-3055 | 78 | 390 | .02 |
| AT5-420-8 | 7762-3056 | 84 | 420 | .03 |
| AT5-455-8 | 7762-3057 | 91 | 455 | .03 |
| AT5-500-8 | 7762-3058 | 100 | 500 | .03 |
| AT5-545-8 | 7762-3059 | 109 | 545 | .03 |
| AT5-600-8 | 7762-3060 | 120 | 600 | .04 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-610-8 | 7762-3061 | 122 | 610 | .04 |
| AT5-630-8 | 7762-3062 | 126 | 630 | .04 |
| AT5-660-8 | 7762-3063 | 132 | 660 | .04 |
| AT5-720-8 | 7762-3064 | 144 | 720 | .04 |
| AT5-750-8 | 7762-3065 | 150 | 750 | .05 |
| AT5-780-8 | 7762-3066 | 156 | 780 | .05 |
| AT5-825-8 | 7762-3067 | 165 | 825 | .05 |
| AT5-975-8 | 7762-3068 | 195 | 975 | .06 |
| AT5-1050-8 | 7762-3069 | 210 | 1050 | .06 |
| AT5-1125-8 | 7762-3070 | 225 | 1125 | .07 |
| AT5-1500-8 | 7762-3313 | 300 | 1500 | .09 |



Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT5 Pitch — 10mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-255-10 | 7762-3073 | 51 | 255 | .02 |
| AT5-275-10 | 7762-3074 | 55 | 275 | .02 |
| AT5-280-10 | 7762-3075 | 56 | 280 | .02 |
| AT5-300-10 | 7762-3076 | 60 | 300 | .02 |
| AT5-340-10 | 7762-3077 | 68 | 340 | .03 |
| AT5-375-10 | 7762-3078 | 75 | 375 | .03 |
| AT5-390-10 | 7762-3079 | 78 | 390 | .03 |
| AT5-420-10 | 7762-3080 | 84 | 420 | .03 |
| AT5-455-10 | 7762-3081 | 91 | 455 | .03 |
| AT5-500-10 | 7762-3082 | 100 | 500 | .04 |
| AT5-545-10 | 7762-3083 | 109 | 545 | .04 |
| AT5-600-10 | 7762-3084 | 120 | 600 | .05 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT5-610-10 | 7762-3085 | 122 | 610 | .05 |
| AT5-630-10 | 7762-3086 | 126 | 630 | .05 |
| AT5-660-10 | 7762-3087 | 132 | 660 | .05 |
| AT5-720-10 | 7762-3088 | 144 | 720 | .05 |
| AT5-750-10 | 7762-3089 | 150 | 750 | .06 |
| AT5-780-10 | 7762-3090 | 156 | 780 | .06 |
| AT5-825-10 | 7762-3091 | 165 | 825 | .06 |
| AT5-975-10 | 7762-3092 | 195 | 975 | .07 |
| AT5-1050-10 | 7762-3093 | 210 | 1050 | .08 |
| AT5-1125-10 | 7762-3094 | 225 | 1125 | .09 |
| AT5-1500-10 | 7762-3314 | 300 | 1500 | .11 |

AT5 Pitch — 12mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-255-12 | 7762-3097 | 51 | 255 | .02 |
| AT5-275-12 | 7762-3098 | 55 | 275 | .02 |
| AT5-280-12 | 7762-3099 | 56 | 280 | .03 |
| AT5-300-12 | 7762-3100 | 60 | 300 | .03 |
| AT5-340-12 | 7762-3101 | 68 | 340 | .03 |
| AT5-375-12 | 7762-3102 | 75 | 375 | .03 |
| AT5-390-12 | 7762-3103 | 78 | 390 | .04 |
| AT5-420-12 | 7762-3104 | 84 | 420 | .04 |
| AT5-455-12 | 7762-3105 | 91 | 455 | .04 |
| AT5-500-12 | 7762-3106 | 100 | 500 | .05 |
| AT5-545-12 | 7762-3107 | 109 | 545 | .05 |
| AT5-600-12 | 7762-3108 | 120 | 600 | .05 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT5-610-12 | 7762-3109 | 122 | 610 | .06 |
| AT5-630-12 | 7762-3110 | 126 | 630 | .06 |
| AT5-660-12 | 7762-3111 | 132 | 660 | .06 |
| AT5-720-12 | 7762-3112 | 144 | 720 | .07 |
| AT5-750-12 | 7762-3113 | 150 | 750 | .07 |
| AT5-780-12 | 7762-3114 | 156 | 780 | .07 |
| AT5-825-12 | 7762-3115 | 165 | 825 | .07 |
| AT5-975-12 | 7762-3116 | 195 | 975 | .09 |
| AT5-1050-12 | 7762-3117 | 210 | 1050 | .10 |
| AT5-1125-12 | 7762-3118 | 225 | 1125 | .10 |
| AT5-1500-12 | 7762-3315 | 300 | 1500 | .13 |

AT5 Pitch — 16mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-255-16 | 7762-3121 | 51 | 255 | .03 |
| AT5-275-16 | 7762-3122 | 55 | 275 | .03 |
| AT5-280-16 | 7762-3123 | 56 | 280 | .03 |
| AT5-300-16 | 7762-3124 | 60 | 300 | .04 |
| AT5-340-16 | 7762-3125 | 68 | 340 | .04 |
| AT5-375-16 | 7762-3126 | 75 | 375 | .05 |
| AT5-390-16 | 7762-3127 | 78 | 390 | .05 |
| AT5-420-16 | 7762-3128 | 84 | 420 | .05 |
| AT5-455-16 | 7762-3129 | 91 | 455 | .06 |
| AT5-500-16 | 7762-3130 | 100 | 500 | .06 |
| AT5-545-16 | 7762-3131 | 109 | 545 | .07 |
| AT5-600-16 | 7762-3132 | 120 | 600 | .07 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT5-610-16 | 7762-3133 | 122 | 610 | .07 |
| AT5-630-16 | 7762-3134 | 126 | 630 | .08 |
| AT5-660-16 | 7762-3135 | 132 | 660 | .08 |
| AT5-720-16 | 7762-3136 | 144 | 720 | .09 |
| AT5-750-16 | 7762-3137 | 150 | 750 | .09 |
| AT5-780-16 | 7762-3138 | 156 | 780 | .09 |
| AT5-825-16 | 7762-3139 | 165 | 825 | .10 |
| AT5-975-16 | 7762-3140 | 195 | 975 | .12 |
| AT5-1050-16 | 7762-3141 | 210 | 1050 | .13 |
| AT5-1125-16 | 7762-3142 | 225 | 1125 | .14 |
| AT5-1500-16 | 7762-3316 | 300 | 1500 | .18 |

AT5 Pitch — 20mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-255-20 | 7762-3145 | 51 | 255 | .04 |
| AT5-275-20 | 7762-3146 | 55 | 275 | .04 |
| AT5-280-20 | 7762-3147 | 56 | 280 | .04 |
| AT5-300-20 | 7762-3148 | 60 | 300 | .05 |
| AT5-340-20 | 7762-3149 | 68 | 340 | .05 |
| AT5-375-20 | 7762-3150 | 75 | 375 | .06 |
| AT5-390-20 | 7762-3151 | 78 | 390 | .06 |
| AT5-420-20 | 7762-3152 | 84 | 420 | .06 |
| AT5-455-20 | 7762-3153 | 91 | 455 | .07 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-500-20 | 7762-3154 | 100 | 500 | .08 |
| AT5-545-20 | 7762-3155 | 109 | 545 | .08 |
| AT5-600-20 | 7762-3156 | 120 | 600 | .09 |
| AT5-610-20 | 7762-3157 | 122 | 610 | .09 |
| AT5-630-20 | 7762-3158 | 126 | 630 | .10 |
| AT5-660-20 | 7762-3159 | 132 | 660 | .10 |
| AT5-720-20 | 7762-3160 | 144 | 720 | .11 |
| AT5-750-20 | 7762-3161 | 150 | 750 | .11 |
| AT5-780-20 | 7762-3162 | 156 | 780 | .12 |

SYNCHRO-POWER BELTS



**Synchro-Power® Polyurethane Belts****Product No. Series 7762 (continued)****AT5 Pitch — 20mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT5-825-20 | 7762-3163 | 165 | 825 | .12 |
| AT5-975-20 | 7762-3164 | 195 | 975 | .15 |
| AT5-1050-20 | 7762-3165 | 210 | 1050 | .16 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT5-1125-20 | 7762-3166 | 225 | 1125 | .17 |
| AT5-1500-20 | 7762-3317 | 300 | 1500 | .22 |

AT5 Pitch — 25mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-255-25 | 7762-3169 | 51 | 255 | .05 |
| AT5-275-25 | 7762-3170 | 55 | 275 | .05 |
| AT5-280-25 | 7762-3171 | 56 | 280 | .05 |
| AT5-300-25 | 7762-3172 | 60 | 300 | .06 |
| AT5-340-25 | 7762-3173 | 68 | 340 | .06 |
| AT5-375-25 | 7762-3174 | 75 | 375 | .07 |
| AT5-390-25 | 7762-3175 | 78 | 390 | .07 |
| AT5-420-25 | 7762-3176 | 84 | 420 | .08 |
| AT5-455-25 | 7762-3177 | 91 | 455 | .09 |
| AT5-500-25 | 7762-3178 | 100 | 500 | .09 |
| AT5-545-25 | 7762-3179 | 109 | 545 | .10 |
| AT5-600-25 | 7762-3180 | 120 | 600 | .11 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT5-610-25 | 7762-3181 | 122 | 610 | .12 |
| AT5-630-25 | 7762-3182 | 126 | 630 | .12 |
| AT5-660-25 | 7762-3183 | 132 | 660 | .12 |
| AT5-720-25 | 7762-3184 | 144 | 720 | .14 |
| AT5-750-25 | 7762-3185 | 150 | 750 | .14 |
| AT5-780-25 | 7762-3186 | 156 | 780 | .15 |
| AT5-825-25 | 7762-3187 | 165 | 825 | .16 |
| AT5-975-25 | 7762-3188 | 195 | 975 | .18 |
| AT5-1050-25 | 7762-3189 | 210 | 1050 | .20 |
| AT5-1125-25 | 7762-3190 | 225 | 1125 | .21 |
| AT5-1500-25 | 7762-3318 | 300 | 1500 | .28 |

AT5 Pitch — 32mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-255-32 | 7762-3193 | 51 | 255 | .05 |
| AT5-275-32 | 7762-3194 | 55 | 275 | .05 |
| AT5-280-32 | 7762-3195 | 56 | 280 | .05 |
| AT5-300-32 | 7762-3196 | 60 | 300 | .06 |
| AT5-340-32 | 7762-3197 | 68 | 340 | .06 |
| AT5-375-32 | 7762-3198 | 75 | 375 | .07 |
| AT5-390-32 | 7762-3199 | 78 | 390 | .07 |
| AT5-420-32 | 7762-3200 | 84 | 420 | .08 |
| AT5-455-32 | 7762-3201 | 91 | 455 | .09 |
| AT5-500-32 | 7762-3202 | 100 | 500 | .09 |
| AT5-545-32 | 7762-3203 | 109 | 545 | .10 |
| AT5-600-32 | 7762-3204 | 120 | 600 | .11 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT5-610-32 | 7762-3205 | 122 | 610 | .12 |
| AT5-630-32 | 7762-3206 | 126 | 630 | .12 |
| AT5-660-32 | 7762-3207 | 132 | 660 | .12 |
| AT5-720-32 | 7762-3208 | 144 | 720 | .14 |
| AT5-750-32 | 7762-3209 | 150 | 750 | .14 |
| AT5-780-32 | 7762-3210 | 156 | 780 | .15 |
| AT5-825-32 | 7762-3211 | 165 | 825 | .16 |
| AT5-975-32 | 7762-3212 | 195 | 975 | .18 |
| AT5-1050-32 | 7762-3213 | 210 | 1050 | .20 |
| AT5-1125-32 | 7762-3214 | 225 | 1125 | .21 |
| AT5-1500-32 | 7762-3319 | 300 | 1500 | .28 |

AT5 Pitch — 50mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-255-50 | 7762-3217 | 51 | 255 | .10 |
| AT5-275-50 | 7762-3218 | 55 | 275 | .10 |
| AT5-280-50 | 7762-3219 | 56 | 280 | .11 |
| AT5-300-50 | 7762-3220 | 60 | 300 | .11 |
| AT5-340-50 | 7762-3221 | 68 | 340 | .13 |
| AT5-375-50 | 7762-3222 | 75 | 375 | .14 |
| AT5-390-50 | 7762-3223 | 78 | 390 | .15 |
| AT5-420-50 | 7762-3224 | 84 | 420 | .16 |
| AT5-455-50 | 7762-3225 | 91 | 455 | .17 |
| AT5-500-50 | 7762-3226 | 100 | 500 | .19 |
| AT5-545-50 | 7762-3227 | 109 | 545 | .21 |
| AT5-600-50 | 7762-3228 | 120 | 600 | .23 |
| AT5-610-50 | 7762-3229 | 122 | 610 | .23 |
| AT5-630-50 | 7762-3230 | 126 | 630 | .24 |
| AT5-660-50 | 7762-3231 | 132 | 660 | .25 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT5-720-50 | 7762-3232 | 144 | 720 | .27 |
| AT5-750-50 | 7762-3233 | 150 | 750 | .28 |
| AT5-780-50 | 7762-3234 | 156 | 780 | .30 |
| AT5-825-50 | 7762-3235 | 165 | 825 | .31 |
| AT5-975-50 | 7762-3236 | 195 | 975 | .37 |
| AT5-1050-50 | 7762-3237 | 210 | 1050 | .40 |
| AT5-1125-50 | 7762-3238 | 225 | 1125 | .43 |
| AT5-1500-50 | 7762-3320 | 300 | 1500 | .56 |



Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT5 Pitch — 75mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|------------|-------------|--------------|-------------------|----------------|
| AT5-255-75 | 7762-3241 | 51 | 255 | .14 |
| AT5-275-75 | 7762-3242 | 55 | 275 | .16 |
| AT5-280-75 | 7762-3243 | 56 | 280 | .16 |
| AT5-300-75 | 7762-3244 | 60 | 300 | .17 |
| AT5-340-75 | 7762-3245 | 68 | 340 | .19 |
| AT5-375-75 | 7762-3246 | 75 | 375 | .21 |
| AT5-390-75 | 7762-3247 | 78 | 390 | .22 |
| AT5-420-75 | 7762-3248 | 84 | 420 | .24 |
| AT5-455-75 | 7762-3249 | 91 | 455 | .26 |
| AT5-500-75 | 7762-3250 | 100 | 500 | .28 |
| AT5-545-75 | 7762-3251 | 109 | 545 | .31 |
| AT5-600-75 | 7762-3252 | 120 | 600 | .34 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT5-610-75 | 7762-3253 | 122 | 610 | .35 |
| AT5-630-75 | 7762-3254 | 126 | 630 | .36 |
| AT5-660-75 | 7762-3255 | 132 | 660 | .37 |
| AT5-720-75 | 7762-3256 | 144 | 720 | .41 |
| AT5-750-75 | 7762-3257 | 150 | 750 | .43 |
| AT5-780-75 | 7762-3258 | 156 | 780 | .44 |
| AT5-825-75 | 7762-3259 | 165 | 825 | .47 |
| AT5-975-75 | 7762-3260 | 195 | 975 | .55 |
| AT5-1050-75 | 7762-3261 | 210 | 1050 | .60 |
| AT5-1125-75 | 7762-3262 | 225 | 1125 | .64 |
| AT5-1500-75 | 7762-3321 | 300 | 1500 | .85 |

AT5 Pitch — 100mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT5-225-100 | 7762-3264 | 45 | 225 | .17 |
| AT5-255-100 | 7762-3265 | 51 | 255 | .19 |
| AT5-275-100 | 7762-3266 | 55 | 275 | .21 |
| AT5-280-100 | 7762-3267 | 56 | 280 | .21 |
| AT5-300-100 | 7762-3268 | 60 | 300 | .23 |
| AT5-340-100 | 7762-3269 | 68 | 340 | .26 |
| AT5-375-100 | 7762-3270 | 75 | 375 | .28 |
| AT5-390-100 | 7762-3271 | 78 | 390 | .30 |
| AT5-420-100 | 7762-3272 | 84 | 420 | .32 |
| AT5-455-100 | 7762-3273 | 91 | 455 | .34 |
| AT5-500-100 | 7762-3274 | 100 | 500 | .38 |
| AT5-545-100 | 7762-3275 | 109 | 545 | .41 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT5-600-100 | 7762-3276 | 120 | 600 | .45 |
| AT5-610-100 | 7762-3277 | 122 | 610 | .46 |
| AT5-630-100 | 7762-3278 | 126 | 630 | .48 |
| AT5-660-100 | 7762-3279 | 132 | 660 | .50 |
| AT5-720-100 | 7762-3280 | 144 | 720 | .55 |
| AT5-750-100 | 7762-3281 | 150 | 750 | .57 |
| AT5-780-100 | 7762-3282 | 156 | 780 | .59 |
| AT5-825-100 | 7762-3283 | 165 | 825 | .62 |
| AT5-975-100 | 7762-3284 | 195 | 975 | .74 |
| AT5-1050-100 | 7762-3285 | 210 | 1050 | .80 |
| AT5-1125-100 | 7762-3286 | 225 | 1125 | .85 |
| AT5-1500-100 | 7762-3322 | 300 | 1500 | 1.13 |

AT5 Pitch — 200mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT5-255-200 | 7762-3289 | 51 | 255 | .39 |
| AT5-275-200 | 7762-3290 | 55 | 275 | .42 |
| AT5-280-200 | 7762-3291 | 56 | 280 | .42 |
| AT5-300-200 | 7762-3292 | 60 | 300 | .45 |
| AT5-340-200 | 7762-3293 | 68 | 340 | .52 |
| AT5-375-200 | 7762-3294 | 75 | 375 | .57 |
| AT5-390-200 | 7762-3295 | 78 | 390 | .59 |
| AT5-420-200 | 7762-3296 | 84 | 420 | .64 |
| AT5-455-200 | 7762-3297 | 91 | 455 | .69 |
| AT5-500-200 | 7762-3298 | 100 | 500 | .76 |
| AT5-545-200 | 7762-3299 | 109 | 545 | .83 |
| AT5-600-200 | 7762-3300 | 120 | 600 | .91 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT5-610-200 | 7762-3301 | 122 | 610 | .92 |
| AT5-630-200 | 7762-3302 | 126 | 630 | .95 |
| AT5-660-200 | 7762-3303 | 132 | 660 | 1.00 |
| AT5-720-200 | 7762-3304 | 144 | 720 | 1.09 |
| AT5-750-200 | 7762-3305 | 150 | 750 | 1.14 |
| AT5-780-200 | 7762-3306 | 156 | 780 | 1.18 |
| AT5-825-200 | 7762-3307 | 165 | 825 | 1.25 |
| AT5-975-200 | 7762-3308 | 195 | 975 | 1.48 |
| AT5-1050-200 | 7762-3309 | 210 | 1050 | 1.59 |
| AT5-1125-200 | 7762-3310 | 225 | 1125 | 1.70 |
| AT5-1500-200 | 7762-3323 | 300 | 1500 | 2.27 |

AT10 Pitch — 12mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT10-500-12 | 7762-4000 | 50 | 500 | .08 |
| AT10-560-12 | 7762-4001 | 56 | 560 | .08 |
| AT10-610-12 | 7762-4002 | 61 | 610 | .09 |
| AT10-660-12 | 7762-4003 | 66 | 660 | .10 |
| AT10-700-12 | 7762-4004 | 70 | 700 | .11 |
| AT10-730-12 | 7762-4005 | 73 | 730 | .11 |
| AT10-780-12 | 7762-4006 | 78 | 780 | .12 |
| AT10-800-12 | 7762-4007 | 80 | 800 | .12 |
| AT10-810-12 | 7762-4008 | 81 | 810 | .12 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-840-12 | 7762-4009 | 84 | 840 | .13 |
| AT10-890-12 | 7762-4010 | 89 | 890 | .13 |
| AT10-920-12 | 7762-4011 | 92 | 920 | .14 |
| AT10-960-12 | 7762-4012 | 96 | 960 | .14 |
| AT10-980-12 | 7762-4013 | 98 | 980 | .15 |
| AT10-1010-12 | 7762-4014 | 101 | 1010 | .15 |
| AT10-1050-12 | 7762-4015 | 105 | 1050 | .16 |
| AT10-1080-12 | 7762-4016 | 108 | 1080 | .16 |
| AT10-1150-12 | 7762-4017 | 115 | 1150 | .17 |

SYNCHRO-POWER BELTS



**Synchro-Power® Polyurethane Belts****Product No. Series 7762 (continued)****AT10 Pitch — 12mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-1210-12 | 7762-4018 | 121 | 1210 | .18 |
| AT10-1250-12 | 7762-4019 | 125 | 1250 | .19 |
| AT10-1320-12 | 7762-4020 | 132 | 1320 | .20 |
| AT10-1400-12 | 7762-4021 | 140 | 1400 | .21 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-1500-12 | 7762-4022 | 150 | 1500 | .23 |
| AT10-1600-12 | 7762-4023 | 160 | 1600 | .24 |
| AT10-1700-12 | 7762-4024 | 170 | 1700 | .26 |
| AT10-1800-12 | 7762-4226 | 180 | 1800 | .27 |

AT10 Pitch — 16mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT10-500-16 | 7762-4025 | 50 | 500 | .10 |
| AT10-560-16 | 7762-4026 | 56 | 560 | .11 |
| AT10-610-16 | 7762-4027 | 61 | 610 | .12 |
| AT10-660-16 | 7762-4028 | 66 | 660 | .13 |
| AT10-700-16 | 7762-4029 | 70 | 700 | .14 |
| AT10-730-16 | 7762-4030 | 73 | 730 | .15 |
| AT10-780-16 | 7762-4031 | 78 | 780 | .16 |
| AT10-800-16 | 7762-4032 | 80 | 800 | .16 |
| AT10-810-16 | 7762-4033 | 81 | 810 | .16 |
| AT10-840-16 | 7762-4034 | 84 | 840 | .17 |
| AT10-890-16 | 7762-4035 | 89 | 890 | .18 |
| AT10-920-16 | 7762-4036 | 92 | 920 | .18 |
| AT10-960-16 | 7762-4037 | 96 | 960 | .19 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-980-16 | 7762-4038 | 98 | 980 | .20 |
| AT10-1010-16 | 7762-4039 | 101 | 1010 | .20 |
| AT10-1050-16 | 7762-4040 | 105 | 1050 | .21 |
| AT10-1080-16 | 7762-4041 | 108 | 1080 | .22 |
| AT10-1150-16 | 7762-4042 | 115 | 1150 | .23 |
| AT10-1210-16 | 7762-4043 | 121 | 1210 | .24 |
| AT10-1250-16 | 7762-4044 | 125 | 1250 | .25 |
| AT10-1320-16 | 7762-4045 | 132 | 1320 | .26 |
| AT10-1400-16 | 7762-4046 | 140 | 1400 | .28 |
| AT10-1500-16 | 7762-4047 | 150 | 1500 | .30 |
| AT10-1600-16 | 7762-4048 | 160 | 1600 | .32 |
| AT10-1700-16 | 7762-4049 | 170 | 1700 | .34 |
| AT10-1800-16 | 7762-4228 | 180 | 1800 | .36 |

AT10 Pitch — 20mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT10-500-20 | 7762-4050 | 50 | 500 | .13 |
| AT10-560-20 | 7762-4051 | 56 | 560 | .14 |
| AT10-610-20 | 7762-4052 | 61 | 610 | .15 |
| AT10-660-20 | 7762-4053 | 66 | 660 | .17 |
| AT10-700-20 | 7762-4054 | 70 | 700 | .18 |
| AT10-730-20 | 7762-4055 | 73 | 730 | .18 |
| AT10-780-20 | 7762-4056 | 78 | 780 | .20 |
| AT10-800-20 | 7762-4057 | 80 | 800 | .20 |
| AT10-810-20 | 7762-4058 | 81 | 810 | .20 |
| AT10-840-20 | 7762-4059 | 84 | 840 | .21 |
| AT10-890-20 | 7762-4060 | 89 | 890 | .22 |
| AT10-920-20 | 7762-4061 | 92 | 920 | .23 |
| AT10-960-20 | 7762-4062 | 96 | 960 | .24 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-980-20 | 7762-4063 | 98 | 980 | .25 |
| AT10-1010-20 | 7762-4064 | 101 | 1010 | .25 |
| AT10-1050-20 | 7762-4065 | 105 | 1050 | .26 |
| AT10-1080-20 | 7762-4066 | 108 | 1080 | .27 |
| AT10-1150-20 | 7762-4067 | 115 | 1150 | .29 |
| AT10-1210-20 | 7762-4068 | 121 | 1210 | .30 |
| AT10-1250-20 | 7762-4069 | 125 | 1250 | .31 |
| AT10-1320-20 | 7762-4070 | 132 | 1320 | .33 |
| AT10-1400-20 | 7762-4071 | 140 | 1400 | .35 |
| AT10-1500-20 | 7762-4072 | 150 | 1500 | .38 |
| AT10-1600-20 | 7762-4073 | 160 | 1600 | .40 |
| AT10-1700-20 | 7762-4074 | 170 | 1700 | .43 |
| AT10-1800-20 | 7762-4230 | 180 | 1800 | .45 |

AT10 Pitch — 25mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT10-500-25 | 7762-4075 | 50 | 500 | .16 |
| AT10-560-25 | 7762-4076 | 56 | 560 | .18 |
| AT10-610-25 | 7762-4077 | 61 | 610 | .19 |
| AT10-660-25 | 7762-4078 | 66 | 660 | .21 |
| AT10-700-25 | 7762-4079 | 70 | 700 | .22 |
| AT10-730-25 | 7762-4080 | 73 | 730 | .23 |
| AT10-780-25 | 7762-4081 | 78 | 780 | .24 |
| AT10-800-25 | 7762-4082 | 80 | 800 | .25 |
| AT10-810-25 | 7762-4083 | 81 | 810 | .25 |
| AT10-840-25 | 7762-4084 | 84 | 840 | .26 |
| AT10-890-25 | 7762-4085 | 89 | 890 | .28 |
| AT10-920-25 | 7762-4086 | 92 | 920 | .29 |
| AT10-960-25 | 7762-4087 | 96 | 960 | .30 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-980-25 | 7762-4088 | 98 | 980 | .31 |
| AT10-1010-25 | 7762-4089 | 101 | 1010 | .32 |
| AT10-1050-25 | 7762-4090 | 105 | 1050 | .33 |
| AT10-1080-25 | 7762-4091 | 108 | 1080 | .34 |
| AT10-1150-25 | 7762-4092 | 115 | 1150 | .36 |
| AT10-1210-25 | 7762-4093 | 121 | 1210 | .38 |
| AT10-1250-25 | 7762-4094 | 125 | 1250 | .39 |
| AT10-1320-25 | 7762-4095 | 132 | 1320 | .41 |
| AT10-1400-25 | 7762-4096 | 140 | 1400 | .44 |
| AT10-1500-25 | 7762-4097 | 150 | 1500 | .47 |
| AT10-1600-25 | 7762-4098 | 160 | 1600 | .50 |
| AT10-1700-25 | 7762-4099 | 170 | 1700 | .53 |
| AT10-1800-25 | 7762-4242 | 180 | 1800 | .56 |



Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT10 Pitch — 32mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT10-500-32 | 7762-4100 | 50 | 500 | .20 |
| AT10-560-32 | 7762-4101 | 56 | 560 | .22 |
| AT10-610-32 | 7762-4102 | 61 | 610 | .24 |
| AT10-660-32 | 7762-4103 | 66 | 660 | .26 |
| AT10-700-32 | 7762-4104 | 70 | 700 | .28 |
| AT10-730-32 | 7762-4105 | 73 | 730 | .29 |
| AT10-780-32 | 7762-4106 | 78 | 780 | .31 |
| AT10-800-32 | 7762-4107 | 80 | 800 | .32 |
| AT10-810-32 | 7762-4108 | 81 | 810 | .33 |
| AT10-840-32 | 7762-4109 | 84 | 840 | .34 |
| AT10-890-32 | 7762-4110 | 89 | 890 | .36 |
| AT10-920-32 | 7762-4111 | 92 | 920 | .37 |
| AT10-960-32 | 7762-4112 | 96 | 960 | .39 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-980-32 | 7762-4113 | 98 | 980 | .39 |
| AT10-1010-32 | 7762-4114 | 101 | 1010 | .41 |
| AT10-1050-32 | 7762-4115 | 105 | 1050 | .42 |
| AT10-1080-32 | 7762-4116 | 108 | 1080 | .43 |
| AT10-1150-32 | 7762-4117 | 115 | 1150 | .46 |
| AT10-1210-32 | 7762-4118 | 121 | 1210 | .49 |
| AT10-1250-32 | 7762-4119 | 125 | 1250 | .50 |
| AT10-1320-32 | 7762-4120 | 132 | 1320 | .53 |
| AT10-1400-32 | 7762-4121 | 140 | 1400 | .56 |
| AT10-1500-32 | 7762-4122 | 150 | 1500 | .60 |
| AT10-1600-32 | 7762-4123 | 160 | 1600 | .64 |
| AT10-1700-32 | 7762-4124 | 170 | 1700 | .68 |
| AT10-1800-32 | 7762-4233 | 180 | 1800 | .72 |

AT10 Pitch — 50mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT10-500-50 | 7762-4125 | 50 | 500 | .31 |
| AT10-560-50 | 7762-4126 | 56 | 560 | .35 |
| AT10-610-50 | 7762-4127 | 61 | 610 | .38 |
| AT10-660-50 | 7762-4128 | 66 | 660 | .41 |
| AT10-700-50 | 7762-4129 | 70 | 700 | .44 |
| AT10-730-50 | 7762-4130 | 73 | 730 | .46 |
| AT10-780-50 | 7762-4131 | 78 | 780 | .49 |
| AT10-800-50 | 7762-4132 | 80 | 800 | .50 |
| AT10-810-50 | 7762-4133 | 81 | 810 | .51 |
| AT10-840-50 | 7762-4134 | 84 | 840 | .53 |
| AT10-890-50 | 7762-4135 | 89 | 890 | .56 |
| AT10-920-50 | 7762-4136 | 92 | 920 | .58 |
| AT10-960-50 | 7762-4137 | 96 | 960 | .60 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-980-50 | 7762-4138 | 98 | 980 | .61 |
| AT10-1010-50 | 7762-4139 | 101 | 1010 | .63 |
| AT10-1050-50 | 7762-4140 | 105 | 1050 | .66 |
| AT10-1080-50 | 7762-4141 | 108 | 1080 | .68 |
| AT10-1150-50 | 7762-4142 | 115 | 1150 | .72 |
| AT10-1210-50 | 7762-4143 | 121 | 1210 | .76 |
| AT10-1250-50 | 7762-4144 | 125 | 1250 | .78 |
| AT10-1320-50 | 7762-4145 | 132 | 1320 | .83 |
| AT10-1400-50 | 7762-4146 | 140 | 1400 | .88 |
| AT10-1500-50 | 7762-4147 | 150 | 1500 | .94 |
| AT10-1600-50 | 7762-4148 | 160 | 1600 | 1.00 |
| AT10-1700-50 | 7762-4149 | 170 | 1700 | 1.07 |
| AT10-1800-50 | 7762-4235 | 180 | 1800 | 1.12 |

AT10 Pitch — 75mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|-------------|-------------|--------------|-------------------|----------------|
| AT10-500-75 | 7762-4150 | 50 | 500 | .47 |
| AT10-560-75 | 7762-4151 | 56 | 560 | .53 |
| AT10-610-75 | 7762-4152 | 61 | 610 | .57 |
| AT10-660-75 | 7762-4153 | 66 | 660 | .62 |
| AT10-700-75 | 7762-4154 | 70 | 700 | .66 |
| AT10-730-75 | 7762-4155 | 73 | 730 | .69 |
| AT10-780-75 | 7762-4156 | 78 | 780 | .73 |
| AT10-800-75 | 7762-4157 | 80 | 800 | .75 |
| AT10-810-75 | 7762-4158 | 81 | 810 | .76 |
| AT10-840-75 | 7762-4159 | 84 | 840 | .79 |
| AT10-890-75 | 7762-4160 | 89 | 890 | .84 |
| AT10-920-75 | 7762-4161 | 92 | 920 | .87 |
| AT10-960-75 | 7762-4162 | 96 | 960 | .90 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-980-75 | 7762-4163 | 98 | 980 | .92 |
| AT10-1010-75 | 7762-4164 | 101 | 1010 | .95 |
| AT10-1050-75 | 7762-4165 | 105 | 1050 | .99 |
| AT10-1080-75 | 7762-4166 | 108 | 1080 | 1.02 |
| AT10-1150-75 | 7762-4167 | 115 | 1150 | 1.08 |
| AT10-1210-75 | 7762-4168 | 121 | 1210 | 1.14 |
| AT10-1250-75 | 7762-4169 | 125 | 1250 | 1.18 |
| AT10-1320-75 | 7762-4170 | 132 | 1320 | 1.24 |
| AT10-1400-75 | 7762-4171 | 140 | 1400 | 1.32 |
| AT10-1500-75 | 7762-4172 | 150 | 1500 | 1.41 |
| AT10-1600-75 | 7762-4173 | 160 | 1600 | 1.51 |
| AT10-1700-75 | 7762-4174 | 170 | 1700 | 1.60 |
| AT10-1800-75 | 7762-4237 | 180 | 1800 | 1.69 |

AT10 Pitch — 100mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-500-100 | 7762-4175 | 50 | 500 | .63 |
| AT10-560-100 | 7762-4176 | 56 | 560 | .70 |
| AT10-610-100 | 7762-4177 | 61 | 610 | .77 |
| AT10-660-100 | 7762-4178 | 66 | 660 | .83 |
| AT10-700-100 | 7762-4179 | 70 | 700 | .88 |
| AT10-730-100 | 7762-4180 | 73 | 730 | .92 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-780-100 | 7762-4181 | 78 | 780 | .98 |
| AT10-800-100 | 7762-4182 | 80 | 800 | 1.00 |
| AT10-810-100 | 7762-4183 | 81 | 810 | 1.02 |
| AT10-840-100 | 7762-4184 | 84 | 840 | 1.05 |
| AT10-890-100 | 7762-4185 | 89 | 890 | 1.12 |
| AT10-920-100 | 7762-4186 | 92 | 920 | 1.15 |

SYNCHRO-POWER BELTS



**Synchro-Power® Polyurethane Belts****Product No. Series 7762 (continued)****AT10 Pitch — 100mm Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|-------------------|----------------|
| AT10-960-100 | 7762-4187 | 96 | 960 | 1.20 |
| AT10-980-100 | 7762-4188 | 98 | 980 | 1.23 |
| AT10-1010-100 | 7762-4189 | 101 | 1010 | 1.27 |
| AT10-1050-100 | 7762-4190 | 105 | 1050 | 1.32 |
| AT10-1080-100 | 7762-4191 | 108 | 1080 | 1.35 |
| AT10-1150-100 | 7762-4192 | 115 | 1150 | 1.44 |
| AT10-1210-100 | 7762-4193 | 121 | 1210 | 1.52 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|-------------------|----------------|
| AT10-1250-100 | 7762-4194 | 125 | 1250 | 1.57 |
| AT10-1320-100 | 7762-4195 | 132 | 1320 | 1.66 |
| AT10-1400-100 | 7762-4196 | 140 | 1400 | 1.76 |
| AT10-1500-100 | 7762-4197 | 150 | 1500 | 1.88 |
| AT10-1600-100 | 7762-4198 | 160 | 1600 | 2.01 |
| AT10-1700-100 | 7762-4199 | 170 | 1700 | 2.13 |
| AT10-1800-100 | 7762-4239 | 180 | 1800 | 2.25 |

AT10 Pitch — 200mm Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|-------------------|----------------|
| AT10-500-200 | 7762-4200 | 50 | 500 | 1.25 |
| AT10-560-200 | 7762-4201 | 56 | 560 | 1.41 |
| AT10-610-200 | 7762-4202 | 61 | 610 | 1.53 |
| AT10-660-200 | 7762-4203 | 66 | 660 | 1.66 |
| AT10-700-200 | 7762-4204 | 70 | 700 | 1.76 |
| AT10-730-200 | 7762-4205 | 73 | 730 | 1.83 |
| AT10-780-200 | 7762-4206 | 78 | 780 | 1.96 |
| AT10-800-200 | 7762-4207 | 80 | 800 | 2.01 |
| AT10-810-200 | 7762-4208 | 81 | 810 | 2.03 |
| AT10-840-200 | 7762-4209 | 84 | 840 | 2.11 |
| AT10-890-200 | 7762-4210 | 89 | 890 | 2.23 |
| AT10-920-200 | 7762-4211 | 92 | 920 | 2.31 |
| AT10-960-200 | 7762-4212 | 96 | 960 | 2.41 |

| Part No. | Product No. | No. of Teeth | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|---------------|-------------|--------------|-------------------|----------------|
| AT10-980-200 | 7762-4213 | 98 | 980 | 2.46 |
| AT10-1010-200 | 7762-4214 | 101 | 1010 | 2.53 |
| AT10-1050-200 | 7762-4215 | 105 | 1050 | 2.63 |
| AT10-1080-200 | 7762-4216 | 108 | 1080 | 2.71 |
| AT10-1150-200 | 7762-4217 | 115 | 1150 | 2.89 |
| AT10-1210-200 | 7762-4218 | 121 | 1210 | 3.04 |
| AT10-1250-200 | 7762-4219 | 125 | 1250 | 3.14 |
| AT10-1320-200 | 7762-4220 | 132 | 1320 | 3.31 |
| AT10-1400-200 | 7762-4221 | 140 | 1400 | 3.51 |
| AT10-1500-200 | 7762-4222 | 150 | 1500 | 3.76 |
| AT10-1600-200 | 7762-4223 | 160 | 1600 | 4.01 |
| AT10-1700-200 | 7762-4224 | 170 | 1700 | 4.27 |
| AT10-1800-200 | 7762-4241 | 180 | 1800 | 4.51 |



Synchro-Power® Polyurethane Belts

SYNCHRO-POWER BELTS

Product No. Series 7762 (continued)

Made-to-Order T2.5 Pitch*

| Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) |
|-----------------------|--------------|-------------------|------------|--------------|-------------------|----------|--------------|-------------------|-----------|--------------|-------------------|
| ¹ T2.5-120 | 48 | 120 | T2.5-245 | 98 | 245 | T2.5-380 | 152 | 380 | T2.5-700 | 280 | 700 |
| ¹ T2.5-145 | 58 | 145 | T2.5-265 | 106 | 265 | T2.5-420 | 168 | 420 | T2.5-780 | 312 | 780 |
| T2.5-160 | 64 | 160 | T2.5-277.5 | 111 | 277.5 | T2.5-480 | 192 | 480 | T2.5-880 | 352 | 880 |
| T2.5-177.5 | 71 | 177.5 | T2.5-285 | 114 | 285 | T2.5-500 | 200 | 500 | T2.5-915 | 366 | 915 |
| T2.5-180 | 72 | 180 | T2.5-290 | 116 | 290 | T2.5-540 | 216 | 540 | T2.5-950 | 380 | 950 |
| T2.5-182.5 | 73 | 182.5 | T2.5-305 | 122 | 305 | T2.5-600 | 240 | 600 | T2.5-1185 | 474 | 1185 |
| T2.5-200 | 80 | 200 | T2.5-317.5 | 127 | 317.5 | T2.5-620 | 248 | 620 | | | |
| T2.5-210 | 84 | 210 | T2.5-330 | 132 | 330 | T2.5-650 | 260 | 650 | | | |
| T2.5-230 | 92 | 230 | T2.5-342.5 | 137 | 342.5 | T2.5-680 | 272 | 680 | | | |

Made-to-Order T5 Pitch*

| Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) |
|---------------------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|
| ¹ T5-120 | 24 | 120 | T5-460 | 92 | 460 | T5-920 | 184 | 920 | T5-1440 | 288 | 1440 |
| T5-210 | 42 | 210 | T5-515 | 103 | 515 | T5-1160 | 232 | 1160 | T5-1470 | 294 | 1470 |
| T5-300 | 60 | 300 | T5-765 | 153 | 765 | T5-1200 | 240 | 1200 | T5-1500 | 300 | 1500 |
| T5-375 | 75 | 375 | T5-830 | 166 | 830 | T5-1275 | 255 | 1275 | T5-1580 | 316 | 1580 |
| T5-425 | 85 | 425 | T5-860 | 172 | 860 | T5-1280 | 256 | 1280 | T5-1955 | 391 | 1955 |
| T5-440 | 88 | 440 | T5-885 | 177 | 885 | T5-1355 | 271 | 1355 | | | |

Made-to-Order T10 Pitch*

| Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) |
|----------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|
| T10-320 | 32 | 320 | T10-550 | 55 | 550 | T10-1050 | 105 | 1050 | T10-1700 | 170 | 1700 |
| T10-340 | 34 | 340 | T10-650 | 65 | 650 | T10-1200 | 120 | 1200 | | | |
| T10-390 | 39 | 390 | T10-680 | 68 | 680 | T10-1440 | 144 | 1440 | | | |
| T10-480 | 48 | 480 | T10-850 | 85 | 850 | T10-1600 | 160 | 1600 | | | |

Made-to-Order AT5 Pitch*

| Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) |
|----------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|
| AT5-225 | 45 | 225 | AT5-480 | 96 | 480 | AT5-710 | 142 | 710 |
| AT5-330 | 66 | 330 | AT5-525 | 105 | 525 | AT5-860 | 172 | 860 |
| AT5-450 | 90 | 450 | AT5-670 | 134 | 670 | AT5-2000 | 400 | 2000 |

Made-to-Order AT10 Pitch*

| Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) |
|-----------|--------------|-------------------|-----------|--------------|-------------------|-----------|--------------|-------------------|-----------|--------------|-------------------|
| AT10-370 | 37 | 370 | AT10-1100 | 110 | 1100 | AT10-1280 | 128 | 1280 | AT10-1630 | 163 | 1630 |
| AT10-580 | 58 | 580 | AT10-1190 | 119 | 1190 | AT10-1300 | 130 | 1300 | AT10-1720 | 172 | 1720 |
| AT10-600 | 60 | 600 | AT10-1200 | 120 | 1200 | AT10-1350 | 135 | 1350 | AT10-1860 | 186 | 1860 |
| AT10-630 | 63 | 630 | AT10-1220 | 122 | 1220 | AT10-1360 | 136 | 1360 | AT10-1940 | 194 | 1940 |
| AT10-880 | 88 | 880 | AT10-1230 | 123 | 1230 | AT10-1420 | 142 | 1420 | | | |
| AT10-1000 | 100 | 1000 | AT10-1240 | 124 | 1240 | AT10-1480 | 148 | 1480 | | | |

*Minimum order quantity is full sleeve yield +/- 10%. Unless otherwise noted, sleeve width is 300mm. Minimum cut belt width is 4mm.

Contact customer service for pricing and availability.

¹ 240mm sleeve



**Synchro-Power® Polyurethane Belts****Product No. Series 7762 (continued)****Made-to-Order DT5 Pitch***

| Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) |
|----------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|----------|--------------|-------------------|
| DT5-410 | 82 | 410 | DT5-550 | 110 | 550 | DT5-700 | 140 | 700 | DT5-860 | 172 | 860 |
| DT5-460 | 92 | 460 | DT5-590 | 118 | 590 | DT5-750 | 150 | 750 | DT5-940 | 188 | 940 |
| DT5-515 | 103 | 515 | DT5-620 | 124 | 620 | DT5-815 | 163 | 815 | DT5-1100 | 220 | 1100 |
| DT5-525 | 105 | 525 | DT5-685 | 137 | 685 | DT5-840 | 168 | 840 | | | |

Made-to-Order DT10 Pitch*

| Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) | Part No. | No. of Teeth | Pitch Length (mm) |
|----------|--------------|-------------------|----------|--------------|-------------------|-----------|--------------|-------------------|-----------|--------------|-------------------|
| DT10-260 | 26 | 260 | DT10-720 | 72 | 720 | DT10-1100 | 110 | 1100 | DT10-1350 | 135 | 1350 |
| DT10-530 | 53 | 530 | DT10-840 | 84 | 840 | DT10-1210 | 121 | 1210 | DT10-1420 | 142 | 1420 |
| DT10-630 | 63 | 630 | DT10-900 | 90 | 900 | DT10-1240 | 124 | 1240 | DT10-1610 | 161 | 1610 |
| DT10-660 | 66 | 660 | DT10-920 | 92 | 920 | DT10-1250 | 125 | 1250 | DT10-1880 | 188 | 1880 |
| DT10-700 | 70 | 700 | DT10-980 | 98 | 980 | DT10-1320 | 132 | 1320 | | | |

*Minimum order quantity is full sleeve yield +/- 10%. Unless otherwise noted, sleeve width is 300mm. Minimum cut belt width is 4mm.

Contact customer service for pricing and availability.

¹ 240mm sleeve



Synchro-Power® Polyurethane Timing Belts

Endless urethane construction provides higher strength as compared to welded urethane belts, making them well-suited for use in power transmission and high-performance positioning applications.

Markets/Applications

Synchro-Power imperial pitch timing belts are ideal for use in office machines, machine tools, postage equipment, sewing machines, vending machines, agriculture, outdoor power equipment, wood and paper, sand/gravel operations, oil fields, food processing, and HVAC.

Features/Advantages

- **Steel tensile cord** for length stability.
- Abrasion, chemical, and wear resistant for extended life.
- Temperature ranges from -22°F to +176°F (-30°C to +80°C).


Recommended Sprockets

Contact the Gates Made-To-Order Metals Team.

Notes

See end of this section for Made-to-Order lengths available. The minimum order quantity is full sleeve yield +/- 10%. Sleeve widths are 300mm unless otherwise noted. Minimum cut belt width is 4mm. Please contact Customer Service for price and availability.

Synchro-Power belts listed on the following pages are available in custom widths as Standard/Non-Stock with no minimum order quantities required. Contact Customer Service for minimum and maximum width range.



Steel Tensile Cord

SYNCHRO-POWER BELTS

Product No. Series 7758

3/8" Pitch (.375"/L) — 1/2" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 150L050U | 7758-0050 | 40 | 15.00 | .03 |
| 187L050U | 7758-0053 | 50 | 18.75 | .04 |
| 202L050U | 7758-0056 | 54 | 20.25 | .04 |
| 210L050U | 7758-0059 | 56 | 21.00 | .04 |
| 225L050U | 7758-0062 | 60 | 22.50 | .05 |
| 240L050U | 7758-0065 | 64 | 24.00 | .05 |
| 255L050U | 7758-0068 | 68 | 25.50 | .06 |
| 270L050U | 7758-0071 | 72 | 27.00 | .06 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 285L050U | 7758-0074 | 76 | 28.50 | .06 |
| 300L050U | 7758-0077 | 80 | 30.00 | .07 |
| 322L050U | 7758-0080 | 86 | 32.25 | .07 |
| 345L050U | 7758-0083 | 92 | 34.50 | .08 |
| 367L050U | 7758-0086 | 98 | 36.75 | .08 |
| 390L050U | 7758-0089 | 104 | 39.00 | .09 |
| 420L050U | 7758-0092 | 112 | 42.00 | .10 |

3/8" Pitch (.375"/L) — 3/4" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 150L075U | 7758-0051 | 40 | 15.00 | .04 |
| 187L075U | 7758-0054 | 50 | 18.75 | .06 |
| 202L075U | 7758-0057 | 54 | 20.25 | .06 |
| 210L075U | 7758-0060 | 56 | 21.00 | .06 |
| 225L075U | 7758-0063 | 60 | 22.50 | .07 |
| 240L075U | 7758-0066 | 64 | 24.00 | .08 |
| 255L075U | 7758-0069 | 68 | 25.50 | .08 |
| 270L075U | 7758-0072 | 72 | 27.00 | .09 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 285L075U | 7758-0075 | 76 | 28.50 | .10 |
| 300L075U | 7758-0078 | 80 | 30.00 | .10 |
| 322L075U | 7758-0081 | 86 | 32.25 | .11 |
| 345L075U | 7758-0084 | 92 | 34.50 | .12 |
| 367L075U | 7758-0087 | 98 | 36.75 | .13 |
| 390L075U | 7758-0090 | 104 | 39.00 | .14 |
| 420L075U | 7758-0093 | 112 | 42.00 | .15 |

3/8" Pitch (.375"/L) — 1" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 150L100U | 7758-0052 | 40 | 15.00 | .06 |
| 187L100U | 7758-0055 | 50 | 18.75 | .08 |
| 202L100U | 7758-0058 | 54 | 20.25 | .08 |
| 210L100U | 7758-0061 | 56 | 21.00 | .09 |
| 225L100U | 7758-0064 | 60 | 22.50 | .10 |
| 240L100U | 7758-0067 | 64 | 24.00 | .10 |
| 255L100U | 7758-0070 | 68 | 25.50 | .12 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 270L100U | 7758-0073 | 72 | 27.00 | .12 |
| 285L100U | 7758-0076 | 76 | 28.50 | .12 |
| 300L100U | 7758-0079 | 80 | 30.00 | .13 |
| 322L100U | 7758-0082 | 86 | 32.25 | .15 |
| 345L100U | 7758-0085 | 92 | 34.50 | .16 |
| 367L100U | 7758-0088 | 98 | 36.75 | .17 |
| 390L100U | 7758-0091 | 104 | 39.00 | .18 |



**Synchro-Power® Polyurethane Timing Belts****Product No. Series 7758 (continued)****3/8" Pitch (.375"/L) — 1" Wide (continued)**

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 420L100U | 7758-0094 | 112 | 42.00 | .20 |

1/2" Pitch (.500"/H) — 3/4" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 240H075U | 7758-0000 | 48 | 24.00 | .09 |
| 270H075U | 7758-0005 | 54 | 27.00 | .10 |
| 300H075U | 7758-0010 | 60 | 30.00 | .10 |
| 330H075U | 7758-0015 | 66 | 33.00 | .12 |
| 360H075U | 7758-0020 | 72 | 36.00 | .15 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 390H075U | 7758-0025 | 78 | 39.00 | .16 |
| 420H075U | 7758-0030 | 84 | 42.00 | .17 |
| 450H075U | 7758-0035 | 90 | 45.00 | .18 |
| 480H075U | 7758-0040 | 96 | 48.00 | .20 |
| 510H075U | 7758-0045 | 102 | 51.00 | .21 |

1/2" Pitch (.500"/H) — 1" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 240H100U | 7758-0001 | 48 | 24.00 | .10 |
| 270H100U | 7758-0006 | 54 | 27.00 | .11 |
| 300H100U | 7758-0011 | 60 | 30.00 | .13 |
| 330H100U | 7758-0016 | 66 | 33.00 | .15 |
| 360H100U | 7758-0021 | 72 | 36.00 | .17 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 390H100U | 7758-0026 | 78 | 39.00 | .18 |
| 420H100U | 7758-0031 | 84 | 42.00 | .20 |
| 450H100U | 7758-0036 | 90 | 45.00 | .23 |
| 480H100U | 7758-0041 | 96 | 48.00 | .23 |
| 510H100U | 7758-0046 | 102 | 51.00 | .26 |

1/2" Pitch (.500"/H) — 1 1/2" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 240H150U | 7758-0002 | 48 | 24.00 | .15 |
| 270H150U | 7758-0007 | 54 | 27.00 | .20 |
| 300H150U | 7758-0012 | 60 | 30.00 | .21 |
| 330H150U | 7758-0017 | 66 | 33.00 | .26 |
| 360H150U | 7758-0022 | 72 | 36.00 | .30 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 390H150U | 7758-0027 | 78 | 39.00 | .32 |
| 420H150U | 7758-0032 | 84 | 42.00 | .37 |
| 450H150U | 7758-0037 | 90 | 45.00 | .39 |
| 480H150U | 7758-0042 | 96 | 48.00 | .43 |
| 510H150U | 7758-0047 | 102 | 51.00 | .49 |

1/2" Pitch (.500"/H) — 2" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 240H200U | 7758-0003 | 48 | 24.00 | .23 |
| 270H200U | 7758-0008 | 54 | 27.00 | .25 |
| 300H200U | 7758-0013 | 60 | 30.00 | .30 |
| 330H200U | 7758-0018 | 66 | 33.00 | .32 |
| 360H200U | 7758-0023 | 72 | 36.00 | .37 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 390H200U | 7758-0028 | 78 | 39.00 | .40 |
| 420H200U | 7758-0033 | 84 | 42.00 | .45 |
| 450H200U | 7758-0038 | 90 | 45.00 | .50 |
| 480H200U | 7758-0043 | 96 | 48.00 | .52 |
| 510H200U | 7758-0048 | 102 | 51.00 | .57 |

1/2" Pitch (.500"/H) — 3" Wide

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 240H300U | 7758-0004 | 48 | 24.00 | .45 |
| 270H300U | 7758-0009 | 54 | 27.00 | .50 |
| 300H300U | 7758-0014 | 60 | 30.00 | .57 |
| 330H300U | 7758-0019 | 66 | 33.00 | .60 |
| 360H300U | 7758-0024 | 72 | 36.00 | .65 |

| Part No. | Product No. | No. of Teeth | Pitch Length (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|--------------|--------------------|----------------|
| 390H300U | 7758-0029 | 78 | 39.00 | .70 |
| 420H300U | 7758-0034 | 84 | 42.00 | .75 |
| 450H300U | 7758-0039 | 90 | 45.00 | .79 |
| 480H300U | 7758-0044 | 96 | 48.00 | .85 |
| 510H300U | 7758-0049 | 102 | 51.00 | .89 |



Synchro-Power® Polyurethane Timing Belts

Product No. Series 7758 (continued)

Made-to-Order 2/25" Pitch (.080"/ MXL)*

| Part No. | No. of Teeth | Pitch Length (In.) | Part No. | No. of Teeth | Pitch Length (In.) | Part No. | No. of Teeth | Pitch Length (In.) | Part No. | No. of Teeth | Pitch Length (In.) |
|----------------------|--------------|--------------------|----------|--------------|--------------------|----------|--------------|--------------------|----------|--------------|--------------------|
| ¹ 440 MXL | 55 | 4.40 | 736 MXL | 92 | 7.36 | 1080 MXL | 135 | 10.80 | 2464 MXL | 308 | 24.64 |
| ¹ 456 MXL | 57 | 4.56 | 768 MXL | 96 | 7.68 | 1120 MXL | 140 | 11.20 | 2656 MXL | 332 | 26.56 |
| ² 480 MXL | 60 | 4.80 | 808 MXL | 101 | 8.08 | 1160 MXL | 145 | 11.60 | 2816 MXL | 352 | 28.16 |
| ¹ 560 MXL | 70 | 5.60 | 816 MXL | 102 | 8.16 | 1200 MXL | 150 | 12.00 | 2880 MXL | 360 | 28.80 |
| ³ 576 MXL | 72 | 5.76 | 824 MXL | 103 | 8.24 | 1240 MXL | 155 | 12.40 | 3160 MXL | 395 | 31.60 |
| ² 600 MXL | 75 | 6.00 | 840 MXL | 105 | 8.40 | 1400 MXL | 175 | 14.00 | 3240 MXL | 405 | 32.40 |
| ¹ 608 MXL | 76 | 6.08 | 880 MXL | 110 | 8.80 | 1520 MXL | 190 | 15.20 | 3296 MXL | 412 | 32.96 |
| ¹ 632 MXL | 79 | 6.32 | 912 MXL | 114 | 9.12 | 1600 MXL | 200 | 16.00 | 3456 MXL | 432 | 34.56 |
| 640 MXL | 80 | 6.40 | 944 MXL | 118 | 9.44 | 1768 MXL | 221 | 17.68 | 3632 MXL | 454 | 36.32 |
| 656 MXL | 82 | 6.56 | 960 MXL | 120 | 9.60 | 2048 MXL | 256 | 20.48 | 3880 MXL | 485 | 38.80 |
| 704 MXL | 88 | 7.04 | 1040 MXL | 130 | 10.40 | 2240 MXL | 280 | 22.40 | | | |
| 728 MXL | 91 | 7.28 | 1056 MXL | 132 | 10.56 | 2280 MXL | 285 | 22.80 | | | |

Made-to-Order 1/5" Pitch (.200"/ XL)*

| Part No. | No. of Teeth | Pitch Length (In.) | Part No. | No. of Teeth | Pitch Length (In.) | Part No. | No. of Teeth | Pitch Length (In.) | Part No. | No. of Teeth | Pitch Length (In.) |
|----------|--------------|--------------------|----------|--------------|--------------------|----------|--------------|--------------------|----------|--------------|--------------------|
| 60 XL | 30 | 6.00 | 120 XL | 60 | 12.00 | 194 XL | 97 | 19.40 | 288 XL | 144 | 28.80 |
| 70 XL | 35 | 7.00 | 130 XL | 65 | 13.00 | 200 XL | 100 | 20.00 | 290 XL | 145 | 29.00 |
| 76 XL | 38 | 7.60 | 134 XL | 67 | 13.40 | 210 XL | 105 | 21.00 | 300 XL | 150 | 30.00 |
| 80 XL | 40 | 8.00 | 140 XL | 70 | 14.00 | 220 XL | 110 | 22.00 | 356 XL | 178 | 35.60 |
| 90 XL | 45 | 9.00 | 150 XL | 75 | 15.00 | 230 XL | 115 | 23.00 | 414 XL | 207 | 41.40 |
| 96 XL | 48 | 9.60 | 160 XL | 80 | 16.00 | 240 XL | 120 | 24.00 | 450 XL | 225 | 45.00 |
| 100 XL | 50 | 10.00 | 170 XL | 85 | 17.00 | 250 XL | 125 | 25.00 | 566 XL | 283 | 56.60 |
| 106 XL | 53 | 10.60 | 180 XL | 90 | 18.00 | 260 XL | 130 | 26.00 | | | |
| 110 XL | 55 | 11.00 | 190 XL | 95 | 19.00 | 270 XL | 135 | 27.00 | | | |

Made-to-Order 3/8" Pitch (.375"/L) - L Pitch*

| Part No. | No. of Teeth | Pitch Length (In.) | Part No. | No. of Teeth | Pitch Length (In.) | Part No. | No. of Teeth | Pitch Length (In.) |
|----------|--------------|--------------------|----------|--------------|--------------------|----------|--------------|--------------------|
| 86 L | 23 | 8.60 | 450 L | 120 | 45.00 | 540 L | 144 | 54.00 |
| 124 L | 33 | 12.38 | 480 L | 128 | 48.00 | 570 L | 152 | 57.00 |
| 173 L | 46 | 17.25 | 510 L | 136 | 51.00 | 600 L | 160 | 60.00 |

Made-to-Order 1/2" Pitch (.500"/H) - H Pitch*

| Part No. | No. of Teeth | Pitch Length (In.) |
|----------|--------------|--------------------|
| 230 H | 46 | 23.00 |

*Minimum order quantity is full sleeve yield +/- 10%. Unless otherwise noted, sleeve width is 300mm. Minimum cut belt width is 4mm.

Contact customer service for pricing and availability.

¹ 100mm sleeve

² 120mm sleeve

³ 270mm sleeve



Super HC® Belts

Pioneered by Gates, these "narrow" cross-sections can transmit up to three times the horsepower of the classical cross-sections (A, B, C, and D) in the same amount of drive space.

Markets/Applications


Suitable for all industrial applications, particularly where space, weight and horsepower capacity are critical.

Features/Advantages

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **The Flex-Weave® Cover** is a patented construction for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves
Super HC Sheaves


Notes
Gates Super HC belts are available in 3V, 5V, and 8V cross-sections.



HEAVY DUTY V-BELTS

Product No. Series 9332

3V Section




| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|-------|-------------|-----------------|----------------|-------------|
| 3V250 | 9332-0250 | 25.0 | .12 | 10 |
| 3V265 | 9332-0265 | 26.5 | .12 | 10 |
| 3V280 | 9332-0280 | 28.0 | .13 | 10 |
| 3V300 | 9332-0300 | 30.0 | .14 | 10 |
| 3V315 | 9332-0315 | 31.5 | .15 | 10 |
| 3V335 | 9332-0335 | 33.5 | .16 | 10 |
| 3V355 | 9332-0355 | 35.5 | .17 | 10 |
| 3V375 | 9332-0375 | 37.5 | .17 | 10 |
| 3V400 | 9332-0400 | 40.0 | .19 | 10 |
| 3V420 | 9332-0420 | 42.0 | .20 | 150 |
| 3V425 | 9332-0425 | 42.5 | .20 | 10 |
| 3V450 | 9332-0450 | 45.0 | .21 | 10 |
| 3V475 | 9332-0475 | 47.5 | .22 | 10 |
| 3V500 | 9332-0500 | 50.0 | .24 | 10 |
| 3V530 | 9332-0530 | 53.0 | .25 | 10 |
| 3V560 | 9332-0560 | 56.0 | .26 | 10 |
| 3V590 | 9332-0590 | 59.0 | .27 | 50 |
| 3V600 | 9332-0600 | 60.0 | .28 | 10 |
| 3V630 | 9332-0630 | 63.0 | .30 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|--------|-------------|-----------------|----------------|-------------|
| 3V650 | 9332-0650 | 65.0 | .31 | 100 |
| 3V670 | 9332-0670 | 67.0 | .32 | 10 |
| 3V710 | 9332-0710 | 71.0 | .33 | 10 |
| 3V730 | 9332-0730 | 73.0 | .34 | 10 |
| 3V750 | 9332-0750 | 75.0 | .35 | 10 |
| 3V800 | 9332-0800 | 80.0 | .38 | 10 |
| 3V810 | 9332-0810 | 81.0 | .38 | 76 |
| 3V830 | 9332-0830 | 83.0 | .39 | 10 |
| 3V850 | 9332-0850 | 85.0 | .40 | 10 |
| 3V900 | 9332-0900 | 90.0 | .43 | 10 |
| 3V950 | 9332-0950 | 95.0 | .45 | 10 |
| 3V1000 | 9332-1000 | 100.0 | .47 | 10 |
| 3V1060 | 9332-1060 | 106.0 | .50 | 10 |
| 3V1120 | 9332-1120 | 112.0 | .53 | 10 |
| 3V1180 | 9332-1180 | 118.0 | .56 | 10 |
| 3V1250 | 9332-1250 | 125.0 | .59 | 10 |
| 3V1320 | 9332-1320 | 132.0 | .62 | 10 |
| 3V1400 | 9332-1400 | 140.0 | .66 | 10 |

Product No. Series 9334

5V Section



| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|-------|-------------|-----------------|----------------|-------------|
| 5V500 | 9334-0500 | 50.0 | .65 | 10 |
| 5V530 | 9334-0530 | 53.0 | .73 | 10 |
| 5V560 | 9334-0560 | 56.0 | .77 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|-------|-------------|-----------------|----------------|-------------|
| 5V600 | 9334-0600 | 60.0 | .80 | 10 |
| 5V630 | 9334-0630 | 63.0 | .82 | 10 |
| 5V670 | 9334-0670 | 67.0 | .89 | 10 |



Super HC® Belts


Product No. Series 9334 (continued)

5V Section (continued)

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|--------|-------------|-----------------|----------------|-------------|
| 5V710 | 9334-0710 | 71.0 | .93 | 10 |
| 5V750 | 9334-0750 | 75.0 | 1.00 | 10 |
| 5V800 | 9334-0800 | 80.0 | 1.05 | 10 |
| 5V850 | 9334-0850 | 85.0 | 1.10 | 10 |
| 5V900 | 9334-0900 | 90.0 | 1.20 | 10 |
| 5V950 | 9334-0950 | 95.0 | 1.25 | 10 |
| 5V1000 | 9334-1000 | 100.0 | 1.32 | 10 |
| 5V1060 | 9334-1060 | 106.0 | 1.40 | 10 |
| 5V1120 | 9334-1120 | 112.0 | 1.50 | 10 |
| 5V1180 | 9334-1180 | 118.0 | 1.55 | 10 |
| 5V1250 | 9334-1250 | 125.0 | 1.64 | 10 |
| 5V1320 | 9334-1320 | 132.0 | 1.74 | 10 |
| 5V1400 | 9334-1400 | 140.0 | 1.82 | 10 |
| 5V1500 | 9334-1500 | 150.0 | 2.00 | 10 |
| 5V1600 | 9334-1600 | 160.0 | 2.10 | 10 |
| 5V1630 | 9334-1630 | 163.0 | 2.15 | 26 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|--------|-------------|-----------------|----------------|-------------|
| 5V1700 | 9334-1700 | 170.0 | 2.25 | 10 |
| 5V1710 | 9334-1710 | 171.0 | 2.25 | 26 |
| 5V1800 | 9334-1800 | 180.0 | 2.35 | 10 |
| 5V1900 | 9334-1900 | 190.0 | 2.50 | 10 |
| 5V2000 | 9334-2000 | 200.0 | 2.60 | 10 |
| 5V2120 | 9334-2120 | 212.0 | 2.80 | 10 |
| 5V2240 | 9334-2240 | 224.0 | 2.95 | 10 |
| 5V2360 | 9334-2360 | 236.0 | 3.10 | 10 |
| 5V2500 | 9334-2500 | 250.0 | 3.30 | 10 |
| 5V2650 | 9334-2650 | 265.0 | 3.50 | 5 |
| 5V2800 | 9334-2800 | 280.0 | 3.70 | 5 |
| 5V3000 | 9334-3000 | 300.0 | 3.98 | 5 |
| 5V3150 | 9334-3150 | 315.0 | 4.20 | 5 |
| 5V3350 | 9334-3350 | 335.0 | 4.40 | 5 |
| 5V3550 | 9334-3550 | 355.0 | 4.70 | 5 |

HEAVY DUTY V-BELTS



Product No. Series 9336

8V Section

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|--------|-------------|-----------------|----------------|-------------|
| 8V1000 | 9336-1000 | 100.0 | 3.30 | 5 |
| 8V1060 | 9336-1060 | 106.0 | 3.55 | 5 |
| 8V1120 | 9336-1120 | 112.0 | 3.80 | 5 |
| 8V1180 | 9336-1180 | 118.0 | 4.00 | 5 |
| 8V1250 | 9336-1250 | 125.0 | 4.10 | 5 |
| 8V1320 | 9336-1320 | 132.0 | 4.45 | 5 |
| 8V1400 | 9336-1400 | 140.0 | 4.75 | 5 |
| 8V1500 | 9336-1500 | 150.0 | 5.15 | 5 |
| 8V1600 | 9336-1600 | 160.0 | 5.45 | 5 |
| 8V1700 | 9336-1700 | 170.0 | 5.85 | 5 |
| 8V1800 | 9336-1800 | 180.0 | 6.15 | 5 |
| 8V1900 | 9336-1900 | 190.0 | 6.40 | 4 |
| 8V2000 | 9336-2000 | 200.0 | 6.90 | 4 |
| 8V2120 | 9336-2120 | 212.0 | 7.35 | 4 |
| 8V2240 | 9336-2240 | 224.0 | 7.50 | 4 |
| 8V2300 | 9336-2300 | 230.0 | 7.85 | 4 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|--------|-------------|-----------------|----------------|-------------|
| 8V2360 | 9336-2360 | 236.0 | 7.95 | 3 |
| 8V2500 | 9336-2500 | 250.0 | 8.50 | 3 |
| 8V2650 | 9336-2650 | 265.0 | 9.00 | 3 |
| 8V2800 | 9336-2800 | 280.0 | 9.45 | 3 |
| 8V3000 | 9336-3000 | 300.0 | 10.45 | 3 |
| 8V3150 | 9336-3150 | 315.0 | 10.85 | 3 |
| 8V3350 | 9336-3350 | 335.0 | 11.40 | 1 |
| 8V3550 | 9336-3550 | 355.0 | 12.15 | 1 |
| 8V3750 | 9336-3750 | 375.0 | 12.90 | 1 |
| 8V4000 | 9336-4000 | 400.0 | 13.70 | 1 |
| 8V4250 | 9336-4250 | 425.0 | 14.65 | 1 |
| 8V4500 | 9336-4500 | 450.0 | 15.40 | 1 |
| 8V4750 | 9336-4750 | 475.0 | 16.29 | 1 |
| 8V5000 | 9336-5000 | 500.0 | 17.10 | 1 |
| 8V5600 | 9336-5600 | 560.0 | 19.10 | 1 |
| 8V6000 | 9336-6000 | 600.0 | 20.50 | 1 |



Super HC[®] Molded Notch Belts


Constructed with Gates proprietary construction, this belt has a superior combination of flex and load carrying capacity, as well as transmitting more horsepower than the classical cross sections in the same amount of drive space.

Markets/Applications

Suitable for all industrial applications, particularly where space, weight and horsepower capacity are critical.

Features/Advantages

- **Notches molded** into the belt during manufacturing make this belt well suited for drives with smaller diameter sheaves.
- **Belt Edge** is machined for even sheave groove contact resulting in less slip and wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **Patented EPDM Material** construction provides -60°F to +250°F temperature range to resist belt cracking.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



HEAVY DUTY V-BELTS

Recommended Sheaves


Super HC Sheaves

Notes

Gates Super HC Molded Notch belts are available in 3VX and 5VX cross-sections.

Product No. Series 9412

3VX Section




| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|--------|-------------|-----------------|----------------|-------------|
| 3VX250 | 9412-0250 | 25.0 | .11 | 10 |
| 3VX265 | 9412-0265 | 26.5 | .12 | 10 |
| 3VX280 | 9412-0280 | 28.0 | .13 | 10 |
| 3VX290 | 9412-0290 | 29.0 | .13 | 104 |
| 3VX300 | 9412-0300 | 30.0 | .13 | 10 |
| 3VX315 | 9412-0315 | 31.5 | .14 | 10 |
| 3VX326 | 9412-0326 | 32.6 | .14 | 107 |
| 3VX335 | 9412-0335 | 33.5 | .14 | 10 |
| 3VX350 | 9412-0350 | 35.0 | .15 | 10 |
| 3VX355 | 9412-0355 | 35.5 | .15 | 10 |
| 3VX366 | 9412-0366 | 36.6 | .16 | 10 |
| 3VX375 | 9412-0375 | 37.5 | .16 | 10 |
| 3VX385 | 9412-0385 | 38.5 | .16 | 10 |
| 3VX390 | 9412-0390 | 39.0 | .16 | 107 |
| 3VX400 | 9412-0400 | 40.0 | .17 | 10 |
| 3VX415 | 9412-0415 | 41.5 | .17 | 10 |
| 3VX425 | 9412-0425 | 42.5 | .18 | 10 |
| 3VX450 | 9412-0450 | 45.0 | .19 | 10 |
| 3VX464 | 9412-0464 | 46.4 | .20 | 10 |
| 3VX475 | 9412-0475 | 47.5 | .20 | 10 |
| 3VX487 | 9412-0487 | 48.7 | .20 | 107 |
| 3VX500 | 9412-0500 | 50.0 | .20 | 10 |
| 3VX520 | 9412-0520 | 52.0 | .21 | 10 |
| 3VX530 | 9412-0530 | 53.0 | .21 | 10 |
| 3VX540 | 9412-0540 | 54.0 | .22 | 10 |
| 3VX550 | 9412-0550 | 55.0 | .22 | 10 |
| 3VX560 | 9412-0560 | 56.0 | .23 | 10 |
| 3VX570 | 9412-0570 | 57.0 | .23 | 10 |
| 3VX580 | 9412-0580 | 58.0 | .23 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|---------|-------------|-----------------|----------------|-------------|
| 3VX590 | 9412-0590 | 59.0 | .24 | 10 |
| 3VX600 | 9412-0600 | 60.0 | .24 | 10 |
| 3VX616 | 9412-0616 | 61.6 | .25 | 100 |
| 3VX630 | 9412-0630 | 63.0 | .25 | 10 |
| 3VX650 | 9412-0650 | 65.0 | .26 | 10 |
| 3VX670 | 9412-0670 | 67.0 | .27 | 10 |
| 3VX690 | 9412-0690 | 69.0 | .27 | 10 |
| 3VX710 | 9412-0710 | 71.0 | .28 | 10 |
| 3VX750 | 9412-0750 | 75.0 | .29 | 10 |
| 3VX771 | 9412-0771 | 77.1 | .30 | 10 |
| 3VX800 | 9412-0800 | 80.0 | .31 | 10 |
| 3VX826 | 9412-0826 | 82.6 | .32 | 10 |
| 3VX850 | 9412-0850 | 85.0 | .33 | 10 |
| 3VX900 | 9412-0900 | 90.0 | .35 | 10 |
| 3VX926 | 9412-0926 | 92.6 | .35 | 10 |
| 3VX950 | 9412-0950 | 95.0 | .37 | 10 |
| 3VX974 | 9412-0974 | 97.4 | .37 | 54 |
| 3VX1000 | 9412-1000 | 100.0 | .38 | 10 |
| 3VX1027 | 9412-1027 | 102.7 | .39 | 10 |
| 3VX1060 | 9412-1060 | 106.0 | .41 | 10 |
| 3VX1088 | 9412-1088 | 108.8 | .42 | 54 |
| 3VX1120 | 9412-1120 | 112.0 | .43 | 10 |
| 3VX1146 | 9412-1146 | 114.6 | .44 | 54 |
| 3VX1180 | 9412-1180 | 118.0 | .45 | 10 |
| 3VX1224 | 9412-1224 | 122.4 | .47 | 10 |
| 3VX1250 | 9412-1250 | 125.0 | .47 | 10 |
| 3VX1296 | 9412-1296 | 129.6 | .49 | 54 |
| 3VX1320 | 9412-1320 | 132.0 | .50 | 10 |
| 3VX1400 | 9412-1400 | 140.0 | .53 | 10 |

Super HC[®] Molded Notch Belts

Product No. Series 9414

5VX Section




| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|--------|-------------|-----------------|----------------|-------------|
| 5VX350 | 9414-0350 | 35.0 | .36 | 10 |
| 5VX362 | 9414-0362 | 36.2 | .37 | 68 |
| 5VX372 | 9414-0372 | 37.2 | .38 | 68 |
| 5VX382 | 9414-0382 | 38.2 | .40 | 68 |
| 5VX392 | 9414-0392 | 39.2 | .40 | 68 |
| 5VX402 | 9414-0402 | 40.2 | .41 | 68 |
| 5VX412 | 9414-0412 | 41.2 | .42 | 68 |
| 5VX422 | 9414-0422 | 42.2 | .43 | 68 |
| 5VX433 | 9414-0433 | 43.3 | .45 | 68 |
| 5VX450 | 9414-0450 | 45.0 | .46 | 10 |
| 5VX459 | 9414-0459 | 45.9 | .46 | 68 |
| 5VX470 | 9414-0470 | 47.0 | .48 | 10 |
| 5VX479 | 9414-0479 | 47.9 | .49 | 34 |
| 5VX490 | 9414-0490 | 49.0 | .50 | 10 |
| 5VX500 | 9414-0500 | 50.0 | .51 | 10 |
| 5VX510 | 9414-0510 | 51.0 | .52 | 10 |
| 5VX519 | 9414-0519 | 51.9 | .54 | 34 |
| 5VX530 | 9414-0530 | 53.0 | .54 | 10 |
| 5VX540 | 9414-0540 | 54.0 | .55 | 10 |
| 5VX550 | 9414-0550 | 55.0 | .56 | 10 |
| 5VX560 | 9414-0560 | 56.0 | .57 | 10 |
| 5VX570 | 9414-0570 | 57.0 | .58 | 10 |
| 5VX580 | 9414-0580 | 58.0 | .59 | 10 |
| 5VX590 | 9414-0590 | 59.0 | .60 | 10 |
| 5VX600 | 9414-0600 | 60.0 | .60 | 10 |
| 5VX610 | 9414-0610 | 61.0 | .61 | 10 |
| 5VX619 | 9414-0619 | 61.9 | .62 | 10 |
| 5VX630 | 9414-0630 | 63.0 | .64 | 10 |
| 5VX650 | 9414-0650 | 65.0 | .66 | 10 |
| 5VX660 | 9414-0660 | 66.0 | .66 | 10 |
| 5VX670 | 9414-0670 | 67.0 | .68 | 10 |
| 5VX680 | 9414-0680 | 68.0 | .68 | 10 |
| 5VX690 | 9414-0690 | 69.0 | .68 | 10 |
| 5VX700 | 9414-0700 | 70.0 | .70 | 10 |
| 5VX710 | 9414-0710 | 71.0 | .71 | 10 |
| 5VX720 | 9414-0720 | 72.0 | .72 | 10 |
| 5VX730 | 9414-0730 | 73.0 | .74 | 10 |
| 5VX740 | 9414-0740 | 74.0 | .75 | 10 |
| 5VX750 | 9414-0750 | 75.0 | .76 | 10 |
| 5VX760 | 9414-0760 | 76.0 | .76 | 10 |
| 5VX769 | 9414-0769 | 76.9 | .77 | 40 |
| 5VX780 | 9414-0780 | 78.0 | .78 | 10 |
| 5VX790 | 9414-0790 | 79.0 | .80 | 10 |
| 5VX800 | 9414-0800 | 80.0 | .81 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|---------|-------------|-----------------|----------------|-------------|
| 5VX810 | 9414-0810 | 81.0 | .82 | 10 |
| 5VX830 | 9414-0830 | 83.0 | .83 | 10 |
| 5VX840 | 9414-0840 | 84.0 | .84 | 10 |
| 5VX850 | 9414-0850 | 85.0 | .85 | 10 |
| 5VX860 | 9414-0860 | 86.0 | .86 | 10 |
| 5VX867 | 9414-0867 | 86.7 | .86 | 34 |
| 5VX880 | 9414-0880 | 88.0 | .89 | 10 |
| 5VX890 | 9414-0890 | 89.0 | .90 | 10 |
| 5VX900 | 9414-0900 | 90.0 | .90 | 10 |
| 5VX918 | 9414-0918 | 91.8 | .92 | 10 |
| 5VX930 | 9414-0930 | 93.0 | .93 | 10 |
| 5VX940 | 9414-0940 | 94.0 | .93 | 10 |
| 5VX950 | 9414-0950 | 95.0 | .95 | 10 |
| 5VX960 | 9414-0960 | 96.0 | .96 | 10 |
| 5VX978 | 9414-0978 | 97.8 | .98 | 10 |
| 5VX990 | 9414-0990 | 99.0 | .98 | 10 |
| 5VX1000 | 9414-1000 | 100.0 | 1.00 | 10 |
| 5VX1017 | 9414-1017 | 101.7 | 1.02 | 10 |
| 5VX1030 | 9414-1030 | 103.0 | 1.03 | 10 |
| 5VX1050 | 9414-1050 | 105.0 | 1.05 | 10 |
| 5VX1060 | 9414-1060 | 106.0 | 1.06 | 10 |
| 5VX1080 | 9414-1080 | 108.0 | 1.07 | 10 |
| 5VX1108 | 9414-1108 | 110.8 | 1.10 | 10 |
| 5VX1120 | 9414-1120 | 112.0 | 1.11 | 10 |
| 5VX1139 | 9414-1139 | 113.9 | 1.14 | 10 |
| 5VX1150 | 9414-1150 | 115.0 | 1.14 | 10 |
| 5VX1160 | 9414-1160 | 116.0 | 1.15 | 10 |
| 5VX1162 | 9414-1162 | 116.2 | 1.15 | 10 |
| 5VX1180 | 9414-1180 | 118.0 | 1.17 | 10 |
| 5VX1220 | 9414-1220 | 122.0 | 1.20 | 10 |
| 5VX1230 | 9414-1230 | 123.0 | 1.22 | 10 |
| 5VX1250 | 9414-1250 | 125.0 | 1.24 | 10 |
| 5VX1277 | 9414-1277 | 127.7 | 1.27 | 10 |
| 5VX1320 | 9414-1320 | 132.0 | 1.30 | 10 |
| 5VX1374 | 9414-1374 | 137.4 | 1.36 | 10 |
| 5VX1400 | 9414-1400 | 140.0 | 1.38 | 10 |
| 5VX1469 | 9414-1469 | 146.9 | 1.46 | 10 |
| 5VX1500 | 9414-1500 | 150.0 | 1.48 | 10 |
| 5VX1600 | 9414-1600 | 160.0 | 1.56 | 10 |
| 5VX1700 | 9414-1700 | 170.0 | 1.67 | 10 |
| 5VX1701 | 9414-1701 | 170.1 | 1.67 | 10 |
| 5VX1800 | 9414-1800 | 180.0 | 1.78 | 10 |
| 5VX1900 | 9414-1900 | 190.0 | 1.88 | 10 |
| 5VX2000 | 9414-2000 | 200.0 | 1.95 | 10 |

HEAVY DUTY V-BELTS

Product No. Series 9516

8VX Section



| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|---------|-------------|-----------------|----------------|-------------|
| 8VX1000 | 9516-1000 | 100.0 | 2.69 | 10 |
| 8VX1060 | 9516-1060 | 106.0 | 2.85 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|---------|-------------|-----------------|----------------|-------------|
| 8VX1120 | 9516-1120 | 112.0 | 3.01 | 10 |
| 8VX1180 | 9516-1180 | 118.0 | 3.17 | 10 |





Super HC[®] Molded Notch Belts

Product No. Series 9516 (continued)

8VX Section (continued)

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|---------|-------------|-----------------|----------------|-------------|
| 8VX1250 | 9516-1250 | 125.0 | 3.36 | 10 |
| 8VX1320 | 9516-1320 | 132.0 | 3.55 | 10 |
| 8VX1400 | 9516-1400 | 140.0 | 3.77 | 5 |
| 8VX1500 | 9516-1500 | 150.0 | 4.04 | 5 |
| 8VX1600 | 9516-1600 | 160.0 | 4.30 | 5 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|---------|-------------|-----------------|----------------|-------------|
| 8VX1700 | 9516-1700 | 170.0 | 4.57 | 5 |
| 8VX1800 | 9516-1800 | 180.0 | 4.84 | 5 |
| 8VX1900 | 9516-1900 | 190.0 | 5.11 | 5 |
| 8VX2000 | 9516-2000 | 200.0 | 5.38 | 5 |

HEAVY DUTY V-BELTS



Super HC® PowerBand® Belts

The PowerBand construction allows multiple belts to function as a single unit, with even load distribution and each strand fitting securely in the sheave groove.

Markets/Applications

Recommended for multiple V-belt drives exposed to pulsating or heavy shock loads which can make belts whip, turn over or jump off the drive.

Features/Advantages

- The **Tie Band** assures high lateral rigidity, guiding the belt in a straight line and preventing it from coming off the drive.
- **Concave sidewalls** provide proper cord support and full contact with the sheave-groove for equal loading and uniform wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- Meets **RMA oil and heat resistant** standards.
- Meets **RMA static conductivity** requirements.

Size Range/Availability

- **Large Inventory** of standard lengths and widths are readily available. See sizing table for details.
- **Belt Slitters** located onsite at several Gates Service Centers can cut down an existing belt in inventory to the strand width needed.
- **Made-To-Order Belt Lengths** are available in any size from: 3V (45 to 220 inch), 5V (50 to 660 inch) and 8V (100 to 660 inch). Check with Customer Service for minimum order quantity and manufacturing lead time.


Recommended Sheaves

Super HC Sheaves

Notes

Belt part number is constructed by placing the (#) number of strands required followed by a slash (/) in front of the belt size. For Example, 5/3V800 represents a 3V800 with 5 joined strands.

Belt product number is 8 or 9 digits constructed of product series prefix, number of strands, and belt length. For example, 93855080 represents a "3V" section PowerBand (9385) with 5 strands (5) that is 80.0 inches (080) long.



HEAVY DUTY V-BELTS

3V PowerBand Belts are non-notched, raw edge construction for sizes 3V300 through 3V750. Sizes 3V800 and longer are banded (covered) construction.

Product No. Series 9385

3V Section



| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | 13 to 30 Strand Maximum (## = strands) |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|---|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | |
| | | | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | |
| ¹⁴ #/3V300 | 30.0 | .18 | 2030 | 3030 | 4030 | 5030 | 6030 | 7030 | 8030 | 9030 | 10030 | 11030 | 12030 | ##030 |
| ¹⁴ #/3V315 | 31.5 | .20 | 2031 | 3031 | 4031 | 5031 | 6031 | 7031 | 8031 | 9031 | 10031 | 11031 | 12031 | ##031 |
| ¹⁴ #/3V335 | 33.5 | .20 | 2033 | 3033 | 4033 | 5033 | 6033 | 7033 | 8033 | 9033 | 10033 | 11033 | 12033 | ##033 |
| ¹⁴ #/3V355 | 35.5 | .20 | 2035 | 3035 | 4035 | 5035 | 6035 | 7035 | 8035 | 9035 | 10035 | 11035 | 12035 | ##035 |
| ¹⁴ #/3V375 | 37.5 | .22 | 2037 | 3037 | 4037 | 5037 | 6037 | 7037 | 8037 | 9037 | 10037 | 11037 | 12037 | ##037 |
| ¹⁴ #/3V400 | 40.0 | .24 | 2040 | 3040 | 4040 | 5040 | 6040 | 7040 | 8040 | 9040 | 10040 | 11040 | 12040 | ##040 |
| ¹⁴ #/3V425 | 42.5 | .26 | 2042 | 3042 | 4042 | 5042 | 6042 | 7042 | 8042 | 9042 | 10042 | 11042 | 12042 | ##042 |
| ¹⁴ #/3V450 | 45.0 | .28 | 2045 | 3045 | 4045 | 5045 | 6045 | 7045 | 8045 | 9045 | 10045 | 11045 | 12045 | ##045 |
| ¹⁴ #/3V475 | 47.5 | .29 | 2047 | 3047 | 4047 | 5047 | 6047 | 7047 | 8047 | 9047 | 10047 | 11047 | 12047 | ##047 |
| ¹⁴ #/3V500 | 50.0 | .30 | 2050 | 3050 | 4050 | 5050 | 6050 | 7050 | 8050 | 9050 | 10050 | 11050 | 12050 | ##050 |
| ¹⁴ #/3V530 | 53.0 | .33 | 2053 | 3053 | 4053 | 5053 | 6053 | 7053 | 8053 | 9053 | 10053 | 11053 | 12053 | ##053 |
| ¹⁴ #/3V560 | 56.0 | .34 | 2056 | 3056 | 4056 | 5056 | 6056 | 7056 | 8056 | 9056 | 10056 | 11056 | 12056 | ##056 |
| ¹⁴ #/3V600 | 60.0 | .37 | 2060 | 3060 | 4060 | 5060 | 6060 | 7060 | 8060 | 9060 | 10060 | 11060 | 12060 | ##060 |

¹⁴ Maximum width 22 strands. Not included in V-80 matching program.





Super HC® PowerBand® Belts

Product No. Series 9385 (continued)


3V Section (continued)

| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | 13 to 30 Strand Maximum (## = strands) |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|---|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | |
| | | | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | 9385- | |
| ¹⁴ #/3V630 | 63.0 | .40 | 2063 | 3063 | 4063 | 5063 | 6063 | 7063 | 8063 | 9063 | 10063 | 11063 | 12063 | ##063 |
| ¹⁴ #/3V670 | 67.0 | .41 | 2067 | 3067 | 4067 | 5067 | 6067 | 7067 | 8067 | 9067 | 10067 | 11067 | 12067 | ##067 |
| ¹⁴ #/3V710 | 71.0 | .44 | 2071 | 3071 | 4071 | 5071 | 6071 | 7071 | 8071 | 9071 | 10071 | 11071 | 12071 | ##071 |
| ¹⁴ #/3V750 | 75.0 | .46 | 2075 | 3075 | 4075 | 5075 | 6075 | 7075 | 8075 | 9075 | 10075 | 11075 | 12075 | ##075 |
| #/3V800 | 80.0 | .50 | 2080 | 3080 | 4080 | 5080 | 6080 | 7080 | 8080 | 9080 | 10080 | 11080 | 12080 | ##080 |
| #/3V850 | 85.0 | .53 | 2085 | 3085 | 4085 | 5085 | 6085 | 7085 | 8085 | 9085 | 10085 | 11085 | 12085 | ##085 |
| #/3V900 | 90.0 | .56 | 2090 | 3090 | 4090 | 5090 | 6090 | 7090 | 8090 | 9090 | 10090 | 11090 | 12090 | ##090 |
| #/3V950 | 95.0 | .60 | 2095 | 3095 | 4095 | 5095 | 6095 | 7095 | 8095 | 9095 | 10095 | 11095 | 12095 | ##095 |
| #/3V1000 | 100.0 | .63 | 2100 | 3100 | 4100 | 5100 | 6100 | 7100 | 8100 | 9100 | 10100 | 11100 | 12100 | ##100 |
| #/3V1060 | 106.0 | .66 | 2106 | 3106 | 4106 | 5106 | 6106 | 7106 | 8106 | 9106 | 10106 | 11106 | 12106 | ##106 |
| #/3V1120 | 112.0 | .70 | 2112 | 3112 | 4112 | 5112 | 6112 | 7112 | 8112 | 9112 | 10112 | 11112 | 12112 | ##112 |
| #/3V1180 | 118.0 | .74 | 2118 | 3118 | 4118 | 5118 | 6118 | 7118 | 8118 | 9118 | 10118 | 11118 | 12118 | ##118 |
| #/3V1250 | 125.0 | .79 | 2125 | 3125 | 4125 | 5125 | 6125 | 7125 | 8125 | 9125 | 10125 | 11125 | 12125 | ##125 |
| #/3V1320 | 132.0 | .83 | 2132 | 3132 | 4132 | 5132 | 6132 | 7132 | 8132 | 9132 | 10132 | 11132 | 12132 | ##132 |
| #/3V1400 | 140.0 | .88 | 2140 | 3140 | 4140 | 5140 | 6140 | 7140 | 8140 | 9140 | 10140 | 11140 | 12140 | ##140 |

HEAVY DUTY V-BELTS

Product No. Series 9386

5V Section




| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | 13 to 18 Strand Maximum (## = strands) |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|---|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | |
| | | | 9386- | 9386- | 9386- | 9386- | 9386- | 9386- | 9386- | 9386- | 9386- | 9386- | 9386- | |
| ¹⁵ #/5V500 | 50.0 | .70 | 2050 | 3050 | 4050 | 5050 | 6050 | 7050 | 8050 | 9050 | 10050 | 11050 | 12050 | ##050 |
| ¹⁵ #/5V530 | 53.0 | .80 | 2053 | 3053 | 4053 | 5053 | 6053 | 7053 | 8053 | 9053 | 10053 | 11053 | 12053 | ##053 |
| ¹⁵ #/5V560 | 56.0 | .86 | 2056 | 3056 | 4056 | 5056 | 6056 | 7056 | 8056 | 9056 | 10056 | 11056 | 12056 | ##056 |
| ¹⁵ #/5V600 | 60.0 | .96 | 2060 | 3060 | 4060 | 5060 | 6060 | 7060 | 8060 | 9060 | 10060 | 11060 | 12060 | ##060 |
| ¹⁵ #/5V630 | 63.0 | 1.00 | 2063 | 3063 | 4063 | 5063 | 6063 | 7063 | 8063 | 9063 | 10063 | 11063 | 12063 | ##063 |
| #/5V670 | 67.0 | 1.04 | 2067 | 3067 | 4067 | 5067 | 6067 | 7067 | 8067 | 9067 | 10067 | 11067 | 12067 | ##067 |
| #/5V710 | 71.0 | 1.18 | 2071 | 3071 | 4071 | 5071 | 6071 | 7071 | 8071 | 9071 | 10071 | 11071 | 12071 | ##071 |
| #/5V750 | 75.0 | 1.18 | 2075 | 3075 | 4075 | 5075 | 6075 | 7075 | 8075 | 9075 | 10075 | 11075 | 12075 | ##075 |
| #/5V800 | 80.0 | 1.25 | 2080 | 3080 | 4080 | 5080 | 6080 | 7080 | 8080 | 9080 | 10080 | 11080 | 12080 | ##080 |
| #/5V850 | 85.0 | 1.36 | 2085 | 3085 | 4085 | 5085 | 6085 | 7085 | 8085 | 9085 | 10085 | 11085 | 12085 | ##085 |
| #/5V900 | 90.0 | 1.39 | 2090 | 3090 | 4090 | 5090 | 6090 | 7090 | 8090 | 9090 | 10090 | 11090 | 12090 | ##090 |
| #/5V950 | 95.0 | 1.50 | 2095 | 3095 | 4095 | 5095 | 6095 | 7095 | 8095 | 9095 | 10095 | 11095 | 12095 | ##095 |
| #/5V1000 | 100.0 | 1.57 | 2100 | 3100 | 4100 | 5100 | 6100 | 7100 | 8100 | 9100 | 10100 | 11100 | 12100 | ##100 |
| #/5V1060 | 106.0 | 1.71 | 2106 | 3106 | 4106 | 5106 | 6106 | 7106 | 8106 | 9106 | 10106 | 11106 | 12106 | ##106 |
| #/5V1120 | 112.0 | 1.79 | 2112 | 3112 | 4112 | 5112 | 6112 | 7112 | 8112 | 9112 | 10112 | 11112 | 12112 | ##112 |
| #/5V1180 | 118.0 | 1.86 | 2118 | 3118 | 4118 | 5118 | 6118 | 7118 | 8118 | 9118 | 10118 | 11118 | 12118 | ##118 |
| #/5V1200 | 120.0 | 1.90 | 2120 | 3120 | 4120 | 5120 | 6120 | 7120 | 8120 | 9120 | 10120 | 11120 | 12120 | ##120 |
| #/5V1210 | 121.0 | 1.92 | 2121 | 3121 | 4121 | 5121 | 6121 | 7121 | 8121 | 9121 | 10121 | 11121 | 12121 | ##121 |
| #/5V1250 | 125.0 | 2.00 | 2125 | 3125 | 4125 | 5125 | 6125 | 7125 | 8125 | 9125 | 10125 | 11125 | 12125 | ##125 |
| #/5V1320 | 132.0 | 2.11 | 2132 | 3132 | 4132 | 5132 | 6132 | 7132 | 8132 | 9132 | 10132 | 11132 | 12132 | ##132 |
| #/5V1400 | 140.0 | 2.25 | 2140 | 3140 | 4140 | 5140 | 6140 | 7140 | 8140 | 9140 | 10140 | 11140 | 12140 | ##140 |
| #/5V1500 | 150.0 | 2.39 | 2150 | 3150 | 4150 | 5150 | 6150 | 7150 | 8150 | 9150 | 10150 | 11150 | 12150 | ##150 |
| #/5V1600 | 160.0 | 2.57 | 2160 | 3160 | 4160 | 5160 | 6160 | 7160 | 8160 | 9160 | 10160 | 11160 | 12160 | ##160 |
| #/5V1700 | 170.0 | 2.75 | 2170 | 3170 | 4170 | 5170 | 6170 | 7170 | 8170 | 9170 | 10170 | 11170 | 12170 | ##170 |
| #/5V1800 | 180.0 | 2.89 | 2180 | 3180 | 4180 | 5180 | 6180 | 7180 | 8180 | 9180 | 10180 | 11180 | 12180 | ##180 |
| #/5V1900 | 190.0 | 3.07 | 2190 | 3190 | 4190 | 5190 | 6190 | 7190 | 8190 | 9190 | 10190 | 11190 | 12190 | ##190 |
| #/5V2000 | 200.0 | 3.25 | 2200 | 3200 | 4200 | 5200 | 6200 | 7200 | 8200 | 9200 | 10200 | 11200 | 12200 | ##200 |
| #/5V2120 | 212.0 | 3.46 | 2212 | 3212 | 4212 | 5212 | 6212 | 7212 | 8212 | 9212 | 10212 | 11212 | 12212 | ##212 |
| #/5V2240 | 224.0 | 3.68 | 2224 | 3224 | 4224 | 5224 | 6224 | 7224 | 8224 | 9224 | 10224 | 11224 | 12224 | ##224 |
| #/5V2360 | 236.0 | 3.89 | 2236 | 3236 | 4236 | 5236 | 6236 | 7236 | 8236 | 9236 | 10236 | 11236 | 12236 | ##236 |
| #/5V2500 | 250.0 | 4.07 | 2250 | 3250 | 4250 | 5250 | 6250 | 7250 | 8250 | 9250 | 10250 | 11250 | 12250 | ##250 |
| #/5V2650 | 265.0 | 4.32 | 2265 | 3265 | 4265 | 5265 | 6265 | 7265 | 8265 | 9265 | 10265 | 11265 | 12265 | ##265 |
| #/5V2800 | 280.0 | 4.57 | 2280 | 3280 | 4280 | 5280 | 6280 | 7280 | 8280 | 9280 | 10280 | 11280 | 12280 | ##280 |
| #/5V3000 | 300.0 | 4.89 | 2300 | 3300 | 4300 | 5300 | 6300 | 7300 | 8300 | 9300 | 10300 | 11300 | 12300 | ##300 |
| #/5V3150 | 315.0 | 5.18 | 2315 | 3315 | 4315 | 5315 | 6315 | 7315 | 8315 | 9315 | 10315 | 11315 | 12315 | ##315 |
| #/5V3350 | 335.0 | 5.50 | 2335 | 3335 | 4335 | 5335 | 6335 | 7335 | 8335 | 9335 | 10335 | 11335 | 12335 | ##335 |
| #/5V3550 | 355.0 | 5.79 | 2355 | 3355 | 4355 | 5355 | 6355 | 7355 | 8355 | 9355 | 10355 | 11355 | 12355 | ##355 |

14 Maximum width 22 strands. Not included in V-80 matching program.
15 Not included in V-80 matching program.



Super HC® PowerBand® Belts



Product No. Series 9387

8V Section

| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|-------|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | |
| | | | 9387- | 9387- | 9387- | 9387- | 9387- | 9387- | 9387- | 9387- | 9387- | 9387- | 9387- | 9387- |
| #/8V1000 | 100.0 | 3.90 | 2100 | 3100 | 4100 | 5100 | 6100 | 7100 | 8100 | 9100 | 10100 | 11100 | 12100 | |
| #/8V1060 | 106.0 | 4.15 | 2106 | 3106 | 4106 | 5106 | 6106 | 7106 | 8106 | 9106 | 10106 | 11106 | 12106 | |
| #/8V1120 | 112.0 | 4.42 | 2112 | 3112 | 4112 | 5112 | 6112 | 7112 | 8112 | 9112 | 10112 | 11112 | 12112 | |
| #/8V1180 | 118.0 | 4.67 | 2118 | 3118 | 4118 | 5118 | 6118 | 7118 | 8118 | 9118 | 10118 | 11118 | 12118 | |
| #/8V1250 | 125.0 | 5.00 | 2125 | 3125 | 4125 | 5125 | 6125 | 7125 | 8125 | 9125 | 10125 | 11125 | 12125 | |
| #/8V1320 | 132.0 | 5.25 | 2132 | 3132 | 4132 | 5132 | 6132 | 7132 | 8132 | 9132 | 10132 | 11132 | 12132 | |
| #/8V1400 | 140.0 | 5.58 | 2140 | 3140 | 4140 | 5140 | 6140 | 7140 | 8140 | 9140 | 10140 | 11140 | 12140 | |
| #/8V1500 | 150.0 | 6.00 | 2150 | 3150 | 4150 | 5150 | 6150 | 7150 | 8150 | 9150 | 10150 | 11150 | 12150 | |
| #/8V1600 | 160.0 | 6.33 | 2160 | 3160 | 4160 | 5160 | 6160 | 7160 | 8160 | 9160 | 10160 | 11160 | 12160 | |
| #/8V1700 | 170.0 | 6.75 | 2170 | 3170 | 4170 | 5170 | 6170 | 7170 | 8170 | 9170 | 10170 | 11170 | 12170 | |
| #/8V1800 | 180.0 | 7.25 | 2180 | 3180 | 4180 | 5180 | 6180 | 7180 | 8180 | 9180 | 10180 | 11180 | 12180 | |
| #/8V1900 | 190.0 | 7.67 | 2190 | 3190 | 4190 | 5190 | 6190 | 7190 | 8190 | 9190 | 10190 | 11190 | 12190 | |
| #/8V2000 | 200.0 | 8.00 | 2200 | 3200 | 4200 | 5200 | 6200 | 7200 | 8200 | 9200 | 10200 | 11200 | 12200 | |
| #/8V2120 | 212.0 | 8.50 | 2212 | 3212 | 4212 | 5212 | 6212 | 7212 | 8212 | 9212 | 10212 | 11212 | 12212 | |
| #/8V2240 | 224.0 | 9.00 | 2224 | 3224 | 4224 | 5224 | 6224 | 7224 | 8224 | 9224 | 10224 | 11224 | 12224 | |
| #/8V2360 | 236.0 | 9.42 | 2236 | 3236 | 4236 | 5236 | 6236 | 7236 | 8236 | 9236 | 10236 | 11236 | 12236 | |
| #/8V2500 | 250.0 | 10.00 | 2250 | 3250 | 4250 | 5250 | 6250 | 7250 | 8250 | 9250 | 10250 | 11250 | 12250 | |
| #/8V2650 | 265.0 | 10.58 | 2265 | 3265 | 4265 | 5265 | 6265 | 7265 | 8265 | 9265 | 10265 | 11265 | 12265 | |
| #/8V2800 | 280.0 | 11.33 | 2280 | 3280 | 4280 | 5280 | 6280 | 7280 | 8280 | 9280 | 10280 | 11280 | 12280 | |
| #/8V3000 | 300.0 | 12.08 | 2300 | 3300 | 4300 | 5300 | 6300 | 7300 | 8300 | 9300 | 10300 | 11300 | 12300 | |
| #/8V3150 | 315.0 | 12.75 | 2315 | 3315 | 4315 | 5315 | 6315 | 7315 | 8315 | 9315 | 10315 | 11315 | 12315 | |
| #/8V3350 | 335.0 | 13.58 | 2335 | 3335 | 4335 | 5335 | 6335 | 7335 | 8335 | 9335 | 10335 | 11335 | 12335 | |
| #/8V3550 | 355.0 | 14.33 | 2355 | 3355 | 4355 | 5355 | 6355 | 7355 | 8355 | 9355 | 10355 | 11355 | 12355 | |
| #/8V3750 | 375.0 | 15.08 | 2375 | 3375 | 4375 | 5375 | 6375 | 7375 | 8375 | 9375 | 10375 | 11375 | 12375 | |
| #/8V4000 | 400.0 | 16.08 | 2400 | 3400 | 4400 | 5400 | 6400 | 7400 | 8400 | 9400 | 10400 | 11400 | 12400 | |
| #/8V4250 | 425.0 | 17.08 | 2425 | 3425 | 4425 | 5425 | 6425 | 7425 | 8425 | 9425 | 10425 | 11425 | 12425 | |
| #/8V4500 | 450.0 | 18.08 | 2450 | 3450 | 4450 | 5450 | 6450 | 7450 | 8450 | 9450 | 10450 | 11450 | 12450 | |
| #/8V4750 | 475.0 | 19.17 | 2475 | 3475 | 4475 | 5475 | 6475 | 7475 | 8475 | 9475 | 10475 | 11475 | 12475 | |
| #/8V5000 | 500.0 | 20.17 | 2500 | 3500 | 4500 | 5500 | 6500 | 7500 | 8500 | 9500 | 10500 | 11500 | 12500 | |
| #/8V5600 | 560.0 | 22.75 | 2560 | 3560 | 4560 | 5560 | 6560 | 7560 | 8560 | 9560 | 10560 | 11560 | 12560 | |
| #/8V6000 | 600.0 | 24.42 | 2600 | 3600 | 4600 | 5600 | 6600 | 7600 | 8600 | 9600 | 10600 | 11600 | 12600 | |

HEAVY DUTY V-BELTS





Super HC[®] Molded Notch PowerBand[®] Belts


The PowerBand construction allows multiple belts to function as a single unit, with even load distribution and each strand fitting securely in the sheave groove.

Markets/Applications

Recommended for multiple V-belt drives exposed to pulsating or heavy shock loads which can make belts whip, turn over or jump off the drive.

Features/Advantages

- The **Tie Band** assures high lateral rigidity, guiding the belt in a straight line and preventing it from coming off the drive.
- **Notches molded** into the belt during manufacturing make this belt well suited for drives with smaller diameter sheaves.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **Patented EPDM Material** construction provides -60°F to +250°F temperature range to resist belt cracking.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



Size Range/Availability

- **Large Inventory** of standard lengths and widths are readily available. See sizing table for details.
- **Belt Slitters** located onsite at several Gates Service Centers can cut down an existing belt in inventory to the strand width needed.

Recommended Sheaves
Super HC Sheaves

Notes

Belt part number is constructed by placing the (#) number of strands required followed by a slash (/) in front of the belt size. For Example, 5/3VX800 represents a 3VX800 with 5 joined strands.

Belt product number is 8 or 9 digits constructed of product series prefix, number of strands, and belt length. For example, 93885080 represents a "3VX" section PowerBand (9388) with 5 strands (5) that is 80.0 inches (080) long.

HEAVY DUTY V-BELTS

Product No. Series 9388

3VX Section



| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | 13 to 22 Strand Maximum (## = strands) | | |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|---|-------|--|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | | | |
| | | | 9388- | 9388- | 9388- | 9388- | 9388- | 9388- | 9388- | 9388- | 9388- | 9388- | 9388- | | | |
| #/3VX250 | 25.0 | .10 | 2025 | 3025 | 4025 | 5025 | | | | | | | | | | |
| #/3VX265 | 26.5 | .14 | 2026 | 3026 | 4026 | 5026 | | | | | | | | | | |
| #/3VX280 | 28.0 | .16 | 2028 | 3028 | 4028 | 5028 | | | | | | | | | | |
| #/3VX300 | 30.0 | .18 | 2030 | 3030 | 4030 | 5030 | 6030 | 7030 | 8030 | 9030 | 10030 | 11030 | 12030 | | ##030 | |
| #/3VX315 | 31.5 | .20 | 2031 | 3031 | 4031 | 5031 | 6031 | 7031 | 8031 | 9031 | 10031 | 11031 | 12031 | | ##031 | |
| #/3VX335 | 33.5 | .20 | 2033 | 3033 | 4033 | 5033 | 6033 | 7033 | 8033 | 9033 | 10033 | 11033 | 12033 | | ##033 | |
| #/3VX355 | 35.5 | .20 | 2035 | 3035 | 4035 | 5035 | 6035 | 7035 | 8035 | 9035 | 10035 | 11035 | 12035 | | ##035 | |
| #/3VX375 | 37.5 | .22 | 2037 | 3037 | 4037 | 5037 | 6037 | 7037 | 8037 | 9037 | 10037 | 11037 | 12037 | | ##037 | |
| #/3VX400 | 40.0 | .24 | 2040 | 3040 | 4040 | 5040 | 6040 | 7040 | 8040 | 9040 | 10040 | 11040 | 12040 | | ##040 | |
| #/3VX425 | 42.5 | .26 | 2042 | 3042 | 4042 | 5042 | 6042 | 7042 | 8042 | 9042 | 10042 | 11042 | 12042 | | ##042 | |
| #/3VX450 | 45.0 | .28 | 2045 | 3045 | 4045 | 5045 | 6045 | 7045 | 8045 | 9045 | 10045 | 11045 | 12045 | | ##045 | |
| #/3VX475 | 47.5 | .29 | 2047 | 3047 | 4047 | 5047 | 6047 | 7047 | 8047 | 9047 | 10047 | 11047 | 12047 | | ##047 | |
| #/3VX500 | 50.0 | .30 | 2050 | 3050 | 4050 | 5050 | 6050 | 7050 | 8050 | 9050 | 10050 | 11050 | 12050 | | ##050 | |
| #/3VX530 | 53.0 | .33 | 2053 | 3053 | 4053 | 5053 | 6053 | 7053 | 8053 | 9053 | 10053 | 11053 | 12053 | | ##053 | |
| #/3VX560 | 56.0 | .34 | 2056 | 3056 | 4056 | 5056 | 6056 | 7056 | 8056 | 9056 | 10056 | 11056 | 12056 | | ##056 | |
| #/3VX600 | 60.0 | .37 | 2060 | 3060 | 4060 | 5060 | 6060 | 7060 | 8060 | 9060 | 10060 | 11060 | 12060 | | ##060 | |
| #/3VX630 | 63.0 | .40 | 2063 | 3063 | 4063 | 5063 | 6063 | 7063 | 8063 | 9063 | 10063 | 11063 | 12063 | | ##063 | |
| #/3VX670 | 67.0 | .41 | 2067 | 3067 | 4067 | 5067 | 6067 | 7067 | 8067 | 9067 | 10067 | 11067 | 12067 | | ##067 | |
| #/3VX710 | 71.0 | .44 | 2071 | 3071 | 4071 | 5071 | 6071 | 7071 | 8071 | 9071 | 10071 | 11071 | 12071 | | ##071 | |
| #/3VX750 | 75.0 | .46 | 2075 | 3075 | 4075 | 5075 | 6075 | 7075 | 8075 | 9075 | 10075 | 11075 | 12075 | | ##075 | |
| #/3VX800 | 80.0 | .50 | 2080 | 3080 | 4080 | 5080 | 6080 | 7080 | 8080 | 9080 | 10080 | 11080 | 12080 | | ##080 | |




Super HC[®] Molded Notch PowerBand[®] Belts

Product No. Series 9388 (continued)

3VX Section (continued)

| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | 13 to 22 Strand Maximum (# = strands) |
|-----------------------|-----------------------|-----------------------------|---------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|
| | | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| | | | Strand | Strand | Strand | Strand | Strand | Strand | Strand | Strand | Strand | Strand | Strand | |
| #/3VX850 | 85.0 | .53 | 2085 | 3085 | 4085 | 5085 | 6085 | 7085 | 8085 | 9085 | 10085 | 11085 | 12085 | ##085 |
| #/3VX900 | 90.0 | .56 | 2090 | 3090 | 4090 | 5090 | 6090 | 7090 | 8090 | 9090 | 10090 | 11090 | 12090 | ##090 |
| #/3VX950 | 95.0 | .60 | 2095 | 3095 | 4095 | 5095 | 6095 | 7095 | 8095 | 9095 | 10095 | 11095 | 12095 | ##095 |
| #/3VX1000 | 100.0 | .63 | 2100 | 3100 | 4100 | 5100 | 6100 | 7100 | 8100 | 9100 | 10100 | 11100 | 12100 | ##100 |
| #/3VX1060 | 106.0 | .66 | 2106 | 3106 | 4106 | 5106 | 6106 | 7106 | 8106 | 9106 | 10106 | 11106 | 12106 | ##106 |
| #/3VX1120 | 112.0 | .70 | 2112 | 3112 | 4112 | 5112 | 6112 | 7112 | 8112 | 9112 | 10112 | 11112 | 12112 | ##112 |
| #/3VX1180 | 118.0 | .74 | 2118 | 3118 | 4118 | 5118 | 6118 | 7118 | 8118 | 9118 | 10118 | 11118 | 12118 | ##118 |
| #/3VX1250 | 125.0 | .79 | 2125 | 3125 | 4125 | 5125 | 6125 | 7125 | 8125 | 9125 | 10125 | 11125 | 12125 | ##125 |
| #/3VX1320 | 132.0 | .83 | 2132 | 3132 | 4132 | 5132 | 6132 | 7132 | 8132 | 9132 | 10132 | 11132 | 12132 | ##132 |
| #/3VX1400 | 140.0 | .88 | 2140 | 3140 | 4140 | 5140 | 6140 | 7140 | 8140 | 9140 | 10140 | 11140 | 12140 | ##140 |



Product No. Series 9389

5VX Section

| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | |
|-----------------------|-----------------------|-----------------------------|---------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | | | Strand | Strand | Strand | Strand | Strand | Strand | Strand | Strand | Strand | Strand | Strand | Strand |
| #/5VX500 | 50.0 | .70 | 2050 | 3050 | 4050 | 5050 | 6050 | 7050 | 8050 | 9050 | 10050 | 11050 | 12050 | 13050 |
| #/5VX530 | 53.0 | .80 | 2053 | 3053 | 4053 | 5053 | 6053 | 7053 | 8053 | 9053 | 10053 | 11053 | 12053 | 13053 |
| #/5VX560 | 56.0 | .86 | 2056 | 3056 | 4056 | 5056 | 6056 | 7056 | 8056 | 9056 | 10056 | 11056 | 12056 | 13056 |
| #/5VX600 | 60.0 | .96 | 2060 | 3060 | 4060 | 5060 | 6060 | 7060 | 8060 | 9060 | 10060 | 11060 | 12060 | 13060 |
| #/5VX630 | 63.0 | 1.00 | 2063 | 3063 | 4063 | 5063 | 6063 | 7063 | 8063 | 9063 | 10063 | 11063 | 12063 | 13063 |
| #/5VX670 | 67.0 | 1.04 | 2067 | 3067 | 4067 | 5067 | 6067 | 7067 | 8067 | 9067 | 10067 | 11067 | 12067 | 13067 |
| #/5VX710 | 71.0 | 1.18 | 2071 | 3071 | 4071 | 5071 | 6071 | 7071 | 8071 | 9071 | 10071 | 11071 | 12071 | 13071 |
| #/5VX750 | 75.0 | 1.21 | 2075 | 3075 | 4075 | 5075 | 6075 | 7075 | 8075 | 9075 | 10075 | 11075 | 12075 | 13075 |
| #/5VX800 | 80.0 | 1.25 | 2080 | 3080 | 4080 | 5080 | 6080 | 7080 | 8080 | 9080 | 10080 | 11080 | 12080 | 13080 |
| #/5VX850 | 85.0 | 1.36 | 2085 | 3085 | 4085 | 5085 | 6085 | 7085 | 8085 | 9085 | 10085 | 11085 | 12085 | 13085 |
| #/5VX900 | 90.0 | 1.39 | 2090 | 3090 | 4090 | 5090 | 6090 | 7090 | 8090 | 9090 | 10090 | 11090 | 12090 | 13090 |
| #/5VX950 | 95.0 | 1.50 | 2095 | 3095 | 4095 | 5095 | 6095 | 7095 | 8095 | 9095 | 10095 | 11095 | 12095 | 13095 |
| #/5VX1000 | 100.0 | 1.57 | 2100 | 3100 | 4100 | 5100 | 6100 | 7100 | 8100 | 9100 | 10100 | 11100 | 12100 | 13100 |
| #/5VX1060 | 106.0 | 1.71 | 2106 | 3106 | 4106 | 5106 | 6106 | 7106 | 8106 | 9106 | 10106 | 11106 | 12106 | 13106 |
| #/5VX1120 | 112.0 | 1.79 | 2112 | 3112 | 4112 | 5112 | 6112 | 7112 | 8112 | 9112 | 10112 | 11112 | 12112 | 13112 |
| #/5VX1180 | 118.0 | 1.86 | 2118 | 3118 | 4118 | 5118 | 6118 | 7118 | 8118 | 9118 | 10118 | 11118 | 12118 | 13118 |
| #/5VX1250 | 125.0 | 2.00 | 2125 | 3125 | 4125 | 5125 | 6125 | 7125 | 8125 | 9125 | 10125 | 11125 | 12125 | 13125 |
| #/5VX1320 | 132.0 | 2.11 | 2132 | 3132 | 4132 | 5132 | 6132 | 7132 | 8132 | 9132 | 10132 | 11132 | 12132 | 13132 |
| #/5VX1400 | 140.0 | 2.25 | 2140 | 3140 | 4140 | 5140 | 6140 | 7140 | 8140 | 9140 | 10140 | 11140 | 12140 | 13140 |
| #/5VX1500 | 150.0 | 2.39 | 2150 | 3150 | 4150 | 5150 | 6150 | 7150 | 8150 | 9150 | 10150 | 11150 | 12150 | 13150 |
| #/5VX1600 | 160.0 | 2.57 | 2160 | 3160 | 4160 | 5160 | 6160 | 7160 | 8160 | 9160 | 10160 | 11160 | 12160 | 13160 |
| #/5VX1700 | 170.0 | 2.75 | 2170 | 3170 | 4170 | 5170 | 6170 | 7170 | 8170 | 9170 | 10170 | 11170 | 12170 | 13170 |
| #/5VX1800 | 180.0 | 2.89 | 2180 | 3180 | 4180 | 5180 | 6180 | 7180 | 8180 | 9180 | 10180 | 11180 | 12180 | 13180 |
| #/5VX1900 | 190.0 | 3.07 | 2190 | 3190 | 4190 | 5190 | 6190 | 7190 | 8190 | 9190 | 10190 | 11190 | 12190 | 13190 |
| #/5VX2000 | 200.0 | 3.25 | 2200 | 3200 | 4200 | 5200 | 6200 | 7200 | 8200 | 9200 | 10200 | 11200 | 12200 | 13200 |

HEAVY DUTY V-BELTS



Predator® Single Belts


Specifically designed for aggressive applications, this extra heavy-duty belt construction provides extraordinary high impact strength, capacity, and wear resistance.

Markets/Applications

Predator belts are well suited as replacement belts for applications exposed to pulsating loads or heavy shock loads, such as mining, agriculture, wood processing, oil field equipment, heavy construction and sand/gravel operations.

Features/Advantages

- **Aramid Tensile Cords** combine limited stretch with extraordinary strength and durability that is pound-for-pound stronger than steel.
- **Bare Back Cover** resists debris and allows the belt to slip under extreme shock load conditions, reducing heat buildup and prolonging belt life.
- **Gates Curves** provide proper cord support and full contact with the sheave-groove for equal loading, uniform wear, and increased belt life.
- Meets RMA **oil and heat** resistant standards.




Notes

Predator belts do not meet RMA requirements for belt static conductivity. When application requires Predator belt sets, request belts with same group/match number.

HEAVY DUTY V-BELTS

Product No. Series 9185

AP Section



| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| AP31 | 9185-0031 | 33.0 | .24 |
| AP33 | 9185-0033 | 35.0 | .26 |
| AP35 | 9185-0035 | 37.0 | .27 |
| AP38 | 9185-0038 | 40.0 | .29 |
| AP40 | 9185-0040 | 42.0 | .31 |
| AP42 | 9185-0042 | 44.0 | .32 |
| AP43 | 9185-0043 | 45.0 | .33 |
| AP44 | 9185-0044 | 46.0 | .34 |
| AP45 | 9185-0045 | 47.0 | .35 |
| AP46 | 9185-0046 | 48.0 | .35 |
| AP47 | 9185-0047 | 49.0 | .36 |
| AP48 | 9185-0048 | 50.0 | .37 |
| AP50 | 9185-0050 | 52.0 | .38 |
| AP51 | 9185-0051 | 53.0 | .39 |
| AP52 | 9185-0052 | 54.0 | .40 |
| AP53 | 9185-0053 | 55.0 | .40 |
| AP54 | 9185-0054 | 56.0 | .41 |

| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| AP55 | 9185-0055 | 57.0 | .42 |
| AP56 | 9185-0056 | 58.0 | .43 |
| AP58 | 9185-0058 | 60.0 | .44 |
| AP59 | 9185-0059 | 61.0 | .45 |
| AP60 | 9185-0060 | 62.0 | .46 |
| AP61 | 9185-0061 | 63.0 | .46 |
| AP62 | 9185-0062 | 64.0 | .47 |
| AP63 | 9185-0063 | 65.0 | .48 |
| AP64 | 9185-0064 | 66.0 | .48 |
| AP66 | 9185-0066 | 68.0 | .50 |
| AP68 | 9185-0068 | 70.0 | .51 |
| AP70 | 9185-0070 | 72.0 | .53 |
| AP71 | 9185-0071 | 73.0 | .54 |
| AP85 | 9185-0085 | 87.0 | .64 |
| AP87 | 9185-0087 | 89.0 | .65 |
| AP90 | 9185-0090 | 92.0 | .68 |
| AP91 | 9185-0091 | 93.0 | .69 |

Product No. Series 9186

BP Section



| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| BP32 | 9186-0032 | 35.0 | .39 |
| BP38 | 9186-0038 | 41.0 | .46 |
| BP40 | 9186-0040 | 43.0 | .48 |
| BP42 | 9186-0042 | 45.0 | .50 |
| BP44 | 9186-0044 | 47.0 | .53 |

| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| BP46 | 9186-0046 | 49.0 | .55 |
| BP48 | 9186-0048 | 51.0 | .57 |
| BP50 | 9186-0050 | 53.0 | .59 |
| BP51 | 9186-0051 | 54.0 | .61 |
| BP52 | 9186-0052 | 55.0 | .62 |

Predator® Single Belts

Product No. Series 9186 (continued)

BP Section (continued)

| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| BP53 | 9186-0053 | 56.0 | .63 |
| BP54 | 9186-0054 | 57.0 | .64 |
| BP55 | 9186-0055 | 58.0 | .65 |
| BP56 | 9186-0056 | 59.0 | .66 |
| BP57 | 9186-0057 | 60.0 | .67 |
| BP58 | 9186-0058 | 61.0 | .68 |
| BP59 | 9186-0059 | 62.0 | .69 |
| BP60 | 9186-0060 | 63.0 | .71 |
| BP61 | 9186-0061 | 64.0 | .72 |
| BP62 | 9186-0062 | 65.0 | .73 |
| BP63 | 9186-0063 | 66.0 | .74 |
| BP64 | 9186-0064 | 67.0 | .75 |
| BP65 | 9186-0065 | 68.0 | .76 |
| BP66 | 9186-0066 | 69.0 | .77 |
| BP68 | 9186-0068 | 71.0 | .80 |
| BP70 | 9186-0070 | 73.0 | .82 |
| BP71 | 9186-0071 | 74.0 | .83 |
| BP75 | 9186-0075 | 78.0 | .87 |
| BP78 | 9186-0078 | 81.0 | .91 |
| BP80 | 9186-0080 | 83.0 | .93 |

| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| BP81 | 9186-0081 | 84.0 | .94 |
| BP83 | 9186-0083 | 86.0 | .96 |
| BP85 | 9186-0085 | 88.0 | .99 |
| BP90 | 9186-0090 | 93.0 | 1.04 |
| BP93 | 9186-0093 | 96.0 | 1.08 |
| BP95 | 9186-0095 | 98.0 | 1.10 |
| BP97 | 9186-0097 | 100.0 | 1.12 |
| BP100 | 9186-0100 | 103.0 | 1.15 |
| BP103 | 9186-0103 | 106.0 | 1.19 |
| BP105 | 9186-0105 | 108.0 | 1.21 |
| BP108 | 9186-0108 | 111.0 | 1.24 |
| BP112 | 9186-0112 | 115.0 | 1.29 |
| BP120 | 9186-0120 | 123.0 | 1.38 |
| BP124 | 9186-0124 | 127.0 | 1.42 |
| BP128 | 9186-0128 | 131.0 | 1.47 |
| BP136 | 9186-0136 | 139.0 | 1.56 |
| BP144 | 9186-0144 | 147.0 | 1.65 |
| BP158 | 9186-0158 | 161.0 | 1.80 |
| BP173 | 9186-0173 | 176.0 | 1.97 |
| BP195 | 9186-0195 | 198.0 | 2.22 |

HEAVY DUTY V-BELTS

Product No. Series 9187

CP Section



| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| CP85 | 9187-0085 | 89.0 | 1.86 |
| CP90 | 9187-0090 | 94.0 | 1.96 |
| CP96 | 9187-0096 | 100.0 | 2.09 |
| CP99 | 9187-0099 | 103.0 | 2.15 |
| CP100 | 9187-0100 | 104.0 | 2.17 |
| CP105 | 9187-0105 | 109.0 | 2.27 |
| CP112 | 9187-0112 | 116.0 | 2.42 |
| CP120 | 9187-0120 | 124.0 | 2.59 |
| CP128 | 9187-0128 | 132.0 | 2.75 |

| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| CP136 | 9187-0136 | 140.0 | 2.92 |
| CP144 | 9187-0144 | 148.0 | 3.09 |
| CP158 | 9187-0158 | 162.0 | 3.38 |
| CP162 | 9187-0162 | 166.0 | 3.46 |
| CP173 | 9187-0173 | 177.0 | 3.69 |
| CP180 | 9187-0180 | 184.0 | 3.84 |
| CP195 | 9187-0195 | 199.0 | 4.15 |
| CP240 | 9187-0240 | 242.0 | 5.05 |

Product No. Series 9188

5VP Section



| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| 5VP800 | 9188-0080 | 80.0 | 1.02 |
| 5VP850 | 9188-0085 | 85.0 | 1.08 |
| 5VP900 | 9188-0090 | 90.0 | 1.15 |
| 5VP950 | 9188-0095 | 95.0 | 1.21 |
| 5VP1000 | 9188-0100 | 100.0 | 1.28 |
| 5VP1060 | 9188-0106 | 106.0 | 1.35 |
| 5VP1120 | 9188-0112 | 112.0 | 1.43 |
| 5VP1180 | 9188-0118 | 118.0 | 1.50 |
| 5VP1250 | 9188-0125 | 125.0 | 1.59 |
| 5VP1320 | 9188-0132 | 132.0 | 1.68 |
| 5VP1400 | 9188-0140 | 140.0 | 1.79 |
| 5VP1500 | 9188-0150 | 150.0 | 1.91 |
| 5VP1600 | 9188-0160 | 160.0 | 2.04 |
| 5VP1700 | 9188-0170 | 170.0 | 2.17 |

| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| 5VP1800 | 9188-0180 | 180.0 | 2.30 |
| 5VP1900 | 9188-0190 | 190.0 | 2.42 |
| 5VP2000 | 9188-0200 | 200.0 | 2.55 |
| 5VP2120 | 9188-0212 | 212.0 | 2.70 |
| 5VP2240 | 9188-0224 | 224.0 | 2.86 |
| 5VP2360 | 9188-0236 | 236.0 | 3.01 |
| 5VP2500 | 9188-0250 | 250.0 | 3.19 |
| 5VP2650 | 9188-0265 | 265.0 | 3.38 |
| 5VP2800 | 9188-0280 | 280.0 | 3.57 |
| 5VP3000 | 9188-0300 | 300.0 | 3.83 |
| 5VP3150 | 9188-0315 | 315.0 | 4.02 |
| 5VP3350 | 9188-0335 | 335.0 | 4.27 |
| 5VP3550 | 9188-0355 | 355.0 | 4.53 |





Predator® Single Belts

Product No. Series 9189

8VP Section




| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| 8VP1600 | 9189-0160 | 160.0 | 5.29 |
| 8VP1700 | 9189-0170 | 170.0 | 5.62 |
| 8VP1800 | 9189-0180 | 180.0 | 5.95 |
| 8VP1900 | 9189-0190 | 190.0 | 6.28 |
| 8VP2000 | 9189-0200 | 200.0 | 6.61 |
| 8VP2120 | 9189-0212 | 212.0 | 7.00 |
| 8VP2240 | 9189-0224 | 224.0 | 7.40 |
| 8VP2360 | 9189-0236 | 236.0 | 7.80 |

| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| 8VP2500 | 9189-0250 | 250.0 | 8.26 |
| 8VP2650 | 9189-0265 | 265.0 | 8.75 |
| 8VP2800 | 9189-0280 | 280.0 | 9.25 |
| 8VP3000 | 9189-0300 | 300.0 | 9.91 |
| 8VP3150 | 9189-0315 | 315.0 | 10.41 |
| 8VP3350 | 9189-0335 | 335.0 | 11.07 |
| 8VP3550 | 9189-0355 | 355.0 | 11.73 |

Product No. Series 9190

SPBP Section




| Part No. | Product No. | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|----------|-------------|-------------------|----------------|
| SPB1260P | 9190-01260 | 1260 | .66 |
| SPB1500P | 9190-01500 | 1500 | .79 |
| SPB1600P | 9190-01600 | 1600 | .84 |
| SPB1700P | 9190-01700 | 1700 | .90 |
| SPB1800P | 9190-01800 | 1800 | .95 |
| SPB1900P | 9190-01900 | 1900 | 1.00 |
| SPB2000P | 9190-02000 | 2000 | 1.05 |
| SPB2120P | 9190-02120 | 2120 | 1.12 |
| SPB2240P | 9190-02240 | 2240 | 1.18 |
| SPB2360P | 9190-02360 | 2360 | 1.24 |
| SPB2500P | 9190-02500 | 2500 | 1.32 |
| SPB2650P | 9190-02650 | 2650 | 1.40 |
| SPB2800P | 9190-02800 | 2800 | 1.48 |
| SPB3000P | 9190-03000 | 3000 | 1.58 |
| SPB3150P | 9190-03150 | 3150 | 1.66 |

| Part No. | Product No. | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|----------|-------------|-------------------|----------------|
| SPB3350P | 9190-03350 | 3350 | 1.77 |
| SPB3550P | 9190-03550 | 3550 | 1.87 |
| SPB3750P | 9190-03750 | 3750 | 1.98 |
| SPB4000P | 9190-04000 | 4000 | 2.11 |
| SPB4250P | 9190-04250 | 4250 | 2.24 |
| SPB4500P | 9190-04500 | 4500 | 2.37 |
| SPB4750P | 9190-04750 | 4750 | 2.50 |
| SPB5000P | 9190-05000 | 5000 | 2.64 |
| SPB5300P | 9190-05300 | 5300 | 2.79 |
| SPB5600P | 9190-05600 | 5600 | 2.95 |
| SPB6000P | 9190-06000 | 6000 | 3.16 |
| SPB6300P | 9190-06300 | 6300 | 3.32 |
| SPB6700P | 9190-06700 | 6700 | 3.53 |
| SPB7100P | 9190-07100 | 7100 | 3.74 |
| SPB7500P | 9190-07500 | 7500 | 3.96 |
| SPB8000P | 9190-08000 | 8000 | 4.22 |

HEAVY DUTY V-BELTS



Predator® Single Belts



Product No. Series 9191

SPCP Section

| Part No. | Product No. | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|----------|-------------|-------------------|----------------|
| SPC2000P | 9191-02000 | 2000 | 1.91 |
| SPC2120P | 9191-02120 | 2120 | 2.03 |
| SPC2240P | 9191-02240 | 2240 | 2.14 |
| SPC2360P | 9191-02360 | 2360 | 2.26 |
| SPC2500P | 9191-02500 | 2500 | 2.39 |
| SPC2650P | 9191-02650 | 2650 | 2.53 |
| SPC2800P | 9191-02800 | 2800 | 2.68 |
| SPC3000P | 9191-03000 | 3000 | 2.87 |
| SPC3150P | 9191-03150 | 3150 | 3.01 |
| SPC3350P | 9191-03350 | 3350 | 3.20 |
| SPC3550P | 9191-03550 | 3550 | 3.39 |
| SPC3750P | 9191-03750 | 3750 | 3.58 |
| SPC4000P | 9191-04000 | 4000 | 3.82 |
| SPC4250P | 9191-04250 | 4250 | 4.06 |

| Part No. | Product No. | Pitch Length (mm) | Wt. Ea. (Lbs.) |
|----------|-------------|-------------------|----------------|
| SPC4500P | 9191-04500 | 4500 | 4.30 |
| SPC4750P | 9191-04750 | 4750 | 4.54 |
| SPC5000P | 9191-05000 | 5000 | 4.78 |
| SPC5300P | 9191-05300 | 5300 | 5.07 |
| SPC5600P | 9191-05600 | 5600 | 5.35 |
| SPC6000P | 9191-06000 | 6000 | 5.73 |
| SPC6300P | 9191-06300 | 6300 | 6.02 |
| SPC6700P | 9191-06700 | 6700 | 6.40 |
| SPC7100P | 9191-07100 | 7100 | 6.79 |
| SPC7500P | 9191-07500 | 7500 | 7.17 |
| SPC8000P | 9191-08000 | 8000 | 7.65 |
| SPC8500P | 9191-08500 | 8500 | 8.12 |
| SPC9000P | 9191-09000 | 9000 | 8.60 |

HEAVY DUTY V-BELTS

Predator® PowerBand® Belts


Specifically designed for aggressive applications, this extra heavy-duty belt construction provides extraordinary high impact strength, capacity, and wear resistance.

Markets/Applications

Predator belts are well suited as replacement belts for applications exposed to pulsating loads or heavy shock loads, such as mining, agriculture, wood processing, oil field equipment, heavy construction and sand/gravel operations.

Features/Advantages

- **Aramid Tensile Cords** combine limited stretch with extraordinary strength and durability that is pound-for-pound stronger than steel.
- **Bareback Cover** resists debris and allows the belt to slip under extreme shock load conditions, reducing heat buildup and prolonging belt life.
- Multiple layer **Tie Band** provides excellent lateral rigidity to prevent belts from turning over or from coming off of the drive.
- **Gates Curves** provide proper cord support and full contact with the sheave-groove for equal loading, uniform wear, and increased belt life.
- Meets RMA **oil and heat** resistant standards.



Size Range/Availability

- **Large Inventory** of standard lengths and widths are readily available. See sizing table for details.
- **Belt Slitters** located onsite at several Gates Service Centers can cut down an existing belt in inventory to the strand width needed.
- **Made-To-Order Belt Lengths** are available in any size from: CP (80 to 400 inch), 3VP (45 to 220 inch), 5VP (50 to 660 inch) and 8VP (100 to 660 inch). Check with Customer Service for minimum order quantity and manufacturing lead time.

Recommended Sheaves

Super HC Sheaves as recommended by DesignFlex® Pro drive analysis.

Notes


When application requires Predator PowerBand belt sets, request same group/match number.
 Predator belts do not meet RMA requirements for belt static conductivity.

Belt part number is constructed by placing the (#) number of strands required followed by a slash (/) in front of the belt size.
 For Example, 5/3VP800 represents a 3VP800 with 5 joined strands.

Belt product number is 8 or 9 digits constructed of product series prefix, number of strands, and belt length.
 For example, 91805080 represents a "3VP" section PowerBand (9180) with 5 strands (5) that is 80.0 inches (080) long.

Product No. Series 9184

CP Section



| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|---------|-------------|-----------------|----------------|
| 3/CP85 | 9184-3085 | 89.0 | 6.78 |
| 3/CP90 | 9184-3090 | 94.0 | 7.11 |
| 3/CP99 | 9184-3099 | 103.0 | 7.70 |
| 4/CP240 | 9184-4240 | 242.0 | 21.19 |
| 4/CP330 | 9184-4330 | 332.0 | 29.08 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|---------|-------------|-----------------|----------------|
| 4/CP345 | 9184-4345 | 347.0 | 30.39 |
| 4/CP360 | 9184-4360 | 362.0 | 31.70 |
| 5/CP195 | 9184-5195 | 199.0 | 21.79 |
| 5/CP225 | 9184-5225 | 227.0 | 24.85 |
| 5/CP255 | 9184-5255 | 257.0 | 28.13 |

CP Predator belts are available up to 12 strands.

Predator® PowerBand® Belts

Product No. Series 9180

3VP Section




| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand |
| | | | 9180- | 9180- | 9180- | 9180- | 9180- | 9180- | 9180- | 9180- | 9180- |
| #/3VP450 | 45.0 | .28 | 2045 | 3045 | 4045 | 5045 | 6045 | 7045 | 8045 | 9045 | 10045 |
| #/3VP475 | 47.5 | .29 | 2047 | 3047 | 4047 | 5047 | 6047 | 7047 | 8047 | 9047 | 10047 |
| #/3VP500 | 50.0 | .30 | 2050 | 3050 | 4050 | 5050 | 6050 | 7050 | 8050 | 9050 | 10050 |
| #/3VP530 | 53.0 | .33 | 2053 | 3053 | 4053 | 5053 | 6053 | 7053 | 8053 | 9053 | 10053 |
| #/3VP560 | 56.0 | .34 | 2056 | 3056 | 4056 | 5056 | 6056 | 7056 | 8056 | 9056 | 10056 |
| #/3VP600 | 60.0 | .37 | 2060 | 3060 | 4060 | 5060 | 6060 | 7060 | 8060 | 9060 | 10060 |
| #/3VP630 | 63.0 | .40 | 2063 | 3063 | 4063 | 5063 | 6063 | 7063 | 8063 | 9063 | 10063 |
| #/3VP670 | 67.0 | .41 | 2067 | 3067 | 4067 | 5067 | 6067 | 7067 | 8067 | 9067 | 10067 |
| #/3VP710 | 71.0 | .44 | 2071 | 3071 | 4071 | 5071 | 6071 | 7071 | 8071 | 9071 | 10071 |
| #/3VP750 | 75.0 | .46 | 2075 | 3075 | 4075 | 5075 | 6075 | 7075 | 8075 | 9075 | 10075 |
| #/3VP800 | 80.0 | .50 | 2080 | 3080 | 4080 | 5080 | 6080 | 7080 | 8080 | 9080 | 10080 |
| #/3VP850 | 85.0 | .53 | 2085 | 3085 | 4085 | 5085 | 6085 | 7085 | 8085 | 9085 | 10085 |
| #/3VP900 | 90.0 | .56 | 2090 | 3090 | 4090 | 5090 | 6090 | 7090 | 8090 | 9090 | 10090 |
| #/3VP950 | 95.0 | .60 | 2095 | 3095 | 4095 | 5095 | 6095 | 7095 | 8095 | 9095 | 10095 |
| #/3VP1000 | 100.0 | .63 | 2100 | 3100 | 4100 | 5100 | 6100 | 7100 | 8100 | 9100 | 10100 |
| #/3VP1060 | 106.0 | .66 | 2106 | 3106 | 4106 | 5106 | 6106 | 7106 | 8106 | 9106 | 10106 |
| #/3VP1120 | 112.0 | .70 | 2112 | 3112 | 4112 | 5112 | 6112 | 7112 | 8112 | 9112 | 10112 |
| #/3VP1180 | 118.0 | .74 | 2118 | 3118 | 4118 | 5118 | 6118 | 7118 | 8118 | 9118 | 10118 |
| #/3VP1250 | 125.0 | .79 | 2125 | 3125 | 4125 | 5125 | 6125 | 7125 | 8125 | 9125 | 10125 |
| #/3VP1320 | 132.0 | .83 | 2132 | 3132 | 4132 | 5132 | 6132 | 7132 | 8132 | 9132 | 10132 |
| #/3VP1400 | 140.0 | .88 | 2140 | 3140 | 4140 | 5140 | 6140 | 7140 | 8140 | 9140 | 10140 |

HEAVY DUTY V-BELTS

Product No. Series 9181

5VP Section



| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | 13 to 16 Strand Maximum (# = strands) |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|--|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | |
| | | | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | |
| #/5VP600 | 60.0 | .96 | 2060 | 3060 | 4060 | 5060 | 6060 | 7060 | 8060 | 9060 | 10060 | 11060 | 12060 | ##060 |
| #/5VP630 | 63.0 | 1.00 | 2063 | 3063 | 4063 | 5063 | 6063 | 7063 | 8063 | 9063 | 10063 | 11063 | 12063 | ##063 |
| #/5VP670 | 67.0 | 1.04 | 2067 | 3067 | 4067 | 5067 | 6067 | 7067 | 8067 | 9067 | 10067 | 11067 | 12067 | ##067 |
| #/5VP710 | 71.0 | 1.18 | 2071 | 3071 | 4071 | 5071 | 6071 | 7071 | 8071 | 9071 | 10071 | 11071 | 12071 | ##071 |
| #/5VP730 | 73.0 | 1.20 | 2073 | 3073 | 4073 | 5073 | 6073 | 7073 | 8073 | 9073 | 10073 | 11073 | 12073 | ##073 |
| #/5VP750 | 75.0 | 1.21 | 2075 | 3075 | 4075 | 5075 | 6075 | 7075 | 8075 | 9075 | 10075 | 11075 | 12075 | ##075 |
| #/5VP800 | 80.0 | 1.25 | 2080 | 3080 | 4080 | 5080 | 6080 | 7080 | 8080 | 9080 | 10080 | 11080 | 12080 | ##080 |
| #/5VP850 | 85.0 | 1.36 | 2085 | 3085 | 4085 | 5085 | 6085 | 7085 | 8085 | 9085 | 10085 | 11085 | 12085 | ##085 |
| #/5VP870 | 87.0 | 1.40 | 2087 | 3087 | 4087 | 5087 | 6087 | 7087 | 8087 | 9087 | 10087 | 11087 | 12087 | ##087 |
| #/5VP900 | 90.0 | 1.39 | 2090 | 3090 | 4090 | 5090 | 6090 | 7090 | 8090 | 9090 | 10090 | 11090 | 12090 | ##090 |
| #/5VP950 | 95.0 | 1.50 | 2095 | 3095 | 4095 | 5095 | 6095 | 7095 | 8095 | 9095 | 10095 | 11095 | 12095 | ##095 |
| #/5VP1000 | 100.0 | 1.57 | 2100 | 3100 | 4100 | 5100 | 6100 | 7100 | 8100 | 9100 | 10100 | 11100 | 12100 | ##100 |
| #/5VP1060 | 106.0 | 1.25 | 2106 | 3106 | 4106 | 5106 | 6106 | 7106 | 8106 | 9106 | 10106 | 11106 | 12106 | ##106 |
| #/5VP1120 | 112.0 | 1.79 | 2112 | 3112 | 4112 | 5112 | 6112 | 7112 | 8112 | 9112 | 10112 | 11112 | 12112 | ##112 |
| #/5VP1180 | 118.0 | 1.86 | 2118 | 3118 | 4118 | 5118 | 6118 | 7118 | 8118 | 9118 | 10118 | 11118 | 12118 | ##118 |
| #/5VP1250 | 125.0 | 2.00 | 2125 | 3125 | 4125 | 5125 | 6125 | 7125 | 8125 | 9125 | 10125 | 11125 | 12125 | ##125 |
| #/5VP1320 | 132.0 | 2.11 | 2132 | 3132 | 4132 | 5132 | 6132 | 7132 | 8132 | 9132 | 10132 | 11132 | 12132 | ##132 |
| #/5VP1400 | 140.0 | 2.25 | 2140 | 3140 | 4140 | 5140 | 6140 | 7140 | 8140 | 9140 | 10140 | 11140 | 12140 | ##140 |
| #/5VP1500 | 150.0 | 2.39 | 2150 | 3150 | 4150 | 5150 | 6150 | 7150 | 8150 | 9150 | 10150 | 11150 | 12150 | ##150 |
| #/5VP1600 | 160.0 | 2.57 | 2160 | 3160 | 4160 | 5160 | 6160 | 7160 | 8160 | 9160 | 10160 | 11160 | 12160 | ##160 |
| #/5VP1700 | 170.0 | 2.75 | 2170 | 3170 | 4170 | 5170 | 6170 | 7170 | 8170 | 9170 | 10170 | 11170 | 12170 | ##170 |
| #/5VP1800 | 180.0 | 2.89 | 2180 | 3180 | 4180 | 5180 | 6180 | 7180 | 8180 | 9180 | 10180 | 11180 | 12180 | ##180 |
| #/5VP1900 | 190.0 | 3.07 | 2190 | 3190 | 4190 | 5190 | 6190 | 7190 | 8190 | 9190 | 10190 | 11190 | 12190 | ##190 |
| #/5VP2000 | 200.0 | 3.25 | 2200 | 3200 | 4200 | 5200 | 6200 | 7200 | 8200 | 9200 | 10200 | 11200 | 12200 | ##200 |
| #/5VP2030 | 203.0 | 3.30 | 2203 | 3203 | 4203 | 5203 | 6203 | 7203 | 8203 | 9203 | 10203 | 11203 | 12203 | ##203 |
| #/5VP2120 | 212.0 | 3.46 | 2212 | 3212 | 4212 | 5212 | 6212 | 7212 | 8212 | 9212 | 10212 | 11212 | 12212 | ##212 |
| #/5VP2240 | 224.0 | 3.68 | 2224 | 3224 | 4224 | 5224 | 6224 | 7224 | 8224 | 9224 | 10224 | 11224 | 12224 | ##224 |
| #/5VP2360 | 236.0 | 3.89 | 2236 | 3236 | 4236 | 5236 | 6236 | 7236 | 8236 | 9236 | 10236 | 11236 | 12236 | ##236 |
| #/5VP2500 | 250.0 | 4.07 | 2250 | 3250 | 4250 | 5250 | 6250 | 7250 | 8250 | 9250 | 10250 | 11250 | 12250 | ##250 |
| #/5VP2650 | 265.0 | 4.32 | 2265 | 3265 | 4265 | 5265 | 6265 | 7265 | 8265 | 9265 | 10265 | 11265 | 12265 | ##265 |
| #/5VP2800 | 280.0 | 4.57 | 2280 | 3280 | 4280 | 5280 | 6280 | 7280 | 8280 | 9280 | 10280 | 11280 | 12280 | ##280 |
| #/5VP3000 | 300.0 | 4.89 | 2300 | 3300 | 4300 | 5300 | 6300 | 7300 | 8300 | 9300 | 10300 | 11300 | 12300 | ##300 |
| #/5VP3150 | 315.0 | 5.18 | 2315 | 3315 | 4315 | 5315 | 6315 | 7315 | 8315 | 9315 | 10315 | 11315 | 12315 | ##315 |
| #/5VP3350 | 335.0 | 5.50 | 2335 | 3335 | 4335 | 5335 | 6335 | 7335 | 8335 | 9335 | 10335 | 11335 | 12335 | ##335 |






Predator® PowerBand® Belts

Product No. Series 9181 (continued)

5VP Section (continued)

| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | 13 to 16 Strand Maximum (## = strands) |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|---|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | |
| | | | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | 9181- | |
| #/5VP3550 | 355.0 | 5.79 | 2355 | 3355 | 4355 | 5355 | 6355 | 7355 | 8355 | 9355 | 10355 | 11355 | 12355 | ##355 |



Product No. Series 9182

8VP Section

| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand |
| | | | 9182- | 9182- | 9182- | 9182- | 9182- | 9182- | 9182- | 9182- | 9182- | 9182- | 9182- |
| #/8VP1000 | 100.0 | 3.90 | 2100 | 3100 | 4100 | 5100 | 6100 | 7100 | 8100 | 9100 | 10100 | 11100 | 12100 |
| #/8VP1060 | 106.0 | 4.15 | 2106 | 3106 | 4106 | 5106 | 6106 | 7106 | 8106 | 9106 | 10106 | 11106 | 12106 |
| #/8VP1120 | 112.0 | 4.42 | 2112 | 3112 | 4112 | 5112 | 6112 | 7112 | 8112 | 9112 | 10112 | 11112 | 12112 |
| #/8VP1180 | 118.0 | 4.67 | 2118 | 3118 | 4118 | 5118 | 6118 | 7118 | 8118 | 9118 | 10118 | 11118 | 12118 |
| #/8VP1250 | 125.0 | 5.00 | 2125 | 3125 | 4125 | 5125 | 6125 | 7125 | 8125 | 9125 | 10125 | 11125 | 12125 |
| #/8VP1320 | 132.0 | 5.25 | 2132 | 3132 | 4132 | 5132 | 6132 | 7132 | 8132 | 9132 | 10132 | 11132 | 12132 |
| #/8VP1400 | 140.0 | 5.58 | 2140 | 3140 | 4140 | 5140 | 6140 | 7140 | 8140 | 9140 | 10140 | 11140 | 12140 |
| #/8VP1500 | 150.0 | 6.00 | 2150 | 3150 | 4150 | 5150 | 6150 | 7150 | 8150 | 9150 | 10150 | 11150 | 12150 |
| #/8VP1600 | 160.0 | 6.33 | 2160 | 3160 | 4160 | 5160 | 6160 | 7160 | 8160 | 9160 | 10160 | 11160 | 12160 |
| #/8VP1700 | 170.0 | 6.75 | 2170 | 3170 | 4170 | 5170 | 6170 | 7170 | 8170 | 9170 | 10170 | 11170 | 12170 |
| #/8VP1800 | 180.0 | 7.25 | 2180 | 3180 | 4180 | 5180 | 6180 | 7180 | 8180 | 9180 | 10180 | 11180 | 12180 |
| #/8VP1900 | 190.0 | 7.65 | 2190 | 3190 | 4190 | 5190 | 6190 | 7190 | 8190 | 9190 | 10190 | 11190 | 12190 |
| #/8VP2000 | 200.0 | 8.00 | 2200 | 3200 | 4200 | 5200 | 6200 | 7200 | 8200 | 9200 | 10200 | 11200 | 12200 |
| #/8VP2120 | 212.0 | 8.50 | 2212 | 3212 | 4212 | 5212 | 6212 | 7212 | 8212 | 9212 | 10212 | 11212 | 12212 |
| #/8VP2240 | 224.0 | 9.00 | 2224 | 3224 | 4224 | 5224 | 6224 | 7224 | 8224 | 9224 | 10224 | 11224 | 12224 |
| #/8VP2360 | 236.0 | 9.42 | 2236 | 3236 | 4236 | 5236 | 6236 | 7236 | 8236 | 9236 | 10236 | 11236 | 12236 |
| #/8VP2500 | 250.0 | 10.00 | 2250 | 3250 | 4250 | 5250 | 6250 | 7250 | 8250 | 9250 | 10250 | 11250 | 12250 |
| #/8VP2650 | 265.0 | 10.58 | 2265 | 3265 | 4265 | 5265 | 6265 | 7265 | 8265 | 9265 | 10265 | 11265 | 12265 |
| #/8VP2800 | 280.0 | 11.33 | 2280 | 3280 | 4280 | 5280 | 6280 | 7280 | 8280 | 9280 | 10280 | 11280 | 12280 |
| #/8VP3000 | 300.0 | 12.08 | 2300 | 3300 | 4300 | 5300 | 6300 | 7300 | 8300 | 9300 | 10300 | 11300 | 12300 |
| #/8VP3150 | 315.0 | 12.75 | 2315 | 3315 | 4315 | 5315 | 6315 | 7315 | 8315 | 9315 | 10315 | 11315 | 12315 |
| #/8VP3350 | 335.0 | 13.58 | 2335 | 3335 | 4335 | 5335 | 6335 | 7335 | 8335 | 9335 | 10335 | 11335 | 12335 |
| #/8VP3550 | 355.0 | 14.33 | 2355 | 3355 | 4355 | 5355 | 6355 | 7355 | 8355 | 9355 | 10355 | 11355 | 12355 |
| #/8VP3750 | 375.0 | 15.08 | 2375 | 3375 | 4375 | 5375 | 6375 | 7375 | 8375 | 9375 | 10375 | 11375 | 12375 |
| #/8VP4000 | 400.0 | 16.08 | 2400 | 3400 | 4400 | 5400 | 6400 | 7400 | 8400 | 9400 | 10400 | 11400 | 12400 |
| #/8VP4250 | 425.0 | 17.08 | 2425 | 3425 | 4425 | 5425 | 6425 | 7425 | 8425 | 9425 | 10425 | 11425 | 12425 |
| #/8VP4500 | 450.0 | 18.08 | 2450 | 3450 | 4450 | 5450 | 6450 | 7450 | 8450 | 9450 | 10450 | 11450 | 12450 |
| #/8VP4750 | 475.0 | 19.17 | 2475 | 3475 | 4475 | 5475 | 6475 | 7475 | 8475 | 9475 | 10475 | 11475 | 12475 |
| #/8VP5000 | 500.0 | 20.17 | 2500 | 3500 | 4500 | 5500 | 6500 | 7500 | 8500 | 9500 | 10500 | 11500 | 12500 |
| #/8VP5600 | 560.0 | 22.75 | 2560 | 3560 | 4560 | 5560 | 6560 | 7560 | 8560 | 9560 | 10560 | 11560 | 12560 |
| #/8VP6000 | 600.0 | 24.42 | 2600 | 3600 | 4600 | 5600 | 6600 | 7600 | 8600 | 9600 | 10600 | 11600 | 12600 |

HEAVY DUTY V-BELTS



Hi-Power® II Belts

Featuring a composite, multi-purpose construction, these belts resist oil and heat, ozone, sunlight, weather, and aging.

Markets/Applications

Suitable for all industrial applications, including v-flat drives.

Features/Advantages


- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **The Flex-Weave® Cover** is a patented fabric construction for longer cover life, providing extended protection to the belt core from oil, dirt and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves

Multi-Duty® Sheaves

Notes


Gates Hi-Power belts are available in A, B, C, D and E cross sections.



HEAVY DUTY V-BELTS

Product No. Series 9002

A Section



| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|-------|-------------|-----------------|----------------|-------------|
| A20 | 9002-2020 | 22.0 | .12 | 250 |
| A21 | 9002-2021 | 23.0 | .13 | 250 |
| A22 | 9002-2022 | 24.0 | .13 | 250 |
| A23 | 9002-2023 | 25.0 | .14 | 185 |
| A24 | 9002-2024 | 26.0 | .15 | 10 |
| A25 | 9002-2025 | 27.0 | .17 | 10 |
| A26 | 9002-2026 | 28.0 | .17 | 10 |
| A27 | 9002-2027 | 29.0 | .17 | 10 |
| A28 | 9002-2028 | 30.0 | .18 | 10 |
| A29 | 9002-2029 | 31.0 | .19 | 10 |
| A29.8 | 9002-2298 | 31.8 | .20 | 10 |
| A30 | 9002-2030 | 32.0 | .20 | 10 |
| A31 | 9002-2031 | 33.0 | .21 | 10 |
| A32 | 9002-2032 | 34.0 | .22 | 10 |
| A33 | 9002-2033 | 35.0 | .22 | 10 |
| A34 | 9002-2034 | 36.0 | .23 | 10 |
| A35 | 9002-2035 | 37.0 | .23 | 10 |
| A36 | 9002-2036 | 38.0 | .24 | 10 |
| A37 | 9002-2037 | 39.0 | .25 | 10 |
| A38 | 9002-2038 | 40.0 | .26 | 10 |
| A39 | 9002-2039 | 41.0 | .26 | 10 |
| A40 | 9002-2040 | 42.0 | .27 | 10 |
| A41 | 9002-2041 | 43.0 | .27 | 10 |
| A42 | 9002-2042 | 44.0 | .27 | 10 |
| A43 | 9002-2043 | 45.0 | .29 | 10 |
| A44 | 9002-2044 | 46.0 | .29 | 10 |
| A45 | 9002-2045 | 47.0 | .30 | 10 |
| A46 | 9002-2046 | 48.0 | .30 | 10 |
| A47 | 9002-2047 | 49.0 | .31 | 10 |
| A48 | 9002-2048 | 50.0 | .31 | 10 |
| A49 | 9002-2049 | 51.0 | .32 | 10 |
| A50 | 9002-2050 | 52.0 | .33 | 10 |
| A51 | 9002-2051 | 53.0 | .33 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| A52 | 9002-2052 | 54.0 | .34 | 10 |
| A53 | 9002-2053 | 55.0 | .35 | 10 |
| A54 | 9002-2054 | 56.0 | .36 | 10 |
| A55 | 9002-2055 | 57.0 | .37 | 10 |
| A56 | 9002-2056 | 58.0 | .38 | 10 |
| A57 | 9002-2057 | 59.0 | .38 | 10 |
| A58 | 9002-2058 | 60.0 | .39 | 10 |
| A59 | 9002-2059 | 61.0 | .40 | 10 |
| A60 | 9002-2060 | 62.0 | .40 | 10 |
| A61 | 9002-2061 | 63.0 | .41 | 10 |
| A62 | 9002-2062 | 64.0 | .41 | 10 |
| A63 | 9002-2063 | 65.0 | .42 | 10 |
| A64 | 9002-2064 | 66.0 | .43 | 10 |
| A65 | 9002-2065 | 67.0 | .44 | 10 |
| A66 | 9002-2066 | 68.0 | .45 | 10 |
| A67 | 9002-2067 | 69.0 | .45 | 10 |
| A68 | 9002-2068 | 70.0 | .46 | 10 |
| A69 | 9002-2069 | 71.0 | .47 | 10 |
| A70 | 9002-2070 | 72.0 | .47 | 10 |
| A71 | 9002-2071 | 73.0 | .48 | 10 |
| A72 | 9002-2072 | 74.0 | .48 | 10 |
| A73 | 9002-2073 | 75.0 | .50 | 10 |
| A74 | 9002-2074 | 76.0 | .51 | 10 |
| A75 | 9002-2075 | 77.0 | .51 | 10 |
| A76 | 9002-2076 | 78.0 | .52 | 10 |
| A77 | 9002-2077 | 79.0 | .53 | 10 |
| A78 | 9002-2078 | 80.0 | .54 | 10 |
| A79 | 9002-2079 | 81.0 | .54 | 10 |
| A80 | 9002-2080 | 82.0 | .54 | 10 |
| A81 | 9002-2081 | 83.0 | .55 | 10 |
| A82 | 9002-2082 | 84.0 | .56 | 10 |
| A83 | 9002-2083 | 85.0 | .56 | 10 |
| A84 | 9002-2084 | 86.0 | .58 | 10 |





Hi-Power® II Belts

Product No. Series 9002 (continued)

A Section (continued)


| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| A85 | 9002-2085 | 87.0 | .58 | 10 |
| A86 | 9002-2086 | 88.0 | .59 | 10 |
| A87 | 9002-2087 | 89.0 | .59 | 10 |
| A88 | 9002-2088 | 90.0 | .60 | 10 |
| A89 | 9002-2089 | 91.0 | .61 | 10 |
| A90 | 9002-2090 | 92.0 | .61 | 10 |
| A91 | 9002-2091 | 93.0 | .62 | 10 |
| A92 | 9002-2092 | 94.0 | .62 | 10 |
| A93 | 9002-2093 | 95.0 | .63 | 10 |
| A94 | 9002-2094 | 96.0 | .64 | 10 |
| A95 | 9002-2095 | 97.0 | .65 | 10 |
| A96 | 9002-2096 | 98.0 | .66 | 10 |
| A97 | 9002-2097 | 99.0 | .66 | 10 |
| A98 | 9002-2098 | 100.0 | .67 | 10 |
| A99 | 9002-2099 | 101.0 | .67 | 10 |
| A100 | 9002-2100 | 102.0 | .67 | 10 |
| A101 | 9002-2101 | 103.0 | .68 | 10 |
| A102 | 9002-2102 | 104.0 | .68 | 10 |
| A103 | 9002-2103 | 105.0 | .70 | 10 |
| A104 | 9002-2104 | 106.0 | .72 | 10 |
| A105 | 9002-2105 | 107.0 | .72 | 10 |
| A106 | 9002-2106 | 108.0 | .73 | 10 |
| A107 | 9002-2107 | 109.0 | .74 | 10 |
| A108 | 9002-2108 | 110.0 | .74 | 10 |
| A110 | 9002-2110 | 112.0 | .76 | 10 |
| A112 | 9002-2112 | 114.0 | .77 | 10 |
| A113 | 9002-2113 | 115.0 | .78 | 10 |
| A114 | 9002-2114 | 116.0 | .79 | 10 |
| A115 | 9002-2115 | 117.0 | .80 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| A116 | 9002-2116 | 118.0 | .80 | 10 |
| A117 | 9002-2117 | 119.0 | .81 | 10 |
| A118 | 9002-2118 | 120.0 | .82 | 10 |
| A120 | 9002-2120 | 122.0 | .82 | 10 |
| A124 | 9002-2124 | 126.0 | .86 | 10 |
| A125 | 9002-2125 | 127.0 | .86 | 10 |
| A127 | 9002-2127 | 129.0 | .89 | 10 |
| A128 | 9002-2128 | 130.0 | .88 | 10 |
| A130 | 9002-2130 | 132.0 | .89 | 10 |
| A132 | 9002-2132 | 134.0 | .91 | 10 |
| A133 | 9002-2133 | 135.0 | .93 | 10 |
| A134 | 9002-2134 | 136.0 | .93 | 10 |
| A136 | 9002-2136 | 138.0 | .94 | 10 |
| A137 | 9002-2137 | 139.0 | .94 | 10 |
| A140 | 9002-2140 | 142.0 | .96 | 10 |
| A144 | 9002-2144 | 146.0 | 1.00 | 10 |
| A148 | 9002-2148 | 150.0 | 1.01 | 10 |
| A152 | 9002-2152 | 154.0 | 1.04 | 10 |
| A156 | 9002-2156 | 158.0 | 1.08 | 10 |
| A157 | 9002-2157 | 159.0 | 1.08 | 10 |
| A158 | 9002-2158 | 160.0 | 1.09 | 10 |
| A162 | 9002-2162 | 164.0 | 1.11 | 10 |
| A167 | 9002-2167 | 169.0 | 1.14 | 10 |
| A173 | 9002-2173 | 175.0 | 1.20 | 10 |
| A180 | 9002-2180 | 182.0 | 1.24 | 10 |
| A187 | 9002-2187 | 189.0 | 1.29 | 10 |
| A197 | 9002-2197 | 199.0 | 1.36 | 10 |
| A200 | 9002-2200 | 202.0 | 1.38 | 10 |

HEAVY DUTY V-BELTS

Product No. Series 9003

B Section



| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| B24 | 9003-2024 | 27.0 | .28 | 100 |
| B25 | 9003-2025 | 28.0 | .30 | 100 |
| B26 | 9003-2026 | 29.0 | .31 | 100 |
| B27 | 9003-2027 | 30.0 | .32 | 100 |
| B28 | 9003-2028 | 31.0 | .33 | 10 |
| B29 | 9003-2029 | 32.0 | .34 | 10 |
| B30 | 9003-2030 | 33.0 | .35 | 10 |
| B31 | 9003-2031 | 34.0 | .36 | 10 |
| B32 | 9003-2032 | 35.0 | .37 | 10 |
| B33 | 9003-2033 | 36.0 | .38 | 10 |
| B34 | 9003-2034 | 37.0 | .39 | 10 |
| B35 | 9003-2035 | 38.0 | .40 | 10 |
| B36 | 9003-2036 | 39.0 | .41 | 10 |
| B37 | 9003-2037 | 40.0 | .42 | 10 |
| B38 | 9003-2038 | 41.0 | .44 | 10 |
| B39 | 9003-2039 | 42.0 | .46 | 10 |
| B40 | 9003-2040 | 43.0 | .47 | 10 |
| B41 | 9003-2041 | 44.0 | .48 | 10 |
| B42 | 9003-2042 | 45.0 | .49 | 10 |
| B43 | 9003-2043 | 46.0 | .50 | 10 |
| B44 | 9003-2044 | 47.0 | .51 | 10 |
| B45 | 9003-2045 | 48.0 | .52 | 10 |
| B46 | 9003-2046 | 49.0 | .53 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| B47 | 9003-2047 | 50.0 | .54 | 10 |
| B48 | 9003-2048 | 51.0 | .55 | 10 |
| B49 | 9003-2049 | 52.0 | .55 | 10 |
| B50 | 9003-2050 | 53.0 | .56 | 10 |
| B51 | 9003-2051 | 54.0 | .57 | 10 |
| B52 | 9003-2052 | 55.0 | .58 | 10 |
| B53 | 9003-2053 | 56.0 | .60 | 10 |
| B54 | 9003-2054 | 57.0 | .62 | 10 |
| B55 | 9003-2055 | 58.0 | .63 | 10 |
| B56 | 9003-2056 | 59.0 | .65 | 10 |
| B57 | 9003-2057 | 60.0 | .65 | 10 |
| B58 | 9003-2058 | 61.0 | .67 | 10 |
| B59 | 9003-2059 | 62.0 | .68 | 10 |
| B60 | 9003-2060 | 63.0 | .68 | 10 |
| B61 | 9003-2061 | 64.0 | .69 | 10 |
| B62 | 9003-2062 | 65.0 | .70 | 10 |
| B63 | 9003-2063 | 66.0 | .72 | 10 |
| B64 | 9003-2064 | 67.0 | .73 | 10 |
| B65 | 9003-2065 | 68.0 | .74 | 10 |
| B66 | 9003-2066 | 69.0 | .76 | 10 |
| B67 | 9003-2067 | 70.0 | .77 | 10 |
| B68 | 9003-2068 | 71.0 | .78 | 10 |
| B69 | 9003-2069 | 72.0 | .79 | 10 |



Hi-Power® II Belts

Product No. Series 9003 (continued)

B Section (continued)

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| B70 | 9003-2070 | 73.0 | .80 | 10 |
| B71 | 9003-2071 | 74.0 | .81 | 10 |
| B72 | 9003-2072 | 75.0 | .82 | 10 |
| B73 | 9003-2073 | 76.0 | .82 | 10 |
| B74 | 9003-2074 | 77.0 | .83 | 10 |
| B75 | 9003-2075 | 78.0 | .85 | 10 |
| B76 | 9003-2076 | 79.0 | .85 | 10 |
| B77 | 9003-2077 | 80.0 | .87 | 10 |
| B78 | 9003-2078 | 81.0 | .89 | 10 |
| B79 | 9003-2079 | 82.0 | .89 | 10 |
| B80 | 9003-2080 | 83.0 | .90 | 10 |
| B81 | 9003-2081 | 84.0 | .91 | 10 |
| B82 | 9003-2082 | 85.0 | .92 | 10 |
| B83 | 9003-2083 | 86.0 | .92 | 10 |
| B84 | 9003-2084 | 87.0 | .93 | 10 |
| B85 | 9003-2085 | 88.0 | .95 | 10 |
| B86 | 9003-2086 | 89.0 | .96 | 10 |
| B87 | 9003-2087 | 90.0 | .97 | 10 |
| B88 | 9003-2088 | 91.0 | .98 | 10 |
| B89 | 9003-2089 | 92.0 | .99 | 10 |
| B90 | 9003-2090 | 93.0 | 1.00 | 10 |
| B91 | 9003-2091 | 94.0 | 1.02 | 10 |
| B92 | 9003-2092 | 95.0 | 1.03 | 10 |
| B93 | 9003-2093 | 96.0 | 1.04 | 10 |
| B94 | 9003-2094 | 97.0 | 1.05 | 10 |
| B95 | 9003-2095 | 98.0 | 1.06 | 10 |
| B96 | 9003-2096 | 99.0 | 1.07 | 10 |
| B97 | 9003-2097 | 100.0 | 1.08 | 10 |
| B98 | 9003-2098 | 101.0 | 1.10 | 10 |
| B99 | 9003-2099 | 102.0 | 1.11 | 10 |
| B100 | 9003-2100 | 103.0 | 1.12 | 10 |
| B101 | 9003-2101 | 104.0 | 1.13 | 10 |
| B102 | 9003-2102 | 105.0 | 1.14 | 10 |
| B103 | 9003-2103 | 106.0 | 1.15 | 10 |
| B104 | 9003-2104 | 107.0 | 1.16 | 10 |
| B105 | 9003-2105 | 108.0 | 1.17 | 10 |
| B106 | 9003-2106 | 109.0 | 1.18 | 10 |
| B107 | 9003-2107 | 110.0 | 1.19 | 10 |
| B108 | 9003-2108 | 111.0 | 1.20 | 10 |
| B109 | 9003-2109 | 112.0 | 1.22 | 10 |
| B110 | 9003-2110 | 113.0 | 1.23 | 10 |
| B111 | 9003-2111 | 114.0 | 1.23 | 10 |
| B112 | 9003-2112 | 115.0 | 1.24 | 10 |
| B113 | 9003-2113 | 116.0 | 1.26 | 10 |
| B114 | 9003-2114 | 117.0 | 1.27 | 10 |
| B115 | 9003-2115 | 118.0 | 1.28 | 10 |
| B116 | 9003-2116 | 119.0 | 1.29 | 10 |
| B117 | 9003-2117 | 120.0 | 1.29 | 10 |
| B118 | 9003-2118 | 121.0 | 1.30 | 10 |
| B119 | 9003-2119 | 122.0 | 1.31 | 10 |
| B120 | 9003-2120 | 123.0 | 1.32 | 10 |
| B122 | 9003-2122 | 125.0 | 1.35 | 10 |
| B123 | 9003-2123 | 126.0 | 1.36 | 10 |
| B124 | 9003-2124 | 127.0 | 1.38 | 10 |
| B125 | 9003-2125 | 128.0 | 1.39 | 10 |
| B126 | 9003-2126 | 129.0 | 1.40 | 10 |
| B127 | 9003-2127 | 130.0 | 1.41 | 10 |
| B128 | 9003-2128 | 131.0 | 1.43 | 10 |
| B130 | 9003-2130 | 133.0 | 1.44 | 10 |
| B131 | 9003-2131 | 134.0 | 1.45 | 10 |
| B132 | 9003-2132 | 135.0 | 1.48 | 10 |
| B133 | 9003-2133 | 136.0 | 1.49 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| B134 | 9003-2134 | 137.0 | 1.49 | 10 |
| B135 | 9003-2135 | 138.0 | 1.50 | 10 |
| B136 | 9003-2136 | 139.0 | 1.52 | 10 |
| B137 | 9003-2137 | 140.0 | 1.53 | 10 |
| B138 | 9003-2138 | 141.0 | 1.53 | 10 |
| B139 | 9003-2139 | 142.0 | 1.54 | 10 |
| B140 | 9003-2140 | 143.0 | 1.55 | 10 |
| B141 | 9003-2141 | 144.0 | 1.56 | 10 |
| B142 | 9003-2142 | 145.0 | 1.57 | 10 |
| B143 | 9003-2143 | 146.0 | 1.58 | 10 |
| B144 | 9003-2144 | 147.0 | 1.61 | 10 |
| B145 | 9003-2145 | 148.0 | 1.62 | 10 |
| B146 | 9003-2146 | 149.0 | 1.63 | 10 |
| B147 | 9003-2147 | 150.0 | 1.63 | 10 |
| B148 | 9003-2148 | 151.0 | 1.64 | 10 |
| B149 | 9003-2149 | 152.0 | 1.65 | 10 |
| B150 | 9003-2150 | 153.0 | 1.66 | 10 |
| B151 | 9003-2151 | 154.0 | 1.68 | 10 |
| B152 | 9003-2152 | 155.0 | 1.69 | 10 |
| B153 | 9003-2153 | 156.0 | 1.70 | 10 |
| B154 | 9003-2154 | 157.0 | 1.70 | 10 |
| B156 | 9003-2156 | 159.0 | 1.73 | 10 |
| B157 | 9003-2157 | 160.0 | 1.73 | 10 |
| B158 | 9003-2158 | 161.0 | 1.76 | 10 |
| B160 | 9003-2160 | 163.0 | 1.77 | 10 |
| B161 | 9003-2161 | 164.0 | 1.78 | 10 |
| B162 | 9003-2162 | 165.0 | 1.79 | 10 |
| B164 | 9003-2164 | 167.0 | 1.83 | 10 |
| B165 | 9003-2165 | 168.0 | 1.84 | 10 |
| B166 | 9003-2166 | 169.0 | 1.84 | 10 |
| B167 | 9003-2167 | 170.0 | 1.85 | 10 |
| B168 | 9003-2168 | 171.0 | 1.85 | 10 |
| B169 | 9003-2169 | 172.0 | 1.86 | 10 |
| B170 | 9003-2170 | 173.0 | 1.88 | 10 |
| B172 | 9003-2172 | 175.0 | 1.89 | 10 |
| B173 | 9003-2173 | 176.0 | 1.93 | 10 |
| B174 | 9003-2174 | 177.0 | 1.94 | 10 |
| B175 | 9003-2175 | 178.0 | 1.95 | 10 |
| B177 | 9003-2177 | 180.0 | 1.96 | 10 |
| B178 | 9003-2178 | 181.0 | 1.98 | 10 |
| B180 | 9003-2180 | 183.0 | 1.99 | 10 |
| B182 | 9003-2182 | 185.0 | 2.00 | 10 |
| B184 | 9003-2184 | 187.0 | 2.01 | 10 |
| B185 | 9003-2185 | 188.0 | 2.05 | 10 |
| B186 | 9003-2186 | 189.0 | 2.06 | 10 |
| B187 | 9003-2187 | 190.0 | 2.06 | 10 |
| B188 | 9003-2188 | 191.0 | 2.07 | 10 |
| B190 | 9003-2190 | 193.0 | 2.10 | 10 |
| B191 | 9003-2191 | 194.0 | 2.12 | 10 |
| B192 | 9003-2192 | 195.0 | 2.14 | 10 |
| B195 | 9003-2195 | 198.0 | 2.16 | 10 |
| B197 | 9003-2197 | 200.0 | 2.19 | 10 |
| B199 | 9003-2199 | 202.0 | 2.20 | 10 |
| B200 | 9003-2200 | 203.0 | 2.21 | 5 |
| B201 | 9003-2201 | 204.0 | 2.23 | 5 |
| B204 | 9003-2204 | 207.0 | 2.25 | 5 |
| B205 | 9003-2205 | 208.0 | 2.27 | 5 |
| B206 | 9003-2206 | 209.0 | 2.28 | 5 |
| B210 | 9003-2210 | 213.0 | 2.30 | 5 |
| B212 | 9003-2212 | 213.0 | 2.32 | 5 |
| B215 | 9003-2215 | 216.0 | 2.38 | 5 |
| B217 | 9003-2217 | 218.0 | 2.41 | 5 |

HEAVY DUTY V-BELTS





Hi-Power® II Belts


Product No. Series 9003 (continued)

B Section (continued)

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| B218 | 9003-2218 | 219.0 | 2.42 | 5 |
| B220 | 9003-2220 | 221.0 | 2.43 | 5 |
| B221 | 9003-2221 | 222.0 | 2.44 | 5 |
| B223 | 9003-2223 | 224.0 | 2.47 | 5 |
| B225 | 9003-2225 | 226.0 | 2.48 | 5 |
| B228 | 9003-2228 | 229.0 | 2.53 | 5 |
| B230 | 9003-2230 | 231.0 | 2.54 | 5 |
| B234 | 9003-2234 | 235.0 | 2.56 | 5 |
| B235 | 9003-2235 | 236.0 | 2.59 | 5 |
| B236 | 9003-2236 | 237.0 | 2.60 | 5 |
| B237 | 9003-2237 | 238.0 | 2.62 | 5 |
| B240 | 9003-2240 | 241.0 | 2.63 | 5 |
| B248 | 9003-2248 | 249.0 | 2.65 | 5 |
| B253 | 9003-2253 | 254.0 | 2.67 | 5 |
| B255 | 9003-2255 | 256.0 | 2.68 | 5 |
| B265 | 9003-2265 | 266.0 | 2.80 | 5 |
| B270 | 9003-2270 | 271.0 | 2.82 | 5 |
| B276 | 9003-2276 | 277.0 | 2.85 | 5 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| B279 | 9003-2279 | 280.0 | 2.92 | 5 |
| B280 | 9003-2280 | 281.0 | 2.94 | 5 |
| B285 | 9003-2285 | 286.0 | 3.05 | 5 |
| B290 | 9003-2290 | 291.0 | 3.18 | 5 |
| B292 | 9003-2292 | 293.0 | 3.20 | 5 |
| B293 | 9003-2293 | 294.0 | 3.24 | 5 |
| B300 | 9003-2300 | 301.0 | 3.25 | 5 |
| B310 | 9003-2310 | 311.0 | 3.40 | 5 |
| B315 | 9003-2315 | 316.0 | 3.45 | 5 |
| B330 | 9003-2330 | 331.0 | 3.65 | 5 |
| B340 | 9003-2340 | 341.0 | 3.90 | 5 |
| B345 | 9003-2345 | 346.0 | 3.96 | 5 |
| B355 | 9003-2355 | 356.0 | 4.00 | 5 |
| B360 | 9003-2360 | 361.0 | 4.03 | 5 |
| B394 | 9003-2394 | 395.0 | 4.60 | 5 |
| B433 | 9003-2433 | 434.0 | 5.05 | 5 |
| B472 | 9003-2472 | 473.0 | 5.63 | 5 |

HEAVY DUTY V-BELTS



Product No. Series 9004

C Section

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| C44 | 9004-2044 | 48.0 | .86 | 10 |
| C45 | 9004-2045 | 49.0 | .87 | 10 |
| C46 | 9004-2046 | 50.0 | .90 | 10 |
| C47 | 9004-2047 | 51.0 | .97 | 10 |
| C48 | 9004-2048 | 52.0 | .96 | 10 |
| C49 | 9004-2049 | 53.0 | .98 | 10 |
| C50 | 9004-2050 | 54.0 | .99 | 10 |
| C51 | 9004-2051 | 55.0 | 1.00 | 10 |
| C52 | 9004-2052 | 56.0 | 1.02 | 10 |
| C53 | 9004-2053 | 57.0 | 1.03 | 10 |
| C54 | 9004-2054 | 58.0 | 1.07 | 10 |
| C55 | 9004-2055 | 59.0 | 1.10 | 10 |
| C56 | 9004-2056 | 60.0 | 1.13 | 10 |
| C57 | 9004-2057 | 61.0 | 1.16 | 10 |
| C58 | 9004-2058 | 62.0 | 1.17 | 10 |
| C59 | 9004-2059 | 63.0 | 1.18 | 10 |
| C60 | 9004-2060 | 64.0 | 1.18 | 10 |
| C61 | 9004-2061 | 65.0 | 1.20 | 10 |
| C62 | 9004-2062 | 66.0 | 1.22 | 10 |
| C63 | 9004-2063 | 67.0 | 1.24 | 10 |
| C64 | 9004-2064 | 68.0 | 1.27 | 10 |
| C65 | 9004-2065 | 69.0 | 1.30 | 10 |
| C66 | 9004-2066 | 70.0 | 1.32 | 10 |
| C67 | 9004-2067 | 71.0 | 1.33 | 10 |
| C68 | 9004-2068 | 72.0 | 1.35 | 10 |
| C69 | 9004-2069 | 73.0 | 1.37 | 10 |
| C70 | 9004-2070 | 74.0 | 1.38 | 10 |
| C71 | 9004-2071 | 75.0 | 1.40 | 10 |
| C72 | 9004-2072 | 76.0 | 1.41 | 10 |
| C73 | 9004-2073 | 77.0 | 1.45 | 10 |
| C74 | 9004-2074 | 78.0 | 1.47 | 10 |
| C75 | 9004-2075 | 79.0 | 1.49 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| C76 | 9004-2076 | 80.0 | 1.50 | 10 |
| C77 | 9004-2077 | 81.0 | 1.52 | 10 |
| C78 | 9004-2078 | 82.0 | 1.54 | 10 |
| C79 | 9004-2079 | 83.0 | 1.56 | 10 |
| C80 | 9004-2080 | 84.0 | 1.58 | 10 |
| C81 | 9004-2081 | 85.0 | 1.60 | 10 |
| C82 | 9004-2082 | 86.0 | 1.61 | 10 |
| C83 | 9004-2083 | 87.0 | 1.62 | 10 |
| C84 | 9004-2084 | 88.0 | 1.64 | 10 |
| C85 | 9004-2085 | 89.0 | 1.66 | 10 |
| C86 | 9004-2086 | 90.0 | 1.68 | 10 |
| C87 | 9004-2087 | 91.0 | 1.70 | 10 |
| C88 | 9004-2088 | 92.0 | 1.72 | 10 |
| C89 | 9004-2089 | 93.0 | 1.74 | 10 |
| C90 | 9004-2090 | 94.0 | 1.76 | 10 |
| C91 | 9004-2091 | 95.0 | 1.78 | 10 |
| C92 | 9004-2092 | 96.0 | 1.80 | 10 |
| C93 | 9004-2093 | 97.0 | 1.82 | 10 |
| C94 | 9004-2094 | 98.0 | 1.84 | 10 |
| C95 | 9004-2095 | 99.0 | 1.86 | 10 |
| C96 | 9004-2096 | 100.0 | 1.88 | 10 |
| C97 | 9004-2097 | 101.0 | 1.90 | 10 |
| C98 | 9004-2098 | 102.0 | 1.92 | 10 |
| C99 | 9004-2099 | 103.0 | 1.94 | 10 |
| C100 | 9004-2100 | 104.0 | 1.96 | 10 |
| C101 | 9004-2101 | 105.0 | 1.99 | 10 |
| C102 | 9004-2102 | 106.0 | 2.02 | 10 |
| C103 | 9004-2103 | 107.0 | 2.04 | 10 |
| C104 | 9004-2104 | 108.0 | 2.06 | 10 |
| C105 | 9004-2105 | 109.0 | 2.08 | 10 |
| C106 | 9004-2106 | 110.0 | 2.10 | 10 |
| C107 | 9004-2107 | 111.0 | 2.12 | 10 |



Hi-Power® II Belts

Product No. Series 9004 (continued)

C Section (continued)


| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| C108 | 9004-2108 | 112.0 | 2.14 | 10 |
| C109 | 9004-2109 | 113.0 | 2.16 | 10 |
| C110 | 9004-2110 | 114.0 | 2.17 | 10 |
| C111 | 9004-2111 | 115.0 | 2.19 | 10 |
| C112 | 9004-2112 | 116.0 | 2.21 | 10 |
| C113 | 9004-2113 | 117.0 | 2.23 | 10 |
| C114 | 9004-2114 | 118.0 | 2.25 | 10 |
| C115 | 9004-2115 | 119.0 | 2.27 | 10 |
| C116 | 9004-2116 | 120.0 | 2.30 | 10 |
| C117 | 9004-2117 | 121.0 | 2.30 | 10 |
| C118 | 9004-2118 | 122.0 | 2.30 | 10 |
| C119 | 9004-2119 | 123.0 | 2.36 | 10 |
| C120 | 9004-2120 | 124.0 | 2.38 | 10 |
| C121 | 9004-2121 | 125.0 | 2.40 | 10 |
| C122 | 9004-2122 | 126.0 | 2.42 | 10 |
| C123 | 9004-2123 | 127.0 | 2.44 | 10 |
| C124 | 9004-2124 | 128.0 | 2.45 | 10 |
| C125 | 9004-2125 | 129.0 | 2.48 | 10 |
| C126 | 9004-2126 | 130.0 | 2.50 | 10 |
| C127 | 9004-2127 | 131.0 | 2.50 | 10 |
| C128 | 9004-2128 | 132.0 | 2.52 | 10 |
| C130 | 9004-2130 | 134.0 | 2.55 | 10 |
| C131 | 9004-2131 | 135.0 | 2.57 | 10 |
| C132 | 9004-2132 | 136.0 | 2.59 | 10 |
| C133 | 9004-2133 | 137.0 | 2.61 | 10 |
| C134 | 9004-2134 | 138.0 | 2.63 | 10 |
| C135 | 9004-2135 | 139.0 | 2.65 | 10 |
| C136 | 9004-2136 | 140.0 | 2.67 | 10 |
| C137 | 9004-2137 | 141.0 | 2.69 | 10 |
| C138 | 9004-2138 | 142.0 | 2.71 | 10 |
| C139 | 9004-2139 | 143.0 | 2.73 | 10 |
| C140 | 9004-2140 | 144.0 | 2.75 | 10 |
| C141 | 9004-2141 | 145.0 | 2.77 | 10 |
| C142 | 9004-2142 | 146.0 | 2.79 | 10 |
| C143 | 9004-2143 | 147.0 | 2.81 | 10 |
| C144 | 9004-2144 | 148.0 | 2.83 | 10 |
| C145 | 9004-2145 | 149.0 | 2.85 | 10 |
| C146 | 9004-2146 | 150.0 | 2.87 | 10 |
| C147 | 9004-2147 | 151.0 | 2.89 | 10 |
| C148 | 9004-2148 | 152.0 | 2.91 | 10 |
| C149 | 9004-2149 | 153.0 | 2.93 | 10 |
| C150 | 9004-2150 | 154.0 | 2.95 | 10 |
| C151 | 9004-2151 | 155.0 | 2.97 | 10 |
| C152 | 9004-2152 | 156.7 | 2.99 | 10 |
| C153 | 9004-2153 | 157.0 | 3.01 | 10 |
| C154 | 9004-2154 | 158.0 | 3.03 | 10 |
| C155 | 9004-2155 | 159.0 | 3.05 | 10 |
| C156 | 9004-2156 | 160.0 | 3.07 | 10 |
| C157 | 9004-2157 | 161.0 | 3.09 | 10 |
| C158 | 9004-2158 | 162.0 | 3.11 | 10 |
| C160 | 9004-2160 | 164.0 | 3.13 | 10 |
| C162 | 9004-2162 | 166.0 | 3.15 | 10 |
| C164 | 9004-2164 | 168.0 | 3.17 | 10 |
| C165 | 9004-2165 | 169.0 | 3.19 | 10 |
| C166 | 9004-2166 | 170.0 | 3.21 | 10 |
| C167 | 9004-2167 | 171.0 | 3.23 | 10 |
| C168 | 9004-2168 | 172.0 | 3.25 | 10 |
| C169 | 9004-2169 | 173.0 | 3.27 | 10 |
| C170 | 9004-2170 | 174.0 | 3.29 | 10 |
| C173 | 9004-2173 | 177.0 | 3.40 | 10 |
| C175 | 9004-2175 | 179.0 | 3.45 | 5 |
| C176 | 9004-2176 | 180.0 | 3.47 | 5 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| C177 | 9004-2177 | 181.0 | 3.50 | 5 |
| C178 | 9004-2178 | 182.0 | 3.50 | 5 |
| C180 | 9004-2180 | 186.0 | 3.57 | 5 |
| C181 | 9004-2181 | 185.0 | 3.59 | 5 |
| C182 | 9004-2182 | 186.0 | 3.61 | 5 |
| C183 | 9004-2183 | 187.0 | 3.63 | 5 |
| C184 | 9004-2184 | 188.0 | 3.65 | 5 |
| C185 | 9004-2185 | 189.0 | 3.67 | 5 |
| C187 | 9004-2187 | 191.0 | 3.71 | 5 |
| C188 | 9004-2188 | 192.0 | 3.73 | 5 |
| C189 | 9004-2189 | 193.0 | 3.75 | 5 |
| C190 | 9004-2190 | 194.0 | 3.77 | 5 |
| C193 | 9004-2193 | 197.0 | 3.81 | 5 |
| C195 | 9004-2195 | 199.0 | 3.83 | 5 |
| C197 | 9004-2197 | 201.0 | 3.87 | 5 |
| C198 | 9004-2198 | 202.0 | 3.90 | 5 |
| C200 | 9004-2200 | 204.0 | 3.93 | 5 |
| C202 | 9004-2202 | 206.0 | 3.95 | 5 |
| C204 | 9004-2204 | 208.0 | 3.97 | 5 |
| C205 | 9004-2205 | 209.0 | 3.99 | 5 |
| C206 | 9004-2206 | 210.0 | 4.01 | 5 |
| C207 | 9004-2207 | 211.0 | 4.10 | 5 |
| C208 | 9004-2208 | 212.0 | 4.12 | 5 |
| C210 | 9004-2210 | 214.0 | 4.15 | 5 |
| C214 | 9004-2214 | 216.0 | 4.25 | 5 |
| C215 | 9004-2215 | 217.0 | 4.27 | 5 |
| C218 | 9004-2218 | 220.0 | 4.32 | 5 |
| C220 | 9004-2220 | 222.0 | 4.34 | 5 |
| C221 | 9004-2221 | 223.0 | 4.35 | 5 |
| C225 | 9004-2225 | 227.0 | 4.40 | 5 |
| C228 | 9004-2228 | 230.0 | 4.50 | 5 |
| C229 | 9004-2229 | 231.0 | 4.53 | 5 |
| C230 | 9004-2230 | 232.0 | 4.53 | 5 |
| C235 | 9004-2235 | 237.0 | 4.63 | 5 |
| C238 | 9004-2238 | 240.0 | 4.70 | 5 |
| C240 | 9004-2240 | 242.0 | 4.65 | 5 |
| C245 | 9004-2245 | 247.0 | 4.72 | 5 |
| C246 | 9004-2246 | 248.0 | 4.74 | 5 |
| C248 | 9004-2248 | 250.0 | 4.79 | 5 |
| C250 | 9004-2250 | 252.0 | 5.00 | 5 |
| C255 | 9004-2255 | 257.0 | 5.10 | 5 |
| C264 | 9004-2264 | 266.0 | 5.52 | 5 |
| C265 | 9004-2265 | 267.0 | 5.41 | 5 |
| C270 | 9004-2270 | 272.0 | 5.60 | 5 |
| C275 | 9004-2275 | 277.0 | 5.70 | 5 |
| C276 | 9004-2276 | 278.0 | 5.71 | 5 |
| C280 | 9004-2280 | 282.0 | 5.75 | 5 |
| C285 | 9004-2285 | 287.0 | 5.80 | 5 |
| C290 | 9004-2290 | 292.0 | 6.00 | 5 |
| C295 | 9004-2295 | 297.0 | 6.10 | 5 |
| C297 | 9004-2297 | 299.0 | 6.22 | 5 |
| C300 | 9004-2300 | 302.0 | 6.26 | 5 |
| C303 | 9004-2303 | 305.0 | 6.28 | 5 |
| C314 | 9004-2314 | 316.0 | 6.55 | 4 |
| C315 | 9004-2315 | 317.0 | 6.72 | 5 |
| C320 | 9004-2320 | 322.0 | 6.80 | 4 |
| C330 | 9004-2330 | 332.0 | 7.10 | 4 |
| C345 | 9004-2345 | 347.0 | 7.40 | 4 |
| C360 | 9004-2360 | 362.0 | 7.80 | 4 |
| C390 | 9004-2390 | 392.0 | 8.60 | 3 |
| C420 | 9004-2420 | 422.0 | 9.40 | 1 |
| C450 | 9004-2450 | 452.0 | 10.20 | 1 |

HEAVY DUTY V-BELTS



Hi-Power® II Belts




Product No. Series 9005

D Section

HEAVY DUTY V-BELTS

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| D90 | 9005-2090 | 95.0 | 4.80 | 1 |
| D98 | 9005-2098 | 103.0 | 5.05 | 1 |
| D104 | 9005-2104 | 109.0 | 5.22 | 1 |
| D105 | 9005-2105 | 110.0 | 5.29 | 1 |
| D107 | 9005-2107 | 112.0 | 5.34 | 1 |
| D108 | 9005-2108 | 113.0 | 5.41 | 1 |
| D110 | 9005-2110 | 115.0 | 5.49 | 1 |
| D112 | 9005-2112 | 117.0 | 5.62 | 1 |
| D120 | 9005-2120 | 125.0 | 5.86 | 1 |
| D124 | 9005-2124 | 129.0 | 6.00 | 1 |
| D128 | 9005-2128 | 133.0 | 6.14 | 1 |
| D132 | 9005-2132 | 137.0 | 6.29 | 1 |
| D135 | 9005-2135 | 140.0 | 6.36 | 1 |
| D136 | 9005-2136 | 141.0 | 6.43 | 1 |
| D140 | 9005-2140 | 145.0 | 6.47 | 1 |
| D144 | 9005-2144 | 149.0 | 6.50 | 1 |
| D148 | 9005-2148 | 153.0 | 6.75 | 1 |
| D152 | 9005-2152 | 157.0 | 7.02 | 1 |
| D154 | 9005-2154 | 159.0 | 7.11 | 1 |
| D158 | 9005-2158 | 163.0 | 7.13 | 1 |
| D160 | 9005-2160 | 165.0 | 7.15 | 1 |
| D162 | 9005-2162 | 167.0 | 7.18 | 1 |
| D164 | 9005-2164 | 169.0 | 7.21 | 1 |
| D165 | 9005-2165 | 170.0 | 7.25 | 1 |
| D166 | 9005-2166 | 171.0 | 7.30 | 1 |
| D167 | 9005-2167 | 172.0 | 7.36 | 1 |
| D170 | 9005-2170 | 175.0 | 7.42 | 1 |
| D171 | 9005-2171 | 176.0 | 7.46 | 1 |
| D173 | 9005-2173 | 178.0 | 7.50 | 1 |
| D180 | 9005-2180 | 185.0 | 7.90 | 1 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| D195 | 9005-2195 | 200.0 | 8.90 | 1 |
| D205 | 9005-2205 | 210.0 | 9.37 | 1 |
| D210 | 9005-2210 | 215.0 | 9.50 | 1 |
| D220 | 9005-2220 | 223.0 | 10.15 | 1 |
| D225 | 9005-2225 | 228.0 | 10.30 | 1 |
| D230 | 9005-2230 | 233.0 | 10.50 | 1 |
| D240 | 9005-2240 | 243.0 | 10.92 | 1 |
| D248 | 9005-2248 | 251.0 | 11.00 | 1 |
| D255 | 9005-2255 | 258.0 | 11.45 | 1 |
| D260 | 9005-2260 | 263.0 | 11.70 | 1 |
| D270 | 9005-2270 | 273.0 | 12.25 | 1 |
| D280 | 9005-2280 | 283.0 | 12.48 | 1 |
| D285 | 9005-2285 | 288.0 | 12.65 | 1 |
| D300 | 9005-2300 | 303.0 | 13.30 | 1 |
| D315 | 9005-2315 | 318.0 | 14.00 | 1 |
| D330 | 9005-2330 | 333.0 | 14.40 | 1 |
| D335 | 9005-2335 | 338.0 | 14.86 | 1 |
| D345 | 9005-2345 | 348.0 | 15.23 | 1 |
| D354 | 9005-2354 | 357.0 | 15.60 | 1 |
| D360 | 9005-2360 | 363.0 | 15.90 | 1 |
| D390 | 9005-2390 | 393.0 | 16.96 | 1 |
| D394 | 9005-2394 | 397.0 | 17.14 | 1 |
| D420 | 9005-2420 | 423.0 | 18.11 | 1 |
| D441 | 9005-2441 | 444.0 | 18.92 | 1 |
| D450 | 9005-2450 | 453.0 | 19.30 | 1 |
| D480 | 9005-2480 | 483.0 | 20.55 | 1 |
| D540 | 9005-2540 | 543.0 | 23.05 | 1 |
| D600 | 9005-2600 | 603.0 | 25.87 | 1 |
| D660 | 9005-2660 | 663.0 | 28.10 | 1 |



Product No. Series 9006

E Section

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| E144 | 9006-2144 | 149.0 | 9.50 | 1 |
| E158 | 9006-2158 | 165.0 | 10.48 | 1 |
| E180 | 9006-2180 | 187.0 | 11.66 | 1 |
| E195 | 9006-2195 | 202.0 | 12.55 | 1 |
| E210 | 9006-2210 | 217.0 | 13.35 | 1 |
| E240 | 9006-2240 | 244.0 | 15.05 | 1 |
| E250 | 9006-2250 | 254.0 | 15.84 | 1 |
| E270 | 9006-2270 | 274.0 | 16.80 | 1 |
| E300 | 9006-2300 | 304.0 | 18.50 | 1 |
| E310 | 9006-2310 | 314.0 | 19.00 | 1 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| E330 | 9006-2330 | 334.0 | 19.75 | 1 |
| E360 | 9006-2360 | 364.0 | 21.30 | 1 |
| E390 | 9006-2390 | 394.0 | 23.15 | 1 |
| E420 | 9006-2420 | 424.0 | 24.75 | 1 |
| E441 | 9006-2441 | 445.0 | 25.79 | 1 |
| E460 | 9006-2460 | 464.0 | 26.82 | 1 |
| E480 | 9006-2480 | 484.0 | 28.30 | 1 |
| E540 | 9006-2540 | 544.0 | 32.02 | 1 |
| E600 | 9006-2600 | 604.0 | 35.28 | 1 |
| E660 | 9006-2660 | 664.0 | 38.14 | 1 |

Hi-Power® II PowerBand® V-Belts


The PowerBand® construction allows multiple belts to function as a single unit, with even load distribution and each strand fitting securely in the sheave groove.

Markets/Applications

Recommended for drives where single belts vibrate, turn over or jump off the drive.

Features/Advantages

- **Concave sidewalls** provide proper cord support and full contact with the sheave-groove for equal loading and uniform wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.
- The **Tie Band** assures high lateral rigidity, guiding the belt in a straight line and preventing it from coming off the drive.



HEAVY DUTY V-BELTS

Size Range/Availability

- **Large Inventory** of standard lengths and widths are readily available. See sizing table for details.
- **Belt Slitters** located onsite at several Gates Service Centers can cut down an existing belt in inventory to the strand width needed.
- **Made-To-Order Belt Lengths** are available in any size from: A (38 to 212 inch), B (35 to 663 inch), C (56 to 662 inch) and D (126 to 665 inch). Check with Customer Service for minimum order quantity and manufacturing lead time.

Recommended Sheaves

Multi-Duty® Sheaves (B, C, D)

Notes

Belt part number is constructed by placing the (#) number of strands required followed by a slash (/) in front of the belt size. For Example, 5/B66 represents a B66 with 5 joined strands.


Belt product number is 8 or 9 digits constructed of product series prefix, number of strands, and belt length.

For example, 90925066 represents an "A" section PowerBand (9092) with 5 strands (5) that is 66.0 inches (066) long.

Most "A" Section sheaves are a combination "A-B" groove. "A" Section PowerBand Belts are not recommended for use in sheaves with "A-B" combination grooves. "A" Section PowerBand belts may be Made-To-Order and require minimum order quantities. Check with Customer Service for availability.

Product No. Series 9092

A Section



| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | 13 to 20 Strand Maximum (## = strands) |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|---|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | |
| | | | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | |
| ¹⁵ #/A42 | 44.0 | .36 | 2042 | 3042 | 4042 | 5042 | 6042 | 7042 | 8042 | 9042 | 10042 | 11042 | 12042 | ##042 |
| ¹⁵ #/A43 | 45.0 | .37 | 2043 | 3043 | 4043 | 5043 | 6043 | 7043 | 8043 | 9043 | 10043 | 11043 | 12043 | ##043 |
| ¹⁵ #/A44 | 46.0 | .38 | 2044 | 3044 | 4044 | 5044 | 6044 | 7044 | 8044 | 9044 | 10044 | 11044 | 12044 | ##044 |
| ¹⁵ #/A46 | 48.0 | .40 | 2046 | 3046 | 4046 | 5046 | 6046 | 7046 | 8046 | 9046 | 10046 | 11046 | 12046 | ##046 |
| ¹⁵ #/A47 | 49.0 | .40 | 2047 | 3047 | 4047 | 5047 | 6047 | 7047 | 8047 | 9047 | 10047 | 11047 | 12047 | ##047 |
| ¹⁵ #/A48 | 50.0 | .40 | 2048 | 3048 | 4048 | 5048 | 6048 | 7048 | 8048 | 9048 | 10048 | 11048 | 12048 | ##048 |
| ¹⁵ #/A49 | 51.0 | .42 | 2049 | 3049 | 4049 | 5049 | 6049 | 7049 | 8049 | 9049 | 10049 | 11049 | 12049 | ##049 |
| ¹⁵ #/A51 | 53.0 | .44 | 2051 | 3051 | 4051 | 5051 | 6051 | 7051 | 8051 | 9051 | 10051 | 11051 | 12051 | ##051 |
| ¹⁵ #/A53 | 55.0 | .46 | 2053 | 3053 | 4053 | 5053 | 6053 | 7053 | 8053 | 9053 | 10053 | 11053 | 12053 | ##053 |
| ¹⁵ #/A54 | 56.0 | .47 | 2054 | 3054 | 4054 | 5054 | 6054 | 7054 | 8054 | 9054 | 10054 | 11054 | 12054 | ##054 |
| ¹⁵ #/A55 | 57.0 | .47 | 2055 | 3055 | 4055 | 5055 | 6055 | 7055 | 8055 | 9055 | 10055 | 11055 | 12055 | ##055 |
| ¹⁵ #/A56 | 58.0 | .48 | 2056 | 3056 | 4056 | 5056 | 6056 | 7056 | 8056 | 9056 | 10056 | 11056 | 12056 | ##056 |
| ¹⁵ #/A57 | 59.0 | .50 | 2057 | 3057 | 4057 | 5057 | 6057 | 7057 | 8057 | 9057 | 10057 | 11057 | 12057 | ##057 |
| ¹⁵ #/A58 | 60.0 | .50 | 2058 | 3058 | 4058 | 5058 | 6058 | 7058 | 8058 | 9058 | 10058 | 11058 | 12058 | ##058 |

¹⁵ Not included in V-80 matching program.





Hi-Power® II PowerBand® V-Belts

Product No. Series 9092 (continued)

A Section (continued)

| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | 13 to 20 Strand Maximum (## = strands) |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|---|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | |
| | | | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | 9092- | |
| 15 #/A60 | 62.0 | .52 | 2060 | 3060 | 4060 | 5060 | 6060 | 7060 | 8060 | 9060 | 10060 | 11060 | 12060 | ##060 |
| 15 #/A62 | 64.0 | .54 | 2062 | 3062 | 4062 | 5062 | 6062 | 7062 | 8062 | 9062 | 10062 | 11062 | 12062 | ##062 |
| 15 #/A64 | 66.0 | .56 | 2064 | 3064 | 4064 | 5064 | 6064 | 7064 | 8064 | 9064 | 10064 | 11064 | 12064 | ##064 |
| 15 #/A65 | 67.0 | .56 | 2065 | 3065 | 4065 | 5065 | 6065 | 7065 | 8065 | 9065 | 10065 | 11065 | 12065 | ##065 |
| 15 #/A66 | 68.0 | .57 | 2066 | 3066 | 4066 | 5066 | 6066 | 7066 | 8066 | 9066 | 10066 | 11066 | 12066 | ##066 |
| 15 #/A68 | 70.0 | .58 | 2068 | 3068 | 4068 | 5068 | 6068 | 7068 | 8068 | 9068 | 10068 | 11068 | 12068 | ##068 |
| 15 #/A70 | 72.0 | .61 | 2070 | 3070 | 4070 | 5070 | 6070 | 7070 | 8070 | 9070 | 10070 | 11070 | 12070 | ##070 |
| 15 #/A71 | 73.0 | .61 | 2071 | 3071 | 4071 | 5071 | 6071 | 7071 | 8071 | 9071 | 10071 | 11071 | 12071 | ##071 |
| 15 #/A74 | 76.0 | .64 | 2074 | 3074 | 4074 | 5074 | 6074 | 7074 | 8074 | 9074 | 10074 | 11074 | 12074 | ##074 |
| 15 #/A75 | 77.0 | .66 | 2075 | 3075 | 4075 | 5075 | 6075 | 7075 | 8075 | 9075 | 10075 | 11075 | 12075 | ##075 |
| 15 #/A77 | 79.0 | .66 | 2077 | 3077 | 4077 | 5077 | 6077 | 7077 | 8077 | 9077 | 10077 | 11077 | 12077 | ##077 |
| 15 #/A78 | 80.0 | .67 | 2078 | 3078 | 4078 | 5078 | 6078 | 7078 | 8078 | 9078 | 10078 | 11078 | 12078 | ##078 |
| 15 #/A80 | 82.0 | .70 | 2080 | 3080 | 4080 | 5080 | 6080 | 7080 | 8080 | 9080 | 10080 | 11080 | 12080 | ##080 |
| 15 #/A81 | 83.0 | .70 | 2081 | 3081 | 4081 | 5081 | 6081 | 7081 | 8081 | 9081 | 10081 | 11081 | 12081 | ##081 |
| 15 #/A83 | 85.0 | .71 | 2083 | 3083 | 4083 | 5083 | 6083 | 7083 | 8083 | 9083 | 10083 | 11083 | 12083 | ##083 |
| 15 #/A85 | 87.0 | .74 | 2085 | 3085 | 4085 | 5085 | 6085 | 7085 | 8085 | 9085 | 10085 | 11085 | 12085 | ##085 |
| 15 #/A90 | 92.0 | .77 | 2090 | 3090 | 4090 | 5090 | 6090 | 7090 | 8090 | 9090 | 10090 | 11090 | 12090 | ##090 |
| 15 #/A92 | 94.0 | .80 | 2092 | 3092 | 4092 | 5092 | 6092 | 7092 | 8092 | 9092 | 10092 | 11092 | 12092 | ##092 |
| 15 #/A96 | 98.0 | .84 | 2096 | 3096 | 4096 | 5096 | 6096 | 7096 | 8096 | 9096 | 10096 | 11096 | 12096 | ##096 |
| 15 #/A100 | 102.0 | .86 | 2100 | 3100 | 4100 | 5100 | 6100 | 7100 | 8100 | 9100 | 10100 | 11100 | 12100 | ##100 |
| 15 #/A105 | 107.0 | .90 | 2105 | 3105 | 4105 | 5105 | 6105 | 7105 | 8105 | 9105 | 10105 | 11105 | 12105 | ##105 |
| 15 #/A110 | 112.0 | .96 | 2110 | 3110 | 4110 | 5110 | 6110 | 7110 | 8110 | 9110 | 10110 | 11110 | 12110 | ##110 |
| 15 #/A112 | 114.0 | .96 | 2112 | 3112 | 4112 | 5112 | 6112 | 7112 | 8112 | 9112 | 10112 | 11112 | 12112 | ##112 |
| 15 #/A120 | 122.0 | 1.04 | 2120 | 3120 | 4120 | 5120 | 6120 | 7120 | 8120 | 9120 | 10120 | 11120 | 12120 | ##120 |
| 15 #/A128 | 130.0 | 1.10 | 2128 | 3128 | 4128 | 5128 | 6128 | 7128 | 8128 | 9128 | 10128 | 11128 | 12128 | ##128 |
| 15 #/A136 | 138.0 | 1.17 | 2136 | 3136 | 4136 | 5136 | 6136 | 7136 | 8136 | 9136 | 10136 | 11136 | 12136 | ##136 |
| 15 #/A144 | 146.0 | 1.24 | 2144 | 3144 | 4144 | 5144 | 6144 | 7144 | 8144 | 9144 | 10144 | 11144 | 12144 | ##144 |
| 15 #/A158 | 160.0 | 1.36 | 2158 | 3158 | 4158 | 5158 | 6158 | 7158 | 8158 | 9158 | 10158 | 11158 | 12158 | ##158 |
| 15 #/A173 | 175.0 | 1.50 | 2173 | 3173 | 4173 | 5173 | 6173 | 7173 | 8173 | 9173 | 10173 | 11173 | 12173 | ##173 |
| 15 #/A180 | 182.0 | 1.56 | 2180 | 3180 | 4180 | 5180 | 6180 | 7180 | 8180 | 9180 | 10180 | 11180 | 12180 | ##180 |

HEAVY DUTY V-BELTS



Product No. Series 9093

B Section

| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | 13 to 16 Strand Maximum (## = strands) |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|---|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | |
| | | | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | |
| 15 #/B35 | 38.0 | .52 | 2035 | 3035 | 4035 | 5035 | 6035 | 7035 | 8035 | 9035 | 10035 | 11035 | 12035 | ##035 |
| 15 #/B38 | 41.0 | .56 | 2038 | 3038 | 4038 | 5038 | 6038 | 7038 | 8038 | 9038 | 10038 | 11038 | 12038 | ##038 |
| 15 #/B40 | 43.0 | .80 | 2040 | 3040 | 4040 | 5040 | 6040 | 7040 | 8040 | 9040 | 10040 | 11040 | 12040 | ##040 |
| 15 #/B41 | 44.0 | .58 | 2041 | 3041 | 4041 | 5041 | 6041 | 7041 | 8041 | 9041 | 10041 | 11041 | 12041 | ##041 |
| 15 #/B42 | 45.0 | .62 | 2042 | 3042 | 4042 | 5042 | 6042 | 7042 | 8042 | 9042 | 10042 | 11042 | 12042 | ##042 |
| 15 #/B43 | 46.0 | .64 | 2043 | 3043 | 4043 | 5043 | 6043 | 7043 | 8043 | 9043 | 10043 | 11043 | 12043 | ##043 |
| 15 #/B44 | 47.0 | .80 | 2044 | 3044 | 4044 | 5044 | 6044 | 7044 | 8044 | 9044 | 10044 | 11044 | 12044 | ##044 |
| 15 #/B46 | 49.0 | .68 | 2046 | 3046 | 4046 | 5046 | 6046 | 7046 | 8046 | 9046 | 10046 | 11046 | 12046 | ##046 |
| 15 #/B47 | 50.0 | .70 | 2047 | 3047 | 4047 | 5047 | 6047 | 7047 | 8047 | 9047 | 10047 | 11047 | 12047 | ##047 |
| 15 #/B48 | 51.0 | .71 | 2048 | 3048 | 4048 | 5048 | 6048 | 7048 | 8048 | 9048 | 10048 | 11048 | 12048 | ##048 |
| 15 #/B50 | 53.0 | .74 | 2050 | 3050 | 4050 | 5050 | 6050 | 7050 | 8050 | 9050 | 10050 | 11050 | 12050 | ##050 |
| 15 #/B51 | 54.0 | .76 | 2051 | 3051 | 4051 | 5051 | 6051 | 7051 | 8051 | 9051 | 10051 | 11051 | 12051 | ##051 |
| 15 #/B52 | 55.0 | .77 | 2052 | 3052 | 4052 | 5052 | 6052 | 7052 | 8052 | 9052 | 10052 | 11052 | 12052 | ##052 |
| 15 #/B53 | 56.0 | .78 | 2053 | 3053 | 4053 | 5053 | 6053 | 7053 | 8053 | 9053 | 10053 | 11053 | 12053 | ##053 |
| 15 #/B54 | 57.0 | .80 | 2054 | 3054 | 4054 | 5054 | 6054 | 7054 | 8054 | 9054 | 10054 | 11054 | 12054 | ##054 |
| 15 #/B55 | 58.0 | .81 | 2055 | 3055 | 4055 | 5055 | 6055 | 7055 | 8055 | 9055 | 10055 | 11055 | 12055 | ##055 |
| 15 #/B56 | 59.0 | .84 | 2056 | 3056 | 4056 | 5056 | 6056 | 7056 | 8056 | 9056 | 10056 | 11056 | 12056 | ##056 |
| 15 #/B57 | 60.0 | .84 | 2057 | 3057 | 4057 | 5057 | 6057 | 7057 | 8057 | 9057 | 10057 | 11057 | 12057 | ##057 |
| 15 #/B58 | 61.0 | .86 | 2058 | 3058 | 4058 | 5058 | 6058 | 7058 | 8058 | 9058 | 10058 | 11058 | 12058 | ##058 |
| 15 #/B59 | 62.0 | .87 | 2059 | 3059 | 4059 | 5059 | 6059 | 7059 | 8059 | 9059 | 10059 | 11059 | 12059 | ##059 |
| 15 #/B60 | 63.0 | .90 | 2060 | 3060 | 4060 | 5060 | 6060 | 7060 | 8060 | 9060 | 10060 | 11060 | 12060 | ##060 |
| 15 #/B61 | 64.0 | .90 | 2061 | 3061 | 4061 | 5061 | 6061 | 7061 | 8061 | 9061 | 10061 | 11061 | 12061 | ##061 |
| 15 #/B62 | 65.0 | .92 | 2062 | 3062 | 4062 | 5062 | 6062 | 7062 | 8062 | 9062 | 10062 | 11062 | 12062 | ##062 |
| 15 #/B63 | 66.0 | .94 | 2063 | 3063 | 4063 | 5063 | 6063 | 7063 | 8063 | 9063 | 10063 | 11063 | 12063 | ##063 |
| 15 #/B64 | 67.0 | .96 | 2064 | 3064 | 4064 | 5064 | 6064 | 7064 | 8064 | 9064 | 10064 | 11064 | 12064 | ##064 |
| 15 #/B65 | 68.0 | .96 | 2065 | 3065 | 4065 | 5065 | 6065 | 7065 | 8065 | 9065 | 10065 | 11065 | 12065 | ##065 |
| 15 #/B66 | 69.0 | .98 | 2066 | 3066 | 4066 | 5066 | 6066 | 7066 | 8066 | 9066 | 10066 | 11066 | 12066 | ##066 |
| 15 #/B67 | 70.0 | 1.00 | 2067 | 3067 | 4067 | 5067 | 6067 | 7067 | 8067 | 9067 | 10067 | 11067 | 12067 | ##067 |

15 Not included in V-80 matching program.



Hi-Power® II PowerBand® V-Belts

Product No. Series 9093 (continued)

B Section (continued)

| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | | 13 to 16 Strand Maximum (## = strands) |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|---|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand | |
| | | | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | 9093- | |
| #/B68 | 71.0 | 1.00 | 2068 | 3068 | 4068 | 5068 | 6068 | 7068 | 8068 | 9068 | 10068 | 11068 | 12068 | ##068 |
| #/B70 | 73.0 | 1.04 | 2070 | 3070 | 4070 | 5070 | 6070 | 7070 | 8070 | 9070 | 10070 | 11070 | 12070 | ##070 |
| #/B71 | 74.0 | 1.06 | 2071 | 3071 | 4071 | 5071 | 6071 | 7071 | 8071 | 9071 | 10071 | 11071 | 12071 | ##071 |
| #/B72 | 75.0 | 1.06 | 2072 | 3072 | 4072 | 5072 | 6072 | 7072 | 8072 | 9072 | 10072 | 11072 | 12072 | ##072 |
| #/B73 | 76.0 | 1.08 | 2073 | 3073 | 4073 | 5073 | 6073 | 7073 | 8073 | 9073 | 10073 | 11073 | 12073 | ##073 |
| #/B74 | 77.0 | 1.10 | 2074 | 3074 | 4074 | 5074 | 6074 | 7074 | 8074 | 9074 | 10074 | 11074 | 12074 | ##074 |
| #/B75 | 78.0 | 1.11 | 2075 | 3075 | 4075 | 5075 | 6075 | 7075 | 8075 | 9075 | 10075 | 11075 | 12075 | ##075 |
| #/B77 | 80.0 | 1.14 | 2077 | 3077 | 4077 | 5077 | 6077 | 7077 | 8077 | 9077 | 10077 | 11077 | 12077 | ##077 |
| #/B78 | 81.0 | 1.16 | 2078 | 3078 | 4078 | 5078 | 6078 | 7078 | 8078 | 9078 | 10078 | 11078 | 12078 | ##078 |
| #/B79 | 82.0 | 1.17 | 2079 | 3079 | 4079 | 5079 | 6079 | 7079 | 8079 | 9079 | 10079 | 11079 | 12079 | ##079 |
| #/B80 | 83.0 | 1.18 | 2080 | 3080 | 4080 | 5080 | 6080 | 7080 | 8080 | 9080 | 10080 | 11080 | 12080 | ##080 |
| #/B81 | 84.0 | 1.20 | 2081 | 3081 | 4081 | 5081 | 6081 | 7081 | 8081 | 9081 | 10081 | 11081 | 12081 | ##081 |
| #/B82 | 85.0 | 1.21 | 2082 | 3082 | 4082 | 5082 | 6082 | 7082 | 8082 | 9082 | 10082 | 11082 | 12082 | ##082 |
| #/B83 | 86.0 | 1.24 | 2083 | 3083 | 4083 | 5083 | 6083 | 7083 | 8083 | 9083 | 10083 | 11083 | 12083 | ##083 |
| #/B84 | 87.0 | 1.50 | 2084 | 3084 | 4084 | 5084 | 6084 | 7084 | 8084 | 9084 | 10084 | 11084 | 12084 | ##084 |
| #/B85 | 88.0 | 1.26 | 2085 | 3085 | 4085 | 5085 | 6085 | 7085 | 8085 | 9085 | 10085 | 11085 | 12085 | ##085 |
| #/B86 | 89.0 | 1.28 | 2086 | 3086 | 4086 | 5086 | 6086 | 7086 | 8086 | 9086 | 10086 | 11086 | 12086 | ##086 |
| #/B87 | 90.0 | 1.30 | 2087 | 3087 | 4087 | 5087 | 6087 | 7087 | 8087 | 9087 | 10087 | 11087 | 12087 | ##087 |
| #/B88 | 91.0 | 1.30 | 2088 | 3088 | 4088 | 5088 | 6088 | 7088 | 8088 | 9088 | 10088 | 11088 | 12088 | ##088 |
| #/B90 | 93.0 | 1.34 | 2090 | 3090 | 4090 | 5090 | 6090 | 7090 | 8090 | 9090 | 10090 | 11090 | 12090 | ##090 |
| #/B92 | 95.0 | 1.80 | 2092 | 3092 | 4092 | 5092 | 6092 | 7092 | 8092 | 9092 | 10092 | 11092 | 12092 | ##092 |
| #/B93 | 96.0 | 1.37 | 2093 | 3093 | 4093 | 5093 | 6093 | 7093 | 8093 | 9093 | 10093 | 11093 | 12093 | ##093 |
| #/B95 | 98.0 | 1.41 | 2095 | 3095 | 4095 | 5095 | 6095 | 7095 | 8095 | 9095 | 10095 | 11095 | 12095 | ##095 |
| #/B96 | 99.0 | 1.42 | 2096 | 3096 | 4096 | 5096 | 6096 | 7096 | 8096 | 9096 | 10096 | 11096 | 12096 | ##096 |
| #/B97 | 100.0 | 1.44 | 2097 | 3097 | 4097 | 5097 | 6097 | 7097 | 8097 | 9097 | 10097 | 11097 | 12097 | ##097 |
| #/B99 | 102.0 | 1.47 | 2099 | 3099 | 4099 | 5099 | 6099 | 7099 | 8099 | 9099 | 10099 | 11099 | 12099 | ##099 |
| #/B100 | 103.0 | 1.48 | 2100 | 3100 | 4100 | 5100 | 6100 | 7100 | 8100 | 9100 | 10100 | 11100 | 12100 | ##100 |
| #/B103 | 106.0 | 1.52 | 2103 | 3103 | 4103 | 5103 | 6103 | 7103 | 8103 | 9103 | 10103 | 11103 | 12103 | ##103 |
| #/B104 | 107.0 | 2.50 | 2104 | 3104 | 4104 | 5104 | 6104 | 7104 | 8104 | 9104 | 10104 | 11104 | 12104 | ##104 |
| #/B105 | 108.0 | 1.66 | 2105 | 3105 | 4105 | 5105 | 6105 | 7105 | 8105 | 9105 | 10105 | 11105 | 12105 | ##105 |
| #/B108 | 111.0 | 1.60 | 2108 | 3108 | 4108 | 5108 | 6108 | 7108 | 8108 | 9108 | 10108 | 11108 | 12108 | ##108 |
| #/B109 | 112.0 | 1.62 | 2109 | 3109 | 4109 | 5109 | 6109 | 7109 | 8109 | 9109 | 10109 | 11109 | 12109 | ##109 |
| #/B110 | 113.0 | 1.63 | 2110 | 3110 | 4110 | 5110 | 6110 | 7110 | 8110 | 9110 | 10110 | 11110 | 12110 | ##110 |
| #/B112 | 115.0 | 1.66 | 2112 | 3112 | 4112 | 5112 | 6112 | 7112 | 8112 | 9112 | 10112 | 11112 | 12112 | ##112 |
| #/B113 | 116.0 | 2.50 | 2113 | 3113 | 4113 | 5113 | 6113 | 7113 | 8113 | 9113 | 10113 | 11113 | 12113 | ##113 |
| #/B114 | 117.0 | 2.50 | 2114 | 3114 | 4114 | 5114 | 6114 | 7114 | 8114 | 9114 | 10114 | 11114 | 12114 | ##114 |
| #/B115 | 118.0 | 2.50 | 2115 | 3115 | 4115 | 5115 | 6115 | 7115 | 8115 | 9115 | 10115 | 11115 | 12115 | ##115 |
| #/B116 | 119.0 | 2.50 | 2116 | 3116 | 4116 | 5116 | 6116 | 7116 | 8116 | 9116 | 10116 | 11116 | 12116 | ##116 |
| #/B118 | 121.0 | 2.50 | 2118 | 3118 | 4118 | 5118 | 6118 | 7118 | 8118 | 9118 | 10118 | 11118 | 12118 | ##118 |
| #/B120 | 123.0 | 1.78 | 2120 | 3120 | 4120 | 5120 | 6120 | 7120 | 8120 | 9120 | 10120 | 11120 | 12120 | ##120 |
| #/B124 | 127.0 | 1.84 | 2124 | 3124 | 4124 | 5124 | 6124 | 7124 | 8124 | 9124 | 10124 | 11124 | 12124 | ##124 |
| #/B128 | 131.0 | 1.90 | 2128 | 3128 | 4128 | 5128 | 6128 | 7128 | 8128 | 9128 | 10128 | 11128 | 12128 | ##128 |
| #/B130 | 133.0 | 2.50 | 2130 | 3130 | 4130 | 5130 | 6130 | 7130 | 8130 | 9130 | 10130 | 11130 | 12130 | ##130 |
| #/B133 | 136.0 | 1.97 | 2133 | 3133 | 4133 | 5133 | 6133 | 7133 | 8133 | 9133 | 10133 | 11133 | 12133 | ##133 |
| #/B136 | 139.0 | 2.00 | 2136 | 3136 | 4136 | 5136 | 6136 | 7136 | 8136 | 9136 | 10136 | 11136 | 12136 | ##136 |
| #/B138 | 141.0 | 2.50 | 2138 | 3138 | 4138 | 5138 | 6138 | 7138 | 8138 | 9138 | 10138 | 11138 | 12138 | ##138 |
| #/B139 | 142.0 | 2.50 | 2139 | 3139 | 4139 | 5139 | 6139 | 7139 | 8139 | 9139 | 10139 | 11139 | 12139 | ##139 |
| #/B141 | 144.0 | 2.50 | 2141 | 3141 | 4141 | 5141 | 6141 | 7141 | 8141 | 9141 | 10141 | 11141 | 12141 | ##141 |
| #/B144 | 147.0 | 2.14 | 2144 | 3144 | 4144 | 5144 | 6144 | 7144 | 8144 | 9144 | 10144 | 11144 | 12144 | ##144 |
| #/B148 | 151.0 | 2.20 | 2148 | 3148 | 4148 | 5148 | 6148 | 7148 | 8148 | 9148 | 10148 | 11148 | 12148 | ##148 |
| #/B150 | 153.0 | 2.22 | 2150 | 3150 | 4150 | 5150 | 6150 | 7150 | 8150 | 9150 | 10150 | 11150 | 12150 | ##150 |
| #/B154 | 157.0 | 2.50 | 2154 | 3154 | 4154 | 5154 | 6154 | 7154 | 8154 | 9154 | 10154 | 11154 | 12154 | ##154 |
| #/B158 | 161.0 | 2.34 | 2158 | 3158 | 4158 | 5158 | 6158 | 7158 | 8158 | 9158 | 10158 | 11158 | 12158 | ##158 |
| #/B160 | 163.0 | 2.50 | 2160 | 3160 | 4160 | 5160 | 6160 | 7160 | 8160 | 9160 | 10160 | 11160 | 12160 | ##160 |
| #/B162 | 165.0 | 2.40 | 2162 | 3162 | 4162 | 5162 | 6162 | 7162 | 8162 | 9162 | 10162 | 11162 | 12162 | ##162 |
| #/B168 | 171.0 | 2.50 | 2168 | 3168 | 4168 | 5168 | 6168 | 7168 | 8168 | 9168 | 10168 | 11168 | 12168 | ##168 |
| #/B173 | 176.0 | 2.56 | 2173 | 3173 | 4173 | 5173 | 6173 | 7173 | 8173 | 9173 | 10173 | 11173 | 12173 | ##173 |
| #/B180 | 183.0 | 2.66 | 2180 | 3180 | 4180 | 5180 | 6180 | 7180 | 8180 | 9180 | 10180 | 11180 | 12180 | ##180 |
| #/B185 | 188.0 | 2.70 | 2185 | 3185 | 4185 | 5185 | 6185 | 7185 | 8185 | 9185 | 10185 | 11185 | 12185 | ##185 |
| #/B190 | 193.0 | 2.80 | 2190 | 3190 | 4190 | 5190 | 6190 | 7190 | 8190 | 9190 | 10190 | 11190 | 12190 | ##190 |
| #/B195 | 198.0 | 2.90 | 2195 | 3195 | 4195 | 5195 | 6195 | 7195 | 8195 | 9195 | 10195 | 11195 | 12195 | ##195 |
| #/B210 | 213.0 | 3.11 | 2210 | 3210 | 4210 | 5210 | 6210 | 7210 | 8210 | 9210 | 10210 | 11210 | 12210 | ##210 |
| #/B218 | 219.0 | 4.00 | 2218 | 3218 | 4218 | 5218 | 6218 | 7218 | 8218 | 9218 | 10218 | 11218 | 12218 | ##218 |
| #/B225 | 226.0 | 3.34 | 2225 | 3225 | 4225 | 5225 | 6225 | 7225 | 8225 | 9225 | 10225 | 11225 | 12225 | ##225 |
| #/B240 | 241.0 | 3.55 | 2240 | 3240 | 4240 | 5240 | 6240 | 7240 | 8240 | 9240 | 10240 | 11240 | 12240 | ##240 |
| #/B255 | 256.0 | 3.77 | 2255 | 3255 | 4255 | 5255 | 6255 | 7255 | 8255 | 9255 | 10255 | 11255 | 12255 | ##255 |
| #/B270 | 271.0 | 4.00 | 2270 | 3270 | 4270 | 5270 | 6270 | 7270 | 8270 | 9270 | 10270 | 11270 | 12270 | ##270 |
| #/B300 | 301.0 | 4.44 | 2300 | 3300 | 4300 | 5300 | 6300 | 7300 | 8300 | 9300 | 10300 | 11300 | 12300 | ##300 |
| #/B315 | 316.0 | 4.66 | 2315 | 3315 | 4315 | 5315 | 6315 | 7315 | 8315 | 9315 | 10315 | 11315 | 12315 | ##315 |

HEAVY DUTY V-BELTS






Hi-Power® II PowerBand® V-Belts

Product No. Series 9094

C Section




HEAVY DUTY V-BELTS

| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | | | | |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | 9 Strand | 10 Strand | 11 Strand | 12 Strand |
| | | | 9094- | 9094- | 9094- | 9094- | 9094- | 9094- | 9094- | 9094- | 9094- | 9094- | 9094- |
| #/C60 | 64.0 | 1.56 | 2060 | 3060 | 4060 | 5060 | 6060 | 7060 | 8060 | 9060 | 10060 | 11060 | 12060 |
| #/C68 | 72.0 | 1.77 | 2068 | 3068 | 4068 | 5068 | 6068 | 7068 | 8068 | 9068 | 10068 | 11068 | 12068 |
| #/C72 | 76.0 | 2.30 | 2072 | 3072 | 4072 | 5072 | 6072 | 7072 | 8072 | 9072 | 10072 | 11072 | 12072 |
| #/C75 | 79.0 | 1.96 | 2075 | 3075 | 4075 | 5075 | 6075 | 7075 | 8075 | 9075 | 10075 | 11075 | 12075 |
| #/C78 | 82.0 | 2.04 | 2078 | 3078 | 4078 | 5078 | 6078 | 7078 | 8078 | 9078 | 10078 | 11078 | 12078 |
| #/C80 | 84.0 | 2.60 | 2080 | 3080 | 4080 | 5080 | 6080 | 7080 | 8080 | 9080 | 10080 | 11080 | 12080 |
| #/C81 | 85.0 | 2.11 | 2081 | 3081 | 4081 | 5081 | 6081 | 7081 | 8081 | 9081 | 10081 | 11081 | 12081 |
| #/C85 | 89.0 | 2.21 | 2085 | 3085 | 4085 | 5085 | 6085 | 7085 | 8085 | 9085 | 10085 | 11085 | 12085 |
| #/C87 | 91.0 | 2.26 | 2087 | 3087 | 4087 | 5087 | 6087 | 7087 | 8087 | 9087 | 10087 | 11087 | 12087 |
| #/C90 | 94.0 | 2.34 | 2090 | 3090 | 4090 | 5090 | 6090 | 7090 | 8090 | 9090 | 10090 | 11090 | 12090 |
| #/C96 | 100.0 | 2.50 | 2096 | 3096 | 4096 | 5096 | 6096 | 7096 | 8096 | 9096 | 10096 | 11096 | 12096 |
| #/C99 | 103.0 | 2.57 | 2099 | 3099 | 4099 | 5099 | 6099 | 7099 | 8099 | 9099 | 10099 | 11099 | 12099 |
| #/C100 | 104.0 | 2.60 | 2100 | 3100 | 4100 | 5100 | 6100 | 7100 | 8100 | 9100 | 10100 | 11100 | 12100 |
| #/C105 | 109.0 | 2.74 | 2105 | 3105 | 4105 | 5105 | 6105 | 7105 | 8105 | 9105 | 10105 | 11105 | 12105 |
| #/C108 | 112.0 | 2.81 | 2108 | 3108 | 4108 | 5108 | 6108 | 7108 | 8108 | 9108 | 10108 | 11108 | 12108 |
| #/C109 | 113.0 | 2.84 | 2109 | 3109 | 4109 | 5109 | 6109 | 7109 | 8109 | 9109 | 10109 | 11109 | 12109 |
| #/C112 | 116.0 | 2.91 | 2112 | 3112 | 4112 | 5112 | 6112 | 7112 | 8112 | 9112 | 10112 | 11112 | 12112 |
| #/C120 | 124.0 | 3.12 | 2120 | 3120 | 4120 | 5120 | 6120 | 7120 | 8120 | 9120 | 10120 | 11120 | 12120 |
| #/C124 | 128.0 | 3.22 | 2124 | 3124 | 4124 | 5124 | 6124 | 7124 | 8124 | 9124 | 10124 | 11124 | 12124 |
| #/C126 | 130.0 | 3.28 | 2126 | 3126 | 4126 | 5126 | 6126 | 7126 | 8126 | 9126 | 10126 | 11126 | 12126 |
| #/C128 | 132.0 | 3.34 | 2128 | 3128 | 4128 | 5128 | 6128 | 7128 | 8128 | 9128 | 10128 | 11128 | 12128 |
| #/C136 | 140.0 | 3.54 | 2136 | 3136 | 4136 | 5136 | 6136 | 7136 | 8136 | 9136 | 10136 | 11136 | 12136 |
| #/C144 | 148.0 | 3.74 | 2144 | 3144 | 4144 | 5144 | 6144 | 7144 | 8144 | 9144 | 10144 | 11144 | 12144 |
| #/C146 | 150.0 | 3.00 | 2146 | 3146 | 4146 | 5146 | 6146 | 7146 | 8146 | 9146 | 10146 | 11146 | 12146 |
| #/C151 | 155.0 | 3.92 | 2151 | 3151 | 4151 | 5151 | 6151 | 7151 | 8151 | 9151 | 10151 | 11151 | 12151 |
| #/C158 | 162.0 | 4.11 | 2158 | 3158 | 4158 | 5158 | 6158 | 7158 | 8158 | 9158 | 10158 | 11158 | 12158 |
| #/C162 | 166.0 | 4.21 | 2162 | 3162 | 4162 | 5162 | 6162 | 7162 | 8162 | 9162 | 10162 | 11162 | 12162 |
| #/C173 | 177.0 | 4.50 | 2173 | 3173 | 4173 | 5173 | 6173 | 7173 | 8173 | 9173 | 10173 | 11173 | 12173 |
| #/C180 | 184.0 | 4.68 | 2180 | 3180 | 4180 | 5180 | 6180 | 7180 | 8180 | 9180 | 10180 | 11180 | 12180 |
| #/C185 | 189.0 | 4.00 | 2185 | 3185 | 4185 | 5185 | 6185 | 7185 | 8185 | 9185 | 10185 | 11185 | 12185 |
| #/C190 | 194.0 | 5.50 | 2190 | 3190 | 4190 | 5190 | 6190 | 7190 | 8190 | 9190 | 10190 | 11190 | 12190 |
| #/C195 | 199.0 | 5.07 | 2195 | 3195 | 4195 | 5195 | 6195 | 7195 | 8195 | 9195 | 10195 | 11195 | 12195 |
| #/C204 | 208.0 | 7.00 | 2204 | 3204 | 4204 | 5204 | 6204 | 7204 | 8204 | 9204 | 10204 | 11204 | 12204 |
| #/C210 | 214.0 | 5.46 | 2210 | 3210 | 4210 | 5210 | 6210 | 7210 | 8210 | 9210 | 10210 | 11210 | 12210 |
| #/C225 | 227.0 | 5.86 | 2225 | 3225 | 4225 | 5225 | 6225 | 7225 | 8225 | 9225 | 10225 | 11225 | 12225 |
| #/C240 | 242.0 | 6.24 | 2240 | 3240 | 4240 | 5240 | 6240 | 7240 | 8240 | 9240 | 10240 | 11240 | 12240 |
| #/C255 | 257.0 | 6.64 | 2255 | 3255 | 4255 | 5255 | 6255 | 7255 | 8255 | 9255 | 10255 | 11255 | 12255 |
| #/C270 | 272.0 | 7.02 | 2270 | 3270 | 4270 | 5270 | 6270 | 7270 | 8270 | 9270 | 10270 | 11270 | 12270 |
| #/C285 | 287.0 | 7.41 | 2285 | 3285 | 4285 | 5285 | 6285 | 7285 | 8285 | 9285 | 10285 | 11285 | 12285 |
| #/C300 | 302.0 | 7.80 | 2300 | 3300 | 4300 | 5300 | 6300 | 7300 | 8300 | 9300 | 10300 | 11300 | 12300 |
| #/C315 | 317.0 | 8.20 | 2315 | 3315 | 4315 | 5315 | 6315 | 7315 | 8315 | 9315 | 10315 | 11315 | 12315 |
| #/C330 | 332.0 | 8.58 | 2330 | 3330 | 4330 | 5330 | 6330 | 7330 | 8330 | 9330 | 10330 | 11330 | 12330 |
| #/C345 | 347.0 | 8.97 | 2345 | 3345 | 4345 | 5345 | 6345 | 7345 | 8345 | 9345 | 10345 | 11345 | 12345 |
| #/C360 | 362.0 | 9.36 | 2360 | 3360 | 4360 | 5360 | 6360 | 7360 | 8360 | 9360 | 10360 | 11360 | 12360 |
| #/C390 | 392.0 | 10.14 | 2390 | 3390 | 4390 | 5390 | 6390 | 7390 | 8390 | 9390 | 10390 | 11390 | 12390 |
| #/C420 | 422.0 | 10.92 | 2420 | 3420 | 4420 | 5420 | 6420 | 7420 | 8420 | 9420 | 10420 | 11420 | 12420 |

Product No. Series 9095

D Section



| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand |
| | | | 9095- | 9095- | 9095- | 9095- | 9095- | 9095- | 9095- |
| #/D144 | 149.0 | 6.75 | 2144 | 3144 | 4144 | 5144 | 6144 | 7144 | |
| #/D158 | 163.0 | 7.40 | 2158 | 3158 | 4158 | 5158 | 6158 | 7158 | |
| #/D173 | 178.0 | 8.10 | 2173 | 3173 | 4173 | 5173 | 6173 | 7173 | |
| #/D180 | 185.0 | 8.44 | 2180 | 3180 | 4180 | 5180 | 6180 | 7180 | |

15 Not included in V-80 matching program.



Hi-Power® II PowerBand® V-Belts

Product No. Series 9095 (continued)

D Section (continued)

| Size (# = strands) | Belt O.C. (In.) | Wt. Per Strand (Lbs.) | Belt Width In Number of Strands | | | | | | | |
|-----------------------|-----------------------|-----------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|--|
| | | | 2 Strand | 3 Strand | 4 Strand | 5 Strand | 6 Strand | 7 Strand | 8 Strand | |
| | | | 9095- | 9095- | 9095- | 9095- | 9095- | 9095- | 9095- | |
| #/D195 | 200.0 | 9.09 | 2195 | 3195 | 4195 | 5195 | 6195 | 7195 | | |
| #/D210 | 215.0 | 9.84 | 2210 | 3210 | 4210 | 5210 | 6210 | 7210 | 8210 | |
| #/D225 | 228.0 | 10.56 | 2225 | 3225 | 4225 | 5225 | 6225 | 7225 | 8225 | |
| #/D240 | 243.0 | 11.26 | 2240 | 3240 | 4240 | 5240 | 6240 | 7240 | 8240 | |
| #/D255 | 258.0 | 11.96 | 2255 | 3255 | 4255 | 5255 | 6255 | 7255 | 8255 | |
| #/D270 | 273.0 | 12.66 | 2270 | 3270 | 4270 | 5270 | 6270 | 7270 | 8270 | |
| #/D285 | 288.0 | 13.37 | 2285 | 3285 | 4285 | 5285 | 6285 | 7285 | 8285 | |
| #/D300 | 303.0 | 14.07 | 2300 | 3300 | 4300 | 5300 | 6300 | 7300 | 8300 | |
| #/D315 | 318.0 | 14.77 | 2315 | 3315 | 4315 | 5315 | 6315 | 7315 | 8315 | |
| #/D330 | 333.0 | 15.48 | 2330 | 3330 | 4330 | 5330 | 6330 | 7330 | 8330 | |
| #/D345 | 348.0 | 16.18 | 2345 | 3345 | 4345 | 5345 | 6345 | 7345 | 8345 | |
| #/D360 | 363.0 | 16.88 | 2360 | 3360 | 4360 | 5360 | 6360 | 7360 | 8360 | |
| #/D390 | 393.0 | 18.29 | 2390 | 3390 | 4390 | 5390 | 6390 | 7390 | 8390 | |
| #/D420 | 423.0 | 19.70 | 2420 | 3420 | 4420 | 5420 | 6420 | 7420 | 8420 | |
| #/D450 | 453.0 | 21.10 | 2450 | 3450 | 4450 | 5450 | 6450 | 7450 | 8450 | |
| #/D480 | 483.0 | 22.50 | 2480 | 3480 | 4480 | 5480 | 6480 | 7480 | 8480 | |
| #/D540 | 543.0 | 25.33 | 2540 | 3540 | 4540 | 5540 | 6540 | 7540 | 8540 | |
| #/D600 | 603.0 | 28.14 | 2600 | 3600 | 4600 | 5600 | 6600 | 7600 | 8600 | |
| ⁴ #/D660 | 663.0 | 31.13 | 2660 | 3660 | 4660 | 5660 | 6660 | 7660 | 8660 | |

HEAVY DUTY V-BELTS

⁴ Minimum production quantity may apply. Contact Customer Service for availability.





Tri-Power® Belts


Constructed with Gates proprietary construction, this belt has a superior combination of flex and load carrying capacity, as well as less stretch resulting in less maintenance.

Markets/Applications

Suitable for all industrial applications, particularly where small or sub-minimal sheave diameters are required.

Features/Advantages

- **Notches molded** into the belt during manufacturing make this belt well suited for drives with smaller diameter sheaves.
- **Belt Edge** is machined for even sheave groove contact resulting in less slip and wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **Patented EPDM Material** construction provides -60°F to +250°F temperature range to resist belt cracking.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



HEAVY DUTY V-BELTS


Recommended Sheaves
Multi-Duty Sheaves

Notes

Tri-Power belts are available in AX, BX, and CX sizes.
Tri-Power belts longer than 210 inches are a banded, cut notch construction.

Product No. Series 9012

AX Section



| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| AX21 | 9012-2021 | 23.0 | .15 | 10 |
| AX22 | 9012-2022 | 24.0 | .15 | 10 |
| AX23 | 9012-2023 | 25.0 | .15 | 10 |
| AX24 | 9012-2024 | 26.0 | .15 | 10 |
| AX25 | 9012-2025 | 27.0 | .15 | 10 |
| AX26 | 9012-2026 | 28.0 | .15 | 10 |
| AX27 | 9012-2027 | 29.0 | .15 | 10 |
| AX28 | 9012-2028 | 30.0 | .15 | 10 |
| AX29 | 9012-2029 | 31.0 | .15 | 10 |
| AX30 | 9012-2030 | 32.0 | .20 | 10 |
| AX31 | 9012-2031 | 33.0 | .20 | 10 |
| AX32 | 9012-2032 | 34.0 | .20 | 10 |
| AX33 | 9012-2033 | 35.0 | .20 | 10 |
| AX34 | 9012-2034 | 36.0 | .20 | 10 |
| AX35 | 9012-2035 | 37.0 | .20 | 10 |
| AX36 | 9012-2036 | 38.0 | .20 | 10 |
| AX37 | 9012-2037 | 39.0 | .20 | 10 |
| AX38 | 9012-2038 | 40.0 | .20 | 10 |
| AX39 | 9012-2039 | 41.0 | .20 | 10 |
| AX40 | 9012-2040 | 42.0 | .20 | 10 |
| AX41 | 9012-2041 | 43.0 | .25 | 10 |
| AX42 | 9012-2042 | 44.0 | .25 | 10 |
| AX43 | 9012-2043 | 45.0 | .25 | 10 |
| AX44 | 9012-2044 | 46.0 | .25 | 10 |
| AX45 | 9012-2045 | 47.0 | .25 | 10 |
| AX46 | 9012-2046 | 48.0 | .25 | 10 |
| AX47 | 9012-2047 | 49.0 | .30 | 10 |
| AX48 | 9012-2048 | 50.0 | .30 | 10 |
| AX49 | 9012-2049 | 51.0 | .30 | 10 |
| AX50 | 9012-2050 | 52.0 | .30 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| AX51 | 9012-2051 | 53.0 | .30 | 10 |
| AX52 | 9012-2052 | 54.0 | .30 | 10 |
| AX53 | 9012-2053 | 55.0 | .30 | 10 |
| AX54 | 9012-2054 | 56.0 | .30 | 10 |
| AX55 | 9012-2055 | 57.0 | .30 | 10 |
| AX56 | 9012-2056 | 58.0 | .30 | 10 |
| AX57 | 9012-2057 | 59.0 | .30 | 70 |
| AX58 | 9012-2058 | 60.0 | .30 | 10 |
| AX59 | 9012-2059 | 61.0 | .30 | 10 |
| AX60 | 9012-2060 | 62.0 | .35 | 10 |
| AX61 | 9012-2061 | 63.0 | .35 | 10 |
| AX62 | 9012-2062 | 64.0 | .35 | 10 |
| AX63 | 9012-2063 | 65.0 | .35 | 10 |
| AX64 | 9012-2064 | 66.0 | .35 | 10 |
| AX65 | 9012-2065 | 67.0 | .35 | 10 |
| AX66 | 9012-2066 | 68.0 | .35 | 10 |
| AX67 | 9012-2067 | 69.0 | .40 | 10 |
| AX68 | 9012-2068 | 70.0 | .40 | 10 |
| AX69 | 9012-2069 | 71.0 | .40 | 70 |
| AX70 | 9012-2070 | 72.0 | .40 | 10 |
| AX71 | 9012-2071 | 73.0 | .40 | 10 |
| AX72 | 9012-2072 | 74.0 | .40 | 70 |
| AX73 | 9012-2073 | 75.0 | .40 | 70 |
| AX74 | 9012-2074 | 76.0 | .40 | 70 |
| AX75 | 9012-2075 | 77.0 | .40 | 10 |
| AX76 | 9012-2076 | 78.0 | .45 | 35 |
| AX77 | 9012-2077 | 79.0 | .45 | 35 |
| AX78 | 9012-2078 | 80.0 | .45 | 10 |
| AX79 | 9012-2079 | 81.0 | .45 | 70 |
| AX80 | 9012-2080 | 82.0 | .45 | 10 |



Tri-Power® Belts

Product No. Series 9012 (continued)


AX Section (continued)

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| AX81 | 9012-2081 | 83.0 | .45 | 70 |
| AX82 | 9012-2082 | 84.0 | .45 | 70 |
| AX83 | 9012-2083 | 85.0 | .50 | 50 |
| AX84 | 9012-2084 | 86.0 | .50 | 50 |
| AX85 | 9012-2085 | 87.0 | .50 | 10 |
| AX86 | 9012-2086 | 88.0 | .50 | 10 |
| AX87 | 9012-2087 | 89.0 | .50 | 55 |
| AX88 | 9012-2088 | 90.0 | .50 | 55 |
| AX89 | 9012-2089 | 91.0 | .50 | 55 |
| AX90 | 9012-2090 | 92.0 | .50 | 10 |
| AX91 | 9012-2091 | 93.0 | .55 | 40 |
| AX92 | 9012-2092 | 94.0 | .55 | 40 |
| AX93 | 9012-2093 | 95.0 | .55 | 40 |
| AX94 | 9012-2094 | 96.0 | .55 | 40 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|-------|-------------|-----------------|----------------|-------------|
| AX95 | 9012-2095 | 97.0 | .55 | 55 |
| AX96 | 9012-2096 | 98.0 | .55 | 10 |
| AX97 | 9012-2097 | 99.0 | .55 | 50 |
| AX98 | 9012-2098 | 100.0 | .55 | 50 |
| AX100 | 9012-2100 | 102.0 | .55 | 50 |
| AX103 | 9012-2103 | 105.0 | .58 | 50 |
| AX105 | 9012-2105 | 107.0 | .60 | 10 |
| AX110 | 9012-2110 | 112.0 | .63 | 30 |
| AX112 | 9012-2112 | 114.0 | .64 | 45 |
| AX120 | 9012-2120 | 122.0 | .68 | 10 |
| AX128 | 9012-2128 | 130.0 | .72 | 35 |
| AX144 | 9012-2144 | 146.0 | .82 | 20 |
| AX173 | 9012-2173 | 175.0 | .98 | 5 |

Product No. Series 9013

BX Section



| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| BX24 | 9013-2024 | 27.0 | .25 | 30 |
| BX25 | 9013-2025 | 28.0 | .25 | 30 |
| BX26 | 9013-2026 | 29.0 | .25 | 30 |
| BX27 | 9013-2027 | 30.0 | .25 | 30 |
| BX28 | 9013-2028 | 31.0 | .30 | 30 |
| BX29 | 9013-2029 | 32.0 | .30 | 30 |
| BX30 | 9013-2030 | 33.0 | .30 | 30 |
| BX31 | 9013-2031 | 34.0 | .30 | 58 |
| BX32 | 9013-2032 | 35.0 | .30 | 58 |
| BX33 | 9013-2033 | 36.0 | .30 | 58 |
| BX34 | 9013-2034 | 37.0 | .30 | 10 |
| BX35 | 9013-2035 | 38.0 | .35 | 10 |
| BX36 | 9013-2036 | 39.0 | .35 | 10 |
| BX37 | 9013-2037 | 40.0 | .35 | 58 |
| BX38 | 9013-2038 | 41.0 | .35 | 10 |
| BX39 | 9013-2039 | 42.0 | .35 | 58 |
| BX40 | 9013-2040 | 43.0 | .35 | 10 |
| BX41 | 9013-2041 | 44.0 | .35 | 58 |
| BX42 | 9013-2042 | 45.0 | .40 | 10 |
| BX43 | 9013-2043 | 46.0 | .40 | 10 |
| BX44 | 9013-2044 | 47.0 | .40 | 10 |
| BX45 | 9013-2045 | 48.0 | .45 | 10 |
| BX46 | 9013-2046 | 49.0 | .45 | 10 |
| BX47 | 9013-2047 | 50.0 | .45 | 10 |
| BX48 | 9013-2048 | 51.0 | .45 | 10 |
| BX49 | 9013-2049 | 52.0 | .45 | 10 |
| BX50 | 9013-2050 | 53.0 | .50 | 10 |
| BX51 | 9013-2051 | 54.0 | .50 | 10 |
| BX52 | 9013-2052 | 55.0 | .50 | 10 |
| BX53 | 9013-2053 | 56.0 | .50 | 10 |
| BX54 | 9013-2054 | 57.0 | .50 | 10 |
| BX55 | 9013-2055 | 58.0 | .50 | 10 |
| BX56 | 9013-2056 | 59.0 | .55 | 10 |
| BX57 | 9013-2057 | 60.0 | .55 | 10 |
| BX58 | 9013-2058 | 61.0 | .55 | 10 |
| BX59 | 9013-2059 | 62.0 | .55 | 10 |
| BX60 | 9013-2060 | 63.0 | .55 | 10 |
| BX61 | 9013-2061 | 64.0 | .60 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|------|-------------|-----------------|----------------|-------------|
| BX62 | 9013-2062 | 65.0 | .60 | 10 |
| BX63 | 9013-2063 | 66.0 | .60 | 10 |
| BX64 | 9013-2064 | 67.0 | .60 | 10 |
| BX65 | 9013-2065 | 68.0 | .60 | 10 |
| BX66 | 9013-2066 | 69.0 | .60 | 10 |
| BX67 | 9013-2067 | 70.0 | .60 | 10 |
| BX68 | 9013-2068 | 71.0 | .65 | 10 |
| BX69 | 9013-2069 | 72.0 | .65 | 10 |
| BX70 | 9013-2070 | 73.0 | .65 | 10 |
| BX71 | 9013-2071 | 74.0 | .65 | 10 |
| BX72 | 9013-2072 | 75.0 | .70 | 10 |
| BX73 | 9013-2073 | 76.0 | .70 | 10 |
| BX74 | 9013-2074 | 77.0 | .70 | 10 |
| BX75 | 9013-2075 | 78.0 | .70 | 10 |
| BX76 | 9013-2076 | 79.0 | .70 | 10 |
| BX77 | 9013-2077 | 80.0 | .75 | 10 |
| BX78 | 9013-2078 | 81.0 | .75 | 10 |
| BX79 | 9013-2079 | 82.0 | .75 | 10 |
| BX80 | 9013-2080 | 83.0 | .75 | 10 |
| BX81 | 9013-2081 | 84.0 | .75 | 10 |
| BX82 | 9013-2082 | 85.0 | .75 | 10 |
| BX83 | 9013-2083 | 86.0 | .80 | 10 |
| BX84 | 9013-2084 | 87.0 | .80 | 10 |
| BX85 | 9013-2085 | 88.0 | .80 | 10 |
| BX86 | 9013-2086 | 89.0 | .80 | 10 |
| BX87 | 9013-2087 | 90.0 | .80 | 10 |
| BX88 | 9013-2088 | 91.0 | .80 | 10 |
| BX89 | 9013-2089 | 92.0 | .80 | 10 |
| BX90 | 9013-2090 | 93.0 | .85 | 10 |
| BX91 | 9013-2091 | 94.0 | .85 | 10 |
| BX92 | 9013-2092 | 95.0 | .85 | 10 |
| BX93 | 9013-2093 | 96.0 | .85 | 10 |
| BX94 | 9013-2094 | 97.0 | .85 | 10 |
| BX95 | 9013-2095 | 98.0 | .90 | 10 |
| BX96 | 9013-2096 | 99.0 | .90 | 10 |
| BX97 | 9013-2097 | 100.0 | .90 | 10 |
| BX98 | 9013-2098 | 101.0 | .90 | 30 |
| BX99 | 9013-2099 | 102.0 | .90 | 10 |

HEAVY DUTY V-BELTS



**Tri-Power® Belts****Product No. Series 9013 (continued)****BX Section (continued)**


| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|-------|-------------|-----------------|----------------|-------------|
| BX100 | 9013-2100 | 103.0 | .95 | 10 |
| BX103 | 9013-2103 | 106.0 | .95 | 10 |
| BX105 | 9013-2105 | 108.0 | .95 | 10 |
| BX106 | 9013-2106 | 109.0 | .95 | 30 |
| BX108 | 9013-2108 | 111.0 | .95 | 10 |
| BX110 | 9013-2110 | 113.0 | 1.00 | 30 |
| BX112 | 9013-2112 | 115.0 | 1.00 | 10 |
| BX113 | 9013-2113 | 116.0 | 1.05 | 30 |
| BX115 | 9013-2115 | 118.0 | 1.05 | 10 |
| BX116 | 9013-2116 | 119.0 | 1.05 | 10 |
| BX120 | 9013-2120 | 123.0 | 1.10 | 10 |
| BX123 | 9013-2123 | 126.0 | 1.10 | 10 |
| BX124 | 9013-2124 | 127.0 | 1.10 | 10 |
| BX128 | 9013-2128 | 131.0 | 1.15 | 10 |
| BX133 | 9013-2133 | 136.0 | 1.20 | 10 |
| BX136 | 9013-2136 | 139.0 | 1.20 | 10 |

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|-------|-------------|-----------------|----------------|-------------|
| BX140 | 9013-2140 | 143.0 | 1.25 | 10 |
| BX144 | 9013-2144 | 147.0 | 1.30 | 10 |
| BX148 | 9013-2148 | 151.0 | 1.33 | 10 |
| BX150 | 9013-2150 | 153.0 | 1.35 | 10 |
| BX158 | 9013-2158 | 161.0 | 1.43 | 10 |
| BX162 | 9013-2162 | 165.0 | 1.45 | 10 |
| BX173 | 9013-2173 | 176.0 | 1.55 | 10 |
| BX180 | 9013-2180 | 183.0 | 1.65 | 15 |
| BX195 | 9013-2195 | 198.0 | 1.80 | 15 |
| BX205 | 9013-2205 | 208.0 | 2.10 | 10 |
| BX210 | 9013-2210 | 213.0 | 2.20 | 15 |
| BX225 | 9013-2225 | 227.0 | 2.40 | 10 |
| BX255 | 9013-2255 | 257.0 | 2.95 | 10 |
| BX270 | 9013-2270 | 272.0 | 3.20 | 5 |
| BX300 | 9013-2300 | 302.0 | 3.80 | 5 |

HEAVY DUTY V-BELTS

Product No. Series 9014**CX Section**

| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|-------|-------------|-----------------|----------------|-------------|
| CX51 | 9014-2051 | 55.0 | 1.00 | 30 |
| CX60 | 9014-2060 | 64.0 | 1.07 | 25 |
| CX68 | 9014-2068 | 72.0 | 1.25 | 10 |
| CX75 | 9014-2075 | 79.0 | 1.35 | 10 |
| CX78 | 9014-2078 | 82.0 | 1.39 | 30 |
| CX81 | 9014-2081 | 85.0 | 1.41 | 10 |
| CX83 | 9014-2083 | 87.0 | 1.43 | 30 |
| CX85 | 9014-2085 | 89.0 | 1.45 | 10 |
| CX90 | 9014-2090 | 94.0 | 1.55 | 10 |
| CX96 | 9014-2096 | 100.0 | 1.60 | 10 |
| CX100 | 9014-2100 | 104.0 | 1.70 | 15 |
| CX101 | 9014-2101 | 105.0 | 1.75 | 15 |
| CX105 | 9014-2105 | 109.0 | 1.80 | 10 |
| CX106 | 9014-2106 | 110.0 | 1.80 | 15 |
| CX109 | 9014-2109 | 113.0 | 1.85 | 10 |
| CX112 | 9014-2112 | 116.0 | 1.92 | 10 |
| CX115 | 9014-2115 | 119.0 | 1.95 | 10 |
| CX120 | 9014-2120 | 124.0 | 2.00 | 10 |
| CX123 | 9014-2123 | 127.0 | 2.10 | 10 |
| CX128 | 9014-2128 | 132.0 | 2.15 | 10 |



| Size | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Qty Per Ctn |
|-------|-------------|-----------------|----------------|-------------|
| CX133 | 9014-2133 | 137.0 | 2.20 | 10 |
| CX136 | 9014-2136 | 140.0 | 2.31 | 10 |
| CX144 | 9014-2144 | 148.0 | 2.50 | 10 |
| CX150 | 9014-2150 | 154.0 | 2.60 | 10 |
| CX158 | 9014-2158 | 162.0 | 2.80 | 10 |
| CX162 | 9014-2162 | 166.0 | 2.90 | 10 |
| CX173 | 9014-2173 | 177.0 | 3.20 | 10 |
| CX180 | 9014-2180 | 184.0 | 3.30 | 10 |
| CX187 | 9014-2187 | 191.0 | 3.50 | 5 |
| CX190 | 9014-2190 | 194.0 | 3.55 | 5 |
| CX195 | 9014-2195 | 199.0 | 3.70 | 10 |
| CX210 | 9014-2210 | 214.0 | 4.00 | 5 |
| CX225 | 9014-2225 | 227.0 | 4.50 | 5 |
| CX240 | 9014-2240 | 242.0 | 4.90 | 5 |
| CX255 | 9014-2255 | 257.0 | 5.30 | 5 |
| CX270 | 9014-2270 | 272.0 | 5.80 | 5 |
| CX300 | 9014-2300 | 302.0 | 6.75 | 4 |
| CX330 | 9014-2330 | 332.0 | 7.90 | 4 |
| CX360 | 9014-2360 | 362.0 | 9.00 | 3 |



Metric-Power™ V-Belts

Manufactured in the Americas, these belts are made to Gates high quality global production standards.

Metric Power belts are readily available for replacement on drives that require metric cross sections.

Markets/Applications

Excellent for textile mills, machine tool and food processing applications.

Features/Advantages

- **Proprietary Construction** features an unbeatable combination of flex and load carrying capacity, reduced stretch and incredible cord adhesion properties.
- **Molded Notches** (in lengths 3,000mm and under) reduce thermal and bending stresses.
- **Flex-Bonded Cords** are chemically bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **Patented EPDM Material** construction provides -60°F to +250°F temperature range to resist belt cracking.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves


Contact the Gates Made-To-Order Metals Team.

Notes

Narrow cross sections include: XPZ/SPZ, XPA/SPA, XPB/SPB, and XPC/SPC.

Classical cross sections include 10X, 13X, and 17X.

Metric Power belts are molded notch construction in lengths 3,000mm and under. Metric Power belts are banded construction in lengths over 3,000mm.




HEAVY DUTY V-BELTS

Narrow Sizes

Product No. Series 9426

XPZ/SPZ Section



| Part No. | Product No. | Part No. | Product No. | Part No. | Product No. |
|----------|-------------|----------|-------------|----------|-------------|
| XPZ604 | 9426-10604 | XPZ900 | 9426-10900 | XPZ1202 | 9426-11202 |
| XPZ612 | 9426-10612 | XPZ912 | 9426-10912 | XPZ1210 | 9426-11210 |
| XPZ630 | 9426-10630 | XPZ925 | 9426-10925 | XPZ1212 | 9426-11212 |
| XPZ637 | 9426-10637 | XPZ937 | 9426-10937 | XPZ1227 | 9426-11227 |
| XPZ640 | 9426-10640 | XPZ950 | 9426-10950 | XPZ1237 | 9426-11237 |
| XPZ660 | 9426-10660 | XPZ962 | 9426-10962 | XPZ1250 | 9426-11250 |
| XPZ670 | 9426-10670 | XPZ987 | 9426-10987 | XPZ1262 | 9426-11262 |
| XPZ672 | 9426-10672 | XPZ1000 | 9426-11000 | XPZ1270 | 9426-11270 |
| XPZ682 | 9426-10682 | XPZ1010 | 9426-11010 | XPZ1287 | 9426-11287 |
| XPZ710 | 9426-10710 | XPZ1012 | 9426-11012 | XPZ1312 | 9426-11312 |
| XPZ722 | 9426-10722 | XPZ1024 | 9426-11024 | XPZ1320 | 9426-11320 |
| XPZ730 | 9426-10730 | XPZ1037 | 9426-11037 | XPZ1337 | 9426-11337 |
| XPZ737 | 9426-10737 | XPZ1047 | 9426-11047 | XPZ1340 | 9426-11340 |
| XPZ750 | 9426-10750 | XPZ1060 | 9426-11060 | XPZ1362 | 9426-11362 |
| XPZ758 | 9426-10758 | XPZ1077 | 9426-11077 | XPZ1387 | 9426-11387 |
| XPZ762 | 9426-10762 | XPZ1080 | 9426-11080 | XPZ1400 | 9426-11400 |
| XPZ787 | 9426-10787 | XPZ1087 | 9426-11087 | XPZ1412 | 9426-11412 |
| XPZ800 | 9426-10800 | XPZ1112 | 9426-11112 | XPZ1420 | 9426-11420 |
| XPZ812 | 9426-10812 | XPZ1120 | 9426-11120 | XPZ1430 | 9426-11430 |
| XPZ825 | 9426-10825 | XPZ1137 | 9426-11137 | XPZ1437 | 9426-11437 |
| XPZ837 | 9426-10837 | XPZ1140 | 9426-11140 | XPZ1450 | 9426-11450 |
| XPZ850 | 9426-10850 | XPZ1150 | 9426-11150 | XPZ1462 | 9426-11462 |
| XPZ862 | 9426-10862 | XPZ1162 | 9426-11162 | XPZ1470 | 9426-11470 |
| XPZ875 | 9426-10875 | XPZ1180 | 9426-11180 | XPZ1487 | 9426-11487 |
| XPZ887 | 9426-10887 | XPZ1187 | 9426-11187 | XPZ1500 | 9426-11500 |





Metric-Power™ V-Belts

Product No. Series 9426 (continued)

XPZ/SPZ Section (continued)

| Part No. | Product No. |
|----------|-------------|
| XPZ1512 | 9426-11512 |
| XPZ1520 | 9426-11520 |
| XPZ1527 | 9426-11527 |
| XPZ1537 | 9426-11537 |
| XPZ1560 | 9426-11560 |
| XPZ1562 | 9426-11562 |
| XPZ1587 | 9426-11587 |
| XPZ1600 | 9426-11600 |
| XPZ1612 | 9426-11612 |
| XPZ1637 | 9426-11637 |
| XPZ1650 | 9426-11650 |
| XPZ1662 | 9426-11662 |
| XPZ1687 | 9426-11687 |
| XPZ1700 | 9426-11700 |
| XPZ1712 | 9426-11712 |
| XPZ1737 | 9426-11737 |
| XPZ1750 | 9426-11750 |
| XPZ1762 | 9426-11762 |
| XPZ1787 | 9426-11787 |


| Part No. | Product No. |
|----------|-------------|
| XPZ1800 | 9426-11800 |
| XPZ1812 | 9426-11812 |
| XPZ1837 | 9426-11837 |
| XPZ1850 | 9426-11850 |
| XPZ1862 | 9426-11862 |
| XPZ1887 | 9426-11887 |
| XPZ1900 | 9426-11900 |
| XPZ1937 | 9426-11937 |
| XPZ1950 | 9426-11950 |
| XPZ1962 | 9426-11962 |
| XPZ1987 | 9426-11987 |
| XPZ2000 | 9426-12000 |
| XPZ2030 | 9426-12030 |
| XPZ2037 | 9426-12037 |
| XPZ2062 | 9426-12062 |
| XPZ2087 | 9426-12087 |
| XPZ2120 | 9426-12120 |
| XPZ2137 | 9426-12137 |
| XPZ2187 | 9426-12187 |

| Part No. | Product No. |
|----------|-------------|
| XPZ2240 | 9426-12240 |
| XPZ2280 | 9426-12280 |
| XPZ2287 | 9426-12287 |
| XPZ2300 | 9426-12300 |
| XPZ2360 | 9426-12360 |
| XPZ2410 | 9426-12410 |
| XPZ2437 | 9426-12437 |
| XPZ2487 | 9426-12487 |
| XPZ2500 | 9426-12500 |
| XPZ2540 | 9426-12540 |
| XPZ2650 | 9426-12650 |
| XPZ2800 | 9426-12800 |
| XPZ2840 | 9426-12840 |
| XPZ3000 | 9426-13000 |
| SPZ3150 | 9426-03150 |
| SPZ3350 | 9426-03350 |
| SPZ3550 | 9426-03550 |

HEAVY DUTY V-BELTS

Product No. Series 9420

XPA/SPA Section



| Part No. | Product No. |
|----------|-------------|
| XPA630 | 9420-10630 |
| XPA670 | 9420-10670 |
| XPA730 | 9420-10730 |
| XPA732 | 9420-10732 |
| XPA750 | 9420-10750 |
| XPA760 | 9420-10760 |
| XPA762 | 9420-10762 |
| XPA772 | 9420-10772 |
| XPA782 | 9420-10782 |
| XPA800 | 9420-10800 |
| XPA832 | 9420-10832 |
| XPA850 | 9420-10850 |
| XPA900 | 9420-10900 |
| XPA910 | 9420-10910 |
| XPA922 | 9420-10922 |
| XPA932 | 9420-10932 |
| XPA950 | 9420-10950 |
| XPA967 | 9420-10967 |
| XPA982 | 9420-10982 |
| XPA1000 | 9420-11000 |
| XPA1032 | 9420-11032 |
| XPA1060 | 9420-11060 |
| XPA1082 | 9420-11082 |
| XPA1107 | 9420-11107 |
| XPA1120 | 9420-11120 |
| XPA1132 | 9420-11132 |
| XPA1150 | 9420-11150 |
| XPA1157 | 9420-11157 |
| XPA1180 | 9420-11180 |
| XPA1207 | 9420-11207 |
| XPA1232 | 9420-11232 |
| XPA1250 | 9420-11250 |
| XPA1257 | 9420-11257 |
| XPA1272 | 9420-11272 |
| XPA1282 | 9420-11282 |
| XPA1300 | 9420-11300 |

| Part No. | Product No. |
|----------|-------------|
| XPA1307 | 9420-11307 |
| XPA1320 | 9420-11320 |
| XPA1332 | 9420-11332 |
| XPA1340 | 9420-11340 |
| XPA1357 | 9420-11357 |
| XPA1360 | 9420-11350 |
| XPA1375 | 9420-11375 |
| XPA1382 | 9420-11382 |
| XPA1400 | 9420-11400 |
| XPA1407 | 9420-11407 |
| XPA1425 | 9420-11425 |
| XPA1430 | 9420-11430 |
| XPA1432 | 9420-11432 |
| XPA1450 | 9420-11450 |
| XPA1457 | 9420-11457 |
| XPA1482 | 9420-11482 |
| XPA1500 | 9420-11500 |
| XPA1507 | 9420-11507 |
| XPA1525 | 9420-11525 |
| XPA1532 | 9420-11532 |
| XPA1550 | 9420-11550 |
| XPA1557 | 9420-11557 |
| XPA1582 | 9420-11582 |
| XPA1600 | 9420-11600 |
| XPA1607 | 9420-11607 |
| XPA1630 | 9420-11630 |
| XPA1632 | 9420-11632 |
| XPA1650 | 9420-11650 |
| XPA1657 | 9420-11657 |
| XPA1662 | 9420-11662 |
| XPA1675 | 9420-11675 |
| XPA1680 | 9420-11680 |
| XPA1682 | 9420-11682 |
| XPA1700 | 9420-11700 |
| XPA1707 | 9420-11707 |
| XPA1732 | 9420-11732 |

| Part No. | Product No. |
|----------|-------------|
| XPA1750 | 9420-11750 |
| XPA1757 | 9420-11757 |
| XPA1782 | 9420-11782 |
| XPA1800 | 9420-11800 |
| XPA1807 | 9420-11807 |
| XPA1832 | 9420-11832 |
| XPA1850 | 9420-11850 |
| XPA1857 | 9420-11857 |
| XPA1882 | 9420-11882 |
| XPA1900 | 9420-11900 |
| XPA1907 | 9420-11907 |
| XPA1932 | 9420-11932 |
| XPA1950 | 9420-11950 |
| XPA1982 | 9420-11982 |
| XPA2000 | 9420-12000 |
| XPA2032 | 9420-12032 |
| XPA2057 | 9420-12057 |
| XPA2082 | 9420-12082 |
| XPA2120 | 9420-12120 |
| XPA2132 | 9420-12132 |
| XPA2182 | 9420-12182 |
| XPA2207 | 9420-12207 |
| XPA2227 | 9420-12227 |
| XPA2232 | 9420-12232 |
| XPA2240 | 9420-12240 |
| XPA2282 | 9420-12282 |
| XPA2300 | 9420-12300 |
| XPA2307 | 9420-12307 |
| XPA2332 | 9420-12332 |
| XPA2360 | 9420-12360 |
| XPA2382 | 9420-12382 |
| XPA2430 | 9420-12430 |
| XPA2432 | 9420-12432 |
| XPA2482 | 9420-12482 |
| XPA2500 | 9420-12500 |
| XPA2532 | 9420-12532 |



Metric-Power™ V-Belts

Product No. Series 9420 (continued)

XPA/SPA Section (continued)


| Part No. | Product No. |
|----------|-------------|
| XPA2582 | 9420-12582 |
| XPA2607 | 9420-12607 |
| XPA2650 | 9420-12650 |
| XPA2682 | 9420-12682 |
| XPA2732 | 9420-12732 |
| XPA2782 | 9420-12782 |
| XPA2800 | 9420-12800 |
| XPA2832 | 9420-12832 |

| Part No. | Product No. |
|----------|-------------|
| XPA2882 | 9420-12882 |
| XPA2982 | 9420-12982 |
| XPA3000 | 9420-13000 |
| SPA3070 | 9420-03070 |
| SPA3082 | 9420-03082 |
| SPA3150 | 9420-03150 |
| SPA3182 | 9420-03182 |
| SPA3282 | 9420-03282 |

| Part No. | Product No. |
|----------|-------------|
| SPA3350 | 9420-03350 |
| SPA3482 | 9420-03482 |
| SPA3550 | 9420-03550 |
| SPA3750 | 9420-03750 |
| SPA4000 | 9420-04000 |
| SPA4250 | 9420-04250 |
| SPA4500 | 9420-04500 |

Product No. Series 9421


XPB/SPB Section



| Part No. | Product No. |
|----------|-------------|
| XPB1250 | 9421-11250 |
| XPB1260 | 9421-11260 |
| XPB1320 | 9421-11320 |
| XPB1340 | 9421-11340 |
| XPB1400 | 9421-11400 |
| XPB1410 | 9421-11410 |
| XPB1450 | 9421-11450 |
| XPB1500 | 9421-11500 |
| XPB1510 | 9421-11510 |
| XPB1590 | 9421-11590 |
| XPB1600 | 9421-11600 |
| XPB1627 | 9421-11627 |
| XPB1644 | 9421-11644 |
| XPB1690 | 9421-11690 |
| XPB1700 | 9421-11700 |
| XPB1800 | 9421-11800 |
| XPB1900 | 9421-11900 |
| XPB2000 | 9421-12000 |
| XPB2020 | 9421-12020 |

| Part No. | Product No. |
|----------|-------------|
| XPB2098 | 9421-12098 |
| XPB2120 | 9421-12120 |
| XPB2150 | 9421-12150 |
| XPB2180 | 9421-12180 |
| XPB2240 | 9421-12240 |
| XPB2280 | 9421-12280 |
| XPB2300 | 9421-12300 |
| XPB2360 | 9421-12360 |
| XPB2391 | 9421-12391 |
| XPB2410 | 9421-12410 |
| XPB2500 | 9421-12500 |
| XPB2530 | 9421-12530 |
| XPB2650 | 9421-12650 |
| XPB2680 | 9421-12680 |
| XPB2800 | 9421-12800 |
| XPB2990 | 9421-12990 |
| XPB3000 | 9421-13000 |
| SPB3150 | 9421-03150 |
| SPB3350 | 9421-03350 |

| Part No. | Product No. |
|----------|-------------|
| SPB3550 | 9421-03550 |
| SPB3750 | 9421-03750 |
| SPB3800 | 9421-03800 |
| SPB4000 | 9421-04000 |
| SPB4250 | 9421-04250 |
| SPB4500 | 9421-04500 |
| SPB4750 | 9421-04750 |
| SPB5000 | 9421-05000 |
| SPB5300 | 9421-05300 |
| SPB5600 | 9421-05600 |
| SPB6000 | 9421-06000 |
| SPB6300 | 9421-06300 |
| SPB6700 | 9421-06700 |
| SPB7100 | 9421-07100 |
| SPB7500 | 9421-07500 |
| SPB8000 | 9421-08000 |



Product No. Series 9422


XPC/SPC Section

| Part No. | Product No. |
|----------|-------------|
| XPC1800 | 9422-11800 |
| XPC2000 | 9422-12000 |
| XPC2120 | 9422-12120 |
| XPC2240 | 9422-12240 |
| XPC2360 | 9422-12360 |
| XPC2500 | 9422-12500 |
| XPC2650 | 9422-12650 |
| XPC2800 | 9422-12800 |
| XPC3000 | 9422-13000 |
| SPC3150 | 9422-03150 |
| SPC3350 | 9422-03350 |

| Part No. | Product No. |
|----------|-------------|
| SPC3550 | 9422-03550 |
| SPC3750 | 9422-03750 |
| SPC4000 | 9422-04000 |
| SPC4250 | 9422-04250 |
| SPC4500 | 9422-04500 |
| SPC4750 | 9422-04750 |
| SPC5000 | 9422-05000 |
| SPC5300 | 9422-05300 |
| SPC5600 | 9422-05600 |
| SPC6000 | 9422-06000 |
| SPC6300 | 9422-06300 |

| Part No. | Product No. |
|----------|-------------|
| SPC6700 | 9422-06700 |
| SPC7100 | 9422-07100 |
| SPC7500 | 9422-07500 |
| SPC8000 | 9422-08000 |
| SPC8500 | 9422-08500 |
| SPC9000 | 9422-09000 |
| SPC10000 | 9422-01000 |
| SPC10600 | 9422-01060 |

HEAVY DUTY V-BELTS

**Metric-Power™ V-Belts****Classical Sizes****Product No. Series 9424****10X Section**

| Part No. | Product No. |
|----------|-------------|
| 10X530LI | 9424-10530 |
| 10X540LI | 9424-10540 |
| 10X670LI | 9424-10670 |
| 10X710LI | 9424-10710 |
| 10X725LI | 9424-10725 |
| 10X730LI | 9424-10730 |
| 10X750LI | 9424-10750 |
| 10X775LI | 9424-10775 |

| Part No. | Product No. |
|-----------|-------------|
| 10X800LI | 9424-10800 |
| 10X875LI | 9424-10875 |
| 10X900LI | 9424-10900 |
| 10X925LI | 9424-10925 |
| 10X950LI | 9424-10950 |
| 10X975LI | 9424-10975 |
| 10X1000LI | 9424-10100 |
| 10X1016LI | 9424-10101 |


| Part No. | Product No. |
|-----------|-------------|
| 10X1060LI | 9424-10106 |
| 10X1100LI | 9424-10110 |
| 10X1120LI | 9424-10112 |
| 10X1180LI | 9424-10118 |
| 10X1400LI | 9424-10140 |
| 10X1422LI | 9424-10142 |
| 10X1750LI | 9424-10175 |

Product No. Series 9423 & 9424**13X Section**

| Part No. | Product No. |
|----------|-------------|
| 13X715LI | 9424-13715 |
| 13X750LI | 9424-13750 |
| 13X813LI | 9424-13813 |

| Part No. | Product No. |
|-----------|-------------|
| 13X925LI | 9424-13925 |
| 13X975LI | 9424-13975 |
| 13X2650LI | 9424-13265 |

| Part No. | Product No. |
|-----------|-------------|
| 13X4000LI | 9423-13400 |

17X Section

| Part No. | Product No. |
|-----------|-------------|
| 17X875LI | 9424-17875 |
| 17X1500LI | 9424-17150 |
| 17X1525LI | 9424-17152 |
| 17X1800LI | 9424-17180 |

| Part No. | Product No. |
|-----------|-------------|
| 17X2160LI | 9424-17216 |
| 17X2240LI | 9424-17224 |
| 17X2540LI | 9424-17254 |
| 17X3658LI | 9423-17365 |

| Part No. | Product No. |
|-----------|-------------|
| 17X8180LI | 9423-17818 |
| 17X8375LI | 9423-17837 |
| 17X8636LI | 9423-17863 |

HEAVY DUTY V-BELTS



Hi-Power® II Dubl-V Belts

This belt is designed with a unique recessed top and bottom to maintain sidewall contact, while remaining flexible for drives that require power transmission from both sides of the belt.

Markets/Applications

Suitable for all industrial serpentine applications requiring rotation reversal on some driven shafts.

Features/Advantages


- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **The Flex-Weave® Cover** is a patented construction for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- Meets RMA oil and heat resistant standards.
- Meets RMA static conductivity requirements.

Recommended Sheaves

Multi-Duty® Sheaves

Notes


Dubl-V belts are available in AA, BB, CC and DD cross sections.



HEAVY DUTY V-BELTS

Product No. Series 9052

AA Section




| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|--------------------|-------------|-------------------------|----------------|
| ¹⁵ AA51 | 9052-0051 | 53.0 | .46 |
| ¹⁵ AA55 | 9052-0055 | 57.0 | .49 |
| ¹⁵ AA60 | 9052-0060 | 62.0 | .51 |
| AA62 | 9052-0062 | 64.0 | .53 |
| AA64 | 9052-0064 | 66.0 | .53 |
| AA66 | 9052-0066 | 68.0 | .55 |
| AA68 | 9052-0068 | 70.0 | .55 |
| AA70 | 9052-0070 | 72.0 | .56 |
| AA73 | 9052-0073 | 75.0 | .58 |
| AA75 | 9052-0075 | 77.0 | .60 |
| AA78 | 9052-0078 | 80.0 | .63 |

| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-------------------------|----------------|
| AA80 | 9052-0080 | 82.0 | .65 |
| AA85 | 9052-0085 | 87.0 | .68 |
| AA88 | 9052-0088 | 90.0 | .70 |
| AA90 | 9052-0090 | 92.0 | .72 |
| AA92 | 9052-0092 | 94.0 | .75 |
| AA96 | 9052-0096 | 98.0 | .77 |
| AA105 | 9052-0105 | 107.0 | .85 |
| AA112 | 9052-0112 | 114.0 | .90 |
| AA120 | 9052-0120 | 122.0 | .98 |
| AA128 | 9052-0128 | 130.0 | 1.05 |
| AA148 | 9052-0148 | 150.0 | 1.24 |

Product No. Series 9053

BB Section



| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|--------------------|-------------|-------------------------|----------------|
| ¹⁵ BB35 | 9053-0035 | 38.0 | .60 |
| ¹⁵ BB38 | 9053-0038 | 41.0 | .63 |
| ¹⁵ BB42 | 9053-0042 | 45.0 | .65 |
| ¹⁵ BB43 | 9053-0043 | 46.0 | .67 |
| ¹⁵ BB45 | 9053-0045 | 48.0 | .71 |
| ¹⁵ BB46 | 9053-0046 | 49.0 | .73 |
| ¹⁵ BB51 | 9053-0051 | 54.0 | .75 |
| ¹⁵ BB53 | 9053-0053 | 56.0 | .78 |
| ¹⁵ BB55 | 9053-0055 | 58.0 | .81 |
| ¹⁵ BB60 | 9053-0060 | 63.0 | .86 |

| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-------------------------|----------------|
| BB64 | 9053-0064 | 67.0 | .90 |
| BB66 | 9053-0066 | 69.0 | .92 |
| BB68 | 9053-0068 | 71.0 | .94 |
| BB71 | 9053-0071 | 74.0 | .98 |
| BB72 | 9053-0072 | 75.0 | 1.01 |
| BB73 | 9053-0073 | 76.0 | 1.02 |
| BB74 | 9053-0074 | 77.0 | 1.04 |
| BB75 | 9053-0075 | 78.0 | 1.05 |
| BB81 | 9053-0081 | 84.0 | 1.12 |
| BB83 | 9053-0083 | 86.0 | 1.16 |

¹⁵ Not included in V-80 matching program.



**Hi-Power® II Dubl-V Belts****Product No. Series 9053 (continued)****BB Section (continued)**


| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-------------------------|----------------|
| BB85 | 9053-0085 | 88.0 | 1.18 |
| BB90 | 9053-0090 | 93.0 | 1.20 |
| BB92 | 9053-0092 | 95.0 | 1.22 |
| BB93 | 9053-0093 | 96.0 | 1.24 |
| BB94 | 9053-0094 | 97.0 | 1.26 |
| BB96 | 9053-0096 | 99.0 | 1.30 |
| BB97 | 9053-0097 | 100.0 | 1.32 |
| BB100 | 9053-0100 | 103.0 | 1.35 |
| BB103 | 9053-0103 | 106.0 | 1.40 |
| BB105 | 9053-0105 | 108.0 | 1.43 |
| BB107 | 9053-0107 | 110.0 | 1.48 |
| BB108 | 9053-0108 | 111.0 | 1.49 |
| BB111 | 9053-0111 | 114.0 | 1.50 |
| BB112 | 9053-0112 | 115.0 | 1.51 |
| BB114 | 9053-0114 | 117.0 | 1.53 |
| BB116 | 9053-0116 | 119.0 | 1.57 |
| BB117 | 9053-0117 | 120.0 | 1.59 |
| BB118 | 9053-0118 | 121.0 | 1.61 |
| BB120 | 9053-0120 | 123.0 | 1.63 |
| BB122 | 9053-0122 | 125.0 | 1.65 |
| BB123 | 9053-0123 | 126.0 | 1.67 |
| BB124 | 9053-0124 | 127.0 | 1.69 |
| BB127 | 9053-0127 | 130.0 | 1.71 |
| BB128 | 9053-0128 | 131.0 | 1.73 |
| BB129 | 9053-0129 | 132.0 | 1.75 |
| BB130 | 9053-0130 | 133.0 | 1.79 |
| BB133 | 9053-0133 | 136.0 | 1.83 |

| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|---------------------|-------------|-------------------------|----------------|
| BB135 | 9053-0135 | 138.0 | 1.86 |
| BB136 | 9053-0136 | 139.0 | 1.90 |
| BB140 | 9053-0140 | 143.0 | 1.95 |
| BB144 | 9053-0144 | 147.0 | 1.98 |
| BB155 | 9053-0155 | 158.0 | 2.13 |
| BB158 | 9053-0158 | 161.0 | 2.16 |
| BB162 | 9053-0162 | 165.0 | 2.20 |
| BB168 | 9053-0168 | 171.0 | 2.22 |
| BB169 | 9053-0169 | 172.0 | 2.24 |
| BB170 | 9053-0170 | 173.0 | 2.26 |
| BB173 | 9053-0173 | 176.0 | 2.31 |
| BB180 | 9053-0180 | 183.0 | 2.35 |
| BB182 | 9053-0182 | 185.0 | 2.40 |
| BB187 | 9053-0187 | 190.0 | 2.50 |
| BB190 | 9053-0190 | 193.0 | 2.56 |
| BB195 | 9053-0195 | 198.0 | 2.66 |
| BB210 | 9053-0210 | 213.0 | 2.86 |
| BB225 | 9053-0225 | 226.0 | 3.08 |
| BB226 | 9053-0226 | 227.0 | 3.10 |
| BB228 | 9053-0228 | 229.0 | 3.12 |
| BB230 | 9053-0230 | 231.0 | 3.15 |
| BB240 | 9053-0240 | 241.0 | 3.38 |
| BB255 | 9053-0255 | 256.0 | 3.60 |
| BB270 | 9053-0270 | 271.0 | 3.85 |
| BB277 | 9053-0277 | 278.0 | 3.95 |
| BB285 | 9053-0285 | 286.0 | 4.05 |
| ¹⁵ BB300 | 9053-0300 | 301.0 | 4.34 |

HEAVY DUTY V-BELTS

Product No. Series 9054**CC Section**


| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-------------------------|----------------|
| CC75 | 9054-0075 | 79.0 | 1.85 |
| CC81 | 9054-0081 | 85.0 | 1.95 |
| CC85 | 9054-0085 | 89.0 | 2.05 |
| CC90 | 9054-0090 | 94.0 | 2.15 |
| CC96 | 9054-0096 | 100.0 | 2.35 |
| CC105 | 9054-0105 | 109.0 | 2.50 |
| CC112 | 9054-0112 | 116.0 | 2.70 |
| CC120 | 9054-0120 | 124.0 | 3.00 |
| CC128 | 9054-0128 | 132.0 | 3.17 |
| CC136 | 9054-0136 | 140.0 | 3.40 |
| CC140 | 9054-0140 | 144.0 | 3.50 |
| CC144 | 9054-0144 | 148.0 | 3.60 |
| CC158 | 9054-0158 | 162.0 | 3.95 |



| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|---------------------|-------------|-------------------------|----------------|
| CC162 | 9054-0162 | 166.0 | 4.05 |
| CC173 | 9054-0173 | 177.0 | 4.40 |
| CC180 | 9054-0180 | 184.0 | 4.50 |
| CC195 | 9054-0195 | 199.0 | 5.00 |
| CC210 | 9054-0210 | 214.0 | 5.40 |
| CC240 | 9054-0240 | 242.0 | 6.10 |
| CC255 | 9054-0255 | 257.0 | 6.40 |
| CC270 | 9054-0270 | 272.0 | 6.80 |
| ¹⁵ CC300 | 9054-0300 | 302.0 | 7.60 |
| ¹⁵ CC330 | 9054-0330 | 332.0 | 8.40 |
| ¹⁵ CC360 | 9054-0360 | 362.0 | 9.20 |
| ¹⁵ CC390 | 9054-0390 | 392.0 | 9.90 |
| ¹⁵ CC420 | 9054-0420 | 422.0 | 10.70 |

¹⁵ Not included in V-80 matching program.

Hi-Power® II Dubl-V Belts



Product No. Series 9055

DD Section

| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|--------------------|-------------|-------------------------|----------------|
| ⁴ DD270 | 9055-0270 | 273.0 | 15.20 |
| ⁴ DD300 | 9055-0300 | 303.0 | 16.35 |

| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|--------------------|-------------|-------------------------|----------------|
| ⁴ DD360 | 9055-0360 | 363.0 | 19.15 |

HEAVY DUTY V-BELTS

⁴ Minimum production quantity may apply. Contact Customer Service for availability.



Dubl-V Feather Picker Belts


Dubl-V Feather Picker Belts are double v-belts engineered to meet the demands of poultry processing equipment.

Markets/Applications

Dubl-V Feather Picker belts are specially designed for maximum performance on de-feathering machines found in the poultry industry. Field tests on de-feathering machines prove Gates belts run 3-6 months or more compared to similar competitor belts that last only 1-3 weeks. Belt is suitable for industrial serpentine applications requiring power transmission from either side of the belt.

Features/Advantages

- Unique **Flexible Performance (FP)** construction for superior flexibility and fatigue resistance on small diameter sheaves, during back bends and under mis-alignment.
- **Clean Running**, fully wrapped construction, eliminates debris and dust concerns found in competitive double notch belts.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **The Flex-Weave® Cover** is a patented construction for longer cover life, providing extended protection to the core of the belt from oil, dirt and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



HEAVY DUTY V-BELTS

Size Range/Availability

- **Made-To-Order Belt Sizes** are available in lengths: AA section from 43 to 210 inches and BB section from 35 to 660 inches.

Recommended Sheaves
Multi-Duty® Sheaves

Product No. Series 9240

AA Section

| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-------------------------|----------------|
| AA148FP | 9240-6179 | 150.0 | 1.18 |

Product No. Series 9658

BB Section

| Part No. | Product No. | Belt Nominal E.L. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-------------------------|----------------|
| BB155FP | 9658-0077 | 158.0 | 2.04 |
| BB158FP | 9658-0071 | 161.0 | 2.07 |
| BB172FP | 9658-0075 | 175.0 | 2.26 |

PowerBack® Belts

Specifically designed for live roller conveyor applications, this modified "B" section belt has a special flat back to increase top surface contact with Roll and from Roll to Roll.

Markets/Applications

Ideal for roll-to-roll drives in conveyor applications.

Features/Advantages


- **Flat Back** provides greater top surface contact with roll and from roll to roll.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.

Recommended Sheaves

Multi-Duty Sheaves

Notes

PowerBack belts are available in B cross section.



HEAVY DUTY V-BELTS

Product No. Series 9003

B Section

| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| B101PB | 9003-8101 | 104.0 | 1.10 |
| B113PB | 9003-8113 | 116.0 | 1.20 |
| B125PB | 9003-8125 | 128.0 | 1.35 |
| B137PB | 9003-8137 | 140.0 | 1.50 |
| B149PB | 9003-8149 | 152.0 | 1.60 |
| B161PB | 9003-8161 | 164.0 | 1.70 |
| B185PB | 9003-8185 | 188.0 | 1.95 |
| B197PB | 9003-8197 | 200.0 | 2.10 |
| B211PB | 9003-8211 | 212.0 | 2.20 |
| B247PB | 9003-8247 | 248.0 | 2.60 |
| B259PB | 9003-8259 | 260.0 | 2.70 |
| B315PB | 9003-8315 | 316.0 | 3.20 |

Power Curve® Belts

The conveyor turn is a demanding application in which V-belts face varying degrees of transverse bending. The Gates Power Curve belt was specifically engineered to handle the bending and twisting of this demanding application.

Markets/Applications


Recommended for power turn conveyor beds and automotive manufacturing conveyors.

Features/Advantages

- Unique **under cord** construction allows greater than four times the flexibility of Gates standard B section belt.
- Gates patented **Flex-Weave® Cover** increases flexibility and reduces cover stress for longer life.
- Meets RMA **oil and heat resistant** standards.

Recommended Sheaves
Multi-Duty® Sheaves

Notes
Power Curve belts are available in B cross section.



HEAVY DUTY V-BELTS

Product No. Series 9003

B Section

| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| B112PC | 9003-7112 | 115.0 | 1.30 |
| B116PC | 9003-7116 | 119.0 | 1.30 |
| B120PC | 9003-7120 | 123.0 | 1.35 |
| B124PC | 9003-7124 | 127.0 | 1.40 |
| B128PC | 9003-7128 | 131.0 | 1.45 |
| B133PC | 9003-7133 | 136.0 | 1.50 |
| B136PC | 9003-7136 | 139.0 | 1.52 |
| B140PC | 9003-7140 | 143.0 | 1.60 |
| B144PC | 9003-7144 | 147.0 | 1.65 |
| B150PC | 9003-7150 | 153.0 | 1.70 |
| B154PC | 9003-7154 | 157.0 | 1.75 |
| B158PC | 9003-7158 | 161.0 | 1.77 |
| B162PC | 9003-7162 | 165.0 | 1.80 |
| B173PC | 9003-7173 | 176.0 | 1.96 |
| B180PC | 9003-7180 | 183.0 | 2.00 |
| B190PC | 9003-7190 | 193.0 | 2.15 |
| B195PC | 9003-7195 | 198.0 | 2.20 |
| B205PC | 9003-7205 | 208.0 | 2.30 |
| B210PC | 9003-7210 | 213.0 | 2.30 |

| Part No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------------|----------------|
| B225PC | 9003-7225 | 226.0 | 2.50 |
| B240PC | 9003-7240 | 241.0 | 2.65 |
| B248PC | 9003-7248 | 249.0 | 2.75 |
| B255PC | 9003-7255 | 256.0 | 2.80 |
| B270PC | 9003-7270 | 271.0 | 2.95 |
| B285PC | 9003-7285 | 286.0 | 3.15 |
| B300PC | 9003-7300 | 301.0 | 3.35 |
| B315PC | 9003-7315 | 316.0 | 3.50 |
| B330PC | 9003-7330 | 331.0 | 3.70 |
| B345PC | 9003-7345 | 346.0 | 3.80 |
| B360PC | 9003-7360 | 361.0 | 3.95 |
| B375PC | 9003-7375 | 376.0 | 4.15 |
| B390PC | 9003-7390 | 391.0 | 4.40 |
| B405PC | 9003-7405 | 406.0 | 4.50 |
| B420PC | 9003-7420 | 421.0 | 4.65 |
| B430PC | 9003-7430 | 431.0 | 4.80 |
| B445PC | 9003-7445 | 446.0 | 4.95 |
| B460PC | 9003-7460 | 461.0 | 5.20 |
| B500PC | 9003-7500 | 501.0 | 5.70 |

Micro-V® Belts


Exclusive truncated (shortened) profile gives Gates Micro-V belts increased flexibility, reduced heat buildup and allows performance at higher speeds on smaller diameter sheaves.

Markets/Applications

Well suited for applications such as appliances, outdoor power equipment, roller conveyors, machine tools, medical equipment and exercise equipment.

Features/Advantages

- **Fiber Reinforced Ribs** for excellent wear resistance.
- **High Modulus, low stretch tensile member** for added strength and dependability.
- Smooth Running for minimal vibration at high speeds.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



Size Range/Availability

- Common belt rib widths listed below are readily available from inventory.
- **All Other Rib Widths** can quickly be slit from sleeves at Gates Service Centers for belt lengths: J-section 27.0 to 86.0 inches, L-section all sizes, and M-section all sizes.

Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.

Notes


Belt part number is constructed by using the effective length in tenths of an inch, followed by cross section and the number of ribs. For Example, 780L16 represents a 78 inch effective length, L cross section and 16 ribs.

Belt product number is 8 or 9 digits constructed of product number series prefix, belt length and number of ribs. For example, 917307816 represents an "L" section Micro-V (9173) that is 78 inches (078) long with 16 ribs (16).

HEAVY DUTY V-BELTS

Product No. Series 9171

J SECTION



J Section

| Size | Effective Length (In.) | Wt. Per Rib (Lbs.) | Standard Rib Configurations | | | | | | Max. No. of Ribs |
|------|------------------------|--------------------|-----------------------------|------------|------------|------------|------------|------------|------------------|
| | | | 4 Rib | 6 Rib | 8 Rib | 10 Rib | 16 Rib | 20 Rib | |
| 180J | 18.0 | .008 | 9171-01804 | 9171-01806 | 9171-01808 | 9171-01810 | 9171-01816 | 9171-01820 | 30 |
| 190J | 19.0 | .009 | 9171-01904 | 9171-01906 | 9171-01908 | 9171-01910 | 9171-01916 | 9171-01920 | 30 |
| 200J | 20.0 | .009 | 9171-02004 | 9171-02006 | 9171-02008 | 9171-02010 | 9171-02016 | 9171-02020 | 30 |
| 220J | 22.0 | .010 | 9171-02204 | 9171-02206 | 9171-02208 | 9171-02210 | 9171-02216 | 9171-02220 | 211 |
| 230J | 23.0 | .011 | 9171-02304 | 9171-02306 | 9171-02308 | 9171-02310 | 9171-02316 | 9171-02320 | 211 |
| 240J | 24.0 | .011 | 9171-02404 | 9171-02406 | 9171-02408 | 9171-02410 | 9171-02416 | 9171-02420 | 211 |
| 260J | 26.0 | .012 | 9171-02604 | 9171-02606 | 9171-02608 | 9171-02610 | 9171-02616 | 9171-02620 | 211 |
| 280J | 28.0 | .013 | 9171-02804 | 9171-02806 | 9171-02808 | 9171-02810 | 9171-02816 | 9171-02820 | 211 |
| 290J | 29.0 | .014 | 9171-02904 | 9171-02906 | 9171-02908 | 9171-02910 | 9171-02916 | 9171-02920 | 211 |
| 300J | 30.0 | .014 | 9171-03004 | 9171-03006 | 9171-03008 | 9171-03010 | 9171-03016 | 9171-03020 | 211 |
| 320J | 32.0 | .015 | 9171-03204 | 9171-03206 | 9171-03208 | 9171-03210 | 9171-03216 | 9171-03220 | 211 |
| 330J | 33.0 | .016 | 9171-03304 | 9171-03306 | 9171-03308 | 9171-03310 | 9171-03316 | 9171-03320 | 211 |
| 340J | 34.0 | .016 | 9171-03404 | 9171-03406 | 9171-03408 | 9171-03410 | 9171-03416 | 9171-03420 | 211 |
| 360J | 36.0 | .017 | 9171-03604 | 9171-03606 | 9171-03608 | 9171-03610 | 9171-03616 | 9171-03620 | 211 |
| 380J | 38.0 | .018 | 9171-03804 | 9171-03806 | 9171-03808 | 9171-03810 | 9171-03816 | 9171-03820 | 211 |
| 400J | 40.0 | .019 | 9171-04004 | 9171-04006 | 9171-04008 | 9171-04010 | 9171-04016 | 9171-04020 | 211 |
| 410J | 41.0 | .019 | 9171-04104 | 9171-04106 | 9171-04108 | 9171-04110 | 9171-04116 | 9171-04120 | 211 |
| 420J | 42.0 | .020 | 9171-04204 | 9171-04206 | 9171-04208 | 9171-04210 | 9171-04216 | 9171-04220 | 211 |
| 430J | 43.0 | .020 | 9171-04304 | 9171-04306 | 9171-04308 | 9171-04310 | 9171-04316 | 9171-04320 | 211 |
| 440J | 44.0 | .021 | 9171-04404 | 9171-04406 | 9171-04408 | 9171-04410 | 9171-04416 | 9171-04420 | 211 |
| 460J | 46.0 | .022 | 9171-04604 | 9171-04606 | 9171-04608 | 9171-04610 | 9171-04616 | 9171-04620 | 211 |
| 480J | 48.0 | .023 | 9171-04804 | 9171-04806 | 9171-04808 | 9171-04810 | 9171-04816 | 9171-04820 | 211 |
| 490J | 49.0 | .023 | 9171-04904 | 9171-04906 | 9171-04908 | 9171-04910 | 9171-04916 | 9171-04920 | 211 |
| 500J | 50.0 | .024 | 9171-05004 | 9171-05006 | 9171-05008 | 9171-05010 | 9171-05016 | 9171-05020 | 211 |
| 520J | 52.0 | .024 | 9171-05204 | 9171-05206 | 9171-05208 | 9171-05210 | 9171-05216 | 9171-05220 | 211 |
| 550J | 55.0 | .026 | 9171-05504 | 9171-05506 | 9171-05508 | 9171-05510 | 9171-05516 | 9171-05520 | 211 |
| 580J | 58.0 | .027 | 9171-05804 | 9171-05806 | 9171-05808 | 9171-05810 | 9171-05816 | 9171-05820 | 211 |
| 610J | 61.0 | .029 | 9171-06104 | 9171-06106 | 9171-06108 | 9171-06110 | 9171-06116 | 9171-06120 | 211 |
| 650J | 65.0 | .031 | 9171-06504 | 9171-06506 | 9171-06508 | 9171-06510 | 9171-06516 | 9171-06520 | 211 |
| 730J | 73.0 | .034 | 9171-07304 | 9171-07306 | 9171-07308 | 9171-07310 | 9171-07316 | 9171-07320 | 211 |





Micro-V® Belts


Product No. Series 9171 (continued)

J Section (continued)

| Size | Effective Length (In.) | Wt. Per Rib (Lbs.) | Standard Rib Configurations | | | | | | Max. No. of Ribs |
|--------|------------------------|--------------------|-----------------------------|------------|------------|------------|------------|------------|------------------|
| | | | 4 Rib | 6 Rib | 8 Rib | 10 Rib | 16 Rib | 20 Rib | |
| 870J | 87.0 | .041 | 9171-08704 | 9171-08706 | 9171-08708 | 9171-08710 | 9171-08716 | 9171-08720 | 211 |
| 3 920J | 92.0 | .043 | 9171-09204 | 9171-09206 | 9171-09208 | 9171-09210 | — | — | 10 |
| 3 980J | 98.0 | .046 | 9171-09804 | 9171-09806 | 9171-09808 | 9171-09810 | — | — | 10 |

Product No. Series 9173

L Section



| Size | Effective Length (In.) | Wt. Per Rib (Lbs.) | Standard Rib Configurations | | | | | | | | Max. No. of Ribs |
|-------|------------------------|--------------------|-----------------------------|------------|------------|------------|------------|------------|------------|------------|------------------|
| | | | 6 Rib | 8 Rib | 10 Rib | 12 Rib | 14 Rib | 16 Rib | 18 Rib | 20 Rib | |
| 500L | 50.0 | .087 | 9173-05006 | 9173-05008 | 9173-05010 | 9173-05012 | 9173-05014 | 9173-05016 | 9173-05018 | 9173-05020 | 105 |
| 540L | 54.0 | .093 | 9173-05406 | 9173-05408 | 9173-05410 | 9173-05412 | 9173-05414 | 9173-05416 | 9173-05418 | 9173-05420 | 105 |
| 560L | 56.0 | .097 | 9173-05606 | 9173-05608 | 9173-05610 | 9173-05612 | 9173-05614 | 9173-05616 | 9173-05618 | 9173-05620 | 105 |
| 615L | 61.5 | .106 | 9173-06106 | 9173-06108 | 9173-06110 | 9173-06112 | 9173-06114 | 9173-06116 | 9173-06118 | 9173-06120 | 105 |
| 635L | 63.5 | .110 | 9173-06306 | 9173-06308 | 9173-06310 | 9173-06312 | 9173-06314 | 9173-06316 | 9173-06318 | 9173-06320 | 105 |
| 655L | 65.5 | .113 | 9173-06506 | 9173-06508 | 9173-06510 | 9173-06512 | 9173-06514 | 9173-06516 | 9173-06518 | 9173-06520 | 105 |
| 675L | 67.5 | .117 | 9173-06706 | 9173-06708 | 9173-06710 | 9173-06712 | 9173-06714 | 9173-06716 | 9173-06718 | 9173-06720 | 105 |
| 695L | 69.5 | .120 | 9173-06906 | 9173-06908 | 9173-06910 | 9173-06912 | 9173-06914 | 9173-06916 | 9173-06918 | 9173-06920 | 105 |
| 725L | 72.5 | .125 | 9173-07206 | 9173-07208 | 9173-07210 | 9173-07212 | 9173-07214 | 9173-07216 | 9173-07218 | 9173-07220 | 105 |
| 765L | 76.5 | .132 | 9173-07606 | 9173-07608 | 9173-07610 | 9173-07612 | 9173-07614 | 9173-07616 | 9173-07618 | 9173-07620 | 105 |
| 780L | 78.0 | .135 | 9173-07806 | 9173-07808 | 9173-07810 | 9173-07812 | 9173-07814 | 9173-07816 | 9173-07818 | 9173-07820 | 105 |
| 795L | 79.5 | .138 | 9173-07906 | 9173-07908 | 9173-07910 | 9173-07912 | 9173-07914 | 9173-07916 | 9173-07918 | 9173-07920 | 105 |
| 815L | 81.5 | .141 | 9173-08106 | 9173-08108 | 9173-08110 | 9173-08112 | 9173-08114 | 9173-08116 | 9173-08118 | 9173-08120 | 105 |
| 840L | 84.0 | .145 | 9173-08406 | 9173-08408 | 9173-08410 | 9173-08412 | 9173-08414 | 9173-08416 | 9173-08418 | 9173-08420 | 105 |
| 865L | 86.5 | .150 | 9173-08606 | 9173-08608 | 9173-08610 | 9173-08612 | 9173-08614 | 9173-08616 | 9173-08618 | 9173-08620 | 105 |
| 915L | 91.5 | .158 | 9173-09106 | 9173-09108 | 9173-09110 | 9173-09112 | 9173-09114 | 9173-09116 | 9173-09118 | 9173-09120 | 60 |
| 975L | 97.5 | .169 | 9173-09706 | 9173-09708 | 9173-09710 | 9173-09712 | 9173-09714 | 9173-09716 | 9173-09718 | 9173-09720 | 60 |
| 990L | 99.0 | .171 | 9173-09906 | 9173-09908 | 9173-09910 | 9173-09912 | 9173-09914 | 9173-09916 | 9173-09918 | 9173-09920 | 60 |
| 1065L | 106.5 | .184 | 9173-10606 | 9173-10608 | 9173-10610 | 9173-10612 | 9173-10614 | 9173-10616 | 9173-10618 | 9173-10620 | 60 |
| 1120L | 112.0 | .194 | 9173-11206 | 9173-11208 | 9173-11210 | 9173-11212 | 9173-11214 | 9173-11216 | 9173-11218 | 9173-11220 | 60 |
| 1150L | 115.0 | .199 | 9173-11506 | 9173-11508 | 9173-11510 | 9173-11512 | 9173-11514 | 9173-11516 | 9173-11518 | 9173-11520 | 60 |
| 1215L | 121.5 | .201 | 9173-12106 | 9173-12108 | 9173-12110 | 9173-12112 | 9173-12114 | 9173-12116 | 9173-12118 | 9173-12120 | 60 |
| 1230L | 123.0 | .213 | 9173-12306 | 9173-12308 | 9173-12310 | 9173-12312 | 9173-12314 | 9173-12316 | 9173-12318 | 9173-12320 | 60 |
| 1295L | 129.5 | .224 | 9173-12906 | 9173-12908 | 9173-12910 | 9173-12912 | 9173-12914 | 9173-12916 | 9173-12918 | 9173-12920 | 60 |
| 1310L | 131.0 | .227 | 9173-13106 | 9173-13108 | 9173-13110 | 9173-13112 | 9173-13114 | 9173-13116 | 9173-13118 | 9173-13120 | 60 |
| 1455L | 145.5 | .252 | 9173-14506 | 9173-14508 | 9173-14510 | 9173-14512 | 9173-14514 | 9173-14516 | 9173-14518 | 9173-14520 | 60 |

M SECTION



Product No. Series 9174

M Section

| Size | Effective Length (In.) | Wt. Per Rib (Lbs.) | Standard Rib Configurations | | | | | | | Max. No. of Ribs | |
|-------|------------------------|--------------------|-----------------------------|------------|------------|------------|------------|------------|------------|------------------|--------|
| | | | 6 Rib | 8 Rib | 10 Rib | 12 Rib | 14 Rib | 16 Rib | 18 Rib | | 20 Rib |
| 900M | 90.0 | .626 | 9174-09006 | 9174-09008 | 9174-09010 | 9174-09012 | 9174-09014 | 9174-09016 | 9174-09018 | 9174-09020 | 30 |
| 940M | 94.0 | .653 | 9174-09406 | 9174-09408 | 9174-09410 | 9174-09412 | 9174-09414 | 9174-09416 | 9174-09418 | 9174-09420 | 30 |
| 990M | 99.0 | .688 | 9174-09906 | 9174-09908 | 9174-09910 | 9174-09912 | 9174-09914 | 9174-09916 | 9174-09918 | 9174-09920 | 30 |
| 1060M | 106.0 | .736 | 9174-10606 | 9174-10608 | 9174-10610 | 9174-10612 | 9174-10614 | 9174-10616 | 9174-10618 | 9174-10620 | 30 |
| 1115M | 111.5 | .775 | 9174-11106 | 9174-11108 | 9174-11110 | 9174-11112 | 9174-11114 | 9174-11116 | 9174-11118 | 9174-11120 | 30 |
| 1150M | 115.0 | .799 | 9174-11506 | 9174-11508 | 9174-11510 | 9174-11512 | 9174-11514 | 9174-11516 | 9174-11518 | 9174-11520 | 30 |
| 1185M | 118.5 | .824 | 9174-11806 | 9174-11808 | 9174-11810 | 9174-11812 | 9174-11814 | 9174-11816 | 9174-11818 | 9174-11820 | 30 |
| 1230M | 123.0 | .855 | 9174-12306 | 9174-12308 | 9174-12310 | 9174-12312 | 9174-12314 | 9174-12316 | 9174-12318 | 9174-12320 | 30 |
| 1310M | 131.0 | .910 | 9174-13106 | 9174-13108 | 9174-13110 | 9174-13112 | 9174-13114 | 9174-13116 | 9174-13118 | 9174-13120 | 30 |
| 1390M | 139.0 | .966 | 9174-13906 | 9174-13908 | 9174-13910 | 9174-13912 | 9174-13914 | 9174-13916 | 9174-13918 | 9174-13920 | 30 |
| 1470M | 147.0 | 1.022 | 9174-14706 | 9174-14708 | 9174-14710 | 9174-14712 | 9174-14714 | 9174-14716 | 9174-14718 | 9174-14720 | 30 |
| 1610M | 161.0 | 1.119 | 9174-16106 | 9174-16108 | 9174-16110 | 9174-16112 | 9174-16114 | 9174-16116 | 9174-16118 | 9174-16120 | 30 |
| 1650M | 165.0 | 1.147 | 9174-16506 | 9174-16508 | 9174-16510 | 9174-16512 | 9174-16514 | 9174-16516 | 9174-16518 | 9174-16520 | 30 |
| 1760M | 176.0 | 1.223 | 9174-17606 | 9174-17608 | 9174-17610 | 9174-17612 | 9174-17614 | 9174-17616 | 9174-17618 | 9174-17620 | 30 |
| 1830M | 183.0 | 1.272 | 9174-18306 | 9174-18308 | 9174-18310 | 9174-18312 | 9174-18314 | 9174-18316 | 9174-18318 | 9174-18320 | 30 |
| 1980M | 198.0 | 1.376 | 9174-19806 | 9174-19808 | 9174-19810 | 9174-19812 | 9174-19814 | 9174-19816 | 9174-19818 | 9174-19820 | 30 |
| 2130M | 213.0 | 1.480 | 9174-21306 | 9174-21308 | 9174-21310 | 9174-21312 | 9174-21314 | 9174-21316 | 9174-21318 | 9174-21320 | 30 |
| 2410M | 241.0 | 1.675 | 9174-24106 | 9174-24108 | 9174-24110 | 9174-24112 | 9174-24114 | 9174-24116 | 9174-24118 | 9174-24120 | 30 |
| 2560M | 256.0 | 1.779 | 9174-25606 | 9174-25608 | 9174-25610 | 9174-25612 | 9174-25614 | 9174-25616 | 9174-25618 | 9174-25620 | 30 |

3 Available only up to 10-rib configuration due to ground rib construction.



Micro-V[®] Belts

Product No. Series 9174 (continued)

M Section (continued)

| Size | Effective Length (In.) | Wt. Per Rib (Lbs.) | Standard Rib Configurations | | | | | | | | Max. No. of Ribs |
|-------|------------------------|--------------------|-----------------------------|------------|------------|------------|------------|------------|------------|------------|------------------|
| | | | 6 Rib | 8 Rib | 10 Rib | 12 Rib | 14 Rib | 16 Rib | 18 Rib | 20 Rib | |
| 2710M | 271.0 | 1.883 | 9174-27106 | 9174-27108 | 9174-27110 | 9174-27112 | 9174-27114 | 9174-27116 | 9174-27118 | 9174-27120 | 30 |
| 3010M | 301.0 | 2.092 | 9174-30106 | 9174-30108 | 9174-30110 | 9174-30112 | 9174-30114 | 9174-30116 | 9174-30118 | 9174-30120 | 30 |
| 3310M | 331.0 | 2.300 | 9174-33106 | 9174-33108 | 9174-33110 | 9174-33112 | 9174-33114 | 9174-33116 | 9174-33118 | 9174-33120 | 30 |
| 3610M | 361.0 | 2.509 | 9174-36106 | 9174-36108 | 9174-36110 | 9174-36112 | 9174-36114 | 9174-36116 | 9174-36118 | 9174-36120 | 30 |

HEAVY DUTY V-BELTS





G-Force® Belts

G-Force continuously variable transmission (CVT) belts use original equipment (OE) technology featuring trapezoidal top-notch and rounded cog design for superior flexibility and heat dissipation. G-Force belts are engineered for drop-in fit with OE performance and durability.

Markets/Applications


G-Force belts are specifically designed for recreational vehicles like snowmobiles and ATVs. Visit www.gates.com/gforce for an online Part Locator lookup and a recommended applications guide; or www.gatesnavigates.com for additional information.

Features/Advantages

- Exact OEM dimensions for drop-in fit with no clutch adjustments.
- Double and single cog configurations to match OEM belt designs maximizing heat control and flexibility.
- Advanced aramid tensile cords and reinforced fiber loaded rubber construction for durability and dependability.

Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.



Product No. Series 9827 & 9828

MULTI-SPEED BELTS

| Part No. | Product No. | Part No. | Product No. | Part No. | Product No. |
|----------|-------------|----------|-------------|----------|-------------|
| 03G3470 | 9827-1008 | 30G3596 | 9827-1007 | 43G4246 | 9827-1046 |
| 11G3218 | 9827-1047 | 30G3636 | 9827-1057 | 43G4266 | 9827-1045 |
| 13G3218 | 9827-1070 | 30G3750 | 9827-1002 | 43G4340 | 9827-1030 |
| 16G3332 | 9827-1055 | 31G4329 | 9828-1002 | 44G4266 | 9827-1075 |
| 19G3218 | 9827-1009 | 32G4588 | 9827-1004 | 44G4553 | 9827-1071 |
| 19G3242 | 9827-1054 | 33G4313 | 9827-1016 | 44G4714 | 9827-1079 |
| 19G3332 | 9827-1069 | 34G4238 | 9828-1005 | 44G5077 | 9827-1032 |
| 19G3982 | 9827-1011 | 36G4683 | 9827-1073 | 45G4313 | 9827-1019 |
| 19G3982E | 9827-1014 | 37G4474 | 9827-1022 | 45G4340 | 9827-1077 |
| 19G4006E | 9827-1013 | 37G4620 | 9827-1072 | 45G4368 | 9827-1040 |
| 19G4022 | 9827-1010 | 39G4266 | 9827-1029 | 45G4514 | 9827-1028 |
| 20G3982 | 9827-1050 | 39G4289 | 9828-1007 | 45G4809 | 9828-1009 |
| 20G4022 | 9827-1012 | 39G4455 | 9827-1020 | 46G3569 | 9827-1056 |
| 20G4022E | 9827-1051 | 39G4620 | 9827-1023 | 46G3596 | 9827-1049 |
| 21G4380 | 9828-1001 | 39G4640 | 9828-1008 | 46G4821 | 9828-1010 |
| 23G3805 | 9827-1059 | 40G4238 | 9828-1006 | 47G4340 | 9827-1039 |
| 23G3935 | 9827-1058 | 40G4340 | 9827-1076 | 47G4651 | 9827-1042 |
| 23G4246 | 9827-1033 | 40G4651 | 9827-1078 | 48G4246 | 9827-1035 |
| 24G3884 | 9828-1015 | 40G4683 | 9827-1025 | 48G4553 | 9827-1015 |
| 24G4022 | 9827-1052 | 40G5053 | 9828-1012 | 49G4246 | 9827-1037 |
| 24G4108 | 9827-1006 | 41G4651 | 9827-1041 | 49G4266 | 9827-1031 |
| 24G5996 | 9828-1014 | 41G5116 | 9827-1027 | 49G4313 | 9827-1018 |
| 25G4238 | 9828-1004 | 42G4266 | 9827-1074 | 50G4966 | 9828-1011 |
| 26G3628 | 9828-1013 | 42G4313 | 9827-1017 | 67G3470 | 9828-1020 |
| 26G4435 | 9828-1003 | 42G4455 | 9827-1021 | 69G2919 | 9828-1023 |
| 27G4313 | 9827-1053 | 42G4553 | 9827-1044 | 70G2809 | 9828-1019 |
| 28G4266 | 9827-1034 | 42G4620 | 9827-1024 | 73G2644 | 9828-1021 |
| 29G3596 | 9827-1003 | 42G4683 | 9827-1026 | 78G3640 | 9828-1018 |
| 29G4077 | 9827-1005 | 42G4714 | 9827-1043 | 95G3021 | 9828-1022 |
| 29G4340 | 9827-1038 | 43G4210 | 9827-1036 | | |



Xtreme® Snowmobile Belts

Aramid cord and advanced composite construction provide extraordinary strength and durability for high performance requirements like power clutching. Also well suited for everyday trail riding to produce long wear and dependability.

Markets/Applications

Designed for snowmobile trail rider and high performance racing sleds.

Features/Advantages


- **Aramid Tensile Cords** combine limited stretch, extraordinary strength and durability.
- Withstands temperature extremes down to -30°F.

Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.

Notes

Length listed should be used for length comparison only. If a cataloged belt does not fit the specific snowmobile, use the reference length to determine if there is a slightly longer or shorter belt length available which meets the manufacturer's belt fit specifications.



Product No. Series 9839

| Part No. | Product No. | Top Width (In.) | Length (In.) |
|----------|-------------|-----------------|--------------|
| 25X4320 | 9839-0013 | 1.219 | 43.500 |
| 32X4400 | 9839-0014 | 1.313 | 44.000 |
| 38X4320 | 9839-0007 | 1.344 | 43.400 |
| 38X4340 | 9839-0004 | 1.375 | 43.500 |
| 38X4350 | 9839-0009 | 1.375 | 43.600 |
| 38X4351 | 9839-0008 | 1.375 | 43.500 |
| 38X4355 | 9839-0010 | 1.375 | 43.800 |
| 38X4360 | 9839-0027 | 1.375 | 43.300 |
| 38X4400 | 9839-0016 | 1.375 | 44.000 |
| 38X4401 | 9839-0015 | 1.344 | 44.300 |
| 38X4420 | 9839-0001 | 1.375 | 44.300 |
| 38X4421 | 9839-0006 | 1.375 | 43.800 |
| 38X4600 | 9839-0023 | 1.375 | 46.200 |
| 38X4640 | 9839-0017 | 1.375 | 46.500 |
| 38X4725 | 9839-0011 | 1.375 | 47.100 |

| Part No. | Product No. | Top Width (In.) | Length (In.) |
|----------|-------------|-----------------|--------------|
| 38X4730 | 9839-0002 | 1.375 | 47.400 |
| 38X4740 | 9839-0028 | 1.344 | 47.700 |
| 38X4750 | 9839-0003 | 1.344 | 47.900 |
| 38X5140 | 9839-0029 | 1.375 | 51.200 |
| 38X5210 | 9839-0018 | 1.375 | 52.100 |
| 42X4900 | 9839-0024 | 1.406 | 48.900 |
| 43X4320 | 9839-0039 | 1.438 | 43.370 |
| 43X4340 | 9839-0057 | 1.438 | 43.760 |
| 43X4400 | 9839-0043 | 1.438 | 44.100 |
| 43X4616 | 9839-0044 | 1.438 | 46.250 |
| 44X4640 | 9839-0031 | 1.406 | 46.700 |
| 44X4740 | 9839-0030 | 1.438 | 47.600 |
| 44X4810 | 9839-0005 | 1.406 | 48.500 |
| 50X4395 | 9839-0026 | 1.500 | 43.800 |
| 50X4713 | 9839-0025 | 1.500 | 47.870 |

MULTI-SPEED BELTS

Multi-Speed Belts

Multi-Speed belts are made banded or bandless construction featuring high-modulus, fiber-loaded stock that offers transverse rigidity and flexibility at the same time. This results in higher load carrying capacity and long belt life.

Markets/Applications

Suitable for all industrial, wide-speed range open pulley or enclosed device variable speed drives.

Features/Advantages

- **Notch Design** reduced thermal and bending stresses for longer life.
- **Smooth Running** construction for minimal vibration at high speeds.
- Meets RMA **oil and heat resistant** standards.

Recommended Sheaves


Contact the Gates Made-To-Order Metals Team.

Notes

HV in the part number denotes Heavy Construction, which has a thickness of .700+.

| Product No. Prefix | Construction |
|--------------------|-------------------------|
| 9800 | Banded |
| 9804 | Bandless |
| 9833 | Bandless/Aramid Tensile |

Additional sizes may be available on a Made-To-Order basis. Contact Customer Service for information



Notches

Minimum Order Quantities for MTO Multi-Speed Belts

| Size Range | Min. Quantity |
|-------------|---------------|
| 1228V-1632V | 42 |
| 1822V-2332V | 28 |
| 2422V-2930V | 20 |
| 3028V-3636V | 16 |
| 3726V-4436V | 12 |

Manufacturing variations may cause actual ship quantity to vary +/- 10% from these figures. Orders must be for a minimum of the quantities shown, or multiples thereof.

MULTI-SPEED BELTS

Product No. Series 9800, 9804 & 9833

| Part No. | Product No. | Belt O.C. (In.) | Top Width (In.) | Angle (°) | Wt. Ea. (Lbs.) |
|-----------------------|-------------|-----------------|-----------------|-----------|----------------|
| 1228V255 | 9804-0729 | 26.1 | 3/4 | 28 | .45 |
| ⁴ 1230V341 | 9804-0814 | 34.6 | 3/4 | 30 | .57 |
| 1230V348 | 9804-0815 | 35.3 | 3/4 | 30 | .58 |
| 1330V242 | 9804-0447 | 24.7 | 13/16 | 30 | .55 |
| 1422V235 | 9804-0816 | 24.0 | 7/8 | 22 | .44 |
| 1422V240 | 9804-0495 | 24.7 | 7/8 | 22 | .45 |
| 1422V270 | 9804-0494 | 27.7 | 7/8 | 22 | .49 |
| 1422V290 | 9804-0584 | 29.6 | 7/8 | 22 | .51 |
| 1422V300 | 9804-0493 | 30.7 | 7/8 | 22 | .53 |
| 1422V330 | 9804-0492 | 33.7 | 7/8 | 22 | .57 |
| 1422V340 | 9804-0708 | 34.6 | 7/8 | 22 | .58 |
| 1422V360 | 9804-0328 | 36.7 | 7/8 | 22 | .60 |
| 1422V400 | 9804-0348 | 40.8 | 7/8 | 22 | .65 |
| 1422V420 | 9804-0329 | 42.8 | 7/8 | 22 | .68 |
| 1422V440 | 9804-0817 | 44.5 | 7/8 | 22 | .70 |
| 1422V460 | 9804-0768 | 46.5 | 7/8 | 22 | .72 |
| 1422V466 | 9804-0325 | 47.0 | 7/8 | 22 | .73 |
| 1422V470 | 9804-0818 | 47.5 | 7/8 | 22 | .74 |
| 1422V480 | 9804-0337 | 48.7 | 7/8 | 22 | .75 |
| 1422V540 | 9804-0331 | 54.8 | 7/8 | 22 | .82 |
| 1422V600 | 9804-0332 | 60.7 | 7/8 | 22 | .90 |
| 1422V660 | 9804-0333 | 66.7 | 7/8 | 22 | .96 |
| 1422V780 | 9804-0339 | 78.7 | 7/8 | 22 | 1.12 |
| 1426V299 | 9804-0656 | 30.5 | 7/8 | 26 | .66 |
| 1426V328 | 9804-0636 | 33.3 | 7/8 | 26 | .70 |
| 1426V362 | 9804-0635 | 36.7 | 7/8 | 26 | .74 |
| 1430V215 | 9804-0702 | 21.8 | 7/8 | 30 | .45 |

| Part No. | Product No. | Belt O.C. (In.) | Top Width (In.) | Angle (°) | Wt. Ea. (Lbs.) |
|-----------------------|-------------|-----------------|-----------------|-----------|----------------|
| ⁴ 1430V315 | 9804-0819 | 32.0 | 7/8 | 30 | .60 |
| 1430V375 | 9804-0820 | 38.0 | 7/8 | 30 | .70 |
| ⁴ 1430V450 | 9804-0849 | 45.6 | 7/8 | 30 | .82 |
| ⁴ 1430V500 | 9804-0850 | 50.5 | 7/8 | 30 | .89 |
| ⁴ 1524V301 | 9804-0821 | 30.6 | 15/16 | 24 | .60 |
| 1526V264 | 9804-0505 | 27.0 | 15/16 | 26 | .54 |
| 1526V294 | 9804-0506 | 30.0 | 15/16 | 26 | .59 |
| 1528V298 | 9804-0769 | 30.3 | 15/16 | 28 | .60 |
| 1528V326 | 9804-0770 | 33.1 | 15/16 | 28 | .64 |
| 1528V360 | 9804-0771 | 36.5 | 15/16 | 28 | .70 |
| 1528V414 | 9804-0772 | 41.9 | 15/16 | 28 | .79 |
| 1622V270 | 9804-0822 | 27.5 | 1 | 22 | .60 |
| 1622V297 | 9804-0823 | 30.2 | 1 | 22 | .62 |
| 1622V307 | 9804-0571 | 31.1 | 1 | 22 | .63 |
| 1622V520 | 9804-0572 | 52.5 | 1 | 22 | .82 |
| 1626V262 | 9804-0773 | 26.7 | 1 | 26 | .60 |
| 1626V290 | 9804-0536 | 29.8 | 1 | 26 | .65 |
| 1626V304 | 9804-0305 | 31.1 | 1 | 26 | .70 |
| 1626V330 | 9804-0293 | 33.8 | 1 | 26 | .74 |
| 1626V339 | 9804-0248 | 34.7 | 1 | 26 | .75 |
| 1626V380 | 9804-0774 | 38.5 | 1 | 26 | .84 |
| 1626V384 | 9804-0308 | 39.2 | 1 | 26 | .85 |
| 1626V395 | 9804-0618 | 40.3 | 1 | 26 | .86 |
| 1626V411 | 9804-0537 | 41.9 | 1 | 26 | .90 |
| 1626V428 | 9804-0775 | 43.3 | 1 | 26 | .93 |
| 1626V440 | 9804-0291 | 44.7 | 1 | 26 | .96 |
| 1626V455 | 9804-0617 | 46.2 | 1 | 26 | .98 |

⁴ Minimum production quantity may apply. Contact Customer Service for availability.

Multi-Speed Belts

Product No. Series 9800, 9804 & 9833 (continued)

| Part No. | Product No. | Belt O.C. (In.) | Top Width (In.) | Angle (°) | Wt. Ea. (Lbs.) | Part No. | Product No. | Belt O.C. (In.) | Top Width (In.) | Angle (°) | Wt. Ea. (Lbs.) |
|-----------------------|-------------|-----------------|-----------------|-----------|----------------|-----------------------|-------------|-----------------|-----------------|-----------|----------------|
| 1626V513 | 9804-0776 | 51.8 | 1 | 26 | 1.10 | 1930V485 | 9804-0177 | 49.1 | 1 3/16 | 30 | 1.14 |
| 1626V517 | 9804-0249 | 52.1 | 1 | 26 | 1.13 | 1930V491 | 9804-0710 | 50.0 | 1 3/16 | 30 | 1.16 |
| 1626V597 | 9804-0393 | 60.6 | 1 | 26 | 1.27 | 1930V500 | 9804-0831 | 50.6 | 1 3/16 | 30 | 1.17 |
| 1626V604 | 9804-0306 | 61.2 | 1 | 26 | 1.30 | 1930V530 | 9804-0783 | 53.6 | 1 3/16 | 30 | 1.22 |
| 1626V658 | 9804-0397 | 66.7 | 1 | 26 | 1.40 | 1930V541 | 9804-0220 | 55.0 | 1 3/16 | 30 | 1.25 |
| 1628V210 | 9804-0686 | 21.2 | 1 | 28 | .43 | 1930V560 | 9804-0764 | 56.9 | 1 3/16 | 30 | 1.28 |
| 1628V315 | 9804-0313 | 32.7 | 1 | 28 | .75 | 1930V585 | 9804-0178 | 59.1 | 1 3/16 | 30 | 1.33 |
| 1632V210 | 9804-0323 | 21.9 | 1 | 32 | .46 | 1930V600 | 9804-0784 | 60.6 | 1 3/16 | 30 | 1.35 |
| 1822V290 | 9804-0648 | 29.5 | 1 1/8 | 22 | .67 | 1930V630 | 9804-0832 | 63.6 | 1 3/16 | 30 | 1.40 |
| 1822V328 | 9804-0651 | 33.5 | 1 1/8 | 22 | .78 | 1930V641 | 9804-0221 | 64.6 | 1 3/16 | 30 | 1.45 |
| 1826V250 | 9804-0592 | 25.4 | 1 1/8 | 26 | .55 | 1930V691 | 9804-0210 | 69.6 | 1 3/16 | 30 | 1.53 |
| 1828V368 | 9804-0284 | 37.6 | 1 1/8 | 28 | .90 | ⁴ 1930V800 | 9804-0835 | 80.6 | 1 3/16 | 30 | 1.72 |
| 1832V338 | 9804-0777 | 34.4 | 1 1/8 | 32 | .80 | 1930V891 | 9804-0206 | 89.6 | 1 3/16 | 30 | 1.87 |
| 1922V256 | 9804-0253 | 26.4 | 1 3/16 | 22 | .67 | 2026V422 | 9804-0394 | 43.0 | 1 1/4 | 26 | 1.00 |
| 1922V277 | 9804-0611 | 28.2 | 1 3/16 | 22 | .70 | 2026V445 | 9804-0520 | 45.2 | 1 1/4 | 26 | 1.02 |
| 1922V282 | 9804-0060 | 29.0 | 1 3/16 | 22 | .73 | 2026V474 | 9804-0574 | 48.2 | 1 1/4 | 26 | 1.06 |
| 1922V298 | 9804-0500 | 30.6 | 1 3/16 | 22 | .76 | 2026V607 | 9804-0395 | 61.5 | 1 1/4 | 26 | 1.26 |
| 1922V302 | 9804-0778 | 30.8 | 1 3/16 | 22 | .78 | 2030V381 | 9804-0640 | 38.5 | 1 1/4 | 30 | .94 |
| 1922V321 | 9804-0070 | 33.0 | 1 3/16 | 22 | .83 | ⁴ 2126V297 | 9804-0842 | 30.4 | 1 5/16 | 26 | .83 |
| 1922V332 | 9804-0713 | 34.0 | 1 3/16 | 22 | .85 | 2126V307 | 9804-0785 | 31.4 | 1 5/16 | 26 | .86 |
| 1922V338 | 9804-0501 | 34.7 | 1 3/16 | 22 | .85 | 2126V309 | 9804-0314 | 31.7 | 1 5/16 | 26 | .86 |
| 1922V363 | 9804-0027 | 37.1 | 1 3/16 | 22 | .93 | 2126V365 | 9804-0526 | 37.4 | 1 5/16 | 26 | .99 |
| 1922V381 | 9804-0307 | 38.8 | 1 3/16 | 22 | .95 | 2126V377 | 9804-0843 | 38.4 | 1 5/16 | 26 | 1.02 |
| 1922V386 | 9804-0071 | 39.3 | 1 3/16 | 22 | .97 | 2126V468 | 9804-0721 | 47.7 | 1 5/16 | 26 | 1.25 |
| 1922V403 | 9804-0530 | 41.4 | 1 3/16 | 22 | 1.00 | 2130V374 | 9804-0749 | 38.0 | 1 5/16 | 30 | 1.02 |
| 1922V417 | 9804-0376 | 42.5 | 1 3/16 | 22 | 1.05 | 2226V307 | 9804-0677 | 31.2 | 1 3/8 | 26 | .85 |
| 1922V426 | 9804-0063 | 43.4 | 1 3/16 | 22 | 1.08 | 2230V266 | 9804-0615 | 27.5 | 1 3/8 | 30 | .75 |
| 1922V443 | 9804-0072 | 45.1 | 1 3/16 | 22 | 1.10 | 2230V273 | 9804-0786 | 27.9 | 1 3/8 | 30 | .76 |
| 1922V454 | 9804-0028 | 46.2 | 1 3/16 | 22 | 1.12 | 2230V275 | 9804-0358 | 28.1 | 1 3/8 | 30 | .77 |
| 1922V460 | 9804-0622 | 46.8 | 1 3/16 | 22 | 1.14 | 2230V326 | 9804-0725 | 33.5 | 1 3/8 | 30 | .93 |
| 1922V484 | 9804-0057 | 49.2 | 1 3/16 | 22 | 1.20 | 2230V375 | 9804-0678 | 38.2 | 1 3/8 | 30 | 1.07 |
| 1922V526 | 9804-0602 | 53.3 | 1 3/16 | 22 | 1.28 | 2322V329 | 9804-0679 | 33.4 | 1 7/16 | 22 | 1.05 |
| 1922V544 | 9804-0029 | 55.1 | 1 3/16 | 22 | 1.34 | 2322V347 | 9804-0680 | 35.2 | 1 7/16 | 22 | 1.07 |
| 1922V604 | 9804-0026 | 61.2 | 1 3/16 | 22 | 1.50 | 2322V364 | 9804-0058 | 37.2 | 1 7/16 | 22 | 1.11 |
| 1922V630 | 9804-0779 | 63.6 | 1 3/16 | 22 | 1.55 | 2322V384 | 9804-0905 | 39.3 | 1 7/16 | 22 | 1.15 |
| 1922V646 | 9804-0074 | 65.4 | 1 3/16 | 22 | 1.57 | 2322V396 | 9804-0547 | 40.6 | 1 7/16 | 22 | 1.20 |
| 1922V666 | 9804-0075 | 67.4 | 1 3/16 | 22 | 1.60 | 2322V421 | 9804-0076 | 42.9 | 1 7/16 | 22 | 1.27 |
| 1922V686 | 9804-0603 | 69.3 | 1 3/16 | 22 | 1.65 | 2322V434 | 9804-0681 | 44.2 | 1 7/16 | 22 | 1.30 |
| 1922V706 | 9804-0569 | 71.3 | 1 3/16 | 22 | 1.70 | 2322V441 | 9804-0127 | 45.1 | 1 7/16 | 22 | 1.35 |
| 1922V756 | 9804-0179 | 76.4 | 1 3/16 | 22 | 1.84 | 2322V461 | 9804-0726 | 47.0 | 1 7/16 | 22 | 1.40 |
| 1922V806 | 9804-0674 | 81.3 | 1 3/16 | 22 | 1.92 | 2322V481 | 9804-0053 | 49.2 | 1 7/16 | 22 | 1.45 |
| 1922V846 | 9804-0716 | 85.4 | 1 3/16 | 22 | 2.02 | 2322V521 | 9804-0044 | 52.8 | 1 7/16 | 22 | 1.55 |
| 1922V1146 | 9804-0719 | 115.4 | 1 3/16 | 22 | 2.75 | 2322V541 | 9804-0059 | 55.1 | 1 7/16 | 22 | 1.60 |
| 1926V249 | 9804-0621 | 25.3 | 1 3/16 | 26 | .68 | 2322V601 | 9804-0025 | 61.2 | 1 7/16 | 22 | 1.75 |
| 1926V250 | 9804-0633 | 25.7 | 1 3/16 | 26 | .69 | 2322V621 | 9804-0734 | 63.0 | 1 7/16 | 22 | 1.85 |
| 1926V275 | 9804-0688 | 28.1 | 1 3/16 | 26 | .73 | 2322V661 | 9804-0078 | 67.4 | 1 7/16 | 22 | 1.94 |
| 1926V333 | 9804-0255 | 33.9 | 1 3/16 | 26 | .84 | 2322V681 | 9804-0073 | 68.8 | 1 7/16 | 22 | 2.00 |
| 1926V367 | 9804-0050 | 37.2 | 1 3/16 | 26 | .92 | 2322V701 | 9804-0162 | 71.4 | 1 7/16 | 22 | 2.06 |
| 1926V376 | 9804-0624 | 38.8 | 1 3/16 | 26 | .94 | 2322V721 | 9804-0062 | 73.4 | 1 7/16 | 22 | 2.11 |
| 1926V380 | 9804-0509 | 38.9 | 1 3/16 | 26 | .95 | 2322V801 | 9804-0079 | 81.4 | 1 7/16 | 22 | 2.35 |
| 1926V390 | 9804-0780 | 39.6 | 1 3/16 | 26 | .96 | 2326V310 | 9804-0706 | 31.8 | 1 7/16 | 26 | .92 |
| 1926V407 | 9804-0256 | 41.4 | 1 3/16 | 26 | 1.00 | 2326V359 | 9804-0789 | 36.6 | 1 7/16 | 26 | 1.10 |
| ⁴ 1926V415 | 9804-0826 | 42.1 | 1 3/16 | 26 | 1.02 | 2330V273 | 9804-0619 | 27.9 | 1 7/16 | 30 | .80 |
| 1926V427 | 9804-0827 | 40.3 | 1 3/16 | 26 | 1.04 | 2330V338 | 9800-0728 | 34.6 | 1 7/16 | 30 | .97 |
| 1926V507 | 9804-0508 | 51.4 | 1 3/16 | 26 | 1.20 | 2330V359 | 9804-0690 | 36.5 | 1 7/16 | 30 | 1.06 |
| 1926V542 | 9804-0638 | 55.4 | 1 3/16 | 26 | 1.27 | 2332V373 | 9804-0479 | 38.0 | 1 7/16 | 32 | 1.10 |
| 1930V355 | 9804-0828 | 36.1 | 1 3/16 | 30 | .90 | 2422V570 | 9804-0844 | 57.7 | 1 1/2 | 22 | 1.85 |
| 1930V366 | 9804-0781 | 37.2 | 1 3/16 | 30 | .93 | 2426V343 | 9800-0483 | 35.4 | 1 1/2 | 26 | 1.15 |
| 1930V375 | 9804-0782 | 38.1 | 1 3/16 | 30 | .94 | 2430V297 | 9804-0717 | 30.7 | 1 1/2 | 30 | 1.04 |
| 1930V400 | 9804-0144 | 40.7 | 1 3/16 | 30 | 1.00 | ⁴ 2430V302 | 9804-0845 | 30.9 | 1 1/2 | 30 | 1.05 |
| 1930V425 | 9804-0790 | 43.1 | 1 3/16 | 30 | 1.04 | 2430V319 | 9804-0846 | 32.6 | 1 1/2 | 30 | 1.10 |
| 1930V431 | 9804-0709 | 44.0 | 1 3/16 | 30 | 1.06 | 2430V345 | 9804-0847 | 35.2 | 1 1/2 | 30 | 1.17 |
| 1930V450 | 9804-0829 | 45.6 | 1 3/16 | 30 | 1.08 | 2430V379 | 9804-0848 | 38.6 | 1 1/2 | 30 | 1.27 |
| ⁴ 1930V475 | 9804-0830 | 48.1 | 1 3/16 | 30 | 1.13 | 2436V331 | 9804-0366 | 34.0 | 1 1/2 | 36 | 1.13 |

MULTI-SPEED BELTS

⁴ Minimum production quantity may apply. Contact Customer Service for availability.





Multi-Speed Belts

Product No. Series 9800, 9804 & 9833 (continued)

| Part No. | Product No. | Belt O.C. (In.) | Top Width (In.) | Angle (°) | Wt. Ea. (Lbs.) | Part No. | Product No. | Belt O.C. (In.) | Top Width (In.) | Angle (°) | Wt. Ea. (Lbs.) |
|------------------------|-------------|-----------------|-----------------|-----------|----------------|-----------------------|-------------|-----------------|-----------------|-----------|----------------|
| 2526V302 | 9800-0069 | 30.7 | 1 9/16 | 26 | 2.16 | 2926V546 | 9800-0067 | 55.5 | 1 13/16 | 26 | 2.80 |
| 2526V314 | 9800-0002 | 32.4 | 1 9/16 | 26 | 2.20 | 2926V574 | 9800-0085 | 58.3 | 1 13/16 | 26 | 2.90 |
| 2528V370 | 9804-0851 | 37.7 | 1 9/16 | 28 | 2.40 | 2926V586 | 9800-0068 | 59.5 | 1 13/16 | 26 | 2.95 |
| 2530V300 | 9800-0521 | 31.0 | 1 9/16 | 30 | 2.15 | 2926V606 | 9800-0015 | 61.5 | 1 13/16 | 26 | 3.05 |
| 2530V335 | 9804-0852 | 34.2 | 1 9/16 | 30 | 2.25 | 2926V616 | 9800-0149 | 63.3 | 1 13/16 | 26 | 3.10 |
| 2530V470 | 9804-0791 | 47.7 | 1 9/16 | 30 | 2.70 | 2926V636 | 9800-0086 | 64.4 | 1 13/16 | 26 | 3.18 |
| 2530V490 | 9800-0326 | 50.0 | 1 9/16 | 30 | 2.75 | 2926V646 | 9800-0087 | 65.5 | 1 13/16 | 26 | 3.20 |
| 2530V500 | 9800-0712 | 50.9 | 1 9/16 | 30 | 2.80 | 2926V666 | 9800-0088 | 67.5 | 1 13/16 | 26 | 3.32 |
| 2530V530 | 9800-0654 | 54.0 | 1 9/16 | 30 | 2.85 | 2926V686 | 9800-0089 | 69.5 | 1 13/16 | 26 | 3.40 |
| 2530V550 | 9800-0436 | 56.0 | 1 9/16 | 30 | 2.95 | 2926V706 | 9800-0118 | 71.5 | 1 13/16 | 26 | 3.50 |
| 2530V560 | 9804-0853 | 56.7 | 1 9/16 | 30 | 3.00 | 2926V726 | 9800-0035 | 73.5 | 1 13/16 | 26 | 3.55 |
| 2530V575 | 9833-0730 | 58.5 | 1 9/16 | 30 | 3.05 | 2926V776 | 9800-0090 | 78.5 | 1 13/16 | 26 | 3.75 |
| 2530V595 | 9800-0166 | 60.7 | 1 9/16 | 30 | 3.10 | 2926V786 | 9800-0735 | 79.4 | 1 13/16 | 26 | 3.85 |
| 2530V600 | 9804-0793 | 60.7 | 1 9/16 | 30 | 3.13 | 2926V834 | 9800-0704 | 84.2 | 1 13/16 | 26 | 4.05 |
| 2530V610 | 9800-0437 | 62.0 | 1 9/16 | 30 | 3.15 | 2926V856 | 9800-0040 | 86.4 | 1 13/16 | 26 | 4.10 |
| 2530V618 | 9800-0260 | 62.5 | 1 9/16 | 30 | 3.20 | 2926V891 | 9804-0092 | 90.0 | 1 13/16 | 26 | 4.30 |
| 2530V630 | 9800-0164 | 64.2 | 1 9/16 | 30 | 3.25 | 2926V906 | 9800-0093 | 91.5 | 1 13/16 | 26 | 4.35 |
| 2530V660 | 9800-0438 | 67.0 | 1 9/16 | 30 | 3.30 | 2926V966 | 9800-0094 | 97.5 | 1 13/16 | 26 | 4.60 |
| 2530V670 | 9800-0165 | 68.2 | 1 9/16 | 30 | 3.35 | 2926V1006 | 9800-0095 | 101.5 | 1 13/16 | 26 | 4.75 |
| ⁴ 2530V680 | 9804-0854 | 68.7 | 1 9/16 | 30 | 3.40 | 2926V1026 | 9800-0684 | 103.6 | 1 13/16 | 26 | 4.85 |
| 2530V690 | 9800-0439 | 70.0 | 1 9/16 | 30 | 3.45 | 2926V1086 | 9800-0685 | 109.6 | 1 13/16 | 26 | 5.10 |
| 2530V700 | 9800-0275 | 71.0 | 1 9/16 | 30 | 3.47 | 2930V348 | 9833-0727 | 35.5 | 1 13/16 | 26 | 1.95 |
| 2530V730 | 9800-0211 | 74.2 | 1 9/16 | 30 | 3.50 | 2930V492 | 9800-0590 | 50.0 | 1 13/16 | 26 | 2.56 |
| 2530V740 | 9800-0683 | 75.0 | 1 9/16 | 30 | 3.55 | 3028V386 | 9800-0529 | 39.4 | 1 7/8 | 28 | 1.71 |
| 2530V750 | 9800-0180 | 76.2 | 1 9/16 | 30 | 3.60 | 3030V357 | 9800-0692 | 36.5 | 1 7/8 | 30 | 1.56 |
| 2530V790 | 9800-0214 | 80.0 | 1 9/16 | 30 | 3.75 | 3030V377 | 9804-0863 | 38.7 | 1 7/8 | 30 | 1.68 |
| 2530V840 | 9800-0215 | 85.0 | 1 9/16 | 30 | 3.90 | 3030V387 | 9800-0694 | 39.6 | 1 7/8 | 30 | 1.72 |
| 2530V890 | 9800-0216 | 90.0 | 1 9/16 | 30 | 4.10 | ⁴ 3036V351 | 9800-0310 | 36.0 | 1 7/8 | 36 | 1.53 |
| 2530V934 | 9800-0163 | 94.4 | 1 9/16 | 30 | 4.20 | 3226V392 | 9800-0670 | 39.8 | 2 | 26 | 2.05 |
| 2530V990 | 9800-0217 | 100.0 | 1 9/16 | 30 | 4.40 | 3226V400 | 9800-0012 | 41.1 | 2 | 26 | 2.10 |
| 2530V1090 | 9800-0218 | 110.0 | 1 9/16 | 30 | 4.70 | 3226V433 | 9804-0581 | 44.1 | 2 | 26 | 2.20 |
| ⁴ 2530V1190 | 9800-0219 | 119.7 | 1 9/16 | 30 | 5.05 | 3226V439 | 9804-0864 | 44.7 | 2 | 26 | 2.25 |
| 2530V1290 | 9800-0207 | 130.0 | 1 9/16 | 30 | 5.35 | 3226V450 | 9800-0695 | 45.8 | 2 | 26 | 2.30 |
| 2530V1490 | 9800-0904 | 150.0 | 1 9/16 | 30 | 6.00 | 3226V465 | 9800-0400 | 47.4 | 2 | 26 | 2.35 |
| ⁴ 2530V1690 | 9800-0794 | 169.8 | 1 9/16 | 30 | 6.65 | 3226V505 | 9800-0543 | 51.4 | 2 | 26 | 2.55 |
| 2626V369 | 9800-0645 | 37.4 | 1 5/8 | 26 | 1.40 | 3226V514 | 9800-0647 | 52.3 | 2 | 26 | 2.60 |
| 2626V388 | 9800-0649 | 39.7 | 1 5/8 | 26 | 1.60 | 3226V545 | 9800-0477 | 55.3 | 2 | 26 | 2.75 |
| 2630V345 | 9800-0616 | 35.3 | 1 5/8 | 30 | 1.15 | 3226V585 | 9800-0542 | 59.4 | 2 | 26 | 2.90 |
| 2630V395 | 9804-0858 | 40.2 | 1 5/8 | 30 | 1.68 | 3226V603 | 9800-0701 | 61.4 | 2 | 26 | 3.00 |
| 2636V332 | 9800-0360 | 34.0 | 1 5/8 | 36 | 1.00 | 3226V650 | 9804-0763 | 65.9 | 2 | 26 | 3.20 |
| 2822V778 | 9800-0017 | 79.5 | 1 3/4 | 22 | 3.00 | 3226V663 | 9800-0423 | 67.4 | 2 | 26 | 3.25 |
| 2826V412 | 9800-0646 | 41.9 | 1 3/4 | 26 | 1.55 | 3226V723 | 9800-0424 | 73.4 | 2 | 26 | 3.55 |
| 2826V452 | 9800-0650 | 46.0 | 1 3/4 | 26 | 1.70 | 3226V783 | 9800-0700 | 79.5 | 2 | 26 | 3.80 |
| 2830V337 | 9800-0691 | 34.8 | 1 3/4 | 30 | 1.24 | 3226V843 | 9800-0426 | 85.4 | 2 | 26 | 4.10 |
| 2830V363 | 9833-0662 | 36.8 | 1 3/4 | 30 | 1.34 | 3226V903 | 9800-0427 | 91.4 | 2 | 26 | 4.35 |
| 2830V366 | 9833-0434 | 37.2 | 1 3/4 | 30 | 1.33 | 3226V963 | 9800-0428 | 97.4 | 2 | 26 | 4.60 |
| 2830V367 | 9800-0916 | 37.9 | 1 3/4 | 30 | 1.37 | 3226V1023 | 9800-0429 | 103.4 | 2 | 26 | 4.90 |
| 2830V393 | 9800-0664 | 39.9 | 1 3/4 | 30 | 1.46 | 3226V1083 | 9800-0430 | 109.4 | 2 | 26 | 5.20 |
| 2830V396 | 9833-0435 | 40.3 | 1 3/4 | 30 | 1.48 | 3230V419 | 9800-0653 | 42.7 | 2 | 30 | 2.00 |
| 2830V422 | 9800-0665 | 42.7 | 1 3/4 | 30 | 1.56 | 3230V481 | 9804-0866 | 48.9 | 2 | 30 | 2.30 |
| ⁴ 2830V428 | 9804-0859 | 43.6 | 1 3/4 | 30 | 1.60 | 3230V560 | 9804-0795 | 56.8 | 2 | 30 | 2.70 |
| ⁴ 2830V492 | 9804-0860 | 50.1 | 1 3/4 | 30 | 1.85 | ⁴ 3230V630 | 9804-0868 | 63.8 | 2 | 30 | 3.10 |
| 2836V343 | 9800-0120 | 35.1 | 1 3/4 | 36 | 1.27 | 3230V670 | 9804-0796 | 67.8 | 2 | 30 | 3.30 |
| 2836V350 | 9800-0324 | 35.8 | 1 3/4 | 36 | 1.30 | ⁴ 3230V850 | 9804-0873 | 85.8 | 2 | 30 | 4.20 |
| 2836V380 | 9800-0367 | 38.8 | 1 3/4 | 36 | 1.40 | 3230HV856 | 9800-0756 | 86.7 | 2 | 30 | 6.44 |
| 2926V366 | 9804-0081 | 37.5 | 1 13/16 | 26 | 2.03 | 3230HV931 | 9800-0755 | 94.2 | 2 | 30 | 5.90 |
| 2926V400 | 9804-0759 | 40.8 | 1 13/16 | 26 | 2.20 | 3236V369 | 9800-0122 | 37.7 | 2 | 36 | 1.80 |
| 2926V426 | 9800-0258 | 43.5 | 1 13/16 | 26 | 2.30 | 3236V389 | 9800-0121 | 39.7 | 2 | 36 | 1.95 |
| 2926V471 | 9800-0082 | 48.0 | 1 13/16 | 26 | 2.45 | 3236V432 | 9800-0368 | 44.2 | 2 | 36 | 2.35 |
| 2926V477 | 9804-0762 | 48.5 | 1 13/16 | 26 | 2.50 | 3236HV528 | 9800-0612 | 53.8 | 2 | 36 | 3.40 |
| 2926V486 | 9800-0083 | 49.2 | 1 13/16 | 26 | 2.55 | 3236HV553 | 9800-0604 | 56.3 | 2 | 36 | 3.60 |
| 2926V491 | 9800-0084 | 50.0 | 1 13/16 | 26 | 2.55 | 3236HV570 | 9800-0605 | 58.0 | 2 | 36 | 3.70 |
| 2926V521 | 9800-0064 | 53.0 | 1 13/16 | 26 | 2.70 | 3236HV585 | 9800-0606 | 59.5 | 2 | 36 | 3.85 |
| ⁴ 2926V534 | 9804-0861 | 54.2 | 1 13/16 | 26 | 2.75 | 3236HV603 | 9800-0607 | 61.3 | 2 | 36 | 3.95 |

⁴ Minimum production quantity may apply. Contact Customer Service for availability.

Multi-Speed Belts

Product No. Series 9800, 9804 & 9833 (continued)

| Part No. | Product No. | Belt O.C. (In.) | Top Width (In.) | Angle (°) | Wt. Ea. (Lbs.) | Part No. | Product No. | Belt O.C. (In.) | Top Width (In.) | Angle (°) | Wt. Ea. (Lbs.) |
|-----------------------|-------------|-----------------|-----------------|-----------|----------------|--------------------------|-------------|-----------------|-----------------|-----------|----------------|
| 3236HV613 | 9800-0347 | 62.2 | 2 | 36 | 4.00 | 4430V910 | 9800-0115 | 92.0 | 2 3/4 | 30 | 7.80 |
| 3236HV620 | 9800-0608 | 63.0 | 2 | 36 | 4.10 | 4430V970 | 9800-0116 | 98.0 | 2 3/4 | 30 | 8.40 |
| 3236HV626 | 9800-0370 | 63.6 | 2 | 36 | 4.10 | 4430V1000 | 9800-0753 | 101.1 | 2 3/4 | 30 | 8.50 |
| 3236HV644 | 9800-0371 | 65.4 | 2 | 36 | 4.27 | 4430V1030 | 9800-0117 | 104.0 | 2 3/4 | 30 | 8.90 |
| 3236HV670 | 9800-0372 | 68.0 | 2 | 36 | 4.45 | 4430V1090 | 9800-0153 | 110.0 | 2 3/4 | 30 | 9.40 |
| 3236HV702 | 9800-0048 | 71.1 | 2 | 36 | 4.70 | 4430V1150 | 9800-0658 | 116.0 | 2 3/8 | 30 | 9.90 |
| 3236HV723 | 9800-0431 | 73.2 | 2 | 36 | 4.85 | 4430V1250 | 9800-0752 | 126.1 | 2 3/4 | 30 | 10.80 |
| 3236HV821 | 9800-0639 | 83.1 | 2 | 36 | 5.60 | 4430V1320 | 9800-0171 | 133.0 | 2 3/4 | 30 | 11.40 |
| 3326V478 | 9800-0628 | 48.5 | 2 1/16 | 26 | 2.40 | 4430V1410 | 9800-0765 | 142.0 | 2 3/4 | 30 | 12.20 |
| ⁴ 3428V451 | 9804-0876 | 46.0 | 2 1/8 | 28 | 2.50 | 4430V1460 | 9800-0766 | 147.0 | 2 3/4 | 30 | 12.60 |
| 3430V424 | 9804-0877 | 43.3 | 2 1/8 | 30 | 2.35 | 4430V1610 | 9800-0767 | 162.0 | 2 3/4 | 30 | 14.00 |
| 3430V476 | 9800-0878 | 48.8 | 2 1/8 | 30 | 2.65 | ⁴ 4430V1810 | 9800-0808 | 182.0 | 2 3/4 | 30 | 15.90 |
| 3430V493 | 9804-0879 | 50.1 | 2 1/8 | 30 | 2.75 | ⁴ 4430V1917 | 9800-0809 | 192.7 | 2 3/4 | 30 | 16.80 |
| 3432V450 | 9804-0880 | 45.8 | 2 1/8 | 32 | 2.52 | 4436V525 | 9800-0125 | 53.5 | 2 3/4 | 36 | 4.70 |
| 3432V456 | 9804-0797 | 46.5 | 2 1/8 | 32 | 2.55 | 4436V551 | 9800-0154 | 56.1 | 2 3/4 | 36 | 5.00 |
| 3432V480 | 9804-0881 | 48.8 | 2 1/8 | 32 | 2.67 | ⁴ 4436V555 | 9800-0066 | 56.5 | 2 3/4 | 36 | 5.03 |
| 3432V484 | 9804-0798 | 49.3 | 2 1/8 | 32 | 2.70 | 4436V561 | 9804-0810 | 57.1 | 2 3/4 | 36 | 5.15 |
| 3432V528 | 9804-0882 | 53.4 | 2 1/8 | 32 | 2.92 | 4436V576 | 9800-0131 | 58.6 | 2 3/4 | 36 | 5.30 |
| 3432V534 | 9804-0799 | 54.3 | 2 1/8 | 32 | 2.97 | ⁴ 4436V581 | 9804-0811 | 59.1 | 2 3/4 | 36 | 5.32 |
| 3436V404 | 9804-0364 | 41.3 | 2 1/8 | 36 | 2.27 | 4436V646 | 9800-0522 | 65.5 | 2 3/4 | 36 | 6.05 |
| 3630V455 | 9804-0883 | 46.4 | 2 1/4 | 30 | 2.75 | 4436V714 | 9800-0363 | 72.7 | 2 3/4 | 36 | 6.80 |
| 3636V479 | 9800-0361 | 48.8 | 2 1/4 | 36 | 3.30 | 4626V596 | 9800-0011 | 60.6 | 2 7/8 | 26 | 7.10 |
| 3726V558 | 9800-0757 | 56.9 | 2 5/16 | 26 | 4.40 | 4630V650 | 9800-0613 | 66.1 | 2 7/8 | 30 | 7.35 |
| 3826V459 | 9804-0004 | 46.8 | 2 3/8 | 26 | 3.70 | 4630V663 | 9800-0378 | 67.3 | 2 7/8 | 30 | 7.40 |
| 3826V465 | 9800-0055 | 47.5 | 2 3/8 | 26 | 3.73 | 4630V668 | 9800-0698 | 68.1 | 2 7/8 | 30 | 7.45 |
| 3830V501 | 9800-0379 | 51.0 | 2 3/8 | 30 | 3.80 | 4630V683 | 9800-0464 | 69.3 | 2 7/8 | 30 | 7.50 |
| 3830V510 | 9800-0689 | 52.0 | 2 3/8 | 30 | 3.82 | 4630V733 | 9800-0699 | 74.3 | 2 7/8 | 30 | 7.75 |
| 3830V517 | 9800-0614 | 52.7 | 2 3/8 | 30 | 3.85 | 4630V1070 | 9800-0034 | 108.1 | 2 7/8 | 30 | 9.30 |
| 3830V580 | 9800-0696 | 59.0 | 2 3/8 | 30 | 4.00 | ⁴ 4632V722 | 9800-0510 | 73.5 | 2 7/8 | 32 | 7.70 |
| 3830V587 | 9804-0800 | 59.6 | 2 3/8 | 30 | 4.02 | 4636V613 | 9800-0362 | 62.2 | 2 7/8 | 36 | 7.20 |
| 3836V418 | 9800-0124 | 42.7 | 2 3/8 | 36 | 3.59 | 4830V602 | 9800-0652 | 61.1 | 3 | 30 | 6.00 |
| 3836V426 | 9800-0123 | 43.6 | 2 3/8 | 36 | 3.60 | ⁴ 4830V614 | 9800-0548 | 62.5 | 3 | 30 | 6.05 |
| 3836V654 | 9804-0801 | 66.3 | 2 3/8 | 36 | 4.18 | 4830V653 | 9800-0546 | 66.4 | 3 | 30 | 6.40 |
| 4030V538 | 9804-0687 | 54.5 | 2 1/2 | 30 | 3.80 | 4830V692 | 9800-0545 | 70.3 | 3 | 30 | 6.75 |
| ⁴ 4030V590 | 9804-0884 | 60.0 | 2 1/2 | 30 | 4.15 | 4830V699 | 9800-0610 | 71.0 | 3 | 30 | 6.75 |
| 4036V541 | 9800-0562 | 55.4 | 2 1/2 | 36 | 3.82 | 4830V730 | 9800-0544 | 74.1 | 3 | 30 | 7.10 |
| 4036V574 | 9800-0369 | 58.3 | 2 1/2 | 36 | 4.02 | 4830V750 | 9800-0813 | 76.0 | 3 | 30 | 7.20 |
| ⁴ 4230V503 | 9800-0637 | 51.4 | 2 5/8 | 30 | 4.35 | 4830V850 | 9800-0566 | 86.1 | 3 | 30 | 8.00 |
| 4230V556 | 9800-0601 | 56.8 | 2 5/8 | 30 | 4.45 | 4830V970 | 9800-0567 | 98.1 | 3 | 30 | 9.00 |
| 4230V605 | 9800-0489 | 61.0 | 2 5/8 | 30 | 4.60 | ⁴ 4830V1070 | 9800-0598 | 108.1 | 3 | 30 | 9.75 |
| 4234V998 | 9800-0143 | 100.9 | 2 5/8 | 34 | 5.50 | ⁴ 4836V588 | 9800-0010 | 59.8 | 3 | 36 | 6.00 |
| 4330V521 | 9800-0594 | 53.2 | 2 11/16 | 30 | 4.65 | 4836V608 | 9800-0096 | 61.9 | 3 | 36 | 6.20 |
| 4430V510 | 9800-0513 | 52.0 | 2 3/4 | 30 | 4.20 | 4836V618 | 9800-0155 | 63.4 | 3 | 36 | 6.40 |
| 4430V530 | 9800-0736 | 54.0 | 2 3/4 | 30 | 4.30 | ⁴ 4836V642 | 9800-0609 | 65.3 | 3 | 36 | 6.60 |
| 4430V548 | 9800-0463 | 55.0 | 2 3/4 | 30 | 4.50 | 4836V655 | 9800-0133 | 66.6 | 3 | 36 | 6.80 |
| 4430V555 | 9800-0132 | 56.5 | 2 3/4 | 30 | 4.50 | ⁴ 4836V729 | 9800-0101 | 74.0 | 3 | 36 | 7.60 |
| 4430V560 | 9804-0886 | 57.0 | 2 3/4 | 30 | 4.63 | 4836V789 | 9800-0102 | 80.0 | 3 | 36 | 8.40 |
| ⁴ 4430V570 | 9804-0887 | 58.0 | 2 3/4 | 30 | 4.70 | 4836V850 | 9800-0031 | 86.1 | 3 | 36 | 9.10 |
| 4430V578 | 9800-0441 | 59.0 | 2 3/4 | 30 | 4.80 | 4836V1180 | 9800-0758 | 119.3 | 3 | 36 | 13.00 |
| 4430V600 | 9804-0803 | 61.0 | 2 3/4 | 30 | 4.97 | 5126V938 | 9800-0246 | 95.0 | 3 3/16 | 26 | 11.65 |
| 4430V610 | 9800-0111 | 62.0 | 2 3/4 | 30 | 5.07 | 5130V732 | 9800-0663 | 74.6 | 3 3/16 | 30 | 9.40 |
| 4430V630 | 9800-0442 | 64.0 | 2 3/4 | 30 | 5.20 | 5228V930 | 9800-0894 | 94.4 | 3 1/4 | 28 | 10.50 |
| 4430V652 | 9804-0888 | 66.2 | 2 3/4 | 30 | 5.50 | ⁵ 5228V930S | 9800-0737 | 94.4 | 3 1/4 | 28 | 21.00 |
| 4430V660 | 9800-0443 | 67.0 | 2 3/4 | 30 | 5.50 | 5230V662 | 9800-0660 | 67.3 | 3 1/4 | 30 | 7.60 |
| 4430V670 | 9800-0112 | 68.0 | 2 3/4 | 30 | 5.65 | 5230V734 | 9800-0893 | 75.3 | 3 1/4 | 30 | 8.50 |
| 4430V690 | 9800-0444 | 70.0 | 2 3/4 | 30 | 5.80 | ⁵ 5230V734S | 9800-0657 | 75.3 | 3 1/4 | 30 | 16.80 |
| 4430V700 | 9800-0150 | 71.0 | 2 3/4 | 30 | 5.80 | 5230V867 | 9800-0895 | 88.3 | 3 1/4 | 30 | 9.95 |
| 4430V730 | 9800-0065 | 74.0 | 2 3/4 | 30 | 6.20 | ^{4,5} 5230V867S | 9800-0659 | 88.3 | 3 1/4 | 30 | 20.00 |
| 4430V740 | 9800-0445 | 75.0 | 2 3/4 | 30 | 6.30 | ⁴ 5636V750 | 9800-0235 | 76.4 | 3 1/2 | 36 | 12.39 |
| 4430V760 | 9804-0806 | 77.0 | 2 3/4 | 30 | 6.40 | 5636V774 | 9800-0237 | 78.7 | 3 1/2 | 36 | 10.95 |
| 4430V772 | 9833-0723 | 78.6 | 2 3/4 | 30 | 6.60 | 5830V756 | 9800-0661 | 76.9 | 3 5/8 | 30 | 13.00 |
| ⁴ 4430V780 | 9804-0890 | 79.0 | 2 3/4 | 30 | 6.60 | 5836V737 | 9800-0309 | 75.0 | 3 5/8 | 36 | 13.00 |
| 4430V790 | 9800-0113 | 80.0 | 2 3/4 | 30 | 6.80 | 6036V761 | 9833-0738 | 77.7 | 3 3/4 | 36 | 10.35 |
| 4430V850 | 9800-0114 | 86.0 | 2 3/4 | 30 | 7.40 | 6036V850 | 9800-0105 | 86.3 | 3 3/4 | 36 | 11.30 |

⁴ Minimum production quantity may apply. Contact Customer Service for availability.
⁵ Set of 2.

MULTI-SPEED BELTS





Multi-Speed Belts

Product No. Series 9800, 9804 & 9833 (continued)

| Part No. | Product No. | Belt O.C. (In.) | Top Width (In.) | Angle (°) | Wt. Ea. (Lbs.) |
|-----------------------|-------------|-----------------|-----------------|-----------|----------------|
| 6236V694 | 9800-0147 | 70.8 | 3 7/8 | 36 | 9.20 |
| ⁴ 6236V725 | 9804-0006 | 73.9 | 3 7/8 | 36 | 9.80 |

| Part No. | Product No. | Belt O.C. (In.) | Top Width (In.) | Angle (°) | Wt. Ea. (Lbs.) |
|-----------------------|-------------|-----------------|-----------------|-----------|----------------|
| 6236V762 | 9800-0104 | 77.6 | 3 7/8 | 36 | 10.80 |
| ⁴ 6236V905 | 9800-0013 | 91.9 | 3 7/8 | 36 | 14.38 |

MULTI-SPEED BELTS

⁴ Minimum production quantity may apply. Contact Customer Service for availability.



Nu-T-Link® Belting

Nu-T-Link V-belting is designed for rapid installation in an assortment of lengths and operating conditions.

Markets/Applications

Suitable alternative to standard belts on all industrial applications and particularly suited to drives requiring link belting for ease of installation.

Features/Advantages

- **Color Coded Studs** make for easy identification and installation.
- **Orange Polyurethane/Polyester** composite resists oil, water, chemicals and heat (working temperature range: -40°F to +212°F (-40°C to +100°C)).
- May be assembled in an assortment of lengths to fit multiple drive configurations.

Recommended Sheaves

Multi-Duty Sheaves


Notes

Nu-T-Link is available in 50 foot reels.

The studs are color coded: 0 - Red; A - Silver; B - Green; C - Blue; D - Black; E - Black.

Nu-T-Link does not meet RMA requirements for V-belt static conductivity.

WARNING: Do **NOT** use with backside idlers.



Product No. Series 7760

Nu-T-Link®

| Part No. | Product No. | Cross Section | Top Width (In.) | Std. Roll (Ft.) | Wt. (Ft.) (Lbs.) |
|----------|-------------|---------------|-----------------|-----------------|------------------|
| NTL/0 | 7760-6101 | 0 | 3/8 | 50 | .10 |
| NTL/A | 7760-6102 | A | 1/2 | 50 | .12 |
| NTL/B | 7760-6103 | B | 21/32 | 50 | .16 |
| NTL/C | 7760-6104 | C | 7/8 | 50 | .21 |
| NTL/D | 7760-6105 | D | 1 1/4 | 50 | .26 |

A Nu-T-Link assembly tool will be supplied free of charge with belting. Additional assembly tools are available. Contact Customer Service for availability.

Nu-T-Link® Belting Assembly Tool

| Part No. | Product No. |
|----------|-------------|
| NTL/TOOL | 7469-0701 |

Easy-Splice V-Belting

Easy-Splice V-Belting has dependable, non-slip design with minimal stretch characteristics made to outlast other types of open-end belting.

Markets/Applications

Suitable alternative to standard belts on all industrial applications and particularly suited to drives requiring connected belting for ease of installation.

Features/Advantages

- Special resilient **tensile cords** impart high strength and keep stretch to a minimum, prolonging belt life and reducing maintenance.
- Special, **square cut fabric reinforcement** provides a tough, durable anchor for the fastener, while allowing the belt to remain flexible.
- Meets RMA **oil and heat resistant** standards.

Recommended Sheaves


Multi-Duty® Sheaves

Notes

Easy-Splice is available in cross sections A-VO, B-VO, C-VO, D-VO and BB-VO, which correspond to the A, B, C, D, and BB standard industrial V-belt cross sections.

Sold in full rolls only.

Easy-Splice fasteners are not available from Gates. Contact Flexible Steel Lacing Company in Downers Grove, IL at (630) 971-0150 or www.flexco.com.



Product No. Series 9300 & 9310

| Part No. | Product No. | Std. Roll (Ft.) | Top Width (In.) | Wt. (Ft.) (Lbs.) | Max. Pieces Std. Roll | Min. Length Ea. Piece (Ft.) |
|----------|-------------|-----------------|-----------------|------------------|-----------------------|-----------------------------|
| AVO/525 | 9300-0002 | 525 +/- 10 ft. | 1/2 | .09 | 3 | 20 |
| BBVO/350 | 9310-0003 | 350 +/- 30 ft. | 21/32 | .17 | 4 | 20 |
| BVO/500 | 9300-0003 | 500 +/- 10 ft. | 21/32 | .14 | 3 | 20 |
| CVO/450 | 9300-0004 | 450 +/- 10 ft. | 7/8 | .21 | 3 | 20 |
| DVO/160 | 9300-0005 | 160 +/- 10 ft. | 1 1/4 | .48 | 3 | 20 |

Tubewinder Belts


These flat belts are featured in black rubber and red ozex, and in light, medium or heavy construction.

Markets/Applications

Specifically designed for use on tube-winding machines.

Features/Advantages

- **High tensile strength** to minimize stretch and maintain the proper pressure on the paper around the mandrel.
- **High coefficient of friction** for even and smooth pulling of the paper around the mandrel.
- **Transverse rigidity** to ensure the belt remains stable and maintains the required pressure.



Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.

Notes

Gates Tubewinder belts are Made-To-Order. Minimum order quantities may apply.

Black Tubewinder Belts - Minimum order quantity is based on a sleeve width of 24" to 28". Belts from 15.5" to 79.9" in length are built on 24" wide drums, and belts from 80" to 138" in length are built on 28" wide drums. Divide the drum width by the belt top width and round down to the nearest whole belt increment.

Red Ozex Tubewinder Belts - Intermediate or fractional order quantity is based on a 12 1/2" drum (+/- 10%). Divide 12 1/2" by the belt top width and round down to the nearest whole belt increment.

Black Tubewinder

| Belt Length | Light Construction 0.105" Thick (Nominal Cover Thickness 0.025") | Medium Construction 0.266" Thick (Nominal Cover Thickness 0.085") | Heavy Construction 0.390" Thick (Nominal Cover Thickness 0.105") |
|---------------------------------|---|--|---|
| 15.5" to 79.9" 80.0" to 140" | Maximum Width 24" Maximum Width 28" | | |

Red Ozex Tubewinder

| Belt Length | Light Construction 0.25" Thick (Nominal Cover Thickness 0.063") | Medium Construction 0.344" Thick (Nominal Cover Thickness 0.063") | Heavy Construction 0.469" Thick (Nominal Cover Thickness 0.125") |
|-------------|--|--|---|
| Up to 240" | Maximum Width 12 1/2" | | |

Power Round® Belts

Heavy-duty round belt designed for demanding applications. These belts are designed for 1/4 turn or twisted drives where more than an O-ring is required.


Markets/Applications

Designed to meet the needs of higher speed Conveyor Applications.

Ideal for 1/4 turn or twisted, serpentine drives, power turn and line shaft conveyors.

Features/Advantages

- **Flex-Bonded Higher Strength Polyester Tensile Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- The **Flex-Weave® Double Layer Heavy-Duty Cover** is a patented fabric construction for longer cover life, providing extended protection to the belt core from oil, dirt and heat.
- Installation **Alignment Stripe** runs the entire length of the belt to aid in eliminating belt twists during installation.
- Minimal stretch for minimum take-up requirements.
- No splice for added durability.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



Recommended Sheaves

Hi-Power Multi-Duty Sheaves

Notes

Additional sizes from 42 inches to 660 inches are available upon request and require minimum order quantities of 87 belts per size +/- 10%. Contact Customer Service for availability and setup.

Product No. Series 8819

9/16" Diameter

| Part No. | Product No. | Inside Length (in.) |
|----------------|-------------|---------------------|
| 9 X 41 3/8 PR | 8819-0010 | 41 3/8 |
| 9 X 54 PR | 8819-0011 | 54 |
| 9 X 90 PR | 8819-0012 | 90 |
| 9 X 101 PR | 8819-0029 | 101 |
| 9 X 112 PR | 8819-0013 | 112 |
| 9 X 120 PR | 8819-0014 | 120 |
| 9 X 128 PR | 8819-0015 | 128 |
| 9 X 129 3/4 PR | 8819-0016 | 129 3/4 |
| 9 X 135 PR | 8819-0017 | 135 |
| 9 X 144 PR | 8819-0018 | 144 |
| 9 X 148 PR | 8819-0019 | 148 |
| 9 X 155 PR | 8819-0020 | 155 |
| 9 X 166 PR | 8819-0021 | 166 |
| 9 X 172 PR | 8819-0022 | 172 |
| 9 X 176 PR | 8819-0023 | 176 |
| 9 X 190 PR | 8819-0024 | 190 |

| Part No. | Product No. | Inside Length (in.) |
|------------|-------------|---------------------|
| 9 X 200 PR | 8819-0008 | 200 |
| 9 X 210 PR | 8819-0007 | 210 |
| 9 X 233 PR | 8819-0002 | 233 |
| 9 X 250 PR | 8819-0000 | 250 |
| 9 X 270 PR | 8819-0001 | 270 |
| 9 X 308 PR | 8819-0003 | 308 |
| 9 X 331 PR | 8819-0004 | 331 |
| 9 X 345 PR | 8819-0009 | 345 |
| 9 X 386 PR | 8819-0006 | 386 |
| 9 X 416 PR | 8819-0025 | 416 |
| 9 X 447 PR | 8819-0026 | 447 |
| 9 X 465 PR | 8819-0027 | 465 |
| 9 X 500 PR | 8819-0030 | 500 |
| 9 X 564 PR | 8819-0005 | 564 |
| 9 X 600 PR | 8819-0031 | 600 |
| 9 X 660 PR | 8819-0028 | 660 |

Round Endless Belts

These belts are designed for 1/4 turn or twisted drives where more than an O-ring is required.

Markets/Applications

Round Endless belts are ideal for 1/4 turn or twisted drives, serpentine drives, power turn and line shaft conveyors and commercial sewing machines.

Features/Advantages


- Minimal stretch for minimum take-up requirements.
- No splice for added durability.

Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.

Notes

Standard-stocked Round Endless belts are footnoted. All others are Made-To-Order and may require minimum order quantities. Contact Customer Service for availability.



Product No. Series 8820

1/4" Diameter

Minimum order quantity for 1/4" Round Endless Belts is 180 belts per size +/- 10%.

| Part No. | Product No. | Inside Length (In.) |
|----------------|-------------|---------------------|
| 4 X 33 RE BELT | 8820-0499 | 33 |
| 4 X 34 RE BELT | 8820-0503 | 34 |
| 4 X 35 RE BELT | 8820-0507 | 35 |
| 4 X 36 RE BELT | 8820-0511 | 36 |
| 4 X 37 RE BELT | 8820-0515 | 37 |
| 4 X 38 RE BELT | 8820-0519 | 38 |
| 4 X 39 RE BELT | 8820-0523 | 39 |
| 4 X 40 RE BELT | 8820-0527 | 40 |
| 4 X 41 RE BELT | 8820-0531 | 41 |
| 4 X 42 RE BELT | 8820-0535 | 42 |
| 4 X 43 RE BELT | 8820-0539 | 43 |
| 4 X 44 RE BELT | 8820-0543 | 44 |
| 4 X 45 RE BELT | 8820-0547 | 45 |
| 4 X 46 RE BELT | 8820-0551 | 46 |
| 4 X 47 RE BELT | 8820-0555 | 47 |
| 4 X 48 RE BELT | 8820-0559 | 48 |
| 4 X 49 RE BELT | 8820-0563 | 49 |
| 4 X 50 RE BELT | 8820-0567 | 50 |
| 4 X 51 RE BELT | 8820-0571 | 51 |
| 4 X 52 RE BELT | 8820-0575 | 52 |
| 4 X 53 RE BELT | 8820-0579 | 53 |
| 4 X 54 RE BELT | 8820-0583 | 54 |
| 4 X 55 RE BELT | 8820-0587 | 55 |
| 4 X 56 RE BELT | 8820-0591 | 56 |
| 4 X 57 RE BELT | 8820-0595 | 57 |
| 4 X 58 RE BELT | 8820-0599 | 58 |
| 4 X 59 RE BELT | 8820-0603 | 59 |

| Part No. | Product No. | Inside Length (In.) |
|----------------|-------------|---------------------|
| 4 X 60 RE BELT | 8820-0607 | 60 |
| 4 X 61 RE BELT | 8820-0611 | 61 |
| 4 X 62 RE BELT | 8820-0615 | 62 |
| 4 X 63 RE BELT | 8820-0619 | 63 |
| 4 X 64 RE BELT | 8820-0623 | 64 |
| 4 X 65 RE BELT | 8820-0627 | 65 |
| 4 X 66 RE BELT | 8820-0631 | 66 |
| 4 X 67 RE BELT | 8820-0635 | 67 |
| 4 X 68 RE BELT | 8820-0639 | 68 |
| 4 X 69 RE BELT | 8820-0643 | 69 |
| 4 X 70 RE BELT | 8820-0647 | 70 |
| 4 X 71 RE BELT | 8820-0651 | 71 |
| 4 X 72 RE BELT | 8820-0655 | 72 |
| 4 X 73 RE BELT | 8820-0659 | 73 |
| 4 X 74 RE BELT | 8820-0663 | 74 |
| 4 X 75 RE BELT | 8820-0667 | 75 |
| 4 X 76 RE BELT | 8820-0671 | 76 |
| 4 X 77 RE BELT | 8820-0675 | 77 |
| 4 X 78 RE BELT | 8820-0679 | 78 |
| 4 X 79 RE BELT | 8820-0683 | 79 |
| 4 X 80 RE BELT | 8820-0687 | 80 |
| 4 X 81 RE BELT | 8820-0691 | 81 |
| 4 X 82 RE BELT | 8820-0695 | 82 |
| 4 X 83 RE BELT | 8820-0699 | 83 |
| 4 X 84 RE BELT | 8820-0703 | 84 |
| 4 X 85 RE BELT | 8820-0707 | 85 |

5/16" Diameter

Minimum order quantity for 5/16" Round Endless Belts is 165 belts per size +/- 10%.

| Part No. | Product No. | Inside Length (In.) |
|----------------------------------|-------------|---------------------|
| 5 X 33 RE BELT | 8820-0838 | 33 |
| ¹⁶ 5 X 33 1/2 RE BELT | 8820-0840 | 33 1/2 |
| ¹⁶ 5 X 34 RE BELT | 8820-0842 | 34 |
| 5 X 35 RE BELT | 8820-0846 | 35 |
| 5 X 36 RE BELT | 8820-0850 | 36 |
| 5 X 37 RE BELT | 8820-0854 | 37 |
| 5 X 38 RE BELT | 8820-0858 | 38 |
| 5 X 39 RE BELT | 8820-0862 | 39 |
| 5 X 40 RE BELT | 8820-0866 | 40 |

| Part No. | Product No. | Inside Length (In.) |
|----------------|-------------|---------------------|
| 5 X 41 RE BELT | 8820-0870 | 41 |
| 5 X 42 RE BELT | 8820-0874 | 42 |
| 5 X 43 RE BELT | 8820-0878 | 43 |
| 5 X 44 RE BELT | 8820-0882 | 44 |
| 5 X 45 RE BELT | 8820-0886 | 45 |
| 5 X 46 RE BELT | 8820-0890 | 46 |
| 5 X 47 RE BELT | 8820-0894 | 47 |
| 5 X 48 RE BELT | 8820-0898 | 48 |
| 5 X 49 RE BELT | 8820-0902 | 49 |

¹⁶ Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.





Round Endless Belts

Product No. Series 8820 (continued)

5/16" Diameter (continued)

| Part No. | Product No. | Inside Length (In.) |
|----------------|-------------|---------------------|
| 5 X 50 RE BELT | 8820-0906 | 50 |
| 5 X 51 RE BELT | 8820-0910 | 51 |
| 5 X 52 RE BELT | 8820-0914 | 52 |
| 5 X 53 RE BELT | 8820-0918 | 53 |
| 5 X 54 RE BELT | 8820-0922 | 54 |
| 5 X 55 RE BELT | 8820-0926 | 55 |
| 5 X 56 RE BELT | 8820-0930 | 56 |
| 5 X 57 RE BELT | 8820-0934 | 57 |
| 5 X 58 RE BELT | 8820-0938 | 58 |
| 5 X 59 RE BELT | 8820-0942 | 59 |
| 5 X 60 RE BELT | 8820-0946 | 60 |
| 5 X 61 RE BELT | 8820-0950 | 61 |
| 5 X 62 RE BELT | 8820-0954 | 62 |
| 5 X 63 RE BELT | 8820-0958 | 63 |
| 5 X 64 RE BELT | 8820-0962 | 64 |
| 5 X 65 RE BELT | 8820-0966 | 65 |
| 5 X 66 RE BELT | 8820-0970 | 66 |
| 5 X 67 RE BELT | 8820-0974 | 67 |
| 5 X 68 RE BELT | 8820-0978 | 68 |
| 5 X 69 RE BELT | 8820-0982 | 69 |
| 5 X 70 RE BELT | 8820-0986 | 70 |

| Part No. | Product No. | Inside Length (In.) |
|----------------|-------------|---------------------|
| 5 X 71 RE BELT | 8820-0990 | 71 |
| 5 X 72 RE BELT | 8820-0994 | 72 |
| 5 X 73 RE BELT | 8820-0998 | 73 |
| 5 X 74 RE BELT | 8820-1002 | 74 |
| 5 X 75 RE BELT | 8820-1006 | 75 |
| 5 X 76 RE BELT | 8820-1010 | 76 |
| 5 X 77 RE BELT | 8820-1014 | 77 |
| 5 X 78 RE BELT | 8820-1018 | 78 |
| 5 X 79 RE BELT | 8820-1022 | 79 |
| 5 X 80 RE BELT | 8820-1026 | 80 |
| 5 X 81 RE BELT | 8820-1030 | 81 |
| 5 X 82 RE BELT | 8820-1034 | 82 |
| 5 X 83 RE BELT | 8820-1038 | 83 |
| 5 X 84 RE BELT | 8820-1042 | 84 |
| 5 X 85 RE BELT | 8820-1046 | 85 |
| 5 X 86 RE BELT | 8820-1050 | 86 |
| 5 X 87 RE BELT | 8820-1054 | 87 |
| 5 X 88 RE BELT | 8820-1058 | 88 |
| 5 X 89 RE BELT | 8820-1062 | 89 |
| 5 X 90 RE BELT | 8820-1066 | 90 |

3/8" Diameter

Minimum order quantity for 3/8" Round Endless Belts is 139 belts per size +/- 10%.

| Part No. | Product No. | Inside Length (In.) |
|----------------------------------|-------------|---------------------|
| 6 X 33 RE BELT | 8820-1222 | 33 |
| ¹⁶ 6 X 33 1/2 RE BELT | 8820-1225 | 33 1/2 |
| ¹⁶ 6 X 34 RE BELT | 8820-1226 | 34 |
| 6 X 35 RE BELT | 8820-1230 | 35 |
| ¹⁶ 6 X 36 RE BELT | 8820-1234 | 36 |
| 6 X 37 RE BELT | 8820-1238 | 37 |
| 6 X 38 RE BELT | 8820-1242 | 38 |
| 6 X 39 RE BELT | 8820-1246 | 39 |
| 6 X 40 RE BELT | 8820-1250 | 40 |
| 6 X 41 RE BELT | 8820-1254 | 41 |
| 6 X 42 RE BELT | 8820-1258 | 42 |
| 6 X 43 RE BELT | 8820-1262 | 43 |
| 6 X 44 RE BELT | 8820-1266 | 44 |
| 6 X 45 RE BELT | 8820-1270 | 45 |
| 6 X 46 RE BELT | 8820-1274 | 46 |
| 6 X 47 RE BELT | 8820-1278 | 47 |
| 6 X 48 RE BELT | 8820-1282 | 48 |
| 6 X 49 RE BELT | 8820-1286 | 49 |
| 6 X 50 RE BELT | 8820-1290 | 50 |
| 6 X 51 RE BELT | 8820-1294 | 51 |
| 6 X 52 RE BELT | 8820-1298 | 52 |
| 6 X 53 RE BELT | 8820-1302 | 53 |
| 6 X 54 RE BELT | 8820-1306 | 54 |
| 6 X 55 RE BELT | 8820-1310 | 55 |
| 6 X 56 RE BELT | 8820-1314 | 56 |
| 6 X 57 RE BELT | 8820-1318 | 57 |
| 6 X 58 RE BELT | 8820-1322 | 58 |
| 6 X 59 RE BELT | 8820-1326 | 59 |
| 6 X 60 RE BELT | 8820-1330 | 60 |
| 6 X 61 RE BELT | 8820-1334 | 61 |
| 6 X 62 RE BELT | 8820-1338 | 62 |
| 6 X 63 RE BELT | 8820-1342 | 63 |
| 6 X 64 RE BELT | 8820-1346 | 64 |
| 6 X 65 RE BELT | 8820-1350 | 65 |
| 6 X 66 RE BELT | 8820-1354 | 66 |

| Part No. | Product No. | Inside Length (In.) |
|------------------------------|-------------|---------------------|
| 6 X 67 RE BELT | 8820-1358 | 67 |
| 6 X 68 RE BELT | 8820-1362 | 68 |
| 6 X 69 RE BELT | 8820-1366 | 69 |
| 6 X 70 RE BELT | 8820-1370 | 70 |
| 6 X 71 RE BELT | 8820-1374 | 71 |
| 6 X 72 RE BELT | 8820-1378 | 72 |
| 6 X 73 RE BELT | 8820-1382 | 73 |
| 6 X 74 RE BELT | 8820-1386 | 74 |
| 6 X 75 RE BELT | 8820-1390 | 75 |
| 6 X 76 RE BELT | 8820-1394 | 76 |
| 6 X 77 RE BELT | 8820-1398 | 77 |
| 6 X 78 RE BELT | 8820-1402 | 78 |
| 6 X 79 RE BELT | 8820-1406 | 79 |
| 6 X 80 RE BELT | 8820-1410 | 80 |
| 6 X 81 RE BELT | 8820-1414 | 81 |
| 6 X 82 RE BELT | 8820-1418 | 82 |
| 6 X 83 RE BELT | 8820-1422 | 83 |
| 6 X 84 RE BELT | 8820-1426 | 84 |
| 6 X 85 RE BELT | 8820-1430 | 85 |
| 6 X 86 RE BELT | 8820-1434 | 86 |
| 6 X 87 RE BELT | 8820-1438 | 87 |
| 6 X 88 RE BELT | 8820-1442 | 88 |
| ¹⁶ 6 X 89 RE BELT | 8820-1446 | 89 |
| 6 X 90 RE BELT | 8820-1460 | 90 |
| 6 X 91 RE BELT | 8820-1454 | 91 |
| 6 X 92 RE BELT | 8820-1458 | 92 |
| 6 X 93 RE BELT | 8820-1462 | 93 |
| 6 X 94 RE BELT | 8820-1466 | 94 |
| 6 X 95 RE BELT | 8820-1470 | 95 |
| ¹⁶ 6 X 96 RE BELT | 8820-1474 | 96 |
| ¹⁶ 6 X 97 RE BELT | 8820-1478 | 97 |
| ¹⁶ 6 X 98 RE BELT | 8820-1486 | 98 |
| 6 X 99 RE BELT | 8820-1482 | 99 |
| 6 X 100 RE BELT | 8820-1490 | 100 |
| 6 X 101 RE BELT | 8820-1494 | 101 |

¹⁶ Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.



Round Endless Belts

Product No. Series 8820 (continued)

3/8" Diameter (continued)

| Part No. | Product No. | Inside Length (In.) |
|-----------------|-------------|---------------------|
| 6 X 102 RE BELT | 8820-1498 | 102 |
| 6 X 103 RE BELT | 8820-1502 | 103 |
| 6 X 104 RE BELT | 8820-1506 | 104 |
| 6 X 105 RE BELT | 8820-1510 | 105 |
| 6 X 106 RE BELT | 8820-1514 | 106 |
| 6 X 107 RE BELT | 8820-1518 | 107 |
| 6 X 108 RE BELT | 8820-1522 | 108 |
| 6 X 109 RE BELT | 8820-1526 | 109 |
| 6 X 110 RE BELT | 8820-1530 | 110 |
| 6 X 111 RE BELT | 8820-1534 | 111 |

| Part No. | Product No. | Inside Length (In.) |
|-----------------|-------------|---------------------|
| 6 X 112 RE BELT | 8820-1538 | 112 |
| 6 X 113 RE BELT | 8820-1542 | 113 |
| 6 X 114 RE BELT | 8820-1546 | 114 |
| 6 X 115 RE BELT | 8820-1550 | 115 |
| 6 X 116 RE BELT | 8820-1554 | 116 |
| 6 X 117 RE BELT | 8820-1558 | 117 |
| 6 X 118 RE BELT | 8820-1562 | 118 |
| 6 X 119 RE BELT | 8820-1566 | 119 |
| 6 X 120 RE BELT | 8820-1570 | 120 |

7/16" Diameter

Minimum order quantity for 7/16" Round Endless Belts is 115 belts per size +/- 10%.

| Part No. | Product No. | Inside Length (In.) |
|------------------------------|-------------|---------------------|
| 7 X 33 RE BELT | 8820-1831 | 33 |
| ¹⁶ 7 X 34 RE BELT | 8820-1835 | 34 |
| 7 X 35 RE BELT | 8820-1839 | 35 |
| ¹⁶ 7 X 36 RE BELT | 8820-1843 | 36 |
| 7 X 37 RE BELT | 8820-1847 | 37 |
| 7 X 38 RE BELT | 8820-1851 | 38 |
| 7 X 39 RE BELT | 8820-1859 | 39 |
| 7 X 40 RE BELT | 8820-1841 | 40 |
| 7 X 41 RE BELT | 8820-1863 | 41 |
| 7 X 42 RE BELT | 8820-1867 | 42 |
| 7 X 43 RE BELT | 8820-1871 | 43 |
| 7 X 44 RE BELT | 8820-1875 | 44 |
| 7 X 45 RE BELT | 8820-1879 | 45 |
| 7 X 46 RE BELT | 8820-1883 | 46 |
| 7 X 47 RE BELT | 8820-1887 | 47 |
| 7 X 48 RE BELT | 8820-1891 | 48 |
| 7 X 49 RE BELT | 8820-1895 | 49 |
| 7 X 50 RE BELT | 8820-1899 | 50 |
| 7 X 51 RE BELT | 8820-1903 | 51 |
| 7 X 52 RE BELT | 8820-1907 | 52 |
| 7 X 53 RE BELT | 8820-1911 | 53 |
| 7 X 54 RE BELT | 8820-1915 | 54 |
| 7 X 55 RE BELT | 8820-1919 | 55 |
| 7 X 56 RE BELT | 8820-1923 | 56 |
| 7 X 57 RE BELT | 8820-1927 | 57 |
| 7 X 58 RE BELT | 8820-1931 | 58 |
| 7 X 61 RE BELT | 8820-1943 | 61 |
| 7 X 62 RE BELT | 8820-1947 | 62 |
| 7 X 65 RE BELT | 8820-1959 | 65 |
| 7 X 66 RE BELT | 8820-1963 | 66 |
| 7 X 67 RE BELT | 8820-1967 | 67 |
| 7 X 68 RE BELT | 8820-1971 | 68 |
| 7 X 69 RE BELT | 8820-1975 | 69 |
| 7 X 70 RE BELT | 8820-1979 | 70 |
| 7 X 71 RE BELT | 8820-1983 | 71 |
| 7 X 72 RE BELT | 8820-1987 | 72 |

| Part No. | Product No. | Inside Length (In.) |
|----------------------------------|-------------|---------------------|
| 7 X 73 RE BELT | 8820-1991 | 73 |
| 7 X 74 RE BELT | 8820-1995 | 74 |
| 7 X 75 RE BELT | 8820-1999 | 75 |
| 7 X 76 RE BELT | 8820-2003 | 76 |
| 7 X 77 RE BELT | 8820-2007 | 77 |
| ¹⁶ 7 X 77 1/4 RE BELT | 8820-2008 | 77 1/4 |
| 7 X 78 RE BELT | 8820-2011 | 78 |
| 7 X 79 RE BELT | 8820-2015 | 79 |
| 7 X 80 RE BELT | 8820-2019 | 80 |
| 7 X 81 RE BELT | 8820-2023 | 81 |
| 7 X 82 RE BELT | 8820-2027 | 82 |
| 7 X 83 RE BELT | 8820-2031 | 83 |
| 7 X 84 RE BELT | 8820-2035 | 84 |
| 7 X 85 RE BELT | 8820-2039 | 85 |
| 7 X 86 RE BELT | 8820-2043 | 86 |
| 7 X 87 RE BELT | 8820-2047 | 87 |
| 7 X 88 RE BELT | 8820-2051 | 88 |
| 7 X 89 RE BELT | 8820-2055 | 89 |
| 7 X 90 RE BELT | 8820-2059 | 90 |
| 7 X 91 RE BELT | 8820-2063 | 91 |
| 7 X 92 RE BELT | 8820-2067 | 92 |
| 7 X 93 RE BELT | 8820-2071 | 93 |
| 7 X 94 RE BELT | 8820-2075 | 94 |
| 7 X 95 RE BELT | 8820-2079 | 95 |
| 7 X 96 RE BELT | 8820-2083 | 96 |
| 7 X 97 RE BELT | 8820-2087 | 97 |
| 7 X 98 RE BELT | 8820-2091 | 98 |
| 7 X 99 RE BELT | 8820-2095 | 99 |
| 7 X 100 RE BELT | 8820-2099 | 100 |
| 7 X 101 RE BELT | 8820-2103 | 101 |
| 7 X 102 RE BELT | 8820-2107 | 102 |
| 7 X 103 RE BELT | 8820-2111 | 103 |
| 7 X 104 RE BELT | 8820-2115 | 104 |
| 7 X 105 RE BELT | 8820-2119 | 105 |
| 7 X 106 RE BELT | 8820-2123 | 106 |

1/2" Diameter

Minimum order quantity for 1/2" Round Endless Belts is 95 belts per size +/- 10%.

| Part No. | Product No. | Inside Length (In.) |
|----------------|-------------|---------------------|
| 8 X 68 RE BELT | 8820-2745 | 68 |
| 8 X 69 RE BELT | 8820-2749 | 69 |
| 8 X 70 RE BELT | 8820-2753 | 70 |

| Part No. | Product No. | Inside Length (In.) |
|----------------|-------------|---------------------|
| 8 X 71 RE BELT | 8820-2757 | 71 |
| 8 X 72 RE BELT | 8820-2761 | 72 |
| 8 X 73 RE BELT | 8820-2765 | 73 |

¹⁶ Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.





Round Endless Belts

Product No. Series 8820 (continued)

1/2" Diameter (continued)

| Part No. | Product No. | Inside Length (In.) |
|----------------|-------------|---------------------|
| 8 X 74 RE BELT | 8820-2769 | 74 |
| 8 X 75 RE BELT | 8820-2773 | 75 |
| 8 X 76 RE BELT | 8820-2777 | 76 |
| 8 X 77 RE BELT | 8820-2781 | 77 |
| 8 X 78 RE BELT | 8820-2785 | 78 |
| 8 X 79 RE BELT | 8820-2789 | 79 |
| 8 X 80 RE BELT | 8820-2793 | 80 |
| 8 X 81 RE BELT | 8820-2797 | 81 |
| 8 X 82 RE BELT | 8820-2801 | 82 |
| 8 X 83 RE BELT | 8820-2805 | 83 |
| 8 X 84 RE BELT | 8820-2809 | 84 |
| 8 X 85 RE BELT | 8820-2813 | 85 |
| 8 X 86 RE BELT | 8820-2817 | 86 |
| 8 X 87 RE BELT | 8820-2821 | 87 |
| 8 X 88 RE BELT | 8820-2825 | 88 |
| 8 X 89 RE BELT | 8820-2829 | 89 |
| 8 X 90 RE BELT | 8820-2833 | 90 |

| Part No. | Product No. | Inside Length (In.) |
|-----------------|-------------|---------------------|
| 8 X 91 RE BELT | 8820-2837 | 91 |
| 8 X 92 RE BELT | 8820-2841 | 92 |
| 8 X 93 RE BELT | 8820-2845 | 93 |
| 8 X 94 RE BELT | 8820-2849 | 94 |
| 8 X 95 RE BELT | 8820-2853 | 95 |
| 8 X 96 RE BELT | 8820-2857 | 96 |
| 8 X 97 RE BELT | 8820-2861 | 97 |
| 8 X 98 RE BELT | 8820-2865 | 98 |
| 8 X 99 RE BELT | 8820-2869 | 99 |
| 8 X 100 RE BELT | 8820-2873 | 100 |
| 8 X 101 RE BELT | 8820-2877 | 101 |
| 8 X 102 RE BELT | 8820-2881 | 102 |
| 8 X 103 RE BELT | 8820-2885 | 103 |
| 8 X 104 RE BELT | 8820-2889 | 104 |
| 8 X 105 RE BELT | 8820-2893 | 105 |
| 8 X 106 RE BELT | 8820-2897 | 106 |

9/16" Diameter

Minimum order quantity for 9/16" Round Endless Belts is 87 belts per size +/- 10%.

| Part No. | Product No. | Inside Length (In.) |
|----------------------------------|-------------|---------------------|
| ¹⁶ 9 X 41 3/8 RE BELT | 8820-3217 | 41 3/8 |
| 9 X 49 RE BELT | 8820-3239 | 49 |
| 9 X 50 RE BELT | 8820-3242 | 50 |
| 9 X 51 RE BELT | 8820-3245 | 51 |
| 9 X 52 RE BELT | 8820-3248 | 52 |
| 9 X 53 RE BELT | 8820-3251 | 53 |
| ¹⁶ 9 X 54 RE BELT | 8820-3254 | 54 |
| 9 X 55 RE BELT | 8820-3257 | 55 |
| 9 X 56 RE BELT | 8820-3260 | 56 |
| 9 X 57 RE BELT | 8820-3263 | 57 |
| 9 X 58 RE BELT | 8820-3266 | 58 |
| 9 X 59 RE BELT | 8820-3269 | 59 |
| 9 X 60 RE BELT | 8820-3272 | 60 |
| 9 X 61 RE BELT | 8820-3275 | 61 |
| 9 X 62 RE BELT | 8820-3278 | 62 |
| 9 X 63 RE BELT | 8820-3281 | 63 |
| 9 X 64 RE BELT | 8820-3284 | 64 |
| 9 X 65 RE BELT | 8820-3287 | 65 |
| 9 X 66 RE BELT | 8820-3290 | 66 |
| 9 X 67 RE BELT | 8820-3293 | 67 |
| 9 X 68 RE BELT | 8820-3296 | 68 |
| 9 X 69 RE BELT | 8820-3299 | 69 |
| 9 X 70 RE BELT | 8820-3302 | 70 |
| 9 X 71 RE BELT | 8820-3305 | 71 |
| 9 X 72 RE BELT | 8820-3308 | 72 |
| 9 X 73 RE BELT | 8820-3311 | 73 |
| 9 X 74 RE BELT | 8820-3314 | 74 |
| 9 X 75 RE BELT | 8820-3317 | 75 |
| 9 X 76 RE BELT | 8820-3320 | 76 |
| 9 X 77 RE BELT | 8820-3323 | 77 |
| 9 X 78 RE BELT | 8820-3326 | 78 |
| 9 X 79 RE BELT | 8820-3329 | 79 |
| 9 X 80 RE BELT | 8820-3332 | 80 |
| 9 X 81 RE BELT | 8820-3335 | 81 |
| 9 X 82 RE BELT | 8820-3338 | 82 |
| 9 X 83 RE BELT | 8820-3341 | 83 |
| 9 X 84 RE BELT | 8820-3344 | 84 |
| 9 X 85 RE BELT | 8820-3347 | 85 |
| 9 X 86 RE BELT | 8820-3350 | 86 |

| Part No. | Product No. | Inside Length (In.) |
|-----------------------------------|-------------|---------------------|
| 9 X 87 RE BELT | 8820-3353 | 87 |
| 9 X 88 RE BELT | 8820-3356 | 88 |
| 9 X 89 RE BELT | 8820-3359 | 89 |
| ¹⁶ 9 X 90 RE BELT | 8820-3362 | 90 |
| 9 X 91 RE BELT | 8820-3365 | 91 |
| 9 X 92 RE BELT | 8820-3368 | 92 |
| 9 X 93 RE BELT | 8820-3371 | 93 |
| 9 X 94 RE BELT | 8820-3374 | 94 |
| 9 X 95 RE BELT | 8820-3377 | 95 |
| 9 X 96 RE BELT | 8820-3380 | 96 |
| 9 X 97 RE BELT | 8820-3383 | 97 |
| 9 X 98 RE BELT | 8820-3386 | 98 |
| 9 X 99 RE BELT | 8820-3389 | 99 |
| 9 X 100 RE BELT | 8820-3392 | 100 |
| 9 X 101 RE BELT | 8820-3395 | 101 |
| 9 X 102 RE BELT | 8820-3398 | 102 |
| 9 X 103 RE BELT | 8820-3401 | 103 |
| 9 X 104 RE BELT | 8820-3404 | 104 |
| 9 X 105 RE BELT | 8820-3407 | 105 |
| 9 X 106 RE BELT | 8820-3485 | 106 |
| 9 X 107 RE BELT | 8820-3413 | 107 |
| 9 X 108 RE BELT | 8820-3416 | 108 |
| 9 X 109 RE BELT | 8820-3419 | 109 |
| 9 X 110 RE BELT | 8820-3422 | 110 |
| 9 X 111 RE BELT | 8820-3425 | 111 |
| ¹⁶ 9 X 112 RE BELT | 8820-3428 | 112 |
| 9 X 113 RE BELT | 8820-3429 | 113 |
| 9 X 114 RE BELT | 8820-3434 | 114 |
| 9 X 115 RE BELT | 8820-3437 | 115 |
| 9 X 116 RE BELT | 8820-3440 | 116 |
| 9 X 118 RE BELT | 8820-3446 | 118 |
| 9 X 119 RE BELT | 8820-3449 | 119 |
| ¹⁶ 9 X 120 RE BELT | 8820-3452 | 120 |
| ¹⁶ 9 X 128 RE BELT | 8820-3488 | 128 |
| ¹⁶ 9 X 129 3/4 RE BELT | 8820-3439 | 129 3/4 |
| ¹⁶ 9 X 135 RE BELT | 8820-3489 | 135 |
| ¹⁶ 9 X 144 RE BELT | 8820-3458 | 144 |
| ¹⁶ 9 X 148 RE BELT | 8820-3490 | 148 |
| ¹⁶ 9 X 155 RE BELT | 8820-3460 | 155 |

¹⁶ Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.



Round Endless Belts

Product No. Series 8820 (continued)

9/16" Diameter (continued)

| Part No. | Product No. | Inside Length (In.) |
|-------------------------------|-------------|---------------------|
| ¹⁶ 9 X 166 RE BELT | 8820-3491 | 166 |
| ¹⁶ 9 X 172 RE BELT | 8820-4281 | 172 |
| ¹⁶ 9 X 176 RE BELT | 8820-3492 | 176 |
| ¹⁶ 9 X 190 RE BELT | 8820-3493 | 190 |
| ¹⁶ 9 X 200 RE BELT | 8820-3469 | 200 |
| ¹⁶ 9 X 210 RE BELT | 8820-3486 | 210 |
| ¹⁶ 9 X 233 RE BELT | 8820-3470 | 233 |
| ¹⁶ 9 X 250 RE BELT | 8820-3494 | 250 |
| ¹⁶ 9 X 270 RE BELT | 8820-3471 | 270 |

| Part No. | Product No. | Inside Length (In.) |
|-------------------------------|-------------|---------------------|
| ¹⁶ 9 X 308 RE BELT | 8820-3472 | 308 |
| ¹⁶ 9 X 331 RE BELT | 8820-3473 | 331 |
| ¹⁶ 9 X 345 RE BELT | 8820-3495 | 345 |
| ¹⁶ 9 X 386 RE BELT | 8820-3474 | 386 |
| ¹⁶ 9 X 416 RE BELT | 8820-3475 | 416 |
| ¹⁶ 9 X 447 RE BELT | 8820-3484 | 447 |
| ¹⁶ 9 X 465 RE BELT | 8820-3476 | 465 |
| ¹⁶ 9 X 564 RE BELT | 8820-3477 | 564 |
| ¹⁶ 9 X 660 RE BELT | 8820-3478 | 660 |

¹⁶ Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.





LIGHT DUTY V-BELTS

Truflex® V-Belts

Truflex belts feature superior length stability for minimal take-up requirements.

Markets/Applications

Suitable for all industrial light duty applications, usually using fractional horsepower (FHP) motors.

Features/Advantages


- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **The Flex-Weave® Cover** is a patented construction for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves

- Light-Duty Sheaves-Bored-to-Size
- Light-Duty Sheaves-Variable Pitch
- Light-Duty Sheaves-Bushed


Notes

Truflex belts are offered in cross sections 2L (0), 3L (1), 4L (2), 5L (3).



Product No. Series 8400

0 or 2L Section



| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 0100 | 2L100 | 8400-0100 | 10.0 | .01 | 1 |
| 0110 | 2L110 | 8400-0110 | 11.0 | .01 | 1 |
| 0120 | 2L120 | 8400-0120 | 12.0 | .02 | 1 |
| 0130 | 2L130 | 8400-0130 | 13.0 | .02 | 1 |
| 0140 | 2L140 | 8400-0140 | 14.0 | .02 | 1 |
| 0150 | 2L150 | 8400-0150 | 15.0 | .02 | 1 |
| 0160 | 2L160 | 8400-0160 | 16.0 | .02 | 1 |
| 0170 | 2L170 | 8400-0170 | 17.0 | .02 | 1 |
| 0180 | 2L180 | 8400-0180 | 18.0 | .02 | 1 |
| 0190 | 2L190 | 8400-0190 | 19.0 | .02 | 1 |
| 0200 | 2L200 | 8400-0200 | 20.0 | .03 | 1 |
| 0210 | 2L210 | 8400-0210 | 21.0 | .03 | 1 |
| 0230 | 2L230 | 8400-0230 | 23.0 | .03 | 1 |

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 0240 | 2L240 | 8400-0240 | 24.0 | .03 | 1 |
| 0250 | 2L250 | 8400-0250 | 25.0 | .02 | 1 |
| 0260 | 2L260 | 8400-0260 | 26.0 | .04 | 1 |
| 0270 | 2L270 | 8400-0270 | 27.0 | .04 | 1 |
| 0280 | 2L280 | 8400-0280 | 28.0 | .04 | 1 |
| 0290 | 2L290 | 8400-0290 | 29.0 | .04 | 1 |
| 0310 | 2L310 | 8400-0310 | 31.0 | .04 | 1 |
| 0340 | 2L340 | 8400-0340 | 34.0 | .05 | 1 |
| 0350 | 2L350 | 8400-0350 | 35.0 | .05 | 1 |
| 0360 | 2L360 | 8400-0360 | 36.0 | .05 | 1 |
| 0380 | 2L380 | 8400-0380 | 38.0 | .05 | 1 |
| 0460 | 2L460 | 8400-0460 | 46.0 | .07 | 1 |

1 or 3L Section



| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 1110 | 3L110 | 8400-1110 | 11.0 | .05 | 1 |
| 1120 | 3L120 | 8400-1120 | 12.0 | .06 | 1 |
| 1130 | 3L130 | 8400-1130 | 13.0 | .06 | 1 |
| 1140 | 3L140 | 8400-1140 | 14.0 | .06 | 1 |
| 1150 | 3L150 | 8400-1150 | 15.0 | .06 | 1 |
| 1160 | 3L160 | 8400-1160 | 16.0 | .07 | 1 |
| 1170 | 3L170 | 8400-1170 | 17.0 | .07 | 1 |
| 1180 | 3L180 | 8400-1180 | 18.0 | .07 | 1 |
| 1190 | 3L190 | 8400-1190 | 19.0 | .07 | 1 |
| 1200 | 3L200 | 8400-1200 | 20.0 | .08 | 1 |
| 1210 | 3L210 | 8400-1210 | 21.0 | .07 | 1 |

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 1220 | 3L220 | 8400-1220 | 22.0 | .08 | 1 |
| 1230 | 3L230 | 8400-1230 | 23.0 | .08 | 1 |
| 1240 | 3L240 | 8400-1240 | 24.0 | .10 | 1 |
| 1245 | 3L245 | 8400-1245 | 24.5 | .09 | 1 |
| 1250 | 3L250 | 8400-1250 | 25.0 | .09 | 1 |
| 1255 | 3L255 | 8400-1255 | 25.5 | .09 | 1 |
| 1260 | 3L260 | 8400-1260 | 26.0 | .09 | 1 |
| 1265 | 3L265 | 8400-1265 | 26.5 | .09 | 1 |
| 1270 | 3L270 | 8400-1270 | 27.0 | .09 | 1 |
| 1275 | 3L275 | 8400-1275 | 27.5 | .09 | 1 |
| 1280 | 3L280 | 8400-1280 | 28.0 | .09 | 1 |



Truflex® V-Belts

Product No. Series 8400 (continued)


1 or 3L Section (continued)

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 1285 | 3L285 | 8400-1285 | 28.5 | .10 | 1 |
| 1290 | 3L290 | 8400-1290 | 29.0 | .10 | 1 |
| 1293 | 3L293 | 8400-1293 | 29.2 | .10 | 1 |
| 1300 | 3L300 | 8400-1300 | 30.0 | .10 | 1 |
| 1310 | 3L310 | 8400-1310 | 31.0 | .10 | 1 |
| 1320 | 3L320 | 8400-1320 | 32.0 | .11 | 1 |
| 1330 | 3L330 | 8400-1330 | 33.0 | .11 | 1 |
| 1340 | 3L340 | 8400-1340 | 34.0 | .11 | 1 |
| 1345 | 3L345 | 8400-1345 | 34.2 | .11 | 1 |
| 1350 | 3L350 | 8400-1350 | 35.0 | .11 | 1 |
| 1360 | 3L360 | 8400-1360 | 36.0 | .11 | 1 |
| 1370 | 3L370 | 8400-1370 | 37.0 | .12 | 1 |
| 1380 | 3L380 | 8400-1380 | 38.0 | .12 | 1 |
| 1390 | 3L390 | 8400-1390 | 39.0 | .12 | 1 |
| 1400 | 3L400 | 8400-1400 | 40.0 | .13 | 1 |
| 1410 | 3L410 | 8400-1410 | 41.0 | .13 | 1 |
| 1415 | 3L415 | 8400-1415 | 41.5 | .13 | 1 |
| 1420 | 3L420 | 8400-1420 | 42.0 | .13 | 1 |
| 1430 | 3L430 | 8400-1430 | 43.0 | .13 | 1 |
| 1440 | 3L440 | 8400-1440 | 44.0 | .14 | 1 |
| 1450 | 3L450 | 8400-1450 | 45.0 | .14 | 1 |
| 1460 | 3L460 | 8400-1460 | 46.0 | .14 | 1 |
| 1470 | 3L470 | 8400-1470 | 47.0 | .14 | 1 |
| 1480 | 3L480 | 8400-1480 | 48.0 | .15 | 1 |
| 1490 | 3L490 | 8400-1490 | 49.0 | .15 | 1 |

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 1500 | 3L500 | 8400-1500 | 50.0 | .15 | 1 |
| 1510 | 3L510 | 8400-1510 | 51.0 | .15 | 1 |
| 1520 | 3L520 | 8400-1520 | 52.0 | .15 | 1 |
| 1530 | 3L530 | 8400-1530 | 53.0 | .16 | 1 |
| 1540 | 3L540 | 8400-1540 | 54.0 | .16 | 1 |
| 1550 | 3L550 | 8400-1550 | 55.0 | .16 | 1 |
| 1560 | 3L560 | 8400-1560 | 56.0 | .16 | 1 |
| 1570 | 3L570 | 8400-1570 | 57.0 | .17 | 1 |
| 1580 | 3L580 | 8400-1580 | 58.0 | .17 | 1 |
| 1590 | 3L590 | 8400-1590 | 59.0 | .17 | 1 |
| 1600 | 3L600 | 8400-1600 | 60.0 | .17 | 1 |
| 1610 | 3L610 | 8400-1610 | 61.0 | .18 | 1 |
| 1620 | 3L620 | 8400-1620 | 62.0 | .18 | 1 |
| 1630 | 3L630 | 8400-1630 | 63.0 | .18 | 1 |
| 1640 | 3L640 | 8400-1640 | 64.0 | .18 | 1 |
| 1650 | 3L650 | 8400-1650 | 65.0 | .19 | 1 |
| 1660 | 3L660 | 8400-1660 | 66.0 | .19 | 1 |
| 1670 | 3L670 | 8400-1670 | 67.0 | .19 | 1 |
| 1675 | 3L675 | 8400-1675 | 67.5 | .19 | 1 |
| 1680 | 3L680 | 8400-1680 | 68.0 | .19 | 1 |
| 1690 | 3L690 | 8400-1690 | 69.0 | .20 | 1 |
| 1700 | 3L700 | 8400-1700 | 70.0 | .20 | 1 |
| 1710 | 3L710 | 8400-1710 | 71.0 | .20 | 1 |
| 1730 | 3L730 | 8400-1730 | 73.0 | .21 | 1 |
| 1740 | 3L740 | 8400-1740 | 74.0 | .21 | 1 |

2 or 4L Section

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 2150 | 4L150 | 8400-2150 | 15.0 | .08 | 1 |
| 2160 | 4L160 | 8400-2160 | 16.0 | .07 | 1 |
| 2170 | 4L170 | 8400-2170 | 17.0 | .09 | 1 |
| 2180 | 4L180 | 8400-2180 | 18.0 | .10 | 1 |
| 2188 | 4L188 | 8400-2188 | 18.7 | .10 | 1 |
| 2190 | 4L190 | 8400-2190 | 19.0 | .11 | 1 |
| 2200 | 4L200 | 8400-2200 | 20.0 | .11 | 1 |
| 2210 | 4L210 | 8400-2210 | 21.0 | .11 | 1 |
| 2215 | 4L215 | 8400-2215 | 21.5 | .11 | 1 |
| 2220 | 4L220 | 8400-2220 | 22.0 | .12 | 1 |
| 2230 | 4L230 | 8400-2230 | 23.0 | .12 | 1 |
| 2235 | 4L235 | 8400-2235 | 23.5 | .10 | 1 |
| 2240 | 4L240 | 8400-2240 | 24.0 | .12 | 1 |
| 2250 | 4L250 | 8400-2250 | 25.0 | .13 | 1 |
| 2255 | 4L255 | 8400-2255 | 25.5 | .14 | 1 |
| 2260 | 4L260 | 8400-2260 | 26.0 | .14 | 1 |
| 2270 | 4L270 | 8400-2270 | 27.0 | .15 | 1 |
| 2275 | 4L275 | 8400-2275 | 27.5 | .15 | 1 |
| 2280 | 4L280 | 8400-2280 | 28.0 | .15 | 1 |
| 2285 | 4L285 | 8400-2285 | 28.5 | .15 | 1 |
| 2290 | 4L290 | 8400-2290 | 29.0 | .15 | 1 |
| 2295 | 4L295 | 8400-2295 | 29.5 | .16 | 1 |
| 2300 | 4L300 | 8400-2300 | 30.0 | .16 | 1 |
| 2310 | 4L310 | 8400-2310 | 31.0 | .16 | 1 |
| 2318 | 4L318 | 8400-2318 | 31.7 | .17 | 1 |
| 2320 | 4L320 | 8400-2320 | 32.0 | .17 | 1 |
| 2328 | 4L328 | 8400-2328 | 32.7 | .18 | 1 |
| 2330 | 4L330 | 8400-2330 | 33.0 | .18 | 1 |
| 2333 | 4L333 | 8400-2333 | 33.2 | .18 | 1 |



| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 2338 | 4L338 | 8400-2338 | 33.7 | .18 | 1 |
| 2340 | 4L340 | 8400-2340 | 34.0 | .19 | 1 |
| 2346 | 4L346 | 8400-2346 | 34.5 | .19 | 1 |
| 2350 | 4L350 | 8400-2350 | 35.0 | .19 | 1 |
| 2360 | 4L360 | 8400-2360 | 36.0 | .20 | 1 |
| 2370 | 4L370 | 8400-2370 | 37.0 | .20 | 1 |
| 2380 | 4L380 | 8400-2380 | 38.0 | .20 | 1 |
| 2390 | 4L390 | 8400-2390 | 39.0 | .21 | 1 |
| 2400 | 4L400 | 8400-2400 | 40.0 | .21 | 1 |
| 2405 | 4L405 | 8400-2405 | 40.5 | .21 | 1 |
| 2410 | 4L410 | 8400-2410 | 41.0 | .22 | 1 |
| 2420 | 4L420 | 8400-2420 | 42.0 | .22 | 1 |
| 2430 | 4L430 | 8400-2430 | 43.0 | .23 | 1 |
| 2440 | 4L440 | 8400-2440 | 44.0 | .23 | 1 |
| 2450 | 4L450 | 8400-2450 | 45.0 | .24 | 1 |
| 2460 | 4L460 | 8400-2460 | 46.0 | .24 | 1 |
| 2470 | 4L470 | 8400-2470 | 47.0 | .25 | 1 |
| 2475 | 4L475 | 8400-2475 | 47.5 | .25 | 1 |
| 2480 | 4L480 | 8400-2480 | 48.0 | .25 | 1 |
| 2490 | 4L490 | 8400-2490 | 49.0 | .26 | 1 |
| 2500 | 4L500 | 8400-2500 | 50.0 | .26 | 1 |
| 2510 | 4L510 | 8400-2510 | 51.0 | .27 | 1 |
| 2520 | 4L520 | 8400-2520 | 52.0 | .28 | 1 |
| 2530 | 4L530 | 8400-2530 | 53.0 | .28 | 1 |
| 2540 | 4L540 | 8400-2540 | 54.0 | .29 | 1 |
| 2550 | 4L550 | 8400-2550 | 55.0 | .30 | 1 |
| 2560 | 4L560 | 8400-2560 | 56.0 | .30 | 1 |
| 2570 | 4L570 | 8400-2570 | 57.0 | .30 | 1 |
| 2580 | 4L580 | 8400-2580 | 58.0 | .31 | 1 |

LIGHT DUTY V-BELTS






Truflex® V-Belts

Product No. Series 8400 (continued)

2 or 4L Section (continued)

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 2590 | 4L590 | 8400-2590 | 59.0 | .31 | 1 |
| 2600 | 4L600 | 8400-2600 | 60.0 | .32 | 1 |
| 2610 | 4L610 | 8400-2610 | 61.0 | .33 | 1 |
| 2620 | 4L620 | 8400-2620 | 62.0 | .33 | 1 |
| 2630 | 4L630 | 8400-2630 | 63.0 | .34 | 1 |
| 2640 | 4L640 | 8400-2640 | 64.0 | .34 | 1 |
| 2650 | 4L650 | 8400-2650 | 65.0 | .35 | 1 |
| 2660 | 4L660 | 8400-2660 | 66.0 | .35 | 1 |
| 2670 | 4L670 | 8400-2670 | 67.0 | .36 | 1 |
| 2680 | 4L680 | 8400-2680 | 68.0 | .36 | 1 |
| 2690 | 4L690 | 8400-2690 | 69.0 | .37 | 1 |
| 2700 | 4L700 | 8400-2700 | 70.0 | .37 | 1 |
| 2710 | 4L710 | 8400-2710 | 71.0 | .38 | 1 |
| 2720 | 4L720 | 8400-2720 | 72.0 | .39 | 1 |
| 2730 | 4L730 | 8400-2730 | 73.0 | .39 | 1 |
| 2740 | 4L740 | 8400-2740 | 74.0 | .40 | 1 |
| 2750 | 4L750 | 8400-2750 | 75.0 | .40 | 1 |
| 2760 | 4L760 | 8400-2760 | 76.0 | .41 | 1 |
| 2770 | 4L770 | 8400-2770 | 77.0 | .41 | 1 |
| 2780 | 4L780 | 8400-2780 | 78.0 | .42 | 1 |
| 2790 | 4L790 | 8400-2790 | 79.0 | .42 | 1 |

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 2800 | 4L800 | 8400-2800 | 80.0 | .43 | 1 |
| 2810 | 4L810 | 8400-2810 | 81.0 | .44 | 1 |
| 2820 | 4L820 | 8400-2820 | 82.0 | .44 | 1 |
| 2830 | 4L830 | 8400-2830 | 83.0 | .45 | 1 |
| 2840 | 4L840 | 8400-2840 | 84.0 | .45 | 1 |
| 2850 | 4L850 | 8400-2850 | 85.0 | .46 | 1 |
| 2860 | 4L860 | 8400-2860 | 86.0 | .46 | 1 |
| 2870 | 4L870 | 8400-2870 | 87.0 | .47 | 1 |
| 2880 | 4L880 | 8400-2880 | 88.0 | .47 | 1 |
| 2890 | 4L890 | 8400-2890 | 89.0 | .48 | 1 |
| 2900 | 4L900 | 8400-2900 | 90.0 | .48 | 1 |
| 2910 | 4L910 | 8400-2910 | 91.0 | .49 | 1 |
| 2920 | 4L920 | 8400-2920 | 92.0 | .50 | 1 |
| 2930 | 4L930 | 8400-2930 | 93.0 | .50 | 1 |
| 2940 | 4L940 | 8400-2940 | 94.0 | .50 | 1 |
| 2950 | 4L950 | 8400-2950 | 95.0 | .51 | 1 |
| 2960 | 4L960 | 8400-2960 | 96.0 | .51 | 1 |
| 2970 | 4L970 | 8400-2970 | 97.0 | .52 | 1 |
| 2980 | 4L980 | 8400-2980 | 98.0 | .53 | 1 |
| 2990 | 4L990 | 8400-2990 | 99.0 | .53 | 1 |
| 21000 | 4L1000 | 8400-2100 | 100.0 | .54 | 1 |



3 or 5L Section

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 3230 | 5L230 | 8400-3230 | 23.0 | .20 | 1 |
| 3240 | 5L240 | 8400-3240 | 24.0 | .22 | 1 |
| 3250 | 5L250 | 8400-3250 | 25.0 | .22 | 1 |
| 3260 | 5L260 | 8400-3260 | 26.0 | .23 | 1 |
| 3265 | 5L265 | 8400-3265 | 26.5 | .23 | 1 |
| 3270 | 5L270 | 8400-3270 | 27.0 | .24 | 1 |
| 3280 | 5L280 | 8400-3280 | 28.0 | .25 | 1 |
| 3290 | 5L290 | 8400-3290 | 29.0 | .25 | 1 |
| 3300 | 5L300 | 8400-3300 | 30.0 | .26 | 1 |
| 3310 | 5L310 | 8400-3310 | 31.0 | .27 | 1 |
| 3320 | 5L320 | 8400-3320 | 32.0 | .28 | 1 |
| 3330 | 5L330 | 8400-3330 | 33.0 | .29 | 1 |
| 3340 | 5L340 | 8400-3340 | 34.0 | .30 | 1 |
| 3350 | 5L350 | 8400-3350 | 35.0 | .30 | 1 |
| 3355 | 5L355 | 8400-3355 | 35.5 | .31 | 1 |
| 3360 | 5L360 | 8400-3360 | 36.0 | .31 | 1 |
| 3370 | 5L370 | 8400-3370 | 37.0 | .32 | 1 |
| 3380 | 5L380 | 8400-3380 | 38.0 | .33 | 1 |
| 3390 | 5L390 | 8400-3390 | 39.0 | .34 | 1 |
| 3400 | 5L400 | 8400-3400 | 40.0 | .35 | 1 |
| 3410 | 5L410 | 8400-3410 | 41.0 | .35 | 1 |
| 3420 | 5L420 | 8400-3420 | 42.0 | .36 | 1 |
| 3430 | 5L430 | 8400-3430 | 43.0 | .37 | 1 |
| 3440 | 5L440 | 8400-3440 | 44.0 | .38 | 1 |
| 3450 | 5L450 | 8400-3450 | 45.0 | .39 | 1 |
| 3460 | 5L460 | 8400-3460 | 46.0 | .40 | 1 |
| 3470 | 5L470 | 8400-3470 | 47.0 | .40 | 1 |
| 3480 | 5L480 | 8400-3480 | 48.0 | .41 | 1 |
| 3490 | 5L490 | 8400-3490 | 49.0 | .42 | 1 |
| 3500 | 5L500 | 8400-3500 | 50.0 | .43 | 1 |
| 3510 | 5L510 | 8400-3510 | 51.0 | .44 | 1 |
| 3520 | 5L520 | 8400-3520 | 52.0 | .45 | 1 |

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 3530 | 5L530 | 8400-3530 | 53.0 | .45 | 1 |
| 3540 | 5L540 | 8400-3540 | 54.0 | .46 | 1 |
| 3550 | 5L550 | 8400-3550 | 55.0 | .47 | 1 |
| 3560 | 5L560 | 8400-3560 | 56.0 | .48 | 1 |
| 3570 | 5L570 | 8400-3570 | 57.0 | .49 | 1 |
| 3580 | 5L580 | 8400-3580 | 58.0 | .49 | 1 |
| 3590 | 5L590 | 8400-3590 | 59.0 | .50 | 1 |
| 3600 | 5L600 | 8400-3600 | 60.0 | .51 | 1 |
| 3610 | 5L610 | 8400-3610 | 61.0 | .52 | 1 |
| 3620 | 5L620 | 8400-3620 | 62.0 | .53 | 1 |
| 3630 | 5L630 | 8400-3630 | 63.0 | .54 | 1 |
| 3640 | 5L640 | 8400-3640 | 64.0 | .55 | 1 |
| 3650 | 5L650 | 8400-3650 | 65.0 | .55 | 1 |
| 3660 | 5L660 | 8400-3660 | 66.0 | .56 | 1 |
| 3670 | 5L670 | 8400-3670 | 67.0 | .57 | 1 |
| 3680 | 5L680 | 8400-3680 | 68.0 | .58 | 1 |
| 3690 | 5L690 | 8400-3690 | 69.0 | .59 | 1 |
| 3700 | 5L700 | 8400-3700 | 70.0 | .60 | 1 |
| 3710 | 5L710 | 8400-3710 | 71.0 | .60 | 1 |
| 3720 | 5L720 | 8400-3720 | 72.0 | .61 | 1 |
| 3730 | 5L730 | 8400-3730 | 73.0 | .62 | 1 |
| 3740 | 5L740 | 8400-3740 | 74.0 | .62 | 1 |
| 3750 | 5L750 | 8400-3750 | 75.0 | .63 | 1 |
| 3760 | 5L760 | 8400-3760 | 76.0 | .64 | 1 |
| 3770 | 5L770 | 8400-3770 | 77.0 | .65 | 1 |
| 3780 | 5L780 | 8400-3780 | 78.0 | .66 | 1 |
| 3790 | 5L790 | 8400-3790 | 79.0 | .67 | 1 |
| 3800 | 5L800 | 8400-3800 | 80.0 | .67 | 1 |
| 3810 | 5L810 | 8400-3810 | 81.0 | .68 | 1 |
| 3820 | 5L820 | 8400-3820 | 82.0 | .69 | 1 |
| 3830 | 5L830 | 8400-3830 | 83.0 | .70 | 1 |
| 3840 | 5L840 | 8400-3840 | 84.0 | .71 | 1 |



Truflex® V-Belts**Product No. Series 8400 (continued)****3 or 5L Section (continued)**

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 3850 | 5L850 | 8400-3850 | 85.0 | .72 | 1 |
| 3860 | 5L860 | 8400-3860 | 86.0 | .73 | 1 |
| 3870 | 5L870 | 8400-3870 | 87.0 | .73 | 1 |
| 3880 | 5L880 | 8400-3880 | 88.0 | .74 | 1 |
| 3890 | 5L890 | 8400-3890 | 89.0 | .75 | 1 |
| 3900 | 5L900 | 8400-3900 | 90.0 | .76 | 1 |
| 3910 | 5L910 | 8400-3910 | 91.0 | .77 | 1 |
| 3920 | 5L920 | 8400-3920 | 92.0 | .78 | 1 |

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 3930 | 5L930 | 8400-3930 | 93.0 | .78 | 1 |
| 3940 | 5L940 | 8400-3940 | 94.0 | .79 | 1 |
| 3950 | 5L950 | 8400-3950 | 95.0 | .80 | 1 |
| 3960 | 5L960 | 8400-3960 | 96.0 | .81 | 1 |
| 3970 | 5L970 | 8400-3970 | 97.0 | .81 | 1 |
| 3980 | 5L980 | 8400-3980 | 98.0 | .82 | 1 |
| 3990 | 5L990 | 8400-3990 | 99.0 | .83 | 1 |
| 3999 | 5L1000 | 8400-3100 | 100.0 | .84 | 1 |



LIGHT DUTY V-BELTS

PowerRated® V-Belts

These green belts are an alternative to conventional light-duty belts, with high performance construction delivering more horsepower, less stretch and providing longer service life.

Markets/Applications

PowerRated belts are suitable for outdoor power equipment, appliances and industrial applications where FHP belts are typically used.


Features/Advantages

- **Bareback construction** for smooth clutching on shock loaded, backside-idler driven equipment.
- **Aramid Tensile Cords** combine limited stretch with extraordinary strength and durability.
- Meets RMA **oil and heat resistant** standards.

Recommended Sheaves
 Light-Duty Sheaves-Bored-to-Size
 Light-Duty Sheaves-Variable Pitch
 Light-Duty Sheaves-Bushed


Notes
 PowerRated belts do not meet RMA requirements for static conductivity.

| Industry Designation | Gates Truflex® Section | PowerRated Section |
|----------------------|------------------------|--------------------|
| 3L | 1 | 67 (3/8" T.W.) |
| 4L | 2 | 68 (1/2" T.W.) |
| 5L | 3 | 69 (21/32" T.W.) |



Product No. Series 8423

1 or 3L Section



| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 6716 | 3L160K | 8423-6716 | 16.0 | .06 | 1 |
| 6717 | 3L170K | 8423-6717 | 17.0 | .06 | 1 |
| 6718 | 3L180K | 8423-6718 | 18.0 | .07 | 1 |
| 6719 | 3L190K | 8423-6719 | 19.0 | .07 | 1 |
| 6720 | 3L200K | 8423-6720 | 20.0 | .08 | 1 |
| 6721 | 3L210K | 8423-6721 | 21.0 | .15 | 1 |
| 6722 | 3L220K | 8423-6722 | 22.0 | .10 | 1 |
| 6723 | 3L230K | 8423-6723 | 23.0 | .07 | 1 |
| 6724 | 3L240K | 8423-6724 | 24.0 | .09 | 1 |
| 6725 | 3L250K | 8423-6725 | 25.0 | .09 | 1 |
| 6726 | 3L260K | 8423-6726 | 26.0 | .09 | 1 |
| 6727 | 3L270K | 8423-6727 | 27.0 | .10 | 1 |
| 6728 | 3L280K | 8423-6728 | 28.0 | .10 | 1 |
| 6729 | 3L290K | 8423-6729 | 29.0 | .10 | 1 |
| 6730 | 3L300K | 8423-6730 | 30.0 | .11 | 1 |
| 6731 | 3L310K | 8423-6731 | 31.0 | .11 | 1 |
| 6732 | 3L320K | 8423-6732 | 32.0 | .11 | 1 |
| 6733 | 3L330K | 8423-6733 | 33.0 | .11 | 1 |
| 6734 | 3L340K | 8423-6734 | 34.0 | .12 | 1 |
| 6735 | 3L350K | 8423-6735 | 35.0 | .12 | 1 |
| 6736 | 3L360K | 8423-6736 | 36.0 | .12 | 1 |
| 6737 | 3L370K | 8423-6737 | 37.0 | .13 | 1 |
| 6738 | 3L380K | 8423-6738 | 38.0 | .13 | 1 |
| 6739 | 3L390K | 8423-6739 | 39.0 | .14 | 1 |
| 6740 | 3L400K | 8423-6740 | 40.0 | .14 | 1 |
| 6741 | 3L410K | 8423-6741 | 41.0 | .14 | 1 |


| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 6742 | 3L420K | 8423-6742 | 42.0 | .15 | 1 |
| 6743 | 3L430K | 8423-6743 | 43.0 | .15 | 1 |
| 6744 | 3L440K | 8423-6744 | 44.0 | .15 | 1 |
| 6745 | 3L450K | 8423-6745 | 45.0 | .16 | 1 |
| 6746 | 3L460K | 8423-6746 | 46.0 | .16 | 1 |
| 6747 | 3L470K | 8423-6747 | 47.0 | .16 | 1 |
| 6748 | 3L480K | 8423-6748 | 48.0 | .17 | 1 |
| 6749 | 3L490K | 8423-6749 | 49.0 | .17 | 1 |
| 6750 | 3L500K | 8423-6750 | 50.0 | .17 | 1 |
| 6751 | 3L510K | 8423-6751 | 51.0 | .18 | 1 |
| 6752 | 3L520K | 8423-6752 | 52.0 | .18 | 1 |
| 6753 | 3L530K | 8423-6753 | 53.0 | .18 | 1 |
| 6754 | 3L540K | 8423-6754 | 54.0 | .19 | 1 |
| 6755 | 3L550K | 8423-6755 | 55.0 | .19 | 1 |
| 6756 | 3L560K | 8423-6756 | 56.0 | .19 | 1 |
| 6757 | 3L570K | 8423-6757 | 57.0 | .20 | 1 |
| 6758 | 3L580K | 8423-6758 | 58.0 | .20 | 1 |
| 6759 | 3L590K | 8423-6759 | 59.0 | .20 | 1 |
| 6760 | 3L600K | 8423-6760 | 60.0 | .21 | 1 |
| 6761 | 3L610K | 8423-6761 | 61.0 | .21 | 1 |
| 6762 | 3L620K | 8423-6762 | 62.0 | .22 | 1 |
| 6763 | 3L630K | 8423-6763 | 63.0 | .22 | 1 |
| 6764 | 3L640K | 8423-6764 | 64.0 | .22 | 1 |
| 6765 | 3L650K | 8423-6765 | 65.0 | .23 | 1 |
| 6766 | 3L660K | 8423-6766 | 66.0 | .23 | 1 |
| 6774 | 3L740K | 8423-6774 | 74.0 | .26 | 1 |



PowerRated® V-Belts

Product No. Series 8423 (continued)


2 or 4L Section



| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 6817 | 4L170K | 8423-6817 | 17.0 | .11 | 1 |
| 6818 | 4L180K | 8423-6818 | 18.0 | .11 | 1 |
| 6819 | 4L190K | 8423-6819 | 19.0 | .12 | 1 |
| 6820 | 4L200K | 8423-6820 | 20.0 | .10 | 1 |
| 6821 | 4L210K | 8423-6821 | 21.0 | .10 | 1 |
| 6822 | 4L220K | 8423-6822 | 22.0 | .13 | 1 |
| 6823 | 4L230K | 8423-6823 | 23.0 | .15 | 1 |
| 6824 | 4L240K | 8423-6824 | 24.0 | .15 | 1 |
| 6825 | 4L250K | 8423-6825 | 25.0 | .15 | 1 |
| 6826 | 4L260K | 8423-6826 | 26.0 | .16 | 1 |
| 6827 | 4L270K | 8423-6827 | 27.0 | .17 | 1 |
| 6828 | 4L280K | 8423-6828 | 28.0 | .17 | 1 |
| 6829 | 4L290K | 8423-6829 | 29.0 | .18 | 1 |
| 6830 | 4L300K | 8423-6830 | 30.0 | .18 | 1 |
| 6831 | 4L310K | 8423-6831 | 31.0 | .19 | 1 |
| 6832 | 4L320K | 8423-6832 | 32.0 | .20 | 1 |
| 6833 | 4L330K | 8423-6833 | 33.0 | .20 | 1 |
| 6834 | 4L340K | 8423-6834 | 34.0 | .21 | 1 |
| 6835 | 4L350K | 8423-6835 | 35.0 | .21 | 1 |
| 6836 | 4L360K | 8423-6836 | 36.0 | .22 | 1 |
| 6837 | 4L370K | 8423-6837 | 37.0 | .22 | 1 |
| 6838 | 4L380K | 8423-6838 | 38.0 | .23 | 1 |
| 6839 | 4L390K | 8423-6839 | 39.0 | .24 | 1 |
| 6840 | 4L400K | 8423-6840 | 40.0 | .24 | 1 |
| 6841 | 4L410K | 8423-6841 | 41.0 | .25 | 1 |
| 6842 | 4L420K | 8423-6842 | 42.0 | .25 | 1 |
| 6843 | 4L430K | 8423-6843 | 43.0 | .26 | 1 |
| 6844 | 4L440K | 8423-6844 | 44.0 | .27 | 1 |
| 6845 | 4L450K | 8423-6845 | 45.0 | .28 | 1 |
| 6846 | 4L460K | 8423-6846 | 46.0 | .28 | 1 |
| 6847 | 4L470K | 8423-6847 | 47.0 | .29 | 1 |
| 6848 | 4L480K | 8423-6848 | 48.0 | .29 | 1 |
| 6849 | 4L490K | 8423-6849 | 49.0 | .30 | 1 |
| 6850 | 4L500K | 8423-6850 | 50.0 | .30 | 1 |
| 6851 | 4L510K | 8423-6851 | 51.0 | .31 | 1 |
| 6852 | 4L520K | 8423-6852 | 52.0 | .32 | 1 |
| 6853 | 4L530K | 8423-6853 | 53.0 | .32 | 1 |
| 6854 | 4L540K | 8423-6854 | 54.0 | .33 | 1 |
| 6855 | 4L550K | 8423-6855 | 55.0 | .33 | 1 |
| 6856 | 4L560K | 8423-6856 | 56.0 | .34 | 1 |
| 6857 | 4L570K | 8423-6857 | 57.0 | .35 | 1 |
| 6858 | 4L580K | 8423-6858 | 58.0 | .35 | 1 |
| 6859 | 4L590K | 8423-6859 | 59.0 | .36 | 1 |
| 6860 | 4L600K | 8423-6860 | 60.0 | .36 | 1 |

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 6861 | 4L610K | 8423-6861 | 61.0 | .37 | 1 |
| 6862 | 4L620K | 8423-6862 | 62.0 | .38 | 1 |
| 6863 | 4L630K | 8423-6863 | 63.0 | .38 | 1 |
| 6864 | 4L640K | 8423-6864 | 64.0 | .39 | 1 |
| 6865 | 4L650K | 8423-6865 | 65.0 | .39 | 1 |
| 6866 | 4L660K | 8423-6866 | 66.0 | .40 | 1 |
| 6867 | 4L670K | 8423-6867 | 67.0 | .40 | 1 |
| 6868 | 4L680K | 8423-6868 | 68.0 | .41 | 1 |
| 6869 | 4L690K | 8423-6869 | 69.0 | .42 | 1 |
| 6870 | 4L700K | 8423-6870 | 70.0 | .43 | 1 |
| 6871 | 4L710K | 8423-6871 | 71.0 | .43 | 1 |
| 6872 | 4L720K | 8423-6872 | 72.0 | .44 | 1 |
| 6873 | 4L730K | 8423-6873 | 73.0 | .45 | 1 |
| 6874 | 4L740K | 8423-6874 | 74.0 | .45 | 1 |
| 6875 | 4L750K | 8423-6875 | 75.0 | .46 | 1 |
| 6876 | 4L760K | 8423-6876 | 76.0 | .45 | 1 |
| 6877 | 4L770K | 8423-6877 | 77.0 | .47 | 1 |
| 6878 | 4L780K | 8423-6878 | 78.0 | .47 | 1 |
| 6879 | 4L790K | 8423-6879 | 79.0 | .48 | 1 |
| 6880 | 4L800K | 8423-6880 | 80.0 | .48 | 1 |
| 6881 | 4L810K | 8423-6881 | 81.0 | .49 | 1 |
| 6882 | 4L820K | 8423-6882 | 82.0 | .50 | 1 |
| 6883 | 4L830K | 8423-6883 | 83.0 | .50 | 1 |
| 6884 | 4L840K | 8423-6884 | 84.0 | .51 | 1 |
| 6885 | 4L850K | 8423-6885 | 85.0 | .51 | 1 |
| 6886 | 4L860K | 8423-6886 | 86.0 | .52 | 1 |
| 6887 | 4L870K | 8423-6887 | 87.0 | .53 | 1 |
| 6888 | 4L880K | 8423-6888 | 88.0 | .53 | 1 |
| 6889 | 4L890K | 8423-6889 | 89.0 | .54 | 1 |
| 6890 | 4L900K | 8423-6890 | 90.0 | .55 | 1 |
| 6891 | 4L910K | 8423-6891 | 91.0 | .55 | 1 |
| 6892 | 4L920K | 8423-6892 | 92.0 | .56 | 1 |
| 6893 | 4L930K | 8423-6893 | 93.0 | .56 | 1 |
| 6894 | 4L940K | 8423-6894 | 94.0 | .57 | 1 |
| 6895 | 4L950K | 8423-6895 | 95.0 | .58 | 1 |
| 6896 | 4L960K | 8423-6896 | 96.0 | .58 | 1 |
| 6897 | 4L970K | 8423-6897 | 97.0 | .59 | 1 |
| 6898 | 4L980K | 8423-6898 | 98.0 | .59 | 1 |
| 6899 | 4L990K | 8423-6899 | 99.0 | .60 | 1 |
| 68100 | 4L1000K | 8423-8100 | 100.0 | .65 | 1 |
| 68105 | 4L1050K | 8423-8105 | 105.0 | .70 | 1 |
| 68107 | 4L1070K | 8423-8107 | 107.0 | .70 | 1 |
| 68117 | 4L1170K | 8423-8117 | 117.0 | .75 | 1 |

3 or 5L Section



| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 6923 | 5L230K | 8423-6923 | 23.0 | .20 | 1 |
| 6924 | 5L240K | 8423-6924 | 24.0 | .23 | 1 |
| 6925 | 5L250K | 8423-6925 | 25.0 | .24 | 1 |
| 6926 | 5L260K | 8423-6926 | 26.0 | .25 | 1 |
| 6927 | 5L270K | 8423-6927 | 27.0 | .26 | 1 |
| 6928 | 5L280K | 8423-6928 | 28.0 | .27 | 1 |
| 6929 | 5L290K | 8423-6929 | 29.0 | .28 | 1 |

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 6930 | 5L300K | 8423-6930 | 30.0 | .29 | 1 |
| 6931 | 5L310K | 8423-6931 | 31.0 | .30 | 1 |
| 6932 | 5L320K | 8423-6932 | 32.0 | .31 | 1 |
| 6933 | 5L330K | 8423-6933 | 33.0 | .32 | 1 |
| 6934 | 5L340K | 8423-6934 | 34.0 | .33 | 1 |
| 6935 | 5L350K | 8423-6935 | 35.0 | .34 | 1 |
| 6936 | 5L360K | 8423-6936 | 36.0 | .35 | 1 |

LIGHT DUTY V-BELTS



**PowerRated® V-Belts****Product No. Series 8423 (continued)****3 or 5L Section (continued)**

LIGHT DUTY V-BELTS

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 6937 | 5L370K | 8423-6937 | 37.0 | .36 | 1 |
| 6938 | 5L380K | 8423-6938 | 38.0 | .36 | 1 |
| 6939 | 5L390K | 8423-6939 | 39.0 | .37 | 1 |
| 6940 | 5L400K | 8423-6940 | 40.0 | .38 | 1 |
| 6941 | 5L410K | 8423-6941 | 41.0 | .39 | 1 |
| 6942 | 5L420K | 8423-6942 | 42.0 | .40 | 1 |
| 6943 | 5L430K | 8423-6943 | 43.0 | .41 | 1 |
| 6944 | 5L440K | 8423-6944 | 44.0 | .42 | 1 |
| 6945 | 5L450K | 8423-6945 | 45.0 | .43 | 1 |
| 6946 | 5L460K | 8423-6946 | 46.0 | .44 | 1 |
| 6947 | 5L470K | 8423-6947 | 47.0 | .45 | 1 |
| 6948 | 5L480K | 8423-6948 | 48.0 | .46 | 1 |
| 6949 | 5L490K | 8423-6949 | 49.0 | .47 | 1 |
| 6950 | 5L500K | 8423-6950 | 50.0 | .48 | 1 |
| 6951 | 5L510K | 8423-6951 | 51.0 | .49 | 1 |
| 6952 | 5L520K | 8423-6952 | 52.0 | .50 | 1 |
| 6953 | 5L530K | 8423-6953 | 53.0 | .51 | 1 |
| 6954 | 5L540K | 8423-6954 | 54.0 | .51 | 1 |
| 6955 | 5L550K | 8423-6955 | 55.0 | .52 | 1 |
| 6956 | 5L560K | 8423-6956 | 56.0 | .54 | 1 |
| 6957 | 5L570K | 8423-6957 | 57.0 | .55 | 1 |
| 6958 | 5L580K | 8423-6958 | 58.0 | .55 | 1 |
| 6959 | 5L590K | 8423-6959 | 59.0 | .56 | 1 |
| 6960 | 5L600K | 8423-6960 | 60.0 | .57 | 1 |
| 6961 | 5L610K | 8423-6961 | 61.0 | .58 | 1 |
| 6962 | 5L620K | 8423-6962 | 62.0 | .59 | 1 |
| 6963 | 5L630K | 8423-6963 | 63.0 | .60 | 1 |
| 6964 | 5L640K | 8423-6964 | 64.0 | .61 | 1 |
| 6965 | 5L650K | 8423-6965 | 65.0 | .62 | 1 |
| 6966 | 5L660K | 8423-6966 | 66.0 | .62 | 1 |
| 6967 | 5L670K | 8423-6967 | 67.0 | .63 | 1 |
| 6968 | 5L680K | 8423-6968 | 68.0 | .65 | 1 |

| Part No. | Industry No. | Product No. | Belt O.C. (In.) | Wt. Ea. (Lbs.) | Customer Pack |
|----------|--------------|-------------|-----------------|----------------|---------------|
| 6969 | 5L690K | 8423-6969 | 69.0 | .66 | 1 |
| 6970 | 5L700K | 8423-6970 | 70.0 | .67 | 1 |
| 6971 | 5L710K | 8423-6971 | 71.0 | .68 | 1 |
| 6972 | 5L720K | 8423-6972 | 72.0 | .68 | 1 |
| 6973 | 5L730K | 8423-6973 | 73.0 | .70 | 1 |
| 6974 | 5L740K | 8423-6974 | 74.0 | .75 | 1 |
| 6975 | 5L750K | 8423-6975 | 75.0 | .71 | 1 |
| 6976 | 5L760K | 8423-6976 | 76.0 | .72 | 1 |
| 6977 | 5L770K | 8423-6977 | 77.0 | .73 | 1 |
| 6978 | 5L780K | 8423-6978 | 78.0 | .74 | 1 |
| 6979 | 5L790K | 8423-6979 | 79.0 | .75 | 1 |
| 6980 | 5L800K | 8423-6980 | 80.0 | .76 | 1 |
| 6981 | 5L810K | 8423-6981 | 81.0 | .77 | 1 |
| 6982 | 5L820K | 8423-6982 | 82.0 | .78 | 1 |
| 6983 | 5L830K | 8423-6983 | 83.0 | .79 | 1 |
| 6984 | 5L840K | 8423-6984 | 84.0 | .80 | 1 |
| 6985 | 5L850K | 8423-6985 | 85.0 | .81 | 1 |
| 6986 | 5L860K | 8423-6986 | 86.0 | .82 | 1 |
| 6987 | 5L870K | 8423-6987 | 87.0 | .83 | 1 |
| 6988 | 5L880K | 8423-6988 | 88.0 | .84 | 1 |
| 6989 | 5L890K | 8423-6989 | 89.0 | .85 | 1 |
| 6990 | 5L900K | 8423-6990 | 90.0 | .85 | 1 |
| 6991 | 5L910K | 8423-6991 | 91.0 | .86 | 1 |
| 6992 | 5L920K | 8423-6992 | 92.0 | .87 | 1 |
| 6993 | 5L930K | 8423-6993 | 93.0 | .88 | 1 |
| 6994 | 5L940K | 8423-6994 | 94.0 | .89 | 1 |
| 6995 | 5L950K | 8423-6995 | 95.0 | .90 | 1 |
| 6996 | 5L960K | 8423-6996 | 96.0 | .91 | 1 |
| 6997 | 5L970K | 8423-6997 | 97.0 | .92 | 1 |
| 6998 | 5L980K | 8423-6998 | 98.0 | .93 | 1 |
| 6999 | 5L990K | 8423-6999 | 99.0 | .94 | 1 |
| 69100 | 5L1000K | 8423-9100 | 100.0 | .90 | 1 |



BladeRunner® Belts


BladeRunner belts are engineered and built to exactly match the composition, construction and fit of the most popular lawn and garden brand names.

Markets/Applications

BladeRunner belts are specifically designed for use on lawn and garden equipment.

Features/Advantages

- Exact OEM fit and construction means more value and longer life.
- Built to withstand the rigorous start and stop operation of lawn and garden equipment.
- **Aramid cord construction** is utilized in many cases, providing longer service life during frequent and service shock loads.



LIGHT DUTY V-BELTS

| Part No. | Product No. | Part No. | Product No. | Part No. | Product No. | Part No. | Product No. |
|----------|-------------|----------|-------------|----------|-------------|----------|-------------|
| 6400BR | 9200-56400 | 6457BR | 9227-56457 | 6519BR | 9238-56519 | 6575BR | 9227-56575 |
| 6401BR | 9200-56401 | 6458BR | 9238-56458 | 6520BR | 8580-56520 | 6576BR | 8580-56576 |
| 6402BR | 9227-56402 | 6459BR | 9227-56459 | 6521BR | 9224-56521 | 6577BR | 9238-56577 |
| 6405BR | 8580-56405 | 6460BR | 8580-56460 | 6523BR | 9227-56523 | 6578BR | 9238-56578 |
| 6406BR | 9227-56406 | 6463BR | 9238-56463 | 6524BR | 9227-56524 | 6579BR | 9240-56579 |
| 6407BR | 9238-56407 | 6464BR | 9227-56464 | 6525BR | 8580-56525 | 6580BR | 8552-56580 |
| 6408BR | 8580-56408 | 6466BR | 9286-46466 | 6527BR | 9227-56527 | 6581BR | 9227-56581 |
| 6409BR | 9240-56409 | 6467BR | 9227-56467 | 6528BR | 9227-56528 | 6582BR | 8580-56582 |
| 6411BR | 8580-56411 | 6469BR | 8580-56469 | 6529BR | 9227-56529 | 6583BR | 8580-56583 |
| 6412BR | 9200-56412 | 6470BR | 9291-46470 | 6532BR | 9224-56532 | 6584BR | 9664-56584 |
| 6413BR | 8075-13313 | 6471BR | 9240-56471 | 6533BR | 9224-56533 | 6586BR | 9291-46586 |
| 6414BR | 8580-56414 | 6472BR | 9212-46472 | 6534BR | 8227-6534 | 6588BR | 8580-56588 |
| 6415BR | 8580-56415 | 6473BR | 8580-56473 | 6536BR | 8580-56536 | 6589BR | 9227-56589 |
| 6416BR | 9227-56416 | 6474BR | 8580-56474 | 6537BR | 8580-56537 | 6590BR | 9227-56590 |
| 6417BR | 9200-56417 | 6475BR | 9224-56475 | 6538BR | 9291-46538 | 6591BR | 9227-56591 |
| 6418BR | 9226-56418 | 6476BR | 8510-16476 | 6539BR | 9291-46539 | 6592BR | 8580-56592 |
| 6419BR | 8580-56419 | 6477BR | 9200-56477 | 6540BR | 8580-56540 | 6593BR | 9291-46593 |
| 6422BR | 9227-56422 | 6478BR | 9238-56478 | 6543BR | 8170-56543 | 6596BR | 9227-56596 |
| 6423BR | 9212-46423 | 6480BR | 8580-56480 | 6544BR | 9012-56544 | 6597BR | 9227-56597 |
| 6424BR | 9238-56424 | 6481BR | 9224-66481 | 6545BR | 9227-56545 | 6598BR | 9227-56598 |
| 6425BR | 8580-56425 | 6482BR | 9227-56482 | 6546BR | 8580-56546 | 6599BR | 9227-56599 |
| 6426BR | 8580-56426 | 6484BR | 9227-56484 | 6547BR | 8580-56547 | 6601BR | 8510-16601 |
| 6427BR | 8580-56427 | 6485BR | 9226-56485 | 6548BR | 9212-46548 | 6603BR | 8510-16603 |
| 6428BR | 8580-56428 | 6486BR | 9226-56486 | 6549BR | 9212-46549 | 6604BR | 9224-56604 |
| 6429BR | 9212-46429 | 6487BR | 9212-46487 | 6550BR | 9212-46550 | 6605BR | 8580-56605 |
| 6431BR | 9227-56431 | 6488BR | 8510-16488 | 6551BR | 9227-56551 | 6606BR | 8580-56606 |
| 6432BR | 9227-56432 | 6490BR | 9200-56490 | 6552BR | 9227-56552 | 6608BR | 8580-56608 |
| 6433BR | 9213-46433 | 6491BR | 9238-56491 | 6553BR | 9227-56553 | 6609BR | 8580-56609 |
| 6434BR | 9238-56434 | 6492BR | 8580-56492 | 6554BR | 8580-56554 | 6610BR | 8580-56610 |
| 6435BR | 9213-46435 | 6494BR | 8580-56494 | 6555BR | 9227-56555 | 6611BR | 8580-56611 |
| 6436BR | 9291-46436 | 6495BR | 8580-56495 | 6556BR | 8580-56556 | 6612BR | 8580-56612 |
| 6438BR | 8580-56438 | 6498BR | 9227-56498 | 6557BR | 8580-56557 | 6613BR | 8580-56613 |
| 6439BR | 8580-56439 | 6500BR | 8580-56500 | 6558BR | 9227-56558 | 6614BR | 9220-56614 |
| 6440BR | 9286-46440 | 6501BR | 8580-56501 | 6559BR | 9227-56559 | 6615BR | 9220-56615 |
| 6441BR | 9212-46441 | 6502BR | 9227-56502 | 6562BR | 9227-56562 | 6616BR | 9227-56616 |
| 6442BR | 9286-46442 | 6503BR | 9238-56503 | 6563BR | 9227-56563 | 6617BR | 8580-56617 |
| 6444BR | 9227-56444 | 6504BR | 8580-56504 | 6564BR | 9227-56564 | 6618BR | 8580-56618 |
| 6446BR | 9200-56446 | 6506BR | 9227-56506 | 6565BR | 8580-56565 | 6619BR | 8580-56619 |
| 6447BR | 8580-56447 | 6508BR | 8510-16508 | 6566BR | 9226-56566 | 6620BR | 9224-56620 |
| 6448BR | 9227-56448 | 6509BR | 8580-56509 | 6567BR | 9226-56567 | 6621BR | 8580-56621 |
| 6449BR | 8580-56449 | 6510BR | 8580-56510 | 6568BR | 9226-56568 | 6622BR | 9240-56622 |
| 6451BR | 9227-56451 | 6511BR | 8580-56511 | 6569BR | 9226-56569 | 6623BR | 8580-56623 |
| 6452BR | 8580-56452 | 6513BR | 9222-56513 | 6570BR | 9240-56570 | 6624BR | 9227-56624 |
| 6453BR | 8580-56453 | 6514BR | 8510-16514 | 6571BR | 9240-56571 | 6625BR | 9288-56625 |
| 6454BR | 9227-56454 | 6515BR | 8580-56515 | 6572BR | 9227-56572 | 6626BR | 9227-56626 |
| 6455BR | 9240-56455 | 6517BR | 8580-56517 | 6573BR | 9227-56573 | 6627BR | 9227-56627 |
| 6456BR | 9240-56456 | 6518BR | 8580-56518 | 6574BR | 9227-56574 | 6628BR | 9238-56628 |





BladeRunner® Belts

LIGHT DUTY V-BELTS

| Part No. | Product No. | Part No. | Product No. | Part No. | Product No. | Part No. | Product No. |
|----------|-------------|----------|-------------|----------|-------------|----------|-------------|
| 6629BR | 9240-56629 | 6693BR | 9227-56693 | 6754BR | 9200-56754 | 6815BR | 9227-56815 |
| 6630BR | 9227-56630 | 6694BR | 9240-56694 | 6755BR | 9227-56755 | 6816BR | 9227-56816 |
| 6633BR | 9200-56633 | 6695BR | 9240-56695 | 6756BR | 9227-56756 | 6817BR | 9227-56817 |
| 6635BR | 9240-56635 | 6696BR | 9240-56696 | 6757BR | 9227-56757 | 6818BR | 9200-56818 |
| 6636BR | 9200-56636 | 6697BR | 9664-56697 | 6758BR | 9227-56758 | 6819BR | 9227-56819 |
| 6637BR | 9224-56637 | 6698BR | 9662-56698 | 6759BR | 9227-56759 | 6820BR | 9227-56820 |
| 6638BR | 9224-56638 | 6699BR | 8552-56699 | 6760BR | 9227-56760 | 6821BR | 9227-56821 |
| 6639BR | 9224-56639 | 6700BR | 8552-56700 | 6761BR | 9227-56761 | 6822BR | 9227-56822 |
| 6640BR | 8510-16640 | 6701BR | 9227-56701 | 6762BR | 9227-56762 | 6823BR | 9227-56823 |
| 6641BR | 9224-56641 | 6702BR | 9227-56702 | 6763BR | 9227-56763 | 6837BR | 9227-56837 |
| 6642BR | 9224-56642 | 6703BR | 9227-56703 | 6764BR | 9200-56764 | 6838BR | 9227-56838 |
| 6643BR | 9238-56643 | 6704BR | 9227-56704 | 6765BR | 9227-56765 | 6839BR | 9227-56839 |
| 6644BR | 9227-56644 | 6705BR | 9227-56705 | 6766BR | 9227-56766 | 6840BR | 9227-56840 |
| 6645BR | 9227-56645 | 6706BR | 9213-46706 | 6767BR | 9227-56767 | 6841BR | 8552-56841 |
| 6646BR | 9227-56646 | 6707BR | 9227-56707 | 6768BR | 9227-56768 | 6842BR | 9227-56842 |
| 6647BR | 8580-56647 | 6708BR | 9227-56708 | 6769BR | 9227-56769 | 6843BR | 9227-56843 |
| 6648BR | 9227-56648 | 6709BR | 9227-56709 | 6770BR | 9227-56770 | 6844BR | 9227-56844 |
| 6649BR | 9227-56649 | 6710BR | 9227-56710 | 6771BR | 9227-56771 | 6845BR | 9227-56845 |
| 6650BR | 9227-56650 | 6711BR | 9227-56711 | 6772BR | 9286-46772 | 6846BR | 9212-46846 |
| 6651BR | 9227-56651 | 6712BR | 8580-56712 | 6773BR | 9232-56773 | 6847BR | 9227-56847 |
| 6652BR | 9226-56652 | 6713BR | 9227-56713 | 6774BR | 9227-56774 | 6848BR | 9227-56848 |
| 6653BR | 9227-56653 | 6714BR | 9227-56714 | 6775BR | 9227-56775 | 6849BR | 9227-56849 |
| 6654BR | 9212-46654 | 6715BR | 9227-56715 | 6776BR | 9227-56776 | 6850BR | 9188-56850 |
| 6655BR | 9213-46655 | 6716BR | 9227-56716 | 6777BR | 9227-56777 | 6851BR | 9188-56851 |
| 6656BR | 8580-56656 | 6717BR | 9227-56717 | 6778BR | 9227-56778 | 6852BR | 9664-56852 |
| 6657BR | 8580-56657 | 6718BR | 9227-56718 | 6779BR | 9227-56779 | 6853BR | 9227-56853 |
| 6658BR | 8580-56658 | 6719BR | 9227-56719 | 6780BR | 9227-56780 | 6854BR | 9227-56854 |
| 6659BR | 9226-56659 | 6720BR | 9227-56720 | 6781BR | 9227-56781 | 6855BR | 9227-56855 |
| 6660BR | 9212-46660 | 6721BR | 9227-56721 | 6782BR | 9227-56782 | 6856BR | 9227-56856 |
| 6661BR | 9227-56661 | 6722BR | 9227-56722 | 6783BR | 9227-56783 | 6857BR | 9227-56857 |
| 6662BR | 9227-56662 | 6723BR | 9240-56723 | 6784BR | 9227-56784 | 6858BR | 9227-56858 |
| 6663BR | 9227-56663 | 6724BR | 9240-56724 | 6785BR | 9227-56785 | 6859BR | 9227-56859 |
| 6664BR | 9286-46664 | 6725BR | 9240-56725 | 6786BR | 9227-56786 | 6860BR | 9227-56860 |
| 6665BR | 9227-56665 | 6726BR | 9212-46726 | 6787BR | 9227-56787 | 6861BR | 9227-56861 |
| 6666BR | 8552-56666 | 6727BR | 9227-56727 | 6788BR | 9240-56788 | 6862BR | 9227-56862 |
| 6667BR | 9213-46667 | 6728BR | 9227-56728 | 6789BR | 9240-56789 | 6863BR | 9200-56863 |
| 6668BR | 8552-56668 | 6729BR | 9227-56729 | 6790BR | 9212-46790 | 6864BR | 9227-56864 |
| 6669BR | 8552-56669 | 6730BR | 9227-56730 | 6791BR | 9212-46791 | 6865BR | 9227-56865 |
| 6670BR | 9288-56670 | 6731BR | 9227-56731 | 6792BR | 9227-56792 | 6866BR | 9227-56866 |
| 6671BR | 8580-56671 | 6732BR | 9227-56732 | 6793BR | 9227-56793 | 6867BR | 9188-56867 |
| 6672BR | 9227-56672 | 6733BR | 9227-56733 | 6794BR | 9291-46794 | 6868BR | 9188-56868 |
| 6673BR | 8580-56673 | 6734BR | 9664-56734 | 6795BR | 9286-46795 | 6869BR | 9188-56869 |
| 6674BR | 9238-56674 | 6735BR | 9664-56735 | 6796BR | 9286-46796 | 6870BR | 9188-56870 |
| 6675BR | 9227-56675 | 6736BR | 9664-56736 | 6797BR | 9291-46797 | 6871BR | 9227-56871 |
| 6676BR | 9220-56676 | 6737BR | 9664-56737 | 6798BR | 9227-56798 | 6872BR | 9227-56872 |
| 6677BR | 9220-56677 | 6738BR | 9212-46738 | 6799BR | 9227-56799 | 6873BR | 9227-56873 |
| 6678BR | 9293-56678 | 6739BR | 9212-46739 | 6800BR | 9227-56800 | 6874BR | 9227-56874 |
| 6679BR | 8580-56679 | 6740BR | 9212-46740 | 6801BR | 9227-56801 | 6875BR | 9227-56875 |
| 6680BR | 9836-56680 | 6741BR | 9227-56741 | 6802BR | 9227-56802 | 6876BR | 9227-56876 |
| 6681BR | 9238-56681 | 6742BR | 8552-56742 | 6803BR | 9227-56803 | 6878BR | 9227-56878 |
| 6682BR | 8580-56682 | 6743BR | 9227-56743 | 6804BR | 9227-56804 | 6879BR | 9227-56879 |
| 6683BR | 9220-56683 | 6744BR | 9227-56744 | 6805BR | 9227-56805 | 6880BR | 9227-56880 |
| 6684BR | 9227-56684 | 6745BR | 9227-56745 | 6806BR | 9227-56806 | 6881BR | 9227-56881 |
| 6685BR | 9227-56685 | 6746BR | 9227-56746 | 6807BR | 8580-56807 | 6882BR | 9227-56882 |
| 6686BR | 9226-56686 | 6747BR | 9227-56747 | 6808BR | 9291-46808 | 6883BR | 9227-56883 |
| 6687BR | 9240-56687 | 6748BR | 9240-56748 | 6809BR | 9227-56809 | 6884BR | 9227-56884 |
| 6688BR | 9227-56688 | 6749BR | 9240-56749 | 6810BR | 9227-56810 | 6885BR | 9188-56885 |
| 6689BR | 8580-56689 | 6750BR | 9664-56750 | 6811BR | 9227-56811 | | |
| 6690BR | 9224-56690 | 6751BR | 9664-56751 | 6812BR | 9227-56812 | | |
| 6691BR | 8580-56691 | 6752BR | 9200-56752 | 6813BR | 9291-46813 | | |
| 6692BR | 9227-56692 | 6753BR | 9200-56753 | 6814BR | 9227-56814 | | |



Polyflex® Belts

Unique 60° angle polyurethane construction transmits greater loads at higher speeds in less space than conventional V-belts.

Markets/Applications

A partial listing of applications include machine tools, computer peripherals, medical equipment, library equipment, small appliances, blower drives and woodworking machines.

Features/Advantages

- **High Modulus Polyurethane** compound resists fatigue, wear, ozone, and most environmental conditions.
- Precise casting method eliminates layers and overlaps for **smooth running and low vibration**.
- **Ribbed backing** provides greater lateral stability and relieves bending stress.
- Working temperature range: -65°F to +180°F (-54°C to +85°C).


Recommended Sheaves

Contact the Gates Made-To-Order Metals Team

Notes

Polyflex Belts are available in 3M, 5M, 7M, and 11M cross sections.

Matched sets may have a manufacturing lead time and minimum order quantities may apply. Contact Customer Service for details.



LIGHT DUTY V-BELTS

Product No. Series 8901

3M

| Part No. | Product No. | Effective Length (In.) |
|----------|-------------|------------------------|
| 3M180 | 8901-0180 | 7.09 |
| 3M185 | 8901-0185 | 7.28 |
| 3M190 | 8901-0190 | 7.48 |
| 3M195 | 8901-0195 | 7.68 |
| 3M200 | 8901-0200 | 7.87 |
| 3M206 | 8901-0206 | 8.11 |
| 3M212 | 8901-0212 | 8.35 |
| 3M218 | 8901-0218 | 8.58 |
| 3M224 | 8901-0224 | 8.82 |
| 3M230 | 8901-0230 | 9.06 |
| 3M236 | 8901-0236 | 9.29 |
| 3M243 | 8901-0243 | 9.57 |
| 3M250 | 8901-0250 | 9.84 |
| 3M258 | 8901-0258 | 10.16 |
| 3M265 | 8901-0265 | 10.43 |
| 3M272 | 8901-0272 | 10.71 |
| 3M280 | 8901-0280 | 11.02 |
| 3M290 | 8901-0290 | 11.42 |
| 3M300 | 8901-0300 | 11.81 |
| 3M307 | 8901-0307 | 12.09 |
| 3M315 | 8901-0315 | 12.40 |
| 3M325 | 8901-0325 | 12.80 |
| 3M335 | 8901-0335 | 13.19 |
| 3M345 | 8901-0345 | 13.58 |
| 3M355 | 8901-0355 | 13.98 |
| 3M365 | 8901-0365 | 14.37 |

Nominal Top Width 1/8"



| Part No. | Product No. | Effective Length (In.) |
|----------|-------------|------------------------|
| 3M375 | 8901-0375 | 14.76 |
| 3M387 | 8901-0387 | 15.24 |
| 3M400 | 8901-0400 | 15.75 |
| 3M412 | 8901-0412 | 16.22 |
| 3M425 | 8901-0425 | 16.73 |
| 3M437 | 8901-0437 | 17.20 |
| 3M450 | 8901-0450 | 17.72 |
| 3M462 | 8901-0462 | 18.19 |
| 3M475 | 8901-0475 | 18.70 |
| 3M487 | 8901-0487 | 19.17 |
| 3M500 | 8901-0500 | 19.69 |
| 3M515 | 8901-0515 | 20.28 |
| 3M530 | 8901-0530 | 20.87 |
| 3M545 | 8901-0545 | 21.46 |
| 3M560 | 8901-0560 | 22.05 |
| 3M580 | 8901-0580 | 22.83 |
| 3M600 | 8901-0600 | 23.62 |
| 3M615 | 8901-0615 | 24.21 |
| 3M630 | 8901-0630 | 24.80 |
| 3M650 | 8901-0650 | 25.59 |
| 3M670 | 8901-0670 | 26.38 |
| 3M690 | 8901-0690 | 27.17 |
| 3M710 | 8901-0710 | 27.95 |
| 3M730 | 8901-0730 | 28.74 |
| 3M750 | 8901-0750 | 29.53 |

Product No. Series 8902

5M

| Part No. | Product No. | Effective Length (In.) |
|----------|-------------|------------------------|
| 5M280 | 8902-0280 | 11.02 |
| 5M290 | 8902-0290 | 11.42 |
| 5M300 | 8902-0300 | 11.81 |

Nominal Top Width 3/16"



| Part No. | Product No. | Effective Length (In.) |
|----------|-------------|------------------------|
| 5M307 | 8902-0307 | 12.09 |
| 5M315 | 8902-0315 | 12.40 |
| 5M325 | 8902-0325 | 12.80 |



**Polyflex® Belts****Product No. Series 8902 (continued)****5M (continued)**

| Part No. | Product No. | Effective Length (In.) |
|----------|-------------|------------------------|
| 5M335 | 8902-0335 | 13.19 |
| 5M345 | 8902-0345 | 13.58 |
| 5M355 | 8902-0355 | 13.98 |
| 5M365 | 8902-0365 | 14.37 |
| 5M375 | 8902-0375 | 14.76 |
| 5M387 | 8902-0387 | 15.24 |
| 5M400 | 8902-0400 | 15.75 |
| 5M412 | 8902-0412 | 16.22 |
| 5M425 | 8902-0425 | 16.73 |
| 5M437 | 8902-0437 | 17.20 |
| 5M450 | 8902-0450 | 17.72 |
| 5M462 | 8902-0462 | 18.19 |
| 5M475 | 8902-0475 | 18.70 |
| 5M487 | 8902-0487 | 19.17 |
| 5M500 | 8902-0500 | 19.69 |
| 5M515 | 8902-0515 | 20.28 |
| 5M530 | 8902-0530 | 20.87 |
| 5M545 | 8902-0545 | 21.46 |
| 5M560 | 8902-0560 | 22.05 |
| 5M580 | 8902-0580 | 22.83 |
| 5M600 | 8902-0600 | 23.62 |
| 5M615 | 8902-0615 | 24.21 |
| 5M630 | 8902-0630 | 24.80 |
| 5M650 | 8902-0650 | 25.59 |
| 5M670 | 8902-0670 | 26.38 |
| 5M690 | 8902-0690 | 27.17 |
| 5M710 | 8902-0710 | 27.95 |
| 5M730 | 8902-0730 | 28.74 |

| Part No. | Product No. | Effective Length (In.) |
|----------|-------------|------------------------|
| 5M750 | 8902-0750 | 29.53 |
| 5M775 | 8902-0775 | 30.51 |
| 5M800 | 8902-0800 | 31.50 |
| 5M825 | 8902-0825 | 32.48 |
| 5M850 | 8902-0850 | 33.46 |
| 5M875 | 8902-0875 | 34.45 |
| 5M900 | 8902-0900 | 35.43 |
| 5M925 | 8902-0925 | 36.42 |
| 5M950 | 8902-0950 | 37.40 |
| 5M975 | 8902-0975 | 38.39 |
| 5M1000 | 8902-1000 | 39.37 |
| 5M1030 | 8902-1030 | 40.55 |
| 5M1060 | 8902-1060 | 41.73 |
| 5M1090 | 8902-1090 | 42.91 |
| 5M1120 | 8902-1120 | 44.09 |
| 5M1150 | 8902-1150 | 45.28 |
| 5M1180 | 8902-1180 | 46.46 |
| 5M1220 | 8902-1220 | 48.03 |
| 5M1250 | 8902-1250 | 49.21 |
| 5M1280 | 8902-1280 | 50.39 |
| 5M1320 | 8902-1320 | 51.97 |
| 5M1360 | 8902-1360 | 53.54 |
| 5M1400 | 8902-1400 | 55.12 |
| 5M1450 | 8902-1450 | 57.09 |
| 5M1500 | 8902-1500 | 59.06 |
| 5M1600 | 8902-1600 | 62.99 |
| 5M1650 | 8902-1650 | 64.96 |
| 5M1850 | 8902-1850 | 72.83 |

Product No. Series 8903**7M**

| Part No. | Product No. | Effective Length (In.) |
|----------|-------------|------------------------|
| 7M410 | 8903-0410 | 16.14 |
| 7M500 | 8903-0500 | 19.69 |
| 7M515 | 8903-0515 | 20.28 |
| 7M530 | 8903-0530 | 20.87 |
| 7M545 | 8903-0545 | 21.46 |
| 7M560 | 8903-0560 | 22.05 |
| 7M580 | 8903-0580 | 22.83 |
| 7M600 | 8903-0600 | 23.62 |
| 7M615 | 8903-0615 | 24.21 |
| 7M630 | 8903-0630 | 24.80 |
| 7M650 | 8903-0650 | 25.59 |
| 7M670 | 8903-0670 | 26.38 |
| 7M690 | 8903-0690 | 27.17 |
| 7M710 | 8903-0710 | 27.95 |
| 7M730 | 8903-0730 | 28.74 |
| 7M750 | 8903-0750 | 29.53 |
| 7M775 | 8903-0775 | 30.51 |
| 7M800 | 8903-0800 | 31.50 |
| 7M825 | 8903-0825 | 32.48 |
| 7M850 | 8903-0850 | 33.46 |
| 7M875 | 8903-0875 | 34.45 |
| 7M900 | 8903-0900 | 35.43 |
| 7M925 | 8903-0925 | 36.42 |
| 7M950 | 8903-0950 | 37.40 |
| 7M975 | 8903-0975 | 38.39 |
| 7M1000 | 8903-1000 | 39.37 |
| 7M1030 | 8903-1030 | 40.55 |
| 7M1060 | 8903-1060 | 41.73 |

Nominal Top Width 9/32"



| Part No. | Product No. | Effective Length (In.) |
|----------|-------------|------------------------|
| 7M1090 | 8903-1090 | 42.91 |
| 7M1120 | 8903-1120 | 44.09 |
| 7M1150 | 8903-1150 | 45.28 |
| 7M1180 | 8903-1180 | 46.46 |
| 7M1220 | 8903-1220 | 48.03 |
| 7M1250 | 8903-1250 | 49.21 |
| 7M1280 | 8903-1280 | 50.39 |
| 7M1320 | 8903-1320 | 51.97 |
| 7M1360 | 8903-1360 | 53.54 |
| 7M1400 | 8903-1400 | 55.12 |
| 7M1450 | 8903-1450 | 57.09 |
| 7M1500 | 8903-1500 | 59.06 |
| 7M1550 | 8903-1550 | 61.02 |
| 7M1600 | 8903-1600 | 62.99 |
| 7M1650 | 8903-1650 | 64.96 |
| 7M1700 | 8903-1700 | 66.93 |
| 7M1750 | 8903-1750 | 68.90 |
| 7M1800 | 8903-1800 | 70.87 |
| 7M1850 | 8903-1850 | 72.83 |
| 7M1900 | 8903-1900 | 74.80 |
| 7M1950 | 8903-1950 | 76.77 |
| 7M2000 | 8903-2000 | 78.74 |
| 7M2060 | 8903-2060 | 81.10 |
| 7M2120 | 8903-2120 | 83.46 |
| 7M2180 | 8903-2180 | 85.83 |
| 7M2240 | 8903-2240 | 88.19 |
| 7M2300 | 8903-2300 | 90.55 |



Polyflex® Belts

Product No. Series 8904

11M

Nominal Top Width 7/16"



| Part No. | Product No. | Effective Length (In.) |
|----------|-------------|------------------------|
| 11M710 | 8904-0710 | 27.95 |
| 11M730 | 8904-0730 | 28.74 |
| 11M750 | 8904-0750 | 29.53 |
| 11M775 | 8904-0775 | 30.51 |
| 11M800 | 8904-0800 | 31.50 |
| 11M825 | 8904-0825 | 32.48 |
| 11M850 | 8904-0850 | 33.46 |
| 11M875 | 8904-0875 | 34.45 |
| 11M900 | 8904-0900 | 35.43 |
| 11M925 | 8904-0925 | 36.42 |
| 11M950 | 8904-0950 | 37.40 |
| 11M975 | 8904-0975 | 38.39 |
| 11M1000 | 8904-1000 | 39.37 |
| 11M1030 | 8904-1030 | 40.55 |
| 11M1060 | 8904-1060 | 41.73 |
| 11M1090 | 8904-1090 | 42.91 |
| 11M1120 | 8904-1120 | 44.09 |
| 11M1150 | 8904-1150 | 45.28 |
| 11M1180 | 8904-1180 | 46.46 |
| 11M1220 | 8904-1220 | 48.03 |
| 11M1250 | 8904-1250 | 49.21 |

| Part No. | Product No. | Effective Length (In.) |
|----------|-------------|------------------------|
| 11M1280 | 8904-1280 | 50.39 |
| 11M1320 | 8904-1320 | 51.97 |
| 11M1360 | 8904-1360 | 53.54 |
| 11M1400 | 8904-1400 | 55.12 |
| 11M1450 | 8904-1450 | 57.09 |
| 11M1500 | 8904-1500 | 59.06 |
| 11M1550 | 8904-1550 | 61.02 |
| 11M1600 | 8904-1600 | 62.99 |
| 11M1650 | 8904-1650 | 64.96 |
| 11M1700 | 8904-1700 | 66.93 |
| 11M1750 | 8904-1750 | 68.90 |
| 11M1800 | 8904-1800 | 70.87 |
| 11M1850 | 8904-1850 | 72.83 |
| 11M1900 | 8904-1900 | 74.80 |
| 11M1950 | 8904-1950 | 76.77 |
| 11M2000 | 8904-2000 | 78.74 |
| 11M2060 | 8904-2060 | 81.10 |
| 11M2120 | 8904-2120 | 83.46 |
| 11M2180 | 8904-2180 | 85.83 |
| 11M2240 | 8904-2240 | 88.19 |
| 11M2300 | 8904-2300 | 90.55 |

LIGHT DUTY V-BELTS

Polyflex® JB® Belts

Joined Band belt construction provides increased belt stability, preventing belts from turning over or from coming off of the drive.


Unique 60° angle polyurethane construction transmits greater loads at higher speeds in less space than conventional V-belts.

Markets/Applications

Use in place of Polyflex singles on drives requiring joined sets. A partial listing of applications includes machine tools, computer peripherals, medical equipment, library equipment, small appliances, blower drives and dough mixers.

Features/Advantages

- **High Modulus Polyurethane** compound resists fatigue, wear, ozone, and most environmental conditions.
- Precise casting method eliminates layers and overlaps for **smooth running and low vibration**.
- **Ribbed backing** provides greater lateral stability and relieves bending stress.
- Working temperature range: -65°F to +180°F (-54°C to +85°C).
- **Joined belt construction** provides high stability, preventing belts from turning over or coming off of the drive.



Recommended Sheaves

Contact the Gates Made-To-Order Metals Team

Notes

Polyflex JB Belts are available in 3M, 5M, 7M, and 11M cross sections.

The Polyflex JB belt part number is comprised of the number of belt strands, cross section, effective length and the "JB" signifying joined band construction. For example; part number 3/5M1000JB represents 3 strands joined together, 5mm top width for each belt strand, effective length of 1000mm and joined band (JB) construction.

Manufacturing lead times and minimum order quantities may apply to matched sets and to rib configurations other than those listed. Minimum order quantities do not apply for belt lengths listed. Contact Customer Service for details.

Product No. Series 8911

Nominal Strand Width 1/8"

3M

| Part No. | Product No. | Effective Length (In.) |
|-----------|-------------|------------------------|
| 2/3M175JB | 8911-2175 | 6.74 |
| 3/3M175JB | 8911-3175 | 6.74 |
| 2/3M180JB | 8911-2180 | 6.94 |
| 3/3M180JB | 8911-3180 | 6.94 |
| 2/3M185JB | 8911-2185 | 7.13 |
| 3/3M185JB | 8911-3185 | 7.13 |
| 2/3M190JB | 8911-2190 | 7.33 |
| 3/3M190JB | 8911-3190 | 7.33 |
| 2/3M195JB | 8911-2195 | 7.53 |
| 3/3M195JB | 8911-3195 | 7.53 |
| 2/3M200JB | 8911-2200 | 7.72 |
| 3/3M200JB | 8911-3200 | 7.72 |
| 2/3M206JB | 8911-2206 | 7.96 |
| 3/3M206JB | 8911-3206 | 7.96 |
| 2/3M212JB | 8911-2212 | 8.20 |
| 3/3M212JB | 8911-3212 | 8.20 |
| 2/3M218JB | 8911-2218 | 8.43 |
| 3/3M218JB | 8911-3218 | 8.43 |
| 2/3M224JB | 8911-2224 | 8.67 |
| 3/3M224JB | 8911-3224 | 8.67 |
| 2/3M230JB | 8911-2230 | 8.91 |
| 3/3M230JB | 8911-3230 | 8.91 |
| 2/3M236JB | 8911-2236 | 9.14 |
| 3/3M236JB | 8911-3236 | 9.14 |
| 2/3M243JB | 8911-2243 | 9.42 |
| 3/3M243JB | 8911-3243 | 9.42 |
| 2/3M250JB | 8911-2250 | 9.69 |
| 3/3M250JB | 8911-3250 | 9.69 |

| Part No. | Product No. | Effective Length (In.) |
|-----------|-------------|------------------------|
| 2/3M258JB | 8911-2258 | 10.01 |
| 3/3M258JB | 8911-3258 | 10.01 |
| 2/3M265JB | 8911-2265 | 10.28 |
| 3/3M265JB | 8911-3265 | 10.28 |
| 2/3M272JB | 8911-2272 | 10.56 |
| 3/3M272JB | 8911-3272 | 10.56 |
| 2/3M280JB | 8911-2280 | 10.87 |
| 3/3M280JB | 8911-3280 | 10.87 |
| 2/3M290JB | 8911-2290 | 11.27 |
| 3/3M290JB | 8911-3290 | 11.27 |
| 2/3M300JB | 8911-2300 | 11.66 |
| 3/3M300JB | 8911-3300 | 11.66 |
| 2/3M307JB | 8911-2307 | 11.94 |
| 3/3M307JB | 8911-3307 | 11.94 |
| 2/3M315JB | 8911-2315 | 12.25 |
| 3/3M315JB | 8911-3315 | 12.25 |
| 2/3M325JB | 8911-2325 | 12.65 |
| 3/3M325JB | 8911-3325 | 12.65 |
| 2/3M335JB | 8911-2335 | 13.04 |
| 3/3M335JB | 8911-3335 | 13.04 |
| 2/3M345JB | 8911-2345 | 13.43 |
| 3/3M345JB | 8911-3345 | 13.43 |
| 2/3M350JB | 8911-2350 | 13.63 |
| 3/3M350JB | 8911-3350 | 13.63 |
| 2/3M355JB | 8911-2355 | 13.83 |
| 3/3M355JB | 8911-3355 | 13.83 |
| 2/3M365JB | 8911-2365 | 14.22 |
| 3/3M365JB | 8911-3365 | 14.22 |

Polyflex® JB® Belts

Product No. Series 8911 (continued)

3M (continued)

| Part No. | Product No. | Effective Length (In.) |
|-----------|-------------|------------------------|
| 2/3M375JB | 8911-2375 | 14.61 |
| 3/3M375JB | 8911-3375 | 14.61 |
| 2/3M387JB | 8911-2387 | 15.09 |
| 3/3M387JB | 8911-3387 | 15.09 |
| 2/3M400JB | 8911-2400 | 15.60 |
| 3/3M400JB | 8911-3400 | 15.60 |
| 2/3M412JB | 8911-2412 | 16.07 |
| 3/3M412JB | 8911-3412 | 16.07 |
| 2/3M425JB | 8911-2425 | 15.68 |
| 3/3M425JB | 8911-3425 | 15.68 |
| 2/3M437JB | 8911-2437 | 17.06 |
| 3/3M437JB | 8911-3437 | 17.06 |
| 2/3M450JB | 8911-2450 | 17.57 |
| 3/3M450JB | 8911-3450 | 17.57 |
| 2/3M462JB | 8911-2462 | 18.04 |
| 3/3M462JB | 8911-3462 | 18.04 |
| 2/3M475JB | 8911-2475 | 18.55 |
| 3/3M475JB | 8911-3475 | 18.55 |
| 2/3M487JB | 8911-2487 | 19.02 |
| 3/3M487JB | 8911-3487 | 19.02 |
| 2/3M500JB | 8911-2500 | 19.54 |
| 3/3M500JB | 8911-3500 | 19.54 |
| 2/3M515JB | 8911-2515 | 20.13 |
| 3/3M515JB | 8911-3515 | 20.13 |
| 2/3M530JB | 8911-2530 | 20.72 |

| Part No. | Product No. | Effective Length (In.) |
|-----------|-------------|------------------------|
| 3/3M530JB | 8911-3530 | 20.72 |
| 2/3M545JB | 8911-2545 | 21.31 |
| 3/3M545JB | 8911-3545 | 21.31 |
| 2/3M560JB | 8911-2560 | 21.90 |
| 3/3M560JB | 8911-3560 | 21.90 |
| 2/3M580JB | 8911-2580 | 22.69 |
| 3/3M580JB | 8911-3580 | 22.69 |
| 2/3M600JB | 8911-2600 | 23.47 |
| 3/3M600JB | 8911-3600 | 23.47 |
| 2/3M615JB | 8911-2615 | 24.06 |
| 3/3M615JB | 8911-3615 | 24.06 |
| 2/3M630JB | 8911-2630 | 24.65 |
| 3/3M630JB | 8911-3630 | 24.65 |
| 2/3M650JB | 8911-2650 | 25.44 |
| 3/3M650JB | 8911-3650 | 25.44 |
| 2/3M670JB | 8911-2670 | 26.23 |
| 3/3M670JB | 8911-3670 | 26.23 |
| 2/3M690JB | 8911-2690 | 27.01 |
| 3/3M690JB | 8911-3690 | 27.01 |
| 2/3M710JB | 8911-2710 | 27.80 |
| 3/3M710JB | 8911-3710 | 27.80 |
| 2/3M730JB | 8911-2730 | 28.59 |
| 3/3M730JB | 8911-3730 | 28.59 |
| 2/3M750JB | 8911-2750 | 29.38 |
| 3/3M750JB | 8911-3750 | 29.38 |

LIGHT DUTY V-BELTS

Product No. Series 8912

5M

| Part No. | Product No. | Effective Length (In.) |
|-----------|-------------|------------------------|
| 2/5M280JB | 8912-2280 | 11.02 |
| 3/5M280JB | 8912-3280 | 11.02 |
| 4/5M280JB | 8912-4280 | 11.02 |
| 5/5M280JB | 8912-5280 | 11.02 |
| 2/5M290JB | 8912-2290 | 11.42 |
| 3/5M290JB | 8912-3290 | 11.42 |
| 4/5M290JB | 8912-4290 | 11.42 |
| 5/5M290JB | 8912-5290 | 11.42 |
| 2/5M300JB | 8912-2300 | 11.81 |
| 3/5M300JB | 8912-3300 | 11.81 |
| 4/5M300JB | 8912-4300 | 11.81 |
| 5/5M300JB | 8912-5300 | 11.81 |
| 2/5M307JB | 8912-2307 | 12.09 |
| 3/5M307JB | 8912-3307 | 12.09 |
| 4/5M307JB | 8912-4307 | 12.09 |
| 5/5M307JB | 8912-5307 | 12.09 |
| 2/5M315JB | 8912-2315 | 12.40 |
| 3/5M315JB | 8912-3315 | 12.40 |
| 4/5M315JB | 8912-4315 | 12.40 |
| 5/5M315JB | 8912-5315 | 12.40 |
| 2/5M325JB | 8912-2325 | 12.80 |
| 3/5M325JB | 8912-3325 | 12.80 |
| 4/5M325JB | 8912-4325 | 12.80 |
| 5/5M325JB | 8912-5325 | 12.80 |
| 2/5M335JB | 8912-2335 | 13.19 |
| 3/5M335JB | 8912-3335 | 13.19 |
| 4/5M335JB | 8912-4335 | 13.19 |
| 5/5M335JB | 8912-5335 | 13.19 |
| 2/5M345JB | 8912-2345 | 13.58 |
| 3/5M345JB | 8912-3345 | 13.58 |
| 4/5M345JB | 8912-4345 | 13.58 |

Nominal Strand Width 3/16"



| Part No. | Product No. | Effective Length (In.) |
|-----------|-------------|------------------------|
| 5/5M345JB | 8912-5345 | 13.58 |
| 2/5M355JB | 8912-2355 | 13.98 |
| 3/5M355JB | 8912-3355 | 13.98 |
| 4/5M355JB | 8912-4355 | 13.98 |
| 5/5M355JB | 8912-5355 | 13.98 |
| 2/5M365JB | 8912-2365 | 14.37 |
| 3/5M365JB | 8912-3365 | 14.37 |
| 4/5M365JB | 8912-4365 | 14.37 |
| 5/5M365JB | 8912-5365 | 14.37 |
| 2/5M375JB | 8912-2375 | 14.76 |
| 3/5M375JB | 8912-3375 | 14.76 |
| 4/5M375JB | 8912-4375 | 14.76 |
| 5/5M375JB | 8912-5375 | 14.76 |
| 2/5M387JB | 8912-2387 | 15.24 |
| 3/5M387JB | 8912-3387 | 15.24 |
| 4/5M387JB | 8912-4387 | 15.24 |
| 5/5M387JB | 8912-5387 | 15.24 |
| 2/5M400JB | 8912-2400 | 15.75 |
| 3/5M400JB | 8912-3400 | 15.75 |
| 4/5M400JB | 8912-4400 | 15.75 |
| 5/5M400JB | 8912-5400 | 15.75 |
| 2/5M412JB | 8912-2412 | 16.22 |
| 3/5M412JB | 8912-3412 | 16.22 |
| 4/5M412JB | 8912-4412 | 16.22 |
| 5/5M412JB | 8912-5412 | 16.22 |
| 2/5M425JB | 8912-2425 | 16.73 |
| 3/5M425JB | 8912-3425 | 16.73 |
| 4/5M425JB | 8912-4425 | 16.73 |
| 5/5M425JB | 8912-5425 | 16.73 |
| 2/5M437JB | 8912-2437 | 17.20 |
| 3/5M437JB | 8912-3437 | 17.20 |



**Polyflex® JB® Belts****Product No. Series 8912 (continued)****5M (continued)**

LIGHT DUTY V-BELTS

| Part No. | Product No. | Effective Length (In.) |
|-----------|-------------|------------------------|
| 4/5M437JB | 8912-4437 | 17.20 |
| 5/5M437JB | 8912-5437 | 17.20 |
| 2/5M450JB | 8912-2450 | 17.72 |
| 3/5M450JB | 8912-3450 | 17.72 |
| 4/5M450JB | 8912-4450 | 17.72 |
| 5/5M450JB | 8912-5450 | 17.72 |
| 2/5M462JB | 8912-2462 | 18.19 |
| 3/5M462JB | 8912-3462 | 18.19 |
| 4/5M462JB | 8912-4462 | 18.19 |
| 5/5M462JB | 8912-5462 | 18.19 |
| 2/5M475JB | 8912-2475 | 18.70 |
| 3/5M475JB | 8912-3475 | 18.70 |
| 4/5M475JB | 8912-4475 | 18.70 |
| 5/5M475JB | 8912-5475 | 18.70 |
| 2/5M487JB | 8912-2487 | 19.17 |
| 3/5M487JB | 8912-3487 | 19.17 |
| 4/5M487JB | 8912-4487 | 19.17 |
| 5/5M487JB | 8912-5487 | 19.17 |
| 2/5M500JB | 8912-2500 | 19.69 |
| 3/5M500JB | 8912-3500 | 19.69 |
| 4/5M500JB | 8912-4500 | 19.69 |
| 5/5M500JB | 8912-5500 | 19.69 |
| 2/5M515JB | 8912-2515 | 20.28 |
| 3/5M515JB | 8912-3515 | 20.28 |
| 4/5M515JB | 8912-4515 | 20.28 |
| 5/5M515JB | 8912-5515 | 20.28 |
| 2/5M530JB | 8912-2530 | 20.87 |
| 3/5M530JB | 8912-3530 | 20.87 |
| 4/5M530JB | 8912-4530 | 20.87 |
| 5/5M530JB | 8912-5530 | 20.87 |
| 2/5M545JB | 8912-2545 | 21.46 |
| 3/5M545JB | 8912-3545 | 21.46 |
| 4/5M545JB | 8912-4545 | 21.46 |
| 5/5M545JB | 8912-5545 | 21.46 |
| 2/5M560JB | 8912-2560 | 22.05 |
| 3/5M560JB | 8912-3560 | 22.05 |
| 4/5M560JB | 8912-4560 | 22.05 |
| 5/5M560JB | 8912-5560 | 22.05 |
| 2/5M580JB | 8912-2580 | 22.83 |
| 3/5M580JB | 8912-3580 | 22.83 |
| 4/5M580JB | 8912-4580 | 22.83 |
| 5/5M580JB | 8912-5580 | 22.83 |
| 2/5M600JB | 8912-2600 | 23.62 |
| 3/5M600JB | 8912-3600 | 23.62 |
| 4/5M600JB | 8912-4600 | 23.62 |
| 5/5M600JB | 8912-5600 | 23.62 |
| 2/5M615JB | 8912-2615 | 24.21 |
| 3/5M615JB | 8912-3615 | 24.21 |
| 4/5M615JB | 8912-4615 | 24.21 |
| 5/5M615JB | 8912-5615 | 24.21 |
| 2/5M630JB | 8912-2630 | 24.80 |
| 3/5M630JB | 8912-3630 | 24.80 |
| 4/5M630JB | 8912-4630 | 24.80 |
| 5/5M630JB | 8912-5630 | 24.80 |
| 2/5M650JB | 8912-2650 | 25.59 |
| 3/5M650JB | 8912-3650 | 25.59 |
| 4/5M650JB | 8912-4650 | 25.59 |
| 5/5M650JB | 8912-5650 | 25.59 |
| 2/5M670JB | 8912-2670 | 26.38 |
| 3/5M670JB | 8912-3670 | 26.38 |
| 4/5M670JB | 8912-4670 | 26.38 |
| 5/5M670JB | 8912-5670 | 26.38 |
| 2/5M690JB | 8912-2690 | 27.17 |

| Part No. | Product No. | Effective Length (In.) |
|------------|-------------|------------------------|
| 3/5M690JB | 8912-3690 | 27.17 |
| 4/5M690JB | 8912-4690 | 27.17 |
| 5/5M690JB | 8912-5690 | 27.17 |
| 2/5M710JB | 8912-2710 | 27.95 |
| 3/5M710JB | 8912-3710 | 27.95 |
| 4/5M710JB | 8912-4710 | 27.95 |
| 5/5M710JB | 8912-5710 | 27.95 |
| 2/5M730JB | 8912-2730 | 28.74 |
| 3/5M730JB | 8912-3730 | 28.74 |
| 4/5M730JB | 8912-4730 | 28.74 |
| 5/5M730JB | 8912-5730 | 28.74 |
| 2/5M750JB | 8912-2750 | 29.53 |
| 3/5M750JB | 8912-3750 | 29.53 |
| 4/5M750JB | 8912-4750 | 29.53 |
| 5/5M750JB | 8912-5750 | 29.53 |
| 2/5M775JB | 8912-2775 | 30.51 |
| 3/5M775JB | 8912-3775 | 30.51 |
| 4/5M775JB | 8912-4775 | 30.51 |
| 5/5M775JB | 8912-5775 | 30.51 |
| 2/5M800JB | 8912-2800 | 31.50 |
| 3/5M800JB | 8912-3800 | 31.50 |
| 4/5M800JB | 8912-4800 | 31.50 |
| 5/5M800JB | 8912-5800 | 31.50 |
| 2/5M825JB | 8912-2825 | 32.48 |
| 3/5M825JB | 8912-3825 | 32.48 |
| 4/5M825JB | 8912-4825 | 32.48 |
| 5/5M825JB | 8912-5825 | 32.48 |
| 2/5M850JB | 8912-2850 | 33.46 |
| 3/5M850JB | 8912-3850 | 33.46 |
| 4/5M850JB | 8912-4850 | 33.46 |
| 5/5M850JB | 8912-5850 | 33.46 |
| 2/5M875JB | 8912-2875 | 34.45 |
| 3/5M875JB | 8912-3875 | 34.45 |
| 4/5M875JB | 8912-4875 | 34.45 |
| 5/5M875JB | 8912-5875 | 34.45 |
| 2/5M900JB | 8912-2900 | 35.43 |
| 3/5M900JB | 8912-3900 | 35.43 |
| 4/5M900JB | 8912-4900 | 35.43 |
| 5/5M900JB | 8912-5900 | 35.43 |
| 2/5M925JB | 8912-2925 | 36.42 |
| 3/5M925JB | 8912-3925 | 36.42 |
| 4/5M925JB | 8912-4925 | 36.42 |
| 5/5M925JB | 8912-5925 | 36.42 |
| 2/5M950JB | 8912-2950 | 37.40 |
| 3/5M950JB | 8912-3950 | 37.40 |
| 4/5M950JB | 8912-4950 | 37.40 |
| 5/5M950JB | 8912-5950 | 37.40 |
| 2/5M975JB | 8912-2975 | 38.39 |
| 3/5M975JB | 8912-3975 | 38.39 |
| 4/5M975JB | 8912-4975 | 38.39 |
| 5/5M975JB | 8912-5975 | 38.39 |
| 2/5M1000JB | 8912-2100 | 39.37 |
| 3/5M1000JB | 8912-3100 | 39.37 |
| 4/5M1000JB | 8912-4100 | 39.37 |
| 5/5M1000JB | 8912-5100 | 39.37 |
| 2/5M1030JB | 8912-2103 | 40.55 |
| 3/5M1030JB | 8912-3103 | 40.55 |
| 4/5M1030JB | 8912-4103 | 40.55 |
| 5/5M1030JB | 8912-5103 | 40.55 |
| 2/5M1060JB | 8912-2106 | 41.73 |
| 3/5M1060JB | 8912-3106 | 41.73 |
| 4/5M1060JB | 8912-4106 | 41.73 |
| 5/5M1060JB | 8912-5106 | 41.73 |



Polyflex® JB® Belts

Product No. Series 8912 (continued)

5M (continued)

| Part No. | Product No. | Effective Length (In.) |
|------------|-------------|------------------------|
| 2/5M1090JB | 8912-2109 | 42.91 |
| 3/5M1090JB | 8912-3109 | 42.91 |
| 4/5M1090JB | 8912-4109 | 42.91 |
| 5/5M1090JB | 8912-5109 | 42.91 |
| 2/5M1120JB | 8912-2112 | 44.09 |
| 3/5M1120JB | 8912-3112 | 44.09 |
| 4/5M1120JB | 8912-4112 | 44.09 |
| 5/5M1120JB | 8912-5112 | 44.09 |
| 2/5M1150JB | 8912-2115 | 45.28 |
| 3/5M1150JB | 8912-3115 | 45.28 |
| 4/5M1150JB | 8912-4115 | 45.28 |
| 5/5M1150JB | 8912-5115 | 45.28 |
| 2/5M1180JB | 8912-2118 | 46.46 |
| 3/5M1180JB | 8912-3118 | 46.46 |
| 4/5M1180JB | 8912-4118 | 46.46 |
| 5/5M1180JB | 8912-5118 | 46.46 |
| 2/5M1220JB | 8912-2122 | 48.03 |
| 3/5M1220JB | 8912-3122 | 48.03 |
| 4/5M1220JB | 8912-4122 | 48.03 |
| 5/5M1220JB | 8912-5122 | 48.03 |
| 2/5M1250JB | 8912-2125 | 49.21 |
| 3/5M1250JB | 8912-3125 | 49.21 |
| 4/5M1250JB | 8912-4125 | 49.21 |
| 5/5M1250JB | 8912-5125 | 49.21 |

| Part No. | Product No. | Effective Length (In.) |
|------------|-------------|------------------------|
| 2/5M1280JB | 8912-2128 | 50.39 |
| 3/5M1280JB | 8912-3128 | 50.39 |
| 4/5M1280JB | 8912-4128 | 50.39 |
| 5/5M1280JB | 8912-5128 | 50.39 |
| 2/5M1320JB | 8912-2132 | 51.97 |
| 3/5M1320JB | 8912-3132 | 51.97 |
| 4/5M1320JB | 8912-4132 | 51.97 |
| 5/5M1320JB | 8912-5132 | 51.97 |
| 2/5M1360JB | 8912-2136 | 53.54 |
| 3/5M1360JB | 8912-3136 | 53.54 |
| 4/5M1360JB | 8912-4136 | 53.54 |
| 5/5M1360JB | 8912-5136 | 53.54 |
| 2/5M1400JB | 8912-2140 | 55.12 |
| 3/5M1400JB | 8912-3140 | 55.12 |
| 4/5M1400JB | 8912-4140 | 55.12 |
| 5/5M1400JB | 8912-5140 | 55.12 |
| 2/5M1450JB | 8912-2145 | 57.09 |
| 3/5M1450JB | 8912-3145 | 57.09 |
| 4/5M1450JB | 8912-4145 | 57.09 |
| 5/5M1450JB | 8912-5145 | 57.09 |
| 2/5M1500JB | 8912-2150 | 59.06 |
| 3/5M1500JB | 8912-3150 | 59.06 |
| 4/5M1500JB | 8912-0001 | 59.06 |
| 5/5M1500JB | 8912-5150 | 59.06 |

Product No. Series 8913

7M

| Part No. | Product No. | Effective Length (In.) |
|-----------|-------------|------------------------|
| 2/7M500JB | 8913-2500 | 19.30 |
| 3/7M500JB | 8913-3500 | 19.30 |
| 4/7M500JB | 8913-4500 | 19.30 |
| 5/7M500JB | 8913-5500 | 19.30 |
| 2/7M515JB | 8913-2515 | 19.90 |
| 3/7M515JB | 8913-3515 | 19.90 |
| 4/7M515JB | 8913-4515 | 19.90 |
| 5/7M515JB | 8913-5515 | 19.90 |
| 2/7M530JB | 8913-2530 | 20.50 |
| 3/7M530JB | 8913-3530 | 20.50 |
| 4/7M530JB | 8913-4530 | 20.50 |
| 5/7M530JB | 8913-5530 | 20.50 |
| 2/7M545JB | 8913-2545 | 21.10 |
| 3/7M545JB | 8913-3545 | 21.10 |
| 4/7M545JB | 8913-4545 | 21.10 |
| 5/7M545JB | 8913-5545 | 21.10 |
| 2/7M560JB | 8913-2560 | 21.60 |
| 3/7M560JB | 8913-3560 | 21.60 |
| 4/7M560JB | 8913-4560 | 21.60 |
| 5/7M560JB | 8913-5560 | 21.60 |
| 2/7M580JB | 8913-2580 | 22.40 |
| 3/7M580JB | 8913-3580 | 22.40 |
| 4/7M580JB | 8913-4580 | 22.40 |
| 5/7M580JB | 8913-5580 | 22.40 |
| 2/7M600JB | 8913-2600 | 23.20 |
| 3/7M600JB | 8913-3600 | 23.20 |
| 4/7M600JB | 8913-4600 | 23.20 |
| 5/7M600JB | 8913-5600 | 23.20 |
| 2/7M615JB | 8913-2615 | 23.80 |
| 3/7M615JB | 8913-3615 | 23.80 |
| 4/7M615JB | 8913-4615 | 23.80 |
| 5/7M615JB | 8913-5615 | 23.80 |

Nominal Strand Width 9/32"



| Part No. | Product No. | Effective Length (In.) |
|-----------|-------------|------------------------|
| 2/7M630JB | 8913-2630 | 24.40 |
| 3/7M630JB | 8913-3630 | 24.40 |
| 4/7M630JB | 8913-4630 | 24.40 |
| 5/7M630JB | 8913-5630 | 24.40 |
| 2/7M650JB | 8913-2650 | 25.20 |
| 3/7M650JB | 8913-3650 | 25.20 |
| 4/7M650JB | 8913-4650 | 25.20 |
| 5/7M650JB | 8913-5650 | 25.20 |
| 2/7M670JB | 8913-2670 | 26.00 |
| 3/7M670JB | 8913-3670 | 26.00 |
| 4/7M670JB | 8913-4670 | 26.00 |
| 5/7M670JB | 8913-5670 | 26.00 |
| 2/7M690JB | 8913-2690 | 26.80 |
| 3/7M690JB | 8913-3690 | 26.80 |
| 4/7M690JB | 8913-4690 | 26.80 |
| 5/7M690JB | 8913-5690 | 26.80 |
| 2/7M710JB | 8913-2710 | 27.70 |
| 3/7M710JB | 8913-3710 | 27.70 |
| 4/7M710JB | 8913-4710 | 27.70 |
| 5/7M710JB | 8913-5710 | 27.70 |
| 2/7M730JB | 8913-2730 | 28.50 |
| 3/7M730JB | 8913-3730 | 28.50 |
| 4/7M730JB | 8913-4730 | 28.50 |
| 5/7M730JB | 8913-5730 | 28.50 |
| 2/7M750JB | 8913-2750 | 29.30 |
| 3/7M750JB | 8913-3750 | 29.30 |
| 4/7M750JB | 8913-4750 | 29.30 |
| 5/7M750JB | 8913-5750 | 29.30 |
| 2/7M775JB | 8913-2775 | 30.30 |
| 3/7M775JB | 8913-3775 | 30.30 |
| 4/7M775JB | 8913-4775 | 30.30 |
| 5/7M775JB | 8913-5775 | 30.30 |

LIGHT DUTY V-BELTS



**Polyflex® JB® Belts****Product No. Series 8913 (continued)****7M (continued)**

LIGHT DUTY V-BELTS

| Part No. | Product No. | Effective Length (In.) |
|------------|-------------|------------------------|
| 2/7M800JB | 8913-2800 | 31.20 |
| 3/7M800JB | 8913-3800 | 31.20 |
| 4/7M800JB | 8913-4800 | 31.20 |
| 5/7M800JB | 8913-5800 | 31.20 |
| 2/7M825JB | 8913-2825 | 32.20 |
| 3/7M825JB | 8913-3825 | 32.20 |
| 4/7M825JB | 8913-4825 | 32.20 |
| 5/7M825JB | 8913-5825 | 32.20 |
| 2/7M850JB | 8913-2850 | 33.20 |
| 3/7M850JB | 8913-3850 | 33.20 |
| 4/7M850JB | 8913-4850 | 33.20 |
| 5/7M850JB | 8913-5850 | 33.20 |
| 2/7M875JB | 8913-2875 | 34.20 |
| 3/7M875JB | 8913-3875 | 34.20 |
| 4/7M875JB | 8913-4875 | 34.20 |
| 5/7M875JB | 8913-5875 | 34.20 |
| 2/7M900JB | 8913-2900 | 35.20 |
| 3/7M900JB | 8913-3900 | 35.20 |
| 4/7M900JB | 8913-4900 | 35.20 |
| 5/7M900JB | 8913-5900 | 35.20 |
| 2/7M925JB | 8913-2925 | 36.20 |
| 3/7M925JB | 8913-3925 | 36.20 |
| 4/7M925JB | 8913-4925 | 36.20 |
| 5/7M925JB | 8913-5925 | 36.20 |
| 2/7M950JB | 8913-2950 | 37.20 |
| 3/7M950JB | 8913-3950 | 37.20 |
| 4/7M950JB | 8913-4950 | 37.20 |
| 5/7M950JB | 8913-5950 | 37.20 |
| 2/7M975JB | 8913-2975 | 38.10 |
| 3/7M975JB | 8913-3975 | 38.10 |
| 4/7M975JB | 8913-4975 | 38.10 |
| 5/7M975JB | 8913-5975 | 38.10 |
| 2/7M1000JB | 8913-2100 | 39.10 |
| 3/7M1000JB | 8913-3100 | 39.10 |
| 4/7M1000JB | 8913-4100 | 39.10 |
| 5/7M1000JB | 8913-5100 | 39.10 |
| 2/7M1030JB | 8913-2103 | 40.30 |
| 3/7M1030JB | 8913-3103 | 40.30 |
| 4/7M1030JB | 8913-4103 | 40.30 |
| 5/7M1030JB | 8913-5103 | 40.30 |
| 2/7M1060JB | 8913-2106 | 41.50 |
| 3/7M1060JB | 8913-3106 | 41.50 |
| 4/7M1060JB | 8913-4106 | 41.50 |
| 5/7M1060JB | 8913-5106 | 41.50 |
| 2/7M1090JB | 8913-2109 | 42.70 |
| 3/7M1090JB | 8913-3109 | 42.70 |
| 4/7M1090JB | 8913-4109 | 42.70 |
| 5/7M1090JB | 8913-5109 | 42.70 |
| 2/7M1120JB | 8913-2112 | 43.80 |
| 3/7M1120JB | 8913-3112 | 43.80 |
| 4/7M1120JB | 8913-4112 | 43.80 |
| 5/7M1120JB | 8913-5112 | 43.80 |
| 2/7M1150JB | 8913-2115 | 45.00 |
| 3/7M1150JB | 8913-3115 | 45.00 |
| 4/7M1150JB | 8913-4115 | 45.00 |
| 5/7M1150JB | 8913-5115 | 45.00 |
| 2/7M1180JB | 8913-2118 | 46.20 |
| 3/7M1180JB | 8913-3118 | 46.20 |
| 4/7M1180JB | 8913-4118 | 46.20 |
| 5/7M1180JB | 8913-5118 | 46.20 |
| 2/7M1220JB | 8913-2122 | 47.80 |
| 3/7M1220JB | 8913-3122 | 47.80 |
| 4/7M1220JB | 8913-4122 | 47.80 |

| Part No. | Product No. | Effective Length (In.) |
|------------|-------------|------------------------|
| 5/7M1220JB | 8913-5122 | 47.80 |
| 2/7M1250JB | 8913-2125 | 49.00 |
| 3/7M1250JB | 8913-3125 | 49.00 |
| 4/7M1250JB | 8913-4125 | 49.00 |
| 5/7M1250JB | 8913-5125 | 49.00 |
| 2/7M1280JB | 8913-2128 | 50.10 |
| 3/7M1280JB | 8913-3128 | 50.10 |
| 4/7M1280JB | 8913-4128 | 50.10 |
| 5/7M1280JB | 8913-5128 | 50.10 |
| 2/7M1320JB | 8913-2132 | 51.70 |
| 3/7M1320JB | 8913-3132 | 51.70 |
| 4/7M1320JB | 8913-4132 | 51.70 |
| 5/7M1320JB | 8913-5132 | 51.70 |
| 2/7M1360JB | 8913-2136 | 53.30 |
| 3/7M1360JB | 8913-3136 | 53.30 |
| 4/7M1360JB | 8913-4136 | 53.30 |
| 5/7M1360JB | 8913-5136 | 53.30 |
| 2/7M1400JB | 8913-2140 | 54.90 |
| 3/7M1400JB | 8913-3140 | 54.90 |
| 4/7M1400JB | 8913-4140 | 54.90 |
| 5/7M1400JB | 8913-5140 | 54.90 |
| 2/7M1450JB | 8913-2145 | 56.80 |
| 3/7M1450JB | 8913-3145 | 56.80 |
| 4/7M1450JB | 8913-4145 | 56.80 |
| 5/7M1450JB | 8913-5145 | 56.80 |
| 2/7M1500JB | 8913-2150 | 58.80 |
| 3/7M1500JB | 8913-3150 | 58.80 |
| 4/7M1500JB | 8913-4150 | 58.80 |
| 5/7M1500JB | 8913-5150 | 58.80 |
| 2/7M1550JB | 8913-2155 | 60.80 |
| 3/7M1550JB | 8913-3155 | 60.80 |
| 4/7M1550JB | 8913-4155 | 60.80 |
| 5/7M1550JB | 8913-5155 | 60.80 |
| 2/7M1600JB | 8913-2160 | 62.70 |
| 3/7M1600JB | 8913-3160 | 62.70 |
| 4/7M1600JB | 8913-4160 | 62.70 |
| 5/7M1600JB | 8913-5160 | 62.70 |
| 2/7M1650JB | 8913-2165 | 64.70 |
| 3/7M1650JB | 8913-3165 | 64.70 |
| 4/7M1650JB | 8913-4165 | 64.70 |
| 5/7M1650JB | 8913-5165 | 64.70 |
| 2/7M1700JB | 8913-2170 | 66.70 |
| 3/7M1700JB | 8913-3170 | 66.70 |
| 4/7M1700JB | 8913-4170 | 66.70 |
| 5/7M1700JB | 8913-5170 | 66.70 |
| 2/7M1750JB | 8913-2175 | 68.60 |
| 3/7M1750JB | 8913-3175 | 68.60 |
| 4/7M1750JB | 8913-4175 | 68.60 |
| 5/7M1750JB | 8913-5175 | 68.60 |
| 2/7M1800JB | 8913-2180 | 70.60 |
| 3/7M1800JB | 8913-3180 | 70.60 |
| 4/7M1800JB | 8913-4180 | 70.60 |
| 5/7M1800JB | 8913-5180 | 70.60 |
| 2/7M1850JB | 8913-2185 | 72.60 |
| 3/7M1850JB | 8913-3185 | 72.60 |
| 4/7M1850JB | 8913-4185 | 72.60 |
| 5/7M1850JB | 8913-5185 | 72.60 |
| 2/7M1900JB | 8913-2190 | 74.60 |
| 3/7M1900JB | 8913-3190 | 74.60 |
| 4/7M1900JB | 8913-4190 | 74.60 |
| 5/7M1900JB | 8913-5190 | 74.60 |
| 2/7M1950JB | 8913-2195 | 76.50 |
| 3/7M1950JB | 8913-3195 | 76.50 |



Polyflex® JB® Belts

Product No. Series 8913 (continued)

7M (continued)

| Part No. | Product No. | Effective Length (In.) |
|------------|-------------|------------------------|
| 4/7M1950JB | 8913-4195 | 76.50 |
| 5/7M1950JB | 8913-5195 | 76.50 |
| 2/7M2000JB | 8913-2200 | 78.50 |
| 3/7M2000JB | 8913-3200 | 78.50 |
| 4/7M2000JB | 8913-4200 | 78.50 |
| 5/7M2000JB | 8913-5200 | 78.50 |
| 2/7M2060JB | 8913-2206 | 80.90 |
| 3/7M2060JB | 8913-3206 | 80.90 |
| 4/7M2060JB | 8913-4206 | 80.90 |
| 5/7M2060JB | 8913-5206 | 80.90 |
| 2/7M2120JB | 8913-2212 | 83.20 |
| 3/7M2120JB | 8913-3212 | 83.20 |
| 4/7M2120JB | 8913-4212 | 83.20 |

| Part No. | Product No. | Effective Length (In.) |
|------------|-------------|------------------------|
| 5/7M2120JB | 8913-5212 | 83.20 |
| 2/7M2180JB | 8913-2218 | 85.60 |
| 3/7M2180JB | 8913-3218 | 85.60 |
| 4/7M2180JB | 8913-4218 | 85.60 |
| 5/7M2180JB | 8913-5218 | 85.60 |
| 2/7M2240JB | 8913-2224 | 87.90 |
| 3/7M2240JB | 8913-3224 | 87.90 |
| 4/7M2240JB | 8913-4224 | 87.90 |
| 5/7M2240JB | 8913-5224 | 87.90 |
| 2/7M2300JB | 8913-2230 | 90.30 |
| 3/7M2300JB | 8913-3230 | 90.30 |
| 4/7M2300JB | 8913-4230 | 90.30 |
| 5/7M2300JB | 8913-5230 | 90.30 |

Nominal Strand Width 7/16"



Product No. Series 8914

11M

| Part No. | Product No. | Effective Length (In.) |
|-------------|-------------|------------------------|
| 2/11M710JB | 8914-2710 | 27.30 |
| 3/11M710JB | 8914-3710 | 27.30 |
| 2/11M730JB | 8914-2730 | 28.00 |
| 3/11M730JB | 8914-3730 | 28.00 |
| 2/11M750JB | 8914-2750 | 28.80 |
| 3/11M750JB | 8914-3750 | 28.80 |
| 2/11M775JB | 8914-2775 | 29.80 |
| 3/11M775JB | 8914-3775 | 29.80 |
| 2/11M800JB | 8914-2800 | 30.80 |
| 3/11M800JB | 8914-3800 | 30.80 |
| 2/11M825JB | 8914-2825 | 31.80 |
| 3/11M825JB | 8914-3825 | 31.80 |
| 2/11M850JB | 8914-2850 | 32.80 |
| 3/11M850JB | 8914-3850 | 32.80 |
| 2/11M875JB | 8914-2875 | 33.70 |
| 3/11M875JB | 8914-3875 | 33.70 |
| 2/11M900JB | 8914-2900 | 34.70 |
| 3/11M900JB | 8914-3900 | 34.70 |
| 2/11M925JB | 8914-2925 | 35.70 |
| 3/11M925JB | 8914-3925 | 35.70 |
| 2/11M950JB | 8914-2950 | 36.70 |
| 3/11M950JB | 8914-3950 | 36.70 |
| 2/11M975JB | 8914-2975 | 37.70 |
| 3/11M975JB | 8914-3975 | 37.70 |
| 2/11M1000JB | 8914-2100 | 38.70 |
| 3/11M1000JB | 8914-3100 | 38.70 |
| 2/11M1030JB | 8914-2103 | 39.90 |
| 3/11M1030JB | 8914-3103 | 39.90 |
| 2/11M1060JB | 8914-2106 | 41.00 |
| 3/11M1060JB | 8914-3106 | 41.00 |
| 2/11M1090JB | 8914-2109 | 42.20 |
| 3/11M1090JB | 8914-3109 | 42.20 |
| 2/11M1120JB | 8914-2112 | 43.40 |
| 3/11M1120JB | 8914-3112 | 43.40 |
| 2/11M1150JB | 8914-2115 | 44.60 |
| 3/11M1150JB | 8914-3115 | 44.60 |
| 2/11M1180JB | 8914-2118 | 45.80 |
| 3/11M1180JB | 8914-3118 | 45.80 |
| 2/11M1220JB | 8914-2122 | 47.30 |
| 3/11M1220JB | 8914-3122 | 47.30 |
| 2/11M1250JB | 8914-2125 | 48.50 |
| 3/11M1250JB | 8914-3125 | 48.50 |

| Part No. | Product No. | Effective Length (In.) |
|-------------|-------------|------------------------|
| 2/11M1280JB | 8914-2128 | 49.70 |
| 3/11M1280JB | 8914-3128 | 49.70 |
| 2/11M1320JB | 8914-2132 | 51.30 |
| 3/11M1320JB | 8914-3132 | 51.30 |
| 2/11M1360JB | 8914-2136 | 52.80 |
| 3/11M1360JB | 8914-3136 | 52.80 |
| 2/11M1400JB | 8914-2140 | 54.40 |
| 3/11M1400JB | 8914-3140 | 54.40 |
| 2/11M1450JB | 8914-2145 | 56.40 |
| 3/11M1450JB | 8914-3145 | 56.40 |
| 2/11M1500JB | 8914-2150 | 58.40 |
| 3/11M1500JB | 8914-3150 | 58.40 |
| 2/11M1550JB | 8914-2155 | 60.30 |
| 3/11M1550JB | 8914-3155 | 60.30 |
| 2/11M1600JB | 8914-2160 | 62.30 |
| 3/11M1600JB | 8914-3160 | 62.30 |
| 2/11M1650JB | 8914-2165 | 64.30 |
| 3/11M1650JB | 8914-3165 | 64.30 |
| 2/11M1700JB | 8914-2170 | 66.20 |
| 3/11M1700JB | 8914-3170 | 66.20 |
| 2/11M1750JB | 8914-2175 | 68.20 |
| 3/11M1750JB | 8914-3175 | 68.20 |
| 2/11M1800JB | 8914-2180 | 70.20 |
| 3/11M1800JB | 8914-3180 | 70.20 |
| 2/11M1850JB | 8914-2185 | 72.10 |
| 3/11M1850JB | 8914-3185 | 72.10 |
| 2/11M1900JB | 8914-2190 | 74.10 |
| 3/11M1900JB | 8914-3190 | 74.10 |
| 2/11M1950JB | 8914-2195 | 76.10 |
| 3/11M1950JB | 8914-3195 | 76.10 |
| 2/11M2000JB | 8914-2200 | 78.00 |
| 3/11M2000JB | 8914-3200 | 78.00 |
| 2/11M2060JB | 8914-2206 | 80.40 |
| 3/11M2060JB | 8914-3206 | 80.40 |
| 2/11M2120JB | 8914-2212 | 82.80 |
| 3/11M2120JB | 8914-3212 | 82.80 |
| 2/11M2180JB | 8914-2218 | 85.10 |
| 3/11M2180JB | 8914-3218 | 85.10 |
| 2/11M2240JB | 8914-2224 | 87.50 |
| 3/11M2240JB | 8914-3224 | 87.50 |
| 2/11M2300JB | 8914-2230 | 89.90 |
| 3/11M2300JB | 8914-3230 | 89.90 |

LIGHT DUTY V-BELTS





Poly Chain® GT®2 Sprockets

Markets/Applications

Use with Poly Chain GT2, Poly Chain GT or Poly Chain GT Carbon™ Belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Smaller, narrower sprockets save shaft space, keep the load closer to bearing and extend life of reducer.
- Poly Chain GT2 Sprockets keep overhung load below manufacturers recommendation.
- Sprockets are precision manufactured and static balanced.



Notes

Sprockets with 90 or more grooves do not have flanges.

Sprocket part numbers are comprised of pitch, number of grooves and width. For example; part number 8MX-48S-12 denotes 8mm pitch, 48 grooves, "S" for sprocket and 12mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Details shown which do not affect drive function or overall weight may be changed without notification.

Abbreviations used for sprocket materials: GI=Gray Iron, DI=Ductile Iron, SiS=Sintered Steel, ST=Steel, CI=Cast Iron.

WARNING: Do NOT use these sprockets with rim speeds in excess of 6,500 fpm.

SYNCHRONOUS METAL

Product No. Series 7715 & 7718

8mm Pitch Sprockets — For Belts 12mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 8MX-22S-12 | 7718-1022 | 22 | 2.206 | .50 | ST | 1008 | 1/2 - 1 |
| PB8MX-22S-12 | 7715-1222 | 22 | 2.206 | 1.10 | ST | MPB | 1/2 - 1 3/16 |
| 8MX-25S-12 | 7718-1025 | 25 | 2.506 | .70 | ST | 1108 | 1/2 - 1 1/8 |
| PB8MX-25S-12 | 7715-1225 | 25 | 2.506 | 1.50 | ST | MPB | 1/2 - 1 1/2 |
| 8MX-26S-12 | 7718-1026 | 26 | 2.607 | .80 | ST | 1108 | 1/2 - 1 1/8 |
| 8MX-27S-12 | 7718-1027 | 27 | 2.707 | .90 | ST | 1108 | 1/2 - 1 1/8 |
| 8MX-28S-12 | 7718-1028 | 28 | 2.807 | 1.00 | ST | 1108 | 1/2 - 1 1/8 |
| PB8MX-28S-12 | 7715-1228 | 28 | 2.807 | 1.86 | ST | MPB | 1/2 - 1 3/4 |
| 8MX-29S-12 | 7718-1029 | 29 | 2.907 | 1.20 | ST | 1108 | 1/2 - 1 1/8 |
| 8MX-30S-12 | 7718-1030 | 30 | 3.008 | 1.30 | ST | 1108 | 1/2 - 1 1/8 |
| PB8MX-30S-12 | 7715-1230 | 30 | 3.008 | 2.32 | ST | MPB | 1/2 - 1 3/16 |
| 8MX-31S-12 | 7718-1031 | 31 | 3.108 | 1.30 | ST | 1210 | 1/2 - 1 1/4 |
| 8MX-32S-12 | 7718-1032 | 32 | 3.208 | 1.40 | ST | 1210 | 1/2 - 1 1/4 |
| PB8MX-32S-12 | 7715-1232 | 32 | 3.208 | 2.67 | ST | MPB | 1/2 - 2 |
| 8MX-33S-12 | 7718-1033 | 33 | 3.308 | 1.30 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-34S-12 | 7718-1034 | 34 | 3.409 | 1.31 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-35S-12 | 7718-1035 | 35 | 3.509 | 1.30 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-36S-12 | 7718-1036 | 36 | 3.609 | 1.15 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-37S-12 | 7718-1037 | 37 | 3.709 | 1.60 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-38S-12 | 7718-1038 | 38 | 3.810 | 1.70 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-39S-12 | 7718-1039 | 39 | 3.910 | 1.70 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-40S-12 | 7718-1040 | 40 | 4.010 | 1.70 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-41S-12 | 7718-1041 | 41 | 4.110 | 1.80 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-42S-12 | 7718-1042 | 42 | 4.211 | 2.25 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-45S-12 | 7718-1045 | 45 | 4.511 | 2.50 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-48S-12 | 7718-1048 | 48 | 4.812 | 3.40 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-50S-12 | 7718-1050 | 50 | 5.013 | 3.70 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-53S-12 | 7718-1053 | 53 | 5.314 | 4.70 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-56S-12 | 7718-1056 | 56 | 5.614 | 5.40 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-60S-12 | 7718-1060 | 60 | 6.015 | 6.30 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-63S-12 | 7718-1063 | 63 | 6.316 | 5.55 | GI | 2012 | 1/2 - 2 1/8 |
| 8MX-67S-12 | 7718-1067 | 67 | 6.717 | 4.30 | GI | 2012 | 1/2 - 2 1/8 |
| 8MX-71S-12 | 7718-1071 | 71 | 7.118 | 4.70 | GI | 2012 | 1/2 - 2 1/8 |
| 8MX-75S-12 | 7718-1075 | 75 | 7.519 | 5.10 | GI | 2012 | 1/2 - 2 1/8 |
| 8MX-80S-12 | 7718-1080 | 80 | 8.020 | 5.80 | GI | 2012 | 1/2 - 2 1/8 |
| 8MX-90S-12 | 7718-1090 | 90 | 9.023 | 9.38 | GI | 2012 | 1/2 - 2 1/8 |
| 8MX-112S-12 | 7718-1112 | 112 | 11.229 | 16.60 | GI | 2012 | 1/2 - 2 1/8 |



Poly Chain® GT®2 Sprockets

Product No. Series 7715 & 7718 (continued)

8mm Pitch Sprockets — For Belts 12mm Wide (continued)

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 8MX-140S-12 | 7718-1140 | 140 | 14.036 | 17.30 | GI | 2012 | 1/2 - 2 1/8 |
| 8MX-180S-12 | 7718-1180 | 180 | 18.046 | 30.00 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-224S-12 | 7718-1224 | 224 | 22.457 | 41.20 | GI | 2517 | 1/2 - 2 11/16 |

8mm Pitch Sprockets — For Belts 21mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 8MX-22S-21 | 7718-2022 | 22 | 2.206 | .60 | ST | 1008 | 1/2 - 1 |
| PB8MX-22S-21 | 7715-2022 | 22 | 2.206 | 1.40 | ST | MPB | 1/2 - 1 3/16 |
| 8MX-25S-21 | 7718-2025 | 25 | 2.506 | .90 | ST | 1108 | 1/2 - 1 1/8 |
| PB8MX-25S-21 | 7715-2025 | 25 | 2.506 | 1.90 | ST | MPB | 1/2 - 1 1/2 |
| 8MX-26S-21 | 7718-2026 | 26 | 2.607 | .80 | ST | 1108 | 1/2 - 1 1/8 |
| 8MX-27S-21 | 7718-2027 | 27 | 2.707 | 1.10 | ST | 1108 | 1/2 - 1 1/8 |
| 8MX-28S-21 | 7718-2028 | 28 | 2.807 | 2.10 | ST | 1108 | 1/2 - 1 1/8 |
| PB8MX-28S-21 | 7715-2028 | 28 | 2.807 | 1.80 | ST | MPB | 1/2 - 1 3/4 |
| 8MX-29S-21 | 7718-2029 | 29 | 2.907 | 1.40 | ST | 1108 | 1/2 - 1 1/8 |
| 8MX-30S-21 | 7718-2030 | 30 | 3.008 | 1.60 | ST | 1108 | 1/2 - 1 1/8 |
| PB8MX-30S-21 | 7715-2030 | 30 | 3.008 | 2.90 | ST | MPB | 1/2 - 1 13/16 |
| 8MX-31S-21 | 7718-2031 | 31 | 3.108 | 1.40 | ST | 1210 | 1/2 - 1 1/4 |
| 8MX-32S-21 | 7718-2032 | 32 | 3.208 | 3.00 | ST | 1210 | 1/2 - 1 1/4 |
| PB8MX-32S-21 | 7715-2032 | 32 | 3.208 | 3.20 | ST | MPB | 1/2 - 2 |
| 8MX-33S-21 | 7718-2033 | 33 | 3.308 | 1.40 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-34S-21 | 7718-2034 | 34 | 3.409 | 1.87 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-35S-21 | 7718-2035 | 35 | 3.509 | 1.50 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-36S-21 | 7718-2036 | 36 | 3.609 | 1.60 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-37S-21 | 7718-2037 | 37 | 3.709 | 1.70 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-38S-21 | 7718-2038 | 38 | 3.810 | 1.90 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-39S-21 | 7718-2039 | 39 | 3.910 | 2.00 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-40S-21 | 7718-2040 | 40 | 4.010 | 2.00 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-41S-21 | 7718-2041 | 41 | 4.110 | 2.20 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-42S-21 | 7718-2042 | 42 | 4.211 | 2.40 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-45S-21 | 7718-2045 | 45 | 4.511 | 2.95 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-48S-21 | 7718-2048 | 48 | 4.812 | 3.36 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-50S-21 | 7718-2050 | 50 | 5.013 | 4.20 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-53S-21 | 7718-2053 | 53 | 5.314 | 5.00 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-56S-21 | 7718-2056 | 56 | 5.614 | 4.94 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-60S-21 | 7718-2060 | 60 | 6.015 | 6.90 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-63S-21 | 7718-2063 | 63 | 6.316 | 7.73 | GI | 2012 | 1/2 - 2 1/8 |
| 8MX-67S-21 | 7718-2067 | 67 | 6.717 | 5.70 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-71S-21 | 7718-2071 | 71 | 7.118 | 6.10 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-75S-21 | 7718-2075 | 75 | 7.519 | 9.21 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-80S-21 | 7718-2080 | 80 | 8.020 | 7.50 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-90S-21 | 7718-2090 | 90 | 9.023 | 11.00 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-112S-21 | 7718-2112 | 112 | 11.229 | 19.40 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-140S-21 | 7718-2140 | 140 | 14.036 | 26.80 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-180S-21 | 7718-2180 | 180 | 18.046 | 36.60 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-224S-21 | 7718-2224 | 224 | 22.457 | 50.10 | GI | 3020 | 7/8 - 3 1/4 |

SYNCHRONOUS METAL

8mm Pitch Sprockets — For Belts 36mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB8MX-22S-36 | 7715-3022 | 22 | 2.206 | 2.00 | ST | MPB | 1/2 - 1 3/16 |
| PB8MX-25S-36 | 7715-3025 | 25 | 2.506 | 2.69 | ST | MPB | 1/2 - 1 1/2 |
| PB8MX-28S-36 | 7715-3028 | 28 | 2.807 | 3.50 | ST | MPB | 1/2 - 1 3/4 |
| PB8MX-30S-36 | 7715-3030 | 30 | 3.008 | 4.10 | ST | MPB | 1/2 - 1 13/16 |
| 8MX-32S-36 | 7718-3032 | 32 | 3.208 | 2.00 | ST | 1210 | 1/2 - 1 1/4 |



**Poly Chain® GT®2 Sprockets****Product No. Series 7715 & 7718 (continued)****8mm Pitch Sprockets — For Belts 36mm Wide (continued)**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB8MX-32S-36 | 7715-3032 | 32 | 3.208 | 3.90 | ST | MPB | 1/2 - 2 |
| 8MX-33S-36 | 7718-3033 | 33 | 3.308 | 1.70 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-34S-36 | 7718-3034 | 34 | 3.409 | 1.80 | ST | 1610 | 1/2 - 1 11/16 |
| PB8MX-34S-36 | 7715-3034 | 34 | 3.409 | 4.30 | ST | MPB | 1/2 - 2 1/8 |
| 8MX-35S-36 | 7718-3035 | 35 | 3.509 | 2.00 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-36S-36 | 7718-3036 | 36 | 3.609 | 2.70 | ST | 1610 | 1/2 - 1 11/16 |
| PB8MX-36S-36 | 7715-3036 | 36 | 3.609 | 5.90 | ST | MPB | 1/2 - 2 5/16 |
| 8MX-37S-36 | 7718-3037 | 37 | 3.709 | 2.10 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-38S-36 | 7718-3038 | 38 | 3.810 | 2.90 | ST | 1610 | 1/2 - 1 11/16 |
| PB8MX-38S-36 | 7715-3038 | 38 | 3.810 | 6.70 | ST | MPB | 1/2 - 2 7/16 |
| 8MX-39S-36 | 7718-3039 | 39 | 3.910 | 2.40 | ST | 1610 | 1/2 - 1 11/16 |
| 8MX-40S-36 | 7718-3040 | 40 | 4.010 | 2.50 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-41S-36 | 7718-3041 | 41 | 4.110 | 2.40 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-42S-36 | 7718-3042 | 42 | 4.211 | 2.80 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-45S-36 | 7718-3045 | 45 | 4.511 | 3.95 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-48S-36 | 7718-3048 | 48 | 4.812 | 4.30 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-50S-36 | 7718-3050 | 50 | 5.013 | 5.10 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-53S-36 | 7718-3053 | 53 | 5.314 | 6.00 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-56S-36 | 7718-3056 | 56 | 5.614 | 6.50 | ST | 2012 | 1/2 - 2 1/8 |
| 8MX-60S-36 | 7718-3060 | 60 | 6.015 | 8.90 | ST | 2517 | 1/2 - 2 11/16 |
| 8MX-63S-36 | 7718-3063 | 63 | 6.316 | 9.30 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-67S-36 | 7718-3067 | 67 | 6.717 | 10.00 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-71S-36 | 7718-3071 | 71 | 7.118 | 7.00 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-75S-36 | 7718-3075 | 75 | 7.519 | 13.30 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-80S-36 | 7718-3080 | 80 | 8.020 | 15.30 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-90S-36 | 7718-3090 | 90 | 9.023 | 20.90 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-112S-36 | 7718-3112 | 112 | 11.229 | 22.00 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-140S-36 | 7718-3140 | 140 | 14.036 | 39.30 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-180S-36 | 7718-3180 | 180 | 18.046 | 48.90 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-224S-36 | 7718-3224 | 224 | 22.457 | 92.20 | GI | 3525 | 1 3/16 - 3 15/16 |

SYNCHRONOUS METAL

8mm Pitch Sprockets — For Belts 62mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB8MX-22S-62 | 7715-6022 | 22 | 2.206 | 2.40 | DI | MPB | 1 - 1 3/16 |
| PB8MX-25S-62 | 7715-6025 | 25 | 2.506 | 3.60 | DI | MPB | 1 - 1 1/2 |
| PB8MX-28S-62 | 7715-6028 | 28 | 2.807 | 4.60 | DI | MPB | 1 - 1 3/4 |
| PB8MX-30S-62 | 7715-6030 | 30 | 3.008 | 5.30 | DI | MPB | 1 - 1 13/16 |
| PB8MX-32S-62 | 7715-6032 | 32 | 3.208 | 5.55 | DI | MPB | 1 - 2 |
| 8MX-34S-62 | 7718-6034 | 34 | 3.409 | 5.00 | DI | 1610 | 1/2 - 1 11/16 |
| PB8MX-34S-62 | 7715-6034 | 34 | 3.409 | 5.70 | DI | MPB | 1 - 2 1/8 |
| 8MX-36S-62 | 7718-6036 | 36 | 3.609 | 5.30 | DI | 1610 | 1/2 - 1 11/16 |
| PB8MX-36S-62 | 7715-6036 | 36 | 3.609 | 8.00 | DI | MPB | 1 - 2 5/16 |
| 8MX-38S-62 | 7718-6038 | 38 | 3.812 | 5.60 | DI | 1610 | 1/2 - 1 11/16 |
| PB8MX-38S-62 | 7715-6038 | 38 | 3.812 | 9.10 | DI | MPB | 1 - 2 7/16 |
| 8MX-40S-62 | 7718-6040 | 40 | 4.010 | 5.90 | DI | 2012 | 1/2 - 2 1/8 |
| PB8MX-40S-62 | 7715-6040 | 40 | 4.010 | 10.30 | DI | MPB | 1 - 2 9/16 |
| 8MX-42S-62 | 7718-6042 | 42 | 4.211 | 3.45 | DI | 2012 | 1/2 - 2 1/8 |
| PB8MX-42S-62 | 7715-6042 | 42 | 4.211 | 11.60 | DI | MPB | 1 - 2 3/4 |
| 8MX-45S-62 | 7718-6045 | 45 | 4.511 | 6.50 | DI | 2012 | 1/2 - 2 1/8 |
| PB8MX-45S-62 | 7715-6045 | 45 | 4.511 | 13.10 | DI | MPB | 1 - 2 3/4 |
| 8MX-48S-62 | 7718-6048 | 48 | 4.812 | 6.60 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-50S-62 | 7718-6050 | 50 | 5.013 | 6.70 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-53S-62 | 7718-6053 | 53 | 5.314 | 6.90 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-56S-62 | 7718-6056 | 56 | 5.614 | 7.20 | GI | 2517 | 1/2 - 2 11/16 |
| 8MX-60S-62 | 7718-6060 | 60 | 6.015 | 8.90 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-63S-62 | 7718-6063 | 63 | 6.316 | 10.30 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-67S-62 | 7718-6067 | 67 | 6.717 | 11.00 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-71S-62 | 7718-6071 | 71 | 7.118 | 13.50 | GI | 3020 | 7/8 - 3 1/4 |



Poly Chain® GT®2 Sprockets

Product No. Series 7715 & 7718 (continued)

8mm Pitch Sprockets — For Belts 62mm Wide (continued)

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 8MX-75S-62 | 7718-6075 | 75 | 7.519 | 15.40 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-80S-62 | 7718-6080 | 80 | 8.020 | 23.00 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-90S-62 | 7718-6090 | 90 | 9.023 | 32.70 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-112S-62 | 7718-6112 | 112 | 11.229 | 38.90 | GI | 3020 | 7/8 - 3 1/4 |
| 8MX-140S-62 | 7718-6140 | 140 | 14.036 | 54.50 | GI | 3525 | 1 3/16 - 3 15/16 |
| 8MX-180S-62 | 7718-6180 | 180 | 18.046 | 89.95 | GI | 3525 | 1 3/16 - 3 15/16 |
| 8MX-224S-62 | 7718-6224 | 224 | 22.457 | 92.30 | GI | 3525 | 1 3/16 - 3 15/16 |

Product No. Series 7727

8mm Pitch Poly Chain® GT®2 - QD® Sprockets for ACHE Applications — For 21mm Poly Chain® GT®2 Belts

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| F8M-36S-21 | 7727-9536 | 36 | 3.609 | 2.10 | GI | SH | 1/2 - 1 5/8 |
| F8M-38S-21 | 7727-9538 | 38 | 3.810 | 2.10 | GI | SH | 1/2 - 1 5/8 |
| F8M-40S-21 | 7727-9540 | 40 | 4.010 | 2.30 | GI | SH | 1/2 - 1 5/8 |
| F8M-42S-21 | 7727-9542 | 42 | 4.211 | 2.50 | GI | SH | 1/2 - 1 5/8 |
| F8M-140S-21 | 7727-9544 | 140 | 14.036 | 25.00 | GI | SF | 1/2 - 2 13/16 |
| F8M-168S-21 | 7727-9568 | 168 | 16.843 | 33.80 | GI | SF | 1/2 - 2 13/16 |
| F8M-180S-21 | 7727-9580 | 180 | 18.046 | 36.60 | GI | SF | 1/2 - 2 13/16 |
| F8M-224S-21 | 7727-9524 | 224 | 22.457 | 50.10 | GI | E | 7/8 - 3 1/2 |

Product No. Series 7716 & 7719

14mm Pitch Sprockets — For Belts 20mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 14MX-28S-20 | 7719-2028 | 28 | 4.912 | 3.90 | GI | 2012 | 1/2 - 2 1/8 |
| 14MX-29S-20 | 7719-2029 | 29 | 5.088 | 4.50 | GI | 2012 | 1/2 - 2 1/8 |
| 14MX-30S-20 | 7719-2030 | 30 | 5.263 | 4.80 | GI | 2012 | 1/2 - 2 1/8 |
| 14MX-31S-20 | 7719-2031 | 31 | 5.439 | 5.50 | GI | 2012 | 1/2 - 2 1/8 |
| 14MX-32S-20 | 7719-2032 | 32 | 5.614 | 5.90 | GI | 2012 | 1/2 - 2 1/8 |
| 14MX-33S-20 | 7719-2033 | 33 | 5.790 | 6.30 | GI | 2012 | 1/2 - 2 1/8 |
| 14MX-34S-20 | 7719-2034 | 34 | 5.965 | 6.90 | GI | 2012 | 1/2 - 2 1/8 |
| 14MX-35S-20 | 7719-2035 | 35 | 6.141 | 7.30 | GI | 2012 | 1/2 - 2 1/8 |
| 14MX-36S-20 | 7719-2036 | 36 | 6.316 | 7.60 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-37S-20 | 7719-2037 | 37 | 6.492 | 8.20 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-38S-20 | 7719-2038 | 38 | 6.667 | 8.82 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-39S-20 | 7719-2039 | 39 | 6.842 | 9.80 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-40S-20 | 7719-2040 | 40 | 7.018 | 10.11 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-43S-20 | 7719-2043 | 43 | 7.544 | 11.67 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-45S-20 | 7719-2045 | 45 | 7.895 | 13.50 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-48S-20 | 7719-2048 | 48 | 8.421 | 16.44 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-50S-20 | 7719-2050 | 50 | 8.772 | 18.25 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-53S-20 | 7719-2053 | 53 | 9.299 | 20.50 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-56S-20 | 7719-2056 | 56 | 9.825 | 23.15 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-60S-20 | 7719-2060 | 60 | 10.527 | 27.45 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-63S-20 | 7719-2063 | 63 | 11.053 | 30.19 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-67S-20 | 7719-2067 | 67 | 11.755 | 31.25 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-71S-20 | 7719-2071 | 71 | 12.457 | 32.51 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-75S-20 | 7719-2075 | 75 | 13.158 | 36.15 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-80S-20 | 7719-2080 | 80 | 14.036 | 35.43 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-90S-20 | 7719-2090 | 90 | 15.790 | 41.29 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-112S-20 | 7719-2112 | 112 | 19.650 | 59.60 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-126S-20 | 7719-2126 | 126 | 22.106 | 58.20 | GI | 3525 | 1 3/16 - 3 15/16 |

SYNCHRONOUS METAL





Poly Chain® GT®2 Sprockets

Product No. Series 7716 & 7719 (continued)

14mm Pitch Sprockets — For Belts 20mm Wide (continued)

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 14MX-140S-20 | 7719-2140 | 140 | 24.562 | 102.00 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-154S-20 | 7719-2154 | 154 | 27.019 | 73.50 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-168S-20 | 7719-2168 | 168 | 29.475 | 99.50 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-180S-20 | 7719-2180 | 180 | 31.580 | 135.00 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-200S-20 | 7719-2200 | 200 | 35.089 | 156.00 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-224S-20 | 7719-2224 | 224 | 39.300 | 150.20 | GI | 4030 | 1 7/16 - 4 7/16 |

14mm Pitch Sprockets — For Belts 37mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|---------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 14MX-28S-37 | 7719-3028 | 28 | 4.912 | 4.20 | GI | 2012 | 1/2 - 2 1/8 |
| PB14MX-28S-37 | 7716-3028 | 28 | 4.912 | 11.70 | DI | MPB | 1 - 2 15/16 |
| 14MX-29S-37 | 7719-3029 | 29 | 5.088 | 4.70 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-30S-37 | 7719-3030 | 30 | 5.263 | 5.00 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-31S-37 | 7719-3031 | 31 | 5.439 | 6.00 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-32S-37 | 7719-3032 | 32 | 5.614 | 7.20 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-33S-37 | 7719-3033 | 33 | 5.790 | 7.50 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-34S-37 | 7719-3034 | 34 | 5.965 | 7.80 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-35S-37 | 7719-3035 | 35 | 6.141 | 8.30 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-36S-37 | 7719-3036 | 36 | 6.316 | 8.80 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-37S-37 | 7719-3037 | 37 | 6.492 | 9.30 | GI | 2517 | 1/2 - 2 11/16 |
| 14MX-38S-37 | 7719-3038 | 38 | 6.667 | 10.80 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-39S-37 | 7719-3039 | 39 | 6.842 | 11.90 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-40S-37 | 7719-3040 | 40 | 7.018 | 12.20 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-43S-37 | 7719-3043 | 43 | 7.544 | 12.50 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-45S-37 | 7719-3045 | 45 | 7.895 | 15.80 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-48S-37 | 7719-3048 | 48 | 8.421 | 18.70 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-50S-37 | 7719-3050 | 50 | 8.772 | 21.10 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-53S-37 | 7719-3053 | 53 | 9.299 | 24.70 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-56S-37 | 7719-3056 | 56 | 9.825 | 28.20 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-60S-37 | 7719-3060 | 60 | 10.527 | 32.20 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-63S-37 | 7719-3063 | 63 | 11.053 | 42.80 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-67S-37 | 7719-3067 | 67 | 11.755 | 43.50 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-71S-37 | 7719-3071 | 71 | 12.457 | 44.10 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-75S-37 | 7719-3075 | 75 | 13.158 | 45.50 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-80S-37 | 7719-3080 | 80 | 14.036 | 48.70 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-90S-37 | 7719-3090 | 90 | 15.790 | 53.30 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-112S-37 | 7719-3112 | 112 | 19.650 | 87.00 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-126S-37 | 7719-3126 | 126 | 22.106 | 76.30 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-140S-37 | 7719-3140 | 140 | 24.562 | 100.90 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-154S-37 | 7719-3154 | 154 | 27.019 | 100.20 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-168S-37 | 7719-3168 | 168 | 29.475 | 179.00 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-180S-37 | 7719-3180 | 180 | 31.580 | 172.30 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-200S-37 | 7719-3200 | 200 | 35.089 | 185.40 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-224S-37 | 7719-3224 | 224 | 39.300 | 229.10 | GI | 4030 | 1 7/16 - 4 7/16 |

14mm Pitch Sprockets — For Belts 68mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|---------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB14MX-28S-68 | 7716-6028 | 28 | 4.912 | 17.00 | DI | MPB | 1 - 2 15/16 |
| 14MX-29S-68 | 7719-6029 | 29 | 5.088 | 14.70 | GI | 2517 | 1/2 - 2 11/16 |
| PB14MX-29S-68 | 7716-6029 | 29 | 5.088 | 19.00 | DI | MPB | 1 - 3 3/16 |
| 14MX-30S-68 | 7719-6030 | 30 | 5.263 | 14.00 | GI | 2517 | 1/2 - 2 11/16 |
| PB14MX-30S-68 | 7716-6030 | 30 | 5.263 | 20.00 | DI | MPB | 1 - 3 3/16 |
| 14MX-31S-68 | 7719-6031 | 31 | 5.439 | 14.30 | GI | 2517 | 1/2 - 2 11/16 |
| PB14MX-31S-68 | 7716-6031 | 31 | 5.439 | 16.80 | DI | MPB | 1 - 3 7/16 |



Poly Chain® GT®2 Sprockets

Product No. Series 7716 & 7719 (continued)

14mm Pitch Sprockets — For Belts 68mm Wide (continued)

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|---------------|-------------|----------------|------------------|----------------|----------|-----------------|-------------------|
| 14MX-32S-68 | 7719-6032 | 32 | 5.614 | 14.60 | GI | 2517 | 1/2 - 2 11/16 |
| PB14MX-32S-68 | 7716-6032 | 32 | 5.614 | 18.00 | DI | MPB | 1 - 3 7/16 |
| 14MX-33S-68 | 7719-6033 | 33 | 5.790 | 14.90 | GI | 2517 | 1/2 - 2 11/16 |
| PB14MX-33S-68 | 7716-6033 | 33 | 5.790 | 26.00 | DI | MPB | 1 - 3 1/2 |
| 14MX-34S-68 | 7719-6034 | 34 | 5.965 | 15.20 | GI | 2517 | 1/2 - 2 11/16 |
| PB14MX-34S-68 | 7716-6034 | 34 | 5.965 | 21.10 | DI | MPB | 1 - 3 1/2 |
| 14MX-35S-68 | 7719-6035 | 35 | 6.141 | 15.50 | DI | 3020 | 7/8 - 3 1/4 |
| 14MX-36S-68 | 7719-6036 | 36 | 6.316 | 15.80 | DI | 3020 | 7/8 - 3 1/4 |
| 14MX-37S-68 | 7719-6037 | 37 | 6.492 | 16.10 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-38S-68 | 7719-6038 | 38 | 6.667 | 16.40 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-39S-68 | 7719-6039 | 39 | 6.842 | 16.70 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-40S-68 | 7719-6040 | 40 | 7.018 | 17.00 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-43S-68 | 7719-6043 | 43 | 7.544 | 17.20 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-45S-68 | 7719-6045 | 45 | 7.895 | 20.40 | GI | 3020 | 7/8 - 3 1/4 |
| 14MX-48S-68 | 7719-6048 | 48 | 8.421 | 24.60 | DI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-50S-68 | 7719-6050 | 50 | 8.772 | 29.40 | DI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-53S-68 | 7719-6053 | 53 | 9.299 | 35.70 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-56S-68 | 7719-6056 | 56 | 9.825 | 39.90 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-60S-68 | 7719-6060 | 60 | 10.527 | 50.60 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-63S-68 | 7719-6063 | 63 | 11.053 | 58.00 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-67S-68 | 7719-6067 | 67 | 11.755 | 60.00 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-71S-68 | 7719-6071 | 71 | 12.457 | 63.30 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-75S-68 | 7719-6075 | 75 | 13.158 | 68.60 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-80S-68 | 7719-6080 | 80 | 14.036 | 76.30 | GI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-90S-68 | 7719-6090 | 90 | 15.790 | 82.60 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-112S-68 | 7719-6112 | 112 | 19.650 | 100.37 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-140S-68 | 7719-6140 | 140 | 24.562 | 190.00 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-168S-68 | 7719-6168 | 168 | 29.475 | 239.10 | GI | 4535 | 1 15/16 - 4 15/16 |
| 14MX-180S-68 | 7719-6180 | 180 | 31.580 | 250.60 | GI | 4535 | 1 15/16 - 4 15/16 |
| 14MX-200S-68 | 7719-6200 | 200 | 35.089 | 262.50 | GI | 4535 | 1 15/16 - 4 15/16 |
| 14MX-224S-68 | 7719-6224 | 224 | 39.300 | 350.00 | GI | 5040 | 2 7/16 - 5 |

SYNCHRONOUS METAL

14mm Pitch Sprockets — For Belts 90mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|---------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB14MX-28S-90 | 7716-9028 | 28 | 4.912 | 20.00 | DI | MPB | 1 1/2 - 2 15/16 |
| PB14MX-29S-90 | 7716-9029 | 29 | 5.088 | 22.09 | DI | MPB | 1 1/2 - 3 3/16 |
| PB14MX-30S-90 | 7716-9030 | 30 | 5.263 | 24.00 | DI | MPB | 1 1/2 - 3 3/16 |
| PB14MX-31S-90 | 7716-9031 | 31 | 5.439 | 21.80 | DI | MPB | 1 1/2 - 3 7/16 |
| PB14MX-32S-90 | 7716-9032 | 32 | 5.614 | 27.00 | DI | MPB | 1 1/2 - 3 7/16 |
| PB14MX-33S-90 | 7716-9033 | 33 | 5.790 | 30.00 | DI | MPB | 1 1/2 - 3 1/2 |
| PB14MX-34S-90 | 7716-9034 | 34 | 5.965 | 27.20 | DI | MPB | 1 1/2 - 3 1/2 |
| 14MX-35S-90 | 7719-9035 | 35 | 6.141 | 22.90 | DI | 3020 | 7/8 - 3 1/4 |
| PB14MX-35S-90 | 7716-9035 | 35 | 6.141 | 28.70 | DI | MPB | 1 1/2 - 3 13/16 |
| 14MX-36S-90 | 7719-9036 | 36 | 6.316 | 23.10 | DI | 3020 | 7/8 - 3 1/4 |
| PB14MX-36S-90 | 7716-9036 | 36 | 6.316 | 30.30 | DI | MPB | 1 1/2 - 3 13/16 |
| 14MX-37S-90 | 7719-9037 | 37 | 6.492 | 23.40 | GI | 3020 | 7/8 - 3 1/4 |
| PB14MX-37S-90 | 7716-9037 | 37 | 6.492 | 32.10 | DI | MPB | 1 1/2 - 4 1/8 |
| 14MX-38S-90 | 7719-9038 | 38 | 6.667 | 23.70 | GI | 3020 | 7/8 - 3 1/4 |
| PB14MX-38S-90 | 7716-9038 | 38 | 6.667 | 33.90 | DI | MPB | 1 1/2 - 4 1/8 |
| 14MX-39S-90 | 7719-9039 | 39 | 6.842 | 24.00 | GI | 3020 | 7/8 - 3 1/4 |
| PB14MX-39S-90 | 7716-9039 | 39 | 6.842 | 35.80 | DI | MPB | 1 1/2 - 4 3/8 |
| 14MX-40S-90 | 7719-9040 | 40 | 7.018 | 24.30 | GI | 3020 | 7/8 - 3 1/4 |
| PB14MX-40S-90 | 7716-9040 | 40 | 7.018 | 37.70 | DI | MPB | 1 1/2 - 4 3/8 |
| 14MX-43S-90 | 7719-9043 | 43 | 7.544 | 24.70 | DI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-45S-90 | 7719-9045 | 45 | 7.895 | 27.30 | DI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-48S-90 | 7719-9048 | 48 | 8.421 | 33.40 | DI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-50S-90 | 7719-9050 | 50 | 8.772 | 29.30 | DI | 3525 | 1 3/16 - 3 15/16 |
| 14MX-53S-90 | 7719-9053 | 53 | 9.299 | 46.80 | GI | 3525 | 1 3/16 - 3 15/16 |





Poly Chain® GT®2 Sprockets

Product No. Series 7716 & 7719 (continued)

14mm Pitch Sprockets — For Belts 90mm Wide (continued)

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|-------------------|
| 14MX-56S-90 | 7719-9056 | 56 | 9.825 | 42.10 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-60S-90 | 7719-9060 | 60 | 10.527 | 50.45 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-63S-90 | 7719-9063 | 63 | 11.053 | 64.60 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-67S-90 | 7719-9067 | 67 | 11.755 | 70.00 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-71S-90 | 7719-9071 | 71 | 12.457 | 86.70 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-75S-90 | 7719-9075 | 75 | 13.158 | 85.00 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-80S-90 | 7719-9080 | 80 | 14.036 | 88.00 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-90S-90 | 7719-9090 | 90 | 15.790 | 89.05 | GI | 4030 | 1 7/16 - 4 7/16 |
| 14MX-112S-90 | 7719-9112 | 112 | 19.650 | 197.90 | GI | 4535 | 1 15/16 - 4 15/16 |
| 14MX-140S-90 | 7719-9140 | 140 | 24.562 | 240.00 | GI | 5040 | 2 7/16 - 5 |
| 14MX-168S-90 | 7719-9168 | 168 | 29.475 | 327.30 | GI | 6050 | 4 7/16 - 6 |
| 14MX-180S-90 | 7719-9180 | 180 | 31.580 | 335.90 | GI | 6050 | 4 7/16 - 6 |
| 14MX-200S-90 | 7719-9200 | 200 | 35.089 | 344.50 | GI | 6050 | 4 7/16 - 6 |
| 14MX-224S-90 | 7719-9224 | 224 | 39.300 | 589.00 | GI | 6050 | 4 7/16 - 6 |

14mm Pitch Sprockets — For Belts 125mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|----------------|-------------|----------------|------------------|----------------|----------|-----------------|-------------------|
| PB14MX-28S-125 | 7716-8028 | 28 | 4.912 | 22.00 | DI | MPB | 1 1/2 - 2 15/16 |
| PB14MX-29S-125 | 7716-8029 | 29 | 5.087 | 27.00 | DI | MPB | 1 1/2 - 3 3/16 |
| PB14MX-30S-125 | 7716-8030 | 30 | 5.263 | 30.20 | DI | MPB | 1 1/2 - 3 3/16 |
| PB14MX-31S-125 | 7716-8031 | 31 | 5.438 | 32.00 | DI | MPB | 1 1/2 - 3 7/16 |
| PB14MX-32S-125 | 7716-8032 | 32 | 5.614 | 34.00 | DI | MPB | 1 1/2 - 3 7/16 |
| PB14MX-33S-125 | 7716-8033 | 33 | 5.790 | 31.80 | DI | MPB | 1 1/2 - 3 1/2 |
| PB14MX-34S-125 | 7716-8034 | 34 | 5.965 | 34.30 | DI | MPB | 1 1/2 - 3 1/2 |
| PB14MX-35S-125 | 7716-8035 | 35 | 6.140 | 36.20 | DI | MPB | 1 1/2 - 3 13/16 |
| PB14MX-36S-125 | 7716-8036 | 36 | 6.315 | 38.00 | DI | MPB | 1 1/2 - 3 13/16 |
| PB14MX-37S-125 | 7716-8037 | 37 | 6.491 | 40.30 | DI | MPB | 1 1/2 - 4 1/8 |
| PB14MX-38S-125 | 7716-8038 | 38 | 6.666 | 42.50 | DI | MPB | 1 1/2 - 4 1/8 |
| PB14MX-39S-125 | 7716-8039 | 39 | 6.842 | 44.90 | DI | MPB | 1 1/2 - 4 3/8 |
| PB14MX-40S-125 | 7716-8040 | 40 | 7.017 | 47.20 | DI | MPB | 1 1/2 - 4 3/8 |
| PB14MX-43S-125 | 7716-8043 | 43 | 7.543 | 55.50 | DI | MPB | 1 1/2 - 4 13/16 |
| PB14MX-45S-125 | 7716-8045 | 45 | 7.894 | 61.30 | DI | MPB | 1 1/2 - 5 |
| PB14MX-48S-125 | 7716-8048 | 48 | 8.421 | 68.70 | DI | MPB | 1 1/2 - 5 5/8 |
| 14MX-50S-125 | 7719-8050 | 50 | 8.771 | 39.40 | GI | 4535 | 1 15/16 - 4 15/16 |
| 14MX-53S-125 | 7719-8053 | 53 | 9.290 | 50.10 | GI | 4535 | 1 15/16 - 4 15/16 |
| 14MX-56S-125 | 7719-8056 | 56 | 9.824 | 52.60 | GI | 4535 | 1 15/16 - 4 15/16 |
| 14MX-60S-125 | 7719-8060 | 60 | 10.526 | 63.30 | GI | 4535 | 1 15/16 - 4 15/16 |
| 14MX-63S-125 | 7719-8063 | 63 | 11.052 | 77.20 | GI | 4535 | 1 15/16 - 4 15/16 |
| 14MX-67S-125 | 7719-8067 | 67 | 11.754 | 93.80 | GI | 4535 | 1 15/16 - 4 15/16 |
| 14MX-71S-125 | 7719-8071 | 71 | 12.455 | 93.00 | GI | 5040 | 2 7/16 - 5 |
| 14MX-75S-125 | 7719-8075 | 75 | 13.157 | 132.80 | GI | 5040 | 2 7/16 - 5 |
| 14MX-80S-125 | 7719-8080 | 80 | 14.034 | 137.00 | GI | 5040 | 2 7/16 - 5 |
| 14MX-90S-125 | 7719-8090 | 90 | 15.790 | 121.00 | GI | 5040 | 2 7/16 - 5 |
| 14MX-112S-125 | 7719-8112 | 112 | 19.650 | 210.60 | GI | 6050 | 4 7/16 - 6 |
| 14MX-140S-125 | 7719-8140 | 140 | 24.560 | 270.30 | GI | 6050 | 4 7/16 - 6 |
| 14MX-168S-125 | 7719-8168 | 168 | 29.472 | 345.20 | GI | 7060 | 4 15/16 - 7 |
| 14MX-180S-125 | 7719-8180 | 180 | 31.580 | 365.20 | GI | 7060 | 4 15/16 - 7 |
| 14MX-200S-125 | 7719-8200 | 200 | 35.086 | 373.50 | GI | 7060 | 4 15/16 - 7 |
| 14MX-224S-125 | 7719-8224 | 224 | 39.300 | 482.30 | GI | 7060 | 4 15/16 - 7 |

SYNCHRONOUS METAL



Poly Chain® GT®2 Sprockets

Product No. Series 7719

14mm Pitch Poly Chain® GT®2-Taper-Lock® Sprockets for ACHE Applications — For Belts 37mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|---------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| F14MX-180S-37 | 7719-9702 | 180 | 31.580 | 120.00 | GI | 3020 | 7/8 - 3 1/4 |
| F14MX-200S-37 | 7719-9700 | 200 | 35.086 | 130.00 | GI | 3020 | 7/8 - 3 1/4 |
| F14MX-224S-37 | 7719-9704 | 224 | 39.296 | 177.00 | GI | 3020 | 7/8 - 3 1/4 |

Product No. Series 7727

14mm Pitch Poly Chain® GT®2 - QD® Sprockets for ACHE Applications — For Belts 20mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| F14M-28S-20 | 7727-9628 | 28 | 4.912 | 3.90 | GI | SK | 1/2 - 2 1/2 |
| F14M-29S-20 | 7727-9629 | 29 | 5.088 | 4.50 | GI | SK | 1/2 - 2 1/2 |
| F14M-30S-20 | 7727-9630 | 30 | 5.263 | 4.80 | GI | SK | 1/2 - 2 1/2 |
| F14M-31S-20 | 7727-9631 | 31 | 5.439 | 5.50 | GI | SK | 1/2 - 2 1/2 |
| F14M-32S-20 | 7727-9632 | 32 | 5.614 | 5.90 | GI | SK | 1/2 - 2 1/2 |
| F14M-33S-20 | 7727-9633 | 33 | 5.790 | 6.30 | GI | SK | 1/2 - 2 1/2 |
| F14M-34S-20 | 7727-9634 | 34 | 5.965 | 6.90 | GI | SK | 1/2 - 2 1/2 |
| F14M-35S-20 | 7727-9635 | 35 | 6.141 | 7.30 | GI | SK | 1/2 - 2 1/2 |
| F14M-36S-20 | 7727-9720 | 36 | 6.315 | 7.90 | GI | SF | 1 - 2 1/2 |
| F14M-140S-20 | 7727-9644 | 140 | 24.560 | 66.10 | GI | E | 7/8 - 3 1/2 |
| F14M-168S-20 | 7727-9668 | 168 | 29.472 | 90.00 | GI | F | 1 - 4 |
| F14M-180S-20 | 7727-9680 | 180 | 31.580 | 107.30 | GI | F | 1 - 4 |
| F14M-200S-20 | 7727-9600 | 200 | 35.086 | 119.00 | GI | F | 1 - 4 |
| F14M-224S-20 | 7727-9624 | 224 | 39.300 | 125.00 | GI | F | 1 - 4 |

SYNCHRONOUS METAL

14mm Pitch Poly Chain® GT®2 - QD® Sprockets for ACHE Applications — For Belts 37mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| F14M-28S-37 | 7727-9728 | 28 | 4.912 | 4.20 | GI | SK | 1/2 - 2 1/2 |
| F14M-29S-37 | 7727-9729 | 29 | 5.088 | 4.70 | GI | SK | 1/2 - 2 1/2 |
| F14M-30S-37 | 7727-9730 | 30 | 5.263 | 5.00 | GI | SK | 1/2 - 2 1/2 |
| F14M-31S-37 | 7727-9731 | 31 | 5.439 | 6.00 | GI | SK | 1/2 - 2 1/2 |
| F14M-32S-37 | 7727-9732 | 32 | 5.614 | 7.10 | GI | SK | 1/2 - 2 1/2 |
| F14M-33S-37 | 7727-9733 | 33 | 5.790 | 7.50 | GI | SK | 1/2 - 2 1/2 |
| F14M-34S-37 | 7727-9734 | 34 | 5.965 | 7.80 | GI | SK | 1/2 - 2 1/2 |
| F14M-35S-37 | 7727-9735 | 35 | 6.141 | 8.30 | GI | SK | 1/2 - 2 1/2 |
| F14M-36S-37 | 7727-9737 | 36 | 6.315 | 8.80 | GI | SF | 1/2 - 2 1/2 |
| F14M-180S-37 | 7727-9702 | 180 | 31.580 | 120.00 | GI | E | 7/8 - 3 1/2 |
| F14M-200S-37 | 7727-9700 | 200 | 35.089 | 130.00 | GI | E | 7/8 - 3 1/2 |
| F14M-224S-37 | 7727-9704 | 224 | 39.300 | 177.00 | GI | E | 7/8 - 3 1/2 |



Draftguard® Anti-Rotation Device

Draftguard® Anti-Rotation Device Fan drives can rotate backwards when they are turned off, generally by reason of air movement across the fan blades. Draftguard® anti-rotation device secures the drive from spinning backwards during maintenance operations as well as protects the entire system from extreme shock loads during start-up, causing unnecessary wear of the motor components and potential belt breakage.



Markets/Applications

Ideal for any V-belt or synchronous belt drive system where back-drafting or wind-milling is an issue or safety concern.

Features/Advantages

- Designed with mounting holes for bushings including QD® (E, F and J) and Taper-Lock® (3020, 3525, 3535, 4030) commonly found on ACHE belt drive systems.
- Maintenance-free bearings greased-for-life assembly.
- Small investment to mitigate risk to employees and equipment.

Notes

Details shown which do not affect drive function or overall weight may be changed without notification.

Product No. Series 7814

| Part No. | Product No. | Wt. Ea. (Lbs.) |
|-----------------------------|-------------|----------------|
| Draftguard Clutch | 7814-0006 | 8.10 |
| Draftguard Flange Assembly | 7814-0003 | 2.00 |
| Draftguard Kit | 7814-0004 | 20.00 |
| Draftguard Locking Ring | 7814-0007 | 1.70 |
| Draftguard Spacer 3020 | 7814-0001 | .90 |
| Draftguard Spacer 3525/4030 | 7814-0002 | 1.50 |
| Draftguard Torque Arm | 7814-0005 | 2.00 |

SYNCHRONOUS METAL

Poly Chain® GT®2 Sprockets - Stainless Steel

Markets/Applications

Use with Poly Chain GT2 belts. Stainless steel Poly Chain GT2 sprockets are ideal for the food and beverage market or where non-corrosive sprockets are needed to prevent rust.

Features/Advantages

- Cost effective alternative to stainless roller chain drives.
- Taper-Lock® bushings save shaft space allowing load to be closer to bearing.
- Can be used with rim speeds of 8,000 fpm.



Notes

Sprocket part numbers are comprised of pitch, number of grooves and width. For example; part number SS8MX-28S-12 denotes "SS" for stainless steel, 8mm pitch, 28 grooves, "S" for sprocket and 12mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter. Details shown which do not affect drive function or overall weight may be changed without notification.

Product No. Series 7769

8mm Pitch Sprockets — For Belts 12mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| SS 8MX-28S-12 1108 | 7769-1228 | 28 | 2.807 | .90 | SS | 1108 | 1/2 - 1 1/8 |
| SS 8MX-28S-12 MPB | 7769-9128 | 28 | 2.807 | 1.40 | SS | MPB | 1/2 - 1 3/4 |
| SS 8MX-29S-12 1108 | 7769-1229 | 29 | 2.907 | .90 | SS | 1108 | 1/2 - 1 1/8 |
| SS 8MX-29S-12 MPB | 7769-9129 | 29 | 2.907 | 1.50 | SS | MPB | 1/2 - 1 3/4 |
| SS 8MX-30S-12 1108 | 7769-1230 | 30 | 3.008 | 1.00 | SS | 1108 | 1/2 - 1 1/8 |
| SS 8MX-30S-12 MPB | 7769-9130 | 30 | 3.008 | 1.60 | SS | MPB | 1/2 - 1 13/16 |
| SS 8MX-32S-12 1210 | 7769-1232 | 32 | 3.208 | 1.20 | SS | 1210 | 1/2 - 1 1/4 |
| SS 8MX-32S-12 MPB | 7769-9132 | 32 | 3.208 | 1.70 | SS | MPB | 1/2 - 2 |
| SS 8MX-34S-12 1610 | 7769-1234 | 34 | 3.409 | 1.30 | SS | 1610 | 1/2 - 1 11/16 |
| SS 8MX-34S-12 MPB | 7769-9134 | 34 | 3.409 | 1.80 | SS | MPB | 1/2 - 2 1/8 |
| SS 8MX-36S-12 1610 | 7769-1236 | 36 | 3.609 | 1.40 | SS | 1610 | 1/2 - 1 11/16 |
| SS 8MX-38S-12 1610 | 7769-1238 | 38 | 3.810 | 1.60 | SS | 1610 | 1/2 - 1 11/16 |
| SS 8MX-40S-12 2012 | 7769-1240 | 40 | 4.010 | 1.90 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-42S-12 2012 | 7769-1242 | 42 | 4.211 | 2.30 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-45S-12 2012 | 7769-1245 | 45 | 4.511 | 2.50 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-48S-12 2012 | 7769-1248 | 48 | 4.812 | 2.70 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-50S-12 2012 | 7769-1250 | 50 | 5.013 | 3.90 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-53S-12 2012 | 7769-1253 | 53 | 5.314 | 3.70 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-56S-12 2012 | 7769-1256 | 56 | 5.514 | 4.20 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-60S-12 2012 | 7769-1260 | 60 | 6.015 | 4.90 | SS | 2012 | 1/2 - 2 1/8 |

8mm Pitch Sprockets — For Belts 21mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| SS 8MX-28S-21 1108 | 7769-2128 | 28 | 2.807 | 2.10 | SS | 1108 | 1/2 - 1 1/8 |
| SS 8MX-28S-21 MPB | 7769-9228 | 28 | 2.807 | 1.80 | SS | MPB | 1/2 - 1 3/4 |
| SS 8MX-29S-21 1108 | 7769-2129 | 29 | 2.907 | 2.30 | SS | 1108 | 1/2 - 1 1/8 |
| SS 8MX-29S-21 MPB | 7769-9229 | 29 | 2.907 | 2.00 | SS | MPB | 1/2 - 1 3/4 |
| SS 8MX-30S-21 1108 | 7769-2130 | 30 | 3.008 | 2.50 | SS | 1108 | 1/2 - 1 1/8 |
| SS 8MX-30S-21 MPB | 7769-9230 | 30 | 3.008 | 2.20 | SS | MPB | 1/2 - 1 13/16 |
| SS 8MX-32S-21 1210 | 7769-2132 | 32 | 3.208 | 3.00 | SS | 1210 | 1/2 - 1 1/4 |
| SS 8MX-32S-21 MPB | 7769-9232 | 32 | 3.208 | 2.50 | SS | MPB | 1/2 - 2 |
| SS 8MX-34S-21 1610 | 7769-2134 | 34 | 3.409 | 1.90 | SS | 1610 | 1/2 - 1 11/16 |
| SS 8MX-34S-21 MPB | 7769-9234 | 34 | 3.409 | 2.70 | SS | MPB | 1/2 - 2 |
| SS 8MX-36S-21 1610 | 7769-2136 | 36 | 3.609 | 2.10 | SS | 1610 | 1/2 - 1 11/16 |
| SS 8MX-38S-21 1610 | 7769-2138 | 38 | 3.810 | 2.30 | SS | 1610 | 1/2 - 1 11/16 |
| SS 8MX-40S-21 2012 | 7769-2140 | 40 | 4.010 | 2.30 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-42S-21 2012 | 7769-2142 | 42 | 4.211 | 2.50 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-45S-21 2012 | 7769-2145 | 45 | 4.511 | 3.00 | SS | 2012 | 1/2 - 2 1/8 |

SYNCHRONOUS METAL





Poly Chain® GT®2 Sprockets - Stainless Steel

Product No. Series 7769 (continued)

8mm Pitch Sprockets — For Belts 21mm Wide (continued)

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| SS 8MX-48S-21 2012 | 7769-2148 | 48 | 4.812 | 3.40 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-50S-21 2012 | 7769-2150 | 50 | 5.013 | 3.90 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-53S-21 2012 | 7769-2153 | 53 | 5.314 | 4.40 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-56S-21 2012 | 7769-2156 | 56 | 5.614 | 4.80 | SS | 2012 | 1/2 - 2 1/8 |
| SS 8MX-60S-21 2012 | 7769-2160 | 60 | 6.015 | 7.70 | SS | 2012 | 1/2 - 2 1/8 |

SYNCHRONOUS METAL



Poly Chain® GT®2 Sprockets - Re-Bore

Markets/Applications

Use with Poly Chain GT2, Poly Chain GT or Poly Chain GT Carbon™ Belts.

Features/Advantages

- Re-work services have turnaround time.
- Precise sprocket design produces positive press fit to shaft.
- Precision manufactured and static balanced.



Notes

To order, contact the Made-to-Order Metals Team 800-709-6001 (phone, 303-744-4080 (fax) or at www.gates.com/mtometals.

Rework applies only to plain bore sprockets. When ordering specify the part number and rework needed.

Rework options are as follows:

BTS = Bored to Size and includes Standard Keyway and set screws

PB = Plain Bore. No Keyway. No Set Screws.

KWY = Keyway only

SS = Set Screw only.

Orders must be placed through the Made-to-Order Metals team and should not be placed on PowerPro®.

Details shown which do not affect drive function or overall weight may be charged without notification.

Product No. Series 7896

| Part No. | Product No. | Bore Range (In.) | | Pitch Dia. (In.) |
|--------------------|-------------|------------------|---------|------------------|
| | | Min. | Max. | |
| 8MX-22S-12 REBORE | 7896-3282 | 1/2 | 1 3/16 | 2.206 |
| 8MX-25S-12 REBORE | 7896-3307 | 1/2 | 1 1/2 | 2.506 |
| 8MX-28S-12 REBORE | 7896-3335 | 1/2 | 1 3/4 | 2.807 |
| 8MX-30S-12 REBORE | 7896-3480 | 1/2 | 1 13/16 | 3.008 |
| 8MX-32S-12 REBORE | 7896-3481 | 1/2 | 2 | 3.206 |
| 8MX-22S-21 REBORE | 7896-3482 | 1/2 | 1 3/16 | 2.206 |
| 8MX-25S-21 REBORE | 7896-3488 | 1/2 | 1 1/2 | 2.506 |
| 8MX-28S-21 REBORE | 7896-3489 | 1/2 | 1 3/4 | 2.807 |
| 8MX-30S-21 REBORE | 7896-3507 | 1/2 | 1 13/16 | 3.008 |
| 8MX-32S-21 REBORE | 7896-3522 | 1/2 | 2 | 3.208 |
| 8MX-22S-36 REBORE | 7896-3527 | 1/2 | 1 3/16 | 2.206 |
| 8MX-25S-36 REBORE | 7896-3528 | 1/2 | 1 1/2 | 2.506 |
| 8MX-28S-36 REBORE | 7896-3529 | 1/2 | 1 3/4 | 2.807 |
| 8MX-30S-36 REBORE | 7896-3600 | 1/2 | 1 13/16 | 3.008 |
| 8MX-32S-36 REBORE | 7896-3659 | 1/2 | 2 | 3.208 |
| 8MX-34S-36 REBORE | 7896-3661 | 1/2 | 2 1/8 | 3.409 |
| 8MX-36S-36 REBORE | 7896-3666 | 1/2 | 2 5/16 | 3.609 |
| 8MX-38S-36 REBORE | 7896-3672 | 1/2 | 2 7/16 | 3.810 |
| 8MX-22S-62 REBORE | 7896-3708 | 1 | 1 3/16 | 2.206 |
| 8MX-25S-62 REBORE | 7896-3801 | 1 | 1 1/2 | 2.506 |
| 8MX-28S-62 REBORE | 7896-3802 | 1 | 1 3/4 | 2.807 |
| 8MX-30S-62 REBORE | 7896-3838 | 1 | 1 13/16 | 3.008 |
| 8MX-32S-62 REBORE | 7896-3842 | 1 | 2 | 3.208 |
| 8MX-34S-62 REBORE | 7896-3896 | 1 | 2 1/8 | 3.409 |
| 8MX-36S-62 REBORE | 7896-3902 | 1 | 2 5/16 | 3.609 |
| 8MX-38S-62 REBORE | 7896-3903 | 1 | 2 7/16 | 3.812 |
| 8MX-40S-62 REBORE | 7896-3920 | 1 | 2 9/16 | 4.010 |
| 8MX-42S-62 REBORE | 7896-3965 | 1 | 2 3/4 | 4.211 |
| 8MX-45S-62 REBORE | 7896-4034 | 1 | 2 3/4 | 4.511 |
| 14MX-28S-37 REBORE | 7896-4326 | 1/2 | 2 15/16 | 4.912 |
| 14MX-28S-68 REBORE | 7896-4327 | 1 | 2 15/16 | 4.912 |
| 14MX-29S-68 REBORE | 7896-4328 | 1 | 3 3/16 | 5.088 |
| 14MX-30S-68 REBORE | 7896-4329 | 1 | 3 3/16 | 5.263 |
| 14MX-31S-68 REBORE | 7896-4352 | 1 | 3 7/16 | 5.439 |
| 14MX-32S-68 REBORE | 7896-4483 | 1 | 3 7/16 | 5.614 |
| 14MX-33S-68 REBORE | 7896-4500 | 1 | 3 1/2 | 5.790 |
| 14MX-34S-68 REBORE | 7896-4504 | 1 | 3 1/2 | 5.965 |
| 14MX-28S-90 REBORE | 7896-4505 | 1 1/2 | 2 15/16 | 4.912 |
| 14MX-29S-90 REBORE | 7896-4540 | 1 1/2 | 3 3/16 | 5.088 |
| 14MX-30S-90 REBORE | 7896-4541 | 1 1/2 | 3 3/16 | 5.263 |
| 14MX-31S-90 REBORE | 7896-4543 | 1 1/2 | 3 7/16 | 5.439 |
| 14MX-32S-90 REBORE | 7896-4552 | 1 1/2 | 3 7/16 | 5.614 |

SYNCHRONOUS METAL



**Poly Chain® GT®2 Sprockets - Re-Bore****Product No. Series 7896 (continued)**

| Part No. | Product No. | Bore Range (In.) | | Pitch Dia. (In.) |
|---------------------|-------------|------------------|---------|------------------|
| | | Min. | Max. | |
| 14MX-33S-90 REBORE | 7896-4560 | 1 1/2 | 3 1/2 | 5.790 |
| 14MX-34S-90 REBORE | 7896-4626 | 1 1/2 | 3 1/2 | 5.965 |
| 14MX-35S-90 REBORE | 7896-4627 | 1 1/2 | 3 1/3 | 6.141 |
| 14MX-36S-90 REBORE | 7896-4665 | 1 1/2 | 3 13/16 | 6.316 |
| 14MX-37S-90 REBORE | 7896-4630 | 1 1/2 | 4 1/8 | 6.492 |
| 14MX-38S-90 REBORE | 7896-4704 | 1 1/2 | 4 1/8 | 6.667 |
| 14MX-39S-90 REBORE | 7896-4753 | 1 1/2 | 4 3/8 | 6.842 |
| 14MX-40S-90 REBORE | 7896-4754 | 1 1/2 | 4 3/8 | 7.018 |
| 14MX-28S-125 REBORE | 7896-4755 | 1 1/2 | 2 15/16 | 4.912 |
| 14MX-29S-125 REBORE | 7896-4890 | 1 1/2 | 3 3/16 | 5.087 |
| 14MX-30S-125 REBORE | 7896-4897 | 1 1/2 | 3 3/16 | 5.236 |
| 14MX-31S-125 REBORE | 7896-4968 | 1 1/2 | 3 7/16 | 5.438 |
| 14MX-32S-125 REBORE | 7896-5045 | 1 1/2 | 3 7/16 | 5.614 |
| 14MX-34S-125 REBORE | 7896-5082 | 1 1/2 | 3 1/2 | 5.965 |
| 14MX-35S-125 REBORE | 7896-5161 | 1 1/2 | 3 13/16 | 6.140 |
| 14MX-36S-125 REBORE | 7896-5171 | 1 1/2 | 3 13/16 | 6.315 |
| 14MX-37S-125 REBORE | 7896-5251 | 1 1/2 | 4 1/8 | 6.491 |
| 14MX-38S-125 REBORE | 7896-5257 | 1 1/2 | 4 1/8 | 6.666 |
| 14MX-39S-125 REBORE | 7896-5268 | 1 1/2 | 4 3/8 | 6.842 |
| 14MX-40S-125 REBORE | 7896-5280 | 1 1/2 | 4 3/8 | 7.017 |
| 14MX-43S-125 REBORE | 7896-5326 | 1 1/2 | 4 13/16 | 7.543 |
| 14MX-45S-125 REBORE | 7896-5447 | 1 1/2 | 5 | 7.894 |
| 14MX-48S-125 REBORE | 7896-5448 | 1 1/2 | 5 5/8 | 8.421 |
| 14XM-33S-125 REBORE | 7896-5055 | 1 1/2 | 3 1/2 | 5.790 |

SYNCHRONOUS METAL



PowerGrip® GT®2 and Poly Chain® GT® - 5M Sprockets

Markets/Applications

Use with 5mm pitch PowerGrip GT2 or Poly Chain GT Belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Smaller, narrower sprockets save shaft space, keep the load closer to bearing and extend life of reducer.
- Precision manufactured and static balanced.



Notes

Sprocket part numbers are comprised of pitch, number of grooves and width. For example; part number P52-5MGT-15 denotes 52 grooves, 5mm pitch and 15mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter. Details shown which do not affect drive function or overall weight may be changed without notification.

Abbreviations used for sprocket materials: GI=Gray Iron, DI=Ductile Iron, SiS=Sintered Steel, ST=Steel, CI=Cast Iron.

WARNING: Do NOT use these sprockets with rim speeds in excess of 6,500 fpm.

SYNCHRONOUS METAL

Product No. Series 7709

5mm Pitch Sprockets — For Belts 9 and 15mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P18-5MGT-15-MPB | 7709-3018 | 18 | 1.128 | .24 | ST | MPB | 1/4 - 3/8 |
| P19-5MGT-15-MPB | 7709-3019 | 19 | 1.191 | .28 | ST | MPB | 1/4 - 7/16 |
| P20-5MGT-15-MPB | 7709-3020 | 20 | 1.253 | .32 | ST | MPB | 1/4 - 1/2 |
| P21-5MGT-15-MPB | 7709-3021 | 21 | 1.316 | .36 | ST | MPB | 1/4 - 1/2 |
| P22-5MGT-15-MPB | 7709-3022 | 22 | 1.379 | .40 | ST | MPB | 1/4 - 1/2 |
| P23-5MGT-15-MPB | 7709-3023 | 23 | 1.441 | .44 | ST | MPB | 3/8 - 5/8 |
| P24-5MGT-15-MPB | 7709-3024 | 24 | 1.504 | .47 | ST | MPB | 3/8 - 5/8 |
| P25-5MGT-15-MPB | 7709-3025 | 25 | 1.567 | .55 | ST | MPB | 3/8 - 5/8 |
| P26-5MGT-15-MPB | 7709-3026 | 26 | 1.629 | .56 | ST | MPB | 3/8 - 11/16 |
| P28-5MGT-15-MPB | 7709-3028 | 28 | 1.755 | .67 | ST | MPB | 1/2 - 3/4 |
| P30-5MGT-15-MPB | 7709-3030 | 30 | 1.880 | .77 | ST | MPB | 1/2 - 15/16 |
| P32-5MGT-15-MPB | 7709-3032 | 32 | 2.005 | .88 | ST | MPB | 1/2 - 15/16 |
| P34-5MGT-15-MPB | 7709-3034 | 34 | 2.130 | .95 | ST | MPB | 1/2 - 1 |
| P36-5MGT-15 | 7709-1036 | 36 | 2.256 | .50 | SiS | 1108 | 1/2 - 1 1/8 |
| P36-5MGT-15-MPB | 7709-3036 | 36 | 2.256 | 1.12 | ST | MPB | 1/2 - 1 |
| P38-5MGT-15 | 7709-1038 | 38 | 2.381 | .61 | SiS | 1108 | 1/2 - 1 1/8 |
| P38-5MGT-15-MPB | 7709-3038 | 38 | 2.381 | 1.35 | ST | MPB | 1/2 - 1 1/4 |
| P40-5MGT-15 | 7709-1040 | 40 | 2.506 | .72 | SiS | 1108 | 1/2 - 1 1/8 |
| P40-5MGT-15-MPB | 7709-3040 | 40 | 2.506 | 1.54 | ST | MPB | 1/2 - 1 5/16 |
| P44-5MGT-15 | 7709-1044 | 44 | 2.757 | .95 | SiS | 1108 | 1/2 - 1 1/8 |
| P45-5MGT-15-MPB | 7709-3045 | 45 | 2.820 | 2.00 | ST | MPB | 1/2 - 1 1/2 |
| P48-5MGT-15 | 7709-1048 | 48 | 3.007 | .97 | SiS | 1210 | 1/2 - 1 1/4 |
| P50-5MGT-15-MPB | 7709-3050 | 50 | 3.113 | 2.30 | ST | MPB | 1/2 - 1 3/4 |
| P52-5MGT-15 | 7709-1052 | 52 | 3.258 | 1.17 | SiS | 1210 | 1/2 - 1 1/4 |
| P56-5MGT-15 | 7709-1056 | 56 | 3.509 | 1.37 | SiS | 1610 | 1/2 - 1 11/16 |
| P60-5MGT-15 | 7709-1060 | 60 | 3.760 | 1.68 | SiS | 1610 | 1/2 - 1 11/16 |
| P64-5MGT-15 | 7709-1064 | 64 | 4.010 | 2.17 | SiS | 1610 | 1/2 - 1 11/16 |
| P68-5MGT-15 | 7709-1068 | 68 | 4.261 | 2.10 | SiS | 1610 | 1/2 - 1 11/16 |
| P72-5MGT-15 | 7709-1072 | 72 | 4.511 | 2.72 | SiS | 1610 | 1/2 - 1 11/16 |
| P80-5MGT-15 | 7709-1080 | 80 | 5.013 | 3.15 | SiS | 1610 | 1/2 - 1 11/16 |
| P90-5MGT-15 | 7709-1090 | 90 | 5.639 | 4.17 | SiS | 1610 | 1/2 - 1 11/16 |
| P112-5MGT-15 | 7709-1112 | 112 | 7.018 | 5.16 | SiS | 2012 | 1/2 - 2 1/8 |

5mm Pitch Sprockets — For Belts 25mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P18-5MGT-25-MPB | 7709-5018 | 18 | 1.128 | .39 | ST | MPB | 1/4 - 3/8 |
| P19-5MGT-25-MPB | 7709-5019 | 19 | 1.191 | .43 | ST | MPB | 1/4 - 7/16 |



**PowerGrip® GT®2 and Poly Chain® GT® - 5M Sprockets****Product No. Series 7709 (continued)****5mm Pitch Sprockets — For Belts 25mm Wide (continued)**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P20-5MGT-25-MPB | 7709-5020 | 20 | 1.253 | .47 | ST | MPB | 1/4 - 1/2 |
| P21-5MGT-25-MPB | 7709-5021 | 21 | 1.316 | .51 | ST | MPB | 1/4 - 1/2 |
| P22-5MGT-25-MPB | 7709-5022 | 22 | 1.379 | .55 | ST | MPB | 1/4 - 1/2 |
| P23-5MGT-25-MPB | 7709-5023 | 23 | 1.441 | .59 | ST | MPB | 3/8 - 5/8 |
| P24-5MGT-25-MPB | 7709-5024 | 24 | 1.504 | .64 | ST | MPB | 3/8 - 5/8 |
| P25-5MGT-25-MPB | 7709-5025 | 25 | 1.566 | .70 | ST | MPB | 3/8 - 5/8 |
| P26-5MGT-25-MPB | 7709-5026 | 26 | 1.629 | .76 | ST | MPB | 3/8 - 11/16 |
| P28-5MGT-25-MPB | 7709-5028 | 28 | 1.754 | .87 | ST | MPB | 3/8 - 3/4 |
| P30-5MGT-25-MPB | 7709-5030 | 30 | 1.880 | 1.00 | ST | MPB | 1/2 - 15/16 |
| P32-5MGT-25-MPB | 7709-5032 | 32 | 2.005 | 1.16 | ST | MPB | 1/2 - 15/16 |
| P34-5MGT-25-MPB | 7709-5034 | 34 | 2.130 | 1.32 | ST | MPB | 1/2 - 1 |
| P36-5MGT-25 | 7709-2036 | 36 | 2.256 | .72 | SiS | 1108 | 1/2 - 1 1/8 |
| P36-5MGT-25-MPB | 7709-5036 | 36 | 2.256 | 1.49 | ST | MPB | 1/2 - 1 |
| P38-5MGT-25 | 7709-2038 | 38 | 2.381 | .80 | SiS | 1108 | 1/2 - 1 1/8 |
| P38-5MGT-25-MPB | 7709-5038 | 38 | 2.381 | .79 | ST | MPB | 1/2 - 1 1/4 |
| P40-5MGT-25 | 7709-2040 | 40 | 2.506 | 1.08 | SiS | 1108 | 1/2 - 1 1/8 |
| P40-5MGT-25-MPB | 7709-5040 | 40 | 2.506 | 2.10 | ST | MPB | 1/2 - 1 5/16 |
| P44-5MGT-25 | 7709-2044 | 44 | 2.757 | 1.20 | SiS | 1108 | 1/2 - 1 1/8 |
| P45-5MGT-25-MPB | 7709-5045 | 45 | 2.820 | 2.65 | ST | MPB | 1/2 - 1 1/2 |
| P48-5MGT-25 | 7709-2048 | 48 | 3.008 | 1.40 | SiS | 1210 | 1/2 - 1 1/4 |
| P50-5MGT-25-MPB | 7709-5050 | 50 | 3.133 | 3.00 | ST | MPB | 1/2 - 1 3/4 |
| P52-5MGT-25 | 7709-2052 | 52 | 3.258 | 1.43 | SiS | 1210 | 1/2 - 1 1/4 |
| P56-5MGT-25 | 7709-2056 | 56 | 3.509 | 1.64 | SiS | 1610 | 1/2 - 1 11/16 |
| P60-5MGT-25 | 7709-2060 | 60 | 3.760 | 1.83 | SiS | 1610 | 1/2 - 1 11/16 |
| P64-5MGT-25 | 7709-2064 | 64 | 4.010 | 2.16 | GI | 1610 | 1/2 - 1 11/16 |
| P68-5MGT-25 | 7709-2068 | 68 | 4.261 | 2.46 | GI | 2012 | 1/2 - 2 1/8 |
| P72-5MGT-25 | 7709-2072 | 72 | 4.511 | 2.84 | GI | 2012 | 1/2 - 2 1/8 |
| P80-5MGT-25 | 7709-2080 | 80 | 5.013 | 3.61 | GI | 2012 | 1/2 - 2 1/8 |
| P90-5MGT-25 | 7709-2090 | 90 | 5.639 | 4.69 | GI | 2012 | 1/2 - 2 1/8 |
| P112-5MGT-25 | 7709-2112 | 112 | 7.018 | 6.02 | GI | 2012 | 1/2 - 2 1/8 |

SYNCHRONOUS METAL



PowerGrip® GT®2 Sprockets - 8M and 14M

Markets/Applications

Use with PowerGrip GT2 and PowerGrip GT Belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Smaller, narrower sprockets save shaft space, keep the load closer to bearing and extend life of reducer.
- Precision manufactured and static balanced.

Notes

Sprockets with 90 or more grooves do not have flanges.

Sprocket part numbers are comprised of pitch, number of grooves and width. For example; part number P27-8MGT-30 denotes 27 grooves, 8mm pitch and 30mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter. Details shown which do not affect drive function or overall weight may be changed without notification.

Abbreviations used for sprocket materials: GI=Gray Iron, DI=Ductile Iron, SiS=Sintered Steel, ST=Steel, CI=Cast Iron.

WARNING: Do **NOT** use these sprockets with rim speeds in excess of 6,500 fpm.



SYNCHRONOUS METAL

Product No. Series 7708

8mm Pitch Sprockets — For Belts 12mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P22-8MGT-12 | 7708-1222 | 22 | 2.206 | .55 | ST | 1008 | 1/2 - 1 |
| P23-8MGT-12 | 7708-1223 | 23 | 2.306 | .44 | ST | 1008 | 1/2 - 1 |
| P24-8MGT-12 | 7708-1224 | 24 | 2.406 | .70 | ST | 1008 | 1/2 - 1 |
| P25-8MGT-12 | 7708-1225 | 25 | 2.507 | .70 | ST | 1108 | 1/2 - 1 1/8 |
| P26-8MGT-12 | 7708-1226 | 26 | 2.607 | .80 | ST | 1108 | 1/2 - 1 1/8 |
| P27-8MGT-12 | 7708-1227 | 27 | 2.707 | .80 | ST | 1108 | 1/2 - 1 1/8 |
| P28-8MGT-12 | 7708-1228 | 28 | 2.807 | 1.00 | ST | 1108 | 1/2 - 1 1/8 |
| P29-8MGT-12 | 7708-1229 | 29 | 2.908 | 1.00 | ST | 1210 | 1/2 - 1 1/4 |
| P30-8MGT-12 | 7708-1230 | 30 | 3.008 | 1.00 | ST | 1210 | 1/2 - 1 1/4 |
| P31-8MGT-12 | 7708-1231 | 31 | 3.108 | 1.30 | ST | 1210 | 1/2 - 1 1/4 |
| P32-8MGT-12 | 7708-1232 | 32 | 3.208 | 1.20 | ST | 1210 | 1/2 - 1 1/4 |
| P33-8MGT-12 | 7708-1233 | 33 | 3.309 | 1.30 | ST | 1210 | 1/2 - 1 1/4 |
| P34-8MGT-12 | 7708-1234 | 34 | 3.409 | 1.60 | ST | 1210 | 1/2 - 1 1/4 |
| P35-8MGT-12 | 7708-1235 | 35 | 3.509 | 1.30 | ST | 1210 | 1/2 - 1 1/4 |
| P36-8MGT-12 | 7708-1236 | 36 | 3.609 | 1.90 | ST | 1210 | 1/2 - 1 1/4 |
| P37-8MGT-12 | 7708-1237 | 37 | 3.710 | 2.00 | ST | 1210 | 1/2 - 1 1/4 |
| P38-8MGT-12 | 7708-1238 | 38 | 3.810 | 2.20 | ST | 1210 | 1/2 - 1 1/4 |
| P40-8MGT-12 | 7708-1240 | 40 | 4.010 | 2.40 | ST | 1210 | 1/2 - 1 1/4 |
| P44-8MGT-12 | 7708-1244 | 44 | 4.411 | 2.50 | ST | 1610 | 1/2 - 1 11/16 |
| P48-8MGT-12 | 7708-1248 | 48 | 4.812 | 3.40 | ST | 1610 | 1/2 - 1 11/16 |
| P56-8MGT-12 | 7708-1256 | 56 | 5.614 | 4.80 | ST | 1610 | 1/2 - 1 11/16 |
| P60-8MGT-12 | 7708-1260 | 60 | 5.961 | 5.60 | ST | 1610 | 1/2 - 1 11/16 |
| P64-8MGT-12 | 7708-1264 | 64 | 6.416 | 4.20 | ST | 1610 | 1/2 - 1 11/16 |
| P72-8MGT-12 | 7708-1272 | 72 | 7.218 | 6.55 | ST | 1610 | 1/2 - 1 11/16 |
| P80-8MGT-12 | 7708-1280 | 80 | 8.020 | 5.80 | ST | 1610 | 1/2 - 1 11/16 |
| P90-8MGT-12 | 7708-1290 | 90 | 9.023 | 9.45 | ST | 1610 | 1/2 - 1 11/16 |

8mm Pitch Sprockets — For Belts 20mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P22-8MGT-20 | 7708-2022 | 22 | 2.206 | .53 | ST | 1108 | 1/2 - 1 1/8 |
| P24-8MGT-20 | 7708-2024 | 24 | 2.406 | .80 | ST | 1108 | 1/2 - 1 1/8 |
| P25-8MGT-20 | 7708-2025 | 25 | 2.507 | .90 | ST | 1108 | 1/2 - 1 1/8 |
| P26-8MGT-20 | 7708-2026 | 26 | 2.607 | 1.00 | ST | 1108 | 1/2 - 1 1/8 |
| P27-8MGT-20 | 7708-2027 | 27 | 2.707 | 1.10 | ST | 1108 | 1/2 - 1 1/8 |
| P28-8MGT-20 | 7708-2028 | 28 | 2.807 | 1.20 | ST | 1108 | 1/2 - 1 1/8 |



**PowerGrip® GT®2 Sprockets - 8M and 14M****Product No. Series 7708 (continued)****8mm Pitch Sprockets — For Belts 20mm Wide (continued)**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P29-8MGT-20 | 7708-2029 | 29 | 2.908 | 1.30 | ST | 1108 | 1/2 - 1 1/8 |
| P30-8MGT-20 | 7708-2030 | 30 | 3.008 | 1.20 | ST | 1210 | 1/2 - 1 1/4 |
| P31-8MGT-20 | 7708-2031 | 31 | 3.108 | 1.30 | ST | 1210 | 1/2 - 1 1/4 |
| P32-8MGT-20 | 7708-2032 | 32 | 3.208 | 1.40 | ST | 1210 | 1/2 - 1 1/4 |
| P33-8MGT-20 | 7708-2033 | 33 | 3.309 | 1.40 | ST | 1210 | 1/2 - 1 1/4 |
| P34-8MGT-20 | 7708-2034 | 34 | 3.409 | 2.74 | ST | 1610 | 1/2 - 1 11/16 |
| P35-8MGT-20 | 7708-2035 | 35 | 3.509 | 1.40 | ST | 1610 | 1/2 - 1 11/16 |
| P36-8MGT-20 | 7708-2036 | 36 | 3.609 | 1.60 | ST | 1610 | 1/2 - 1 11/16 |
| P37-8MGT-20 | 7708-2037 | 37 | 3.710 | 1.70 | ST | 1610 | 1/2 - 1 11/16 |
| P38-8MGT-20 | 7708-2038 | 38 | 3.810 | 1.90 | ST | 1610 | 1/2 - 1 11/16 |
| P39-8MGT-20 | 7708-2039 | 39 | 3.909 | 2.00 | ST | 1610 | 1/2 - 1 11/16 |
| P40-8MGT-20 | 7708-2040 | 40 | 4.010 | 2.52 | ST | 1610 | 1/2 - 1 11/16 |
| P42-8MGT-20 | 7708-2042 | 42 | 4.211 | 2.40 | ST | 1610 | 1/2 - 1 11/16 |
| P44-8MGT-20 | 7708-2044 | 44 | 4.411 | 2.84 | ST | 2012 | 1/2 - 2 1/8 |
| P46-8MGT-20 | 7708-2046 | 46 | 4.612 | 3.20 | ST | 2012 | 1/2 - 2 1/8 |
| P48-8MGT-20 | 7708-2048 | 48 | 4.812 | 3.70 | ST | 2012 | 1/2 - 2 1/8 |
| P50-8MGT-20 | 7708-2050 | 50 | 5.013 | 4.20 | ST | 2012 | 1/2 - 2 1/8 |
| P53-8MGT-20 | 7708-2053 | 53 | 5.313 | 5.00 | ST | 2012 | 1/2 - 2 1/8 |
| P56-8MGT-20 | 7708-2056 | 56 | 5.614 | 5.80 | ST | 2012 | 1/2 - 2 1/8 |
| P64-8MGT-20 | 7708-2064 | 64 | 6.416 | 4.20 | ST | 2012 | 1/2 - 2 1/8 |
| P72-8MGT-20 | 7708-2072 | 72 | 7.218 | 6.20 | ST | 2012 | 1/2 - 2 1/8 |
| P80-8MGT-20 | 7708-2080 | 80 | 8.020 | 7.50 | ST | 2517 | 1/2 - 2 11/16 |
| P90-8MGT-20 | 7708-2090 | 90 | 9.023 | 11.00 | GI | 2517 | 1/2 - 2 11/16 |
| P112-8MGT-20 | 7708-2112 | 112 | 11.229 | 15.70 | GI | 2517 | 1/2 - 2 11/16 |
| P144-8MGT-20 | 7708-2144 | 144 | 14.437 | 25.50 | GI | 2517 | 1/2 - 2 11/16 |
| P192-8MGT-20 | 7708-2192 | 192 | 19.249 | 35.00 | GI | 3020 | 7/8 - 3 1/4 |

SYNCHRONOUS METAL

8mm Pitch Sprockets — For Belts 30mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P22-8MGT-30 | 7708-3022 | 22 | 2.206 | .70 | ST | 1108 | 1/2 - 1 1/8 |
| P24-8MGT-30 | 7708-3024 | 24 | 2.406 | .90 | ST | 1108 | 1/2 - 1 1/8 |
| P25-8MGT-30 | 7708-3025 | 25 | 2.507 | 1.10 | ST | 1108 | 1/2 - 1 1/8 |
| P26-8MGT-30 | 7708-3026 | 26 | 2.607 | 1.30 | ST | 1108 | 1/2 - 1 1/8 |
| P27-8MGT-30 | 7708-3027 | 27 | 2.707 | 1.40 | ST | 1108 | 1/2 - 1 1/8 |
| P28-8MGT-30 | 7708-3028 | 28 | 2.807 | 1.60 | ST | 1108 | 1/2 - 1 1/8 |
| P29-8MGT-30 | 7708-3029 | 29 | 2.908 | 1.55 | ST | 1108 | 1/2 - 1 1/8 |
| P30-8MGT-30 | 7708-3030 | 30 | 3.008 | 1.50 | ST | 1210 | 1/2 - 1 1/4 |
| P31-8MGT-30 | 7708-3031 | 31 | 3.108 | 1.65 | ST | 1210 | 1/2 - 1 1/4 |
| P32-8MGT-30 | 7708-3032 | 32 | 3.208 | 1.76 | ST | 1210 | 1/2 - 1 1/4 |
| P33-8MGT-30 | 7708-3033 | 33 | 3.309 | 1.75 | ST | 1210 | 1/2 - 1 1/4 |
| P34-8MGT-30 | 7708-3034 | 34 | 3.409 | 1.81 | ST | 1610 | 1/2 - 1 11/16 |
| P35-8MGT-30 | 7708-3035 | 35 | 3.509 | 2.00 | ST | 1610 | 1/2 - 1 11/16 |
| P36-8MGT-30 | 7708-3036 | 36 | 3.609 | 2.24 | ST | 1610 | 1/2 - 1 11/16 |
| P37-8MGT-30 | 7708-3037 | 37 | 3.710 | 2.30 | ST | 1610 | 1/2 - 1 11/16 |
| P38-8MGT-30 | 7708-3038 | 38 | 3.810 | 2.56 | ST | 1610 | 1/2 - 1 11/16 |
| P39-8MGT-30 | 7708-3039 | 39 | 3.910 | 2.50 | ST | 1610 | 1/2 - 1 11/16 |
| P40-8MGT-30 | 7708-3040 | 40 | 4.010 | 2.35 | ST | 2012 | 1/2 - 2 1/8 |
| P42-8MGT-30 | 7708-3042 | 42 | 4.211 | 3.00 | ST | 2012 | 1/2 - 2 1/8 |
| P44-8MGT-30 | 7708-3044 | 44 | 4.411 | 3.20 | ST | 2012 | 1/2 - 2 1/8 |
| P46-8MGT-30 | 7708-3046 | 46 | 4.612 | 3.90 | ST | 2012 | 1/2 - 2 1/8 |
| P48-8MGT-30 | 7708-3048 | 48 | 4.812 | 4.34 | ST | 2012 | 1/2 - 2 1/8 |
| P50-8MGT-30 | 7708-3050 | 50 | 5.013 | 5.00 | ST | 2012 | 1/2 - 2 1/8 |
| P53-8MGT-30 | 7708-3053 | 53 | 5.314 | 6.20 | ST | 2012 | 1/2 - 2 1/8 |
| P56-8MGT-30 | 7708-3056 | 56 | 5.614 | 6.67 | ST | 2012 | 1/2 - 2 1/8 |
| P64-8MGT-30 | 7708-3064 | 64 | 6.416 | 9.54 | ST | 2517 | 1/2 - 2 11/16 |
| P72-8MGT-30 | 7708-3072 | 72 | 7.218 | 12.76 | ST | 2517 | 1/2 - 2 11/16 |
| P80-8MGT-30 | 7708-3080 | 80 | 8.020 | 16.57 | ST | 2517 | 1/2 - 2 11/16 |
| P90-8MGT-30 | 7708-3090 | 90 | 9.023 | 16.81 | GI | 2517 | 1/2 - 2 11/16 |



PowerGrip® GT®2 Sprockets - 8M and 14M

Product No. Series 7708 (continued)

8mm Pitch Sprockets — For Belts 30mm Wide (continued)

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P112-8MGT-30 | 7708-3112 | 112 | 11.229 | 25.50 | GI | 2517 | 1/2 - 2 11/16 |
| P144-8MGT-30 | 7708-3144 | 144 | 14.437 | 22.50 | GI | 2517 | 1/2 - 2 11/16 |
| P192-8MGT-30 | 7708-3192 | 192 | 19.249 | 31.20 | GI | 3020 | 7/8 - 3 1/4 |

8mm Pitch Sprockets — For Belts 50mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P28-8MGT-50-MPB | 7708-1028 | 28 | 2.807 | 3.90 | DI | MPB | 1/2 - 1 1/2 |
| P30-8MGT-50 | 7708-5030 | 30 | 3.008 | 2.20 | DI | 1210 | 1/2 - 1 1/4 |
| P32-8MGT-50 | 7708-5032 | 32 | 3.208 | 2.40 | DI | 1210 | 1/2 - 1 1/4 |
| P34-8MGT-50 | 7708-5034 | 34 | 3.409 | 2.40 | DI | 1610 | 1/2 - 1 11/16 |
| P36-8MGT-50 | 7708-5036 | 36 | 3.609 | 2.75 | GI | 1610 | 1/2 - 1 11/16 |
| P38-8MGT-50 | 7708-5038 | 38 | 3.810 | 3.18 | GI | 1610 | 1/2 - 1 11/16 |
| P40-8MGT-50 | 7708-5040 | 40 | 4.010 | 3.39 | DI | 2012 | 1/2 - 2 1/8 |
| P44-8MGT-50 | 7708-5044 | 44 | 4.411 | 4.58 | GI | 2012 | 1/2 - 2 1/8 |
| P48-8MGT-50 | 7708-5048 | 48 | 4.812 | 5.97 | GI | 2012 | 1/2 - 2 1/8 |
| P56-8MGT-50 | 7708-5056 | 56 | 5.614 | 8.09 | GI | 2517 | 1/2 - 2 11/16 |
| P64-8MGT-50 | 7708-5064 | 64 | 6.416 | 11.85 | GI | 2517 | 1/2 - 2 11/16 |
| P72-8MGT-50 | 7708-5072 | 72 | 7.218 | 16.49 | GI | 2517 | 1/2 - 2 11/16 |
| P80-8MGT-50 | 7708-5080 | 80 | 8.020 | 20.85 | GI | 2517 | 1/2 - 2 11/16 |
| P90-8MGT-50 | 7708-5090 | 90 | 9.023 | 26.69 | GI | 3020 | 7/8 - 3 1/4 |
| P112-8MGT-50 | 7708-5112 | 112 | 11.229 | 35.52 | GI | 3020 | 7/8 - 3 1/4 |
| P144-8MGT-50 | 7708-5144 | 144 | 14.437 | 51.30 | DI | 3020 | 7/8 - 3 1/4 |
| P192-8MGT-50 | 7708-5192 | 192 | 19.249 | 90.00 | GI | 3020 | 7/8 - 3 1/4 |

SYNCHRONOUS METAL

8mm Pitch Sprockets — For Belts 85mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P34-8MGT-85 | 7708-8034 | 34 | 3.409 | 3.85 | GI | 1615 | 1/2 - 1 11/16 |
| P36-8MGT-85 | 7708-8036 | 36 | 3.609 | 4.31 | GI | 1615 | 1/2 - 1 11/16 |
| P38-8MGT-85 | 7708-8038 | 38 | 3.810 | 4.90 | GI | 1610 | 1/2 - 1 11/16 |
| P40-8MGT-85 | 7708-8040 | 40 | 4.010 | 4.56 | DI | 2012 | 1/2 - 2 1/8 |
| P44-8MGT-85 | 7708-8044 | 44 | 4.411 | 5.96 | GI | 2012 | 1/2 - 2 1/8 |
| P48-8MGT-85 | 7708-8048 | 48 | 4.812 | 7.64 | GI | 2012 | 1/2 - 2 1/8 |
| P56-8MGT-85 | 7708-8056 | 56 | 5.614 | 10.77 | GI | 2517 | 1/2 - 2 11/16 |
| P64-8MGT-85 | 7708-8064 | 64 | 6.416 | 16.91 | GI | 2517 | 1/2 - 2 11/16 |
| P72-8MGT-85 | 7708-8072 | 72 | 7.218 | 17.67 | GI | 3020 | 7/8 - 3 1/4 |
| P80-8MGT-85 | 7708-8080 | 80 | 8.020 | 22.25 | GI | 3020 | 7/8 - 3 1/4 |
| P90-8MGT-85 | 7708-8090 | 90 | 9.023 | 32.76 | GI | 3020 | 7/8 - 3 1/4 |
| P112-8MGT-85 | 7708-8112 | 112 | 11.229 | 37.84 | GI | 3020 | 7/8 - 3 1/4 |
| P144-8MGT-85 | 7708-8144 | 144 | 14.437 | 78.00 | GI | 3535 | 1 3/16 - 3 15/16 |
| P192-8MGT-85 | 7708-8192 | 192 | 19.249 | 110.20 | GI | 3535 | 1 3/16 - 3 15/16 |

Product No. Series 7711

14mm Pitch Sprockets — For Belts 40mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P28-14MGT-40 | 7711-4028 | 28 | 4.912 | 6.03 | GI | 2012 | 1/2 - 2 1/8 |
| P29-14MGT-40 | 7711-4029 | 29 | 5.088 | 6.66 | GI | 2012 | 1/2 - 2 1/8 |
| P30-14MGT-40 | 7711-4030 | 30 | 5.263 | 6.61 | GI | 2012 | 1/2 - 2 1/8 |
| P31-14MGT-40 | 7711-4031 | 31 | 5.439 | 7.50 | GI | 2012 | 1/2 - 2 1/8 |
| P32-14MGT-40 | 7711-4032 | 32 | 5.614 | 8.05 | GI | 2012 | 1/2 - 2 1/8 |
| P33-14MGT-40 | 7711-4033 | 33 | 5.790 | 9.00 | GI | 2012 | 1/2 - 2 1/8 |



**PowerGrip® GT®2 Sprockets - 8M and 14M****Product No. Series 7711 (continued)****14mm Pitch Sprockets — For Belts 40mm Wide (continued)**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|---------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P34-14MGT-40 | 7711-4034 | 34 | 5.965 | 9.52 | GI | 2012 | 1/2 - 2 1/8 |
| P35-14MGT-40 | 7711-4035 | 35 | 6.141 | 10.00 | GI | 2012 | 1/2 - 2 1/8 |
| P36-14MGT-40 | 7711-4036 | 36 | 6.316 | 10.76 | GI | 2517 | 1/2 - 2 11/16 |
| P37-14MGT-40 | 7711-4037 | 37 | 6.492 | 11.70 | GI | 2517 | 1/2 - 2 11/16 |
| P38-14MGT-40 | 7711-4038 | 38 | 6.669 | 12.45 | GI | 2517 | 1/2 - 2 11/16 |
| P39-14MGT-40 | 7711-4039 | 39 | 6.842 | 13.70 | GI | 2517 | 1/2 - 2 11/16 |
| P40-14MGT-40 | 7711-4040 | 40 | 7.018 | 14.71 | GI | 2517 | 1/2 - 2 11/16 |
| P42-14MGT-40 | 7711-4042 | 42 | 7.369 | 16.00 | GI | 2517 | 1/2 - 2 11/16 |
| P44-14MGT-40 | 7711-4044 | 44 | 7.720 | 18.07 | GI | 2517 | 1/2 - 2 11/16 |
| P46-14MGT-40 | 7711-4046 | 46 | 8.070 | 21.00 | GI | 2517 | 1/2 - 2 11/16 |
| P48-14MGT-40 | 7711-4048 | 48 | 8.421 | 22.27 | GI | 2517 | 1/2 - 2 11/16 |
| P50-14MGT-40 | 7711-4050 | 50 | 8.772 | 25.00 | GI | 2517 | 1/2 - 2 11/16 |
| P52-14MGT-40 | 7711-4052 | 52 | 9.123 | 27.03 | GI | 2517 | 1/2 - 2 11/16 |
| P56-14MGT-40 | 7711-4056 | 56 | 9.825 | 31.60 | GI | 2517 | 1/2 - 2 11/16 |
| P60-14MGT-40 | 7711-4060 | 60 | 10.527 | 29.53 | GI | 3020 | 7/8 - 3 1/4 |
| P64-14MGT-40 | 7711-4064 | 64 | 11.229 | 32.54 | GI | 3020 | 7/8 - 3 1/4 |
| P68-14MGT-40 | 7711-4068 | 68 | 11.930 | 32.67 | GI | 3020 | 7/8 - 3 1/4 |
| P72-14MGT-40 | 7711-4072 | 72 | 12.632 | 39.15 | GI | 3020 | 7/8 - 3 1/4 |
| P80-14MGT-40 | 7711-4080 | 80 | 14.036 | 33.10 | GI | 3020 | 7/8 - 3 1/4 |
| P90-14MGT-40 | 7711-4090 | 90 | 15.790 | 39.00 | GI | 3020 | 7/8 - 3 1/4 |
| P112-14MGT-40 | 7711-4112 | 112 | 19.650 | 45.00 | GI | 3020 | 7/8 - 3 1/4 |
| P144-14MGT-40 | 7711-4144 | 144 | 25.264 | 80.00 | GI | 3020 | 7/8 - 3 1/4 |
| P168-14MGT-40 | 7711-4168 | 168 | 29.475 | 115.00 | GI | 3020 | 7/8 - 3 1/4 |
| P192-14MGT-40 | 7711-4192 | 192 | 33.686 | 120.00 | GI | 3020 | 7/8 - 3 1/4 |

SYNCHRONOUS METAL

14mm Pitch Sprockets — For Belts 55mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|---------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P28-14MGT-55 | 7711-5028 | 28 | 4.912 | 7.38 | GI | 2012 | 1/2 - 2 1/8 |
| P29-14MGT-55 | 7711-5029 | 29 | 5.088 | 8.17 | GI | 2012 | 1/2 - 2 1/8 |
| P30-14MGT-55 | 7711-5030 | 30 | 5.263 | 7.25 | GI | 2517 | 1/2 - 2 11/16 |
| P32-14MGT-55 | 7711-5032 | 32 | 5.614 | 9.09 | GI | 2517 | 1/2 - 2 11/16 |
| P34-14MGT-55 | 7711-5034 | 34 | 5.965 | 11.11 | GI | 2517 | 1/2 - 2 11/16 |
| P36-14MGT-55 | 7711-5036 | 36 | 6.316 | 12.36 | GI | 2517 | 1/2 - 2 11/16 |
| P38-14MGT-55 | 7711-5038 | 38 | 6.669 | 15.31 | GI | 2517 | 1/2 - 2 11/16 |
| P40-14MGT-55 | 7711-5040 | 40 | 7.018 | 16.66 | GI | 2517 | 1/2 - 2 11/16 |
| P44-14MGT-55 | 7711-5044 | 44 | 7.720 | 20.72 | GI | 2517 | 1/2 - 2 11/16 |
| P48-14MGT-55 | 7711-5048 | 48 | 8.421 | 24.21 | GI | 3020 | 7/8 - 3 1/4 |
| P52-14MGT-55 | 7711-5052 | 52 | 9.123 | 29.26 | GI | 3020 | 7/8 - 3 1/4 |
| P56-14MGT-55 | 7711-5056 | 56 | 9.825 | 34.87 | GI | 3020 | 7/8 - 3 1/4 |
| P60-14MGT-55 | 7711-5060 | 60 | 10.527 | 41.55 | GI | 3020 | 7/8 - 3 1/4 |
| P64-14MGT-55 | 7711-5064 | 64 | 11.229 | 48.04 | GI | 3020 | 7/8 - 3 1/4 |
| P68-14MGT-55 | 7711-5068 | 68 | 11.930 | 42.91 | GI | 3020 | 7/8 - 3 1/4 |
| P72-14MGT-55 | 7711-5072 | 72 | 12.632 | 47.51 | GI | 3020 | 7/8 - 3 1/4 |
| P80-14MGT-55 | 7711-5080 | 80 | 14.036 | 37.91 | GI | 3020 | 7/8 - 3 1/4 |
| P90-14MGT-55 | 7711-5090 | 90 | 15.790 | 55.00 | GI | 3020 | 7/8 - 3 1/4 |
| P112-14MGT-55 | 7711-5112 | 112 | 19.650 | 65.00 | GI | 3020 | 7/8 - 3 1/4 |
| P144-14MGT-55 | 7711-5144 | 144 | 25.264 | 104.00 | GI | 3020 | 7/8 - 3 1/4 |
| P168-14MGT-55 | 7711-5168 | 168 | 29.475 | 124.00 | GI | 3020 | 7/8 - 3 1/4 |
| P192-14MGT-55 | 7711-5192 | 192 | 33.686 | 314.60 | GI | 3535 | 1 3/16 - 3 15/16 |
| P216-14MGT-55 | 7711-0050 | 216 | 37.893 | 150.00 | GI | 3020 | 7/8 - 3 1/4 |



PowerGrip® GT®2 Sprockets - 8M and 14M

Product No. Series 7711 (continued)

14mm Pitch Sprockets — For Belts 85mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|---------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P28-14MGT-85 | 7711-8028 | 28 | 4.912 | 10.13 | GI | 2012 | 1/2 - 2 1/8 |
| P29-14MGT-85 | 7711-8029 | 29 | 5.088 | 11.42 | GI | 2012 | 1/2 - 2 1/8 |
| P30-14MGT-85 | 7711-8030 | 30 | 5.263 | 12.00 | GI | 2517 | 1/2 - 2 11/16 |
| P32-14MGT-85 | 7711-8032 | 32 | 5.614 | 12.36 | GI | 2517 | 1/2 - 2 11/16 |
| P34-14MGT-85 | 7711-8034 | 34 | 5.965 | 14.99 | GI | 2517 | 1/2 - 2 11/16 |
| P36-14MGT-85 | 7711-8036 | 36 | 6.316 | 13.57 | DI | 3020 | 7/8 - 3 1/4 |
| P38-14MGT-85 | 7711-8038 | 38 | 6.669 | 16.61 | GI | 3020 | 7/8 - 3 1/4 |
| P40-14MGT-85 | 7711-8040 | 40 | 7.018 | 19.94 | GI | 3020 | 7/8 - 3 1/4 |
| P44-14MGT-85 | 7711-8044 | 44 | 7.720 | 23.09 | GI | 3020 | 7/8 - 3 1/4 |
| P48-14MGT-85 | 7711-8048 | 48 | 8.421 | 29.80 | GI | 3020 | 7/8 - 3 1/4 |
| P52-14MGT-85 | 7711-8052 | 52 | 9.123 | 41.98 | GI | 3535 | 1 3/16 - 3 15/16 |
| P56-14MGT-85 | 7711-8056 | 56 | 9.825 | 51.40 | GI | 3535 | 1 3/16 - 3 15/16 |
| P60-14MGT-85 | 7711-8060 | 60 | 10.527 | 62.40 | GI | 3535 | 1 3/16 - 3 15/16 |
| P64-14MGT-85 | 7711-8064 | 64 | 11.229 | 72.66 | GI | 3535 | 1 3/16 - 3 15/16 |
| P68-14MGT-85 | 7711-8068 | 68 | 11.930 | 64.56 | GI | 3535 | 1 3/16 - 3 15/16 |
| P72-14MGT-85 | 7711-8072 | 72 | 12.632 | 65.00 | GI | 3535 | 1 3/16 - 3 15/16 |
| P80-14MGT-85 | 7711-8080 | 80 | 14.036 | 67.30 | GI | 3535 | 1 3/16 - 3 15/16 |
| P90-14MGT-85 | 7711-8090 | 90 | 15.790 | 82.80 | GI | 3535 | 1 3/16 - 3 15/16 |
| P112-14MGT-85 | 7711-8112 | 112 | 19.650 | 120.00 | DI | 3535 | 1 3/16 - 3 15/16 |
| P144-14MGT-85 | 7711-8144 | 144 | 25.264 | 127.00 | GI | 4040 | 1 7/16 - 4 7/16 |
| P168-14MGT-85 | 7711-8168 | 168 | 29.475 | 148.00 | GI | 4040 | 1 7/16 - 4 7/16 |
| P192-14MGT-85 | 7711-8192 | 192 | 33.686 | 410.00 | GI | 4040 | 1 7/16 - 4 7/16 |

SYNCHRONOUS METAL

14mm Pitch Sprockets — For Belts 115mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------------|-------------|----------------|------------------|----------------|----------|-----------------|-------------------|
| P28-14MGT-115-MPB | 7711-1028 | 28 | 4.912 | 22.00 | DI | MPB | 1 1/4 - 2 11/16 |
| P29-14MGT-115-MPB | 7711-1029 | 29 | 5.088 | 23.00 | DI | MPB | 1 1/4 - 2 11/16 |
| P30-14MGT-115 | 7711-1030 | 30 | 5.263 | 12.88 | GI | 2517 | 1/2 - 2 11/16 |
| P32-14MGT-115 | 7711-1032 | 32 | 5.614 | 14.81 | GI | 2517 | 1/2 - 2 11/16 |
| P34-14MGT-115 | 7711-1034 | 34 | 5.965 | 18.90 | GI | 2517 | 1/2 - 2 11/16 |
| P36-14MGT-115 | 7711-1036 | 36 | 6.316 | 17.37 | GI | 3020 | 7/8 - 3 1/4 |
| P38-14MGT-115 | 7711-1038 | 38 | 6.669 | 19.31 | GI | 3020 | 7/8 - 3 1/4 |
| P40-14MGT-115 | 7711-1040 | 40 | 7.018 | 23.46 | GI | 3020 | 7/8 - 3 1/4 |
| P44-14MGT-115 | 7711-1044 | 44 | 7.720 | 29.25 | GI | 3535 | 1 3/16 - 3 15/16 |
| P48-14MGT-115 | 7711-1048 | 48 | 8.421 | 40.10 | GI | 3535 | 1 3/16 - 3 15/16 |
| P52-14MGT-115 | 7711-1052 | 52 | 9.123 | 45.36 | GI | 4040 | 1 7/16 - 4 7/16 |
| P56-14MGT-115 | 7711-1056 | 56 | 9.825 | 58.40 | GI | 4040 | 1 7/16 - 4 7/16 |
| P60-14MGT-115 | 7711-1060 | 60 | 10.527 | 73.00 | GI | 4040 | 1 7/16 - 4 7/16 |
| P64-14MGT-115 | 7711-1064 | 64 | 11.229 | 81.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P68-14MGT-115 | 7711-1068 | 68 | 11.930 | 106.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P72-14MGT-115 | 7711-1072 | 72 | 12.632 | 112.20 | GI | 4545 | 1 15/16 - 4 15/16 |
| P80-14MGT-115 | 7711-1080 | 80 | 14.036 | 159.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P90-14MGT-115 | 7711-1090 | 90 | 15.790 | 132.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P112-14MGT-115 | 7711-1112 | 112 | 19.650 | 190.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P144-14MGT-115 | 7711-1144 | 144 | 25.264 | 166.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P168-14MGT-115 | 7711-1168 | 168 | 29.475 | 198.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P192-14MGT-115 | 7711-1192 | 192 | 33.686 | 437.80 | GI | 4545 | 1 15/16 - 4 15/16 |
| P216-14MGT-115 | 7711-1216 | 216 | 37.896 | 307.00 | GI | 6050 | 4 7/16 - 6 |

14mm Pitch Sprockets — For Belts 170mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P36-14MGT-170-MPB | 7711-7036 | 36 | 6.316 | 45.00 | DI | MPB | 1 1/2 - 3 3/8 |
| P38-14MGT-170-MPB | 7711-7038 | 38 | 6.667 | 51.00 | DI | MPB | 1 1/2 - 3 3/8 |
| P40-14MGT-170 | 7711-7040 | 40 | 7.018 | 57.50 | GI | 3535 | 1 3/16 - 3 15/16 |



**PowerGrip® GT®2 Sprockets - 8M and 14M****Product No. Series 7711 (continued)****14mm Pitch Sprockets — For Belts 170mm Wide (continued)**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|----------------|-------------|----------------|------------------|----------------|----------|-----------------|-------------------|
| P44-14MGT-170 | 7711-7044 | 44 | 7.720 | 58.00 | GI | 3535 | 1 3/16 - 3 15/16 |
| P48-14MGT-170 | 7711-7048 | 48 | 8.421 | 45.00 | GI | 3535 | 1 3/16 - 3 15/16 |
| P52-14MGT-170 | 7711-7052 | 52 | 9.123 | 60.00 | GI | 4040 | 1 7/16 - 4 7/16 |
| P56-14MGT-170 | 7711-7056 | 56 | 9.825 | 65.00 | GI | 4040 | 1 7/16 - 4 7/16 |
| P60-14MGT-170 | 7711-7060 | 60 | 10.527 | 85.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P64-14MGT-170 | 7711-7064 | 64 | 11.229 | 91.02 | GI | 4545 | 1 15/16 - 4 15/16 |
| P68-14MGT-170 | 7711-7068 | 68 | 11.930 | 110.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P72-14MGT-170 | 7711-7072 | 72 | 12.632 | 115.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P80-14MGT-170 | 7711-7080 | 80 | 14.036 | 125.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P90-14MGT-170 | 7711-7090 | 90 | 15.790 | 145.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P112-14MGT-170 | 7711-7112 | 112 | 19.650 | 175.00 | GI | 4545 | 1 15/16 - 4 15/16 |
| P144-14MGT-170 | 7711-7144 | 144 | 25.264 | 240.00 | GI | 6050 | 4 7/16 - 6 |
| P168-14MGT-170 | 7711-7168 | 168 | 29.475 | 278.00 | GI | 6050 | 4 7/16 - 6 |
| P192-14MGT-170 | 7711-7192 | 192 | 33.686 | 322.00 | GI | 6050 | 4 7/16 - 6 |
| P216-14MGT-170 | 7711-7216 | 216 | 37.896 | 300.00 | DI | 6050 | 4 7/16 - 6 |

SYNCHRONOUS METAL

14mm Pitch PowerGrip® GT®2 - QD® Sprockets for ACHE Applications — For Belts 40mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| F28-14MGT-40-SK | 7711-4328 | 28 | 4.912 | 4.30 | GI | SK | 1/2 - 2 1/2 |
| F29-14MGT-40-SK | 7711-4329 | 29 | 5.088 | 4.60 | GI | SK | 1/2 - 2 1/2 |
| F30-14MGT-40-SK | 7711-4330 | 30 | 5.263 | 5.20 | GI | SK | 1/2 - 2 1/2 |
| F31-14MGT-40-SK | 7711-4331 | 31 | 5.439 | 5.60 | GI | SK | 1/2 - 2 1/2 |
| F32-14MGT-40-SK | 7711-4332 | 32 | 5.614 | 6.40 | GI | SK | 1/2 - 2 1/2 |
| F33-14MGT-40-SK | 7711-4333 | 33 | 5.790 | 6.70 | GI | SK | 1/2 - 2 1/2 |
| F34-14MGT-40-SK | 7711-4334 | 34 | 5.965 | 7.10 | GI | SK | 1/2 - 2 1/2 |
| F35-14MGT-40-SK | 7711-4335 | 35 | 6.141 | 7.70 | GI | SK | 1/2 - 2 1/2 |
| F140-14MGT-40-E | 7711-4340 | 140 | 24.562 | 64.60 | GI | E | 7/8 - 3 1/2 |
| F168-14MGT-40-E | 7711-4368 | 168 | 29.475 | 85.30 | GI | E | 7/8 - 3 1/2 |
| F180-14MGT-40-E | 7711-4380 | 180 | 31.580 | 95.00 | GI | E | 7/8 - 3 1/2 |
| F192-14MGT-40-E | 7711-4392 | 192 | 33.686 | 109.00 | GI | E | 7/8 - 3 1/2 |
| F200-14MGT-40-E | 7711-4320 | 200 | 35.089 | 112.20 | GI | E | 7/8 - 3 1/2 |
| F216-14MGT-40-E | 7711-4316 | 216 | 37.895 | 125.00 | GI | E | 7/8 - 3 1/2 |
| F224-14MGT-40-F | 7711-4322 | 224 | 39.300 | 134.60 | GI | F | 1 - 3 15/16 |

14mm Pitch PowerGrip® GT®2 - QD® Sprockets for ACHE Applications — For Belts 55mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| F28-14MGT-55-SK | 7711-5528 | 28 | 4.912 | 5.00 | GI | SK | 1/2 - 2 1/2 |
| F29-14MGT-55-SK | 7711-5529 | 29 | 5.088 | 5.50 | GI | SK | 1/2 - 2 1/2 |
| F30-14MGT-55-SK | 7711-5530 | 30 | 5.263 | 6.00 | GI | SK | 1/2 - 2 1/2 |
| F31-14MGT-55-SK | 7711-5531 | 31 | 5.439 | 6.50 | GI | SK | 1/2 - 2 1/2 |
| F32-14MGT-55-SK | 7711-5532 | 32 | 5.614 | 7.10 | GI | SK | 1/2 - 2 1/2 |
| F33-14MGT-55-SK | 7711-5533 | 33 | 5.790 | 7.60 | GI | SK | 1/2 - 2 1/2 |
| F34-14MGT-55-SK | 7711-5534 | 34 | 5.965 | 8.20 | GI | SK | 1/2 - 2 1/2 |
| F35-14MGT-55-SK | 7711-5535 | 35 | 6.141 | 8.80 | GI | SK | 1/2 - 2 1/2 |
| F180-14MGT-55-F | 7711-5580 | 180 | 31.580 | 119.20 | GI | F | 1 - 3 15/16 |
| F192-14MGT-55-3020 FF | 7711-0040 | 192 | 33.686 | 140.00 | GI | 3020 | 7/8 - 3 1/4 |
| F200-14MGT-55-F | 7711-5520 | 200 | 35.089 | 141.60 | GI | F | 1 - 3 15/16 |
| F224-14MGT-55-F | 7711-5522 | 224 | 39.300 | 170.80 | GI | F | 1 - 3 15/16 |



PowerGrip® GT®2 Sprockets - 2MR and 3MR

Markets/Applications

Use with 2MR and 3MR PowerGrip GT2 belts.

Features/Advantages

- Precise sprocket design produces positive, press fit to shaft.
- Smaller, narrower sprockets save shaft space.
- Precision manufactured and static balanced to eliminate sprocket wobble.

Notes

2MR and 3MR sprockets are available in minimum plain bore (MPB).

Sprocket part numbers are comprised of pitch, number of grooves and width. For example; part number 2MR-32S-06 denotes 2mm pitch, 32 grooves, "S" for sprocket and 6mm width.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter.

Details shown which do not affect drive function or overall weight may be changed without notification.

Abbreviations used for sprocket material: AL=Aluminum.



Product No. Series 7842

2MR Pitch Sprockets - Aluminum - MPB Type — For Belts 4 and 6mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 2MR-12S-06 | 7842-6001 | 12 | .301 | .01 | AL | MPB | 1/8 - 1/8 |
| 2MR-13S-06 | 7842-6002 | 13 | .326 | .01 | AL | MPB | 1/8 - 1/8 |
| 2MR-14S-06 | 7842-6003 | 14 | .351 | .01 | AL | MPB | 1/8 - 1/8 |
| 2MR-15S-06 | 7842-6004 | 15 | .376 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-16S-06 | 7842-6005 | 16 | .401 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-17S-06 | 7842-6006 | 17 | .426 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-18S-06 | 7842-6007 | 18 | .451 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-19S-06 | 7842-6008 | 19 | .476 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-20S-06 | 7842-6009 | 20 | .501 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-21S-06 | 7842-6010 | 21 | .526 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-22S-06 | 7842-6011 | 22 | .551 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-24S-06 | 7842-6012 | 24 | .602 | .01 | AL | MPB | 1/4 - 1/4 |
| 2MR-25S-06 | 7842-6051 | 25 | .627 | .01 | AL | MPB | 1/4 - 1/4 |
| 2MR-26S-06 | 7842-6013 | 26 | .652 | .01 | AL | MPB | 1/4 - 1/4 |
| 2MR-28S-06 | 7842-6014 | 28 | .702 | .01 | AL | MPB | 1/4 - 1/4 |
| 2MR-30S-06 | 7842-6015 | 30 | .752 | .02 | AL | MPB | 1/4 - 5/16 |
| 2MR-32S-06 | 7842-6016 | 32 | .802 | .02 | AL | MPB | 1/4 - 3/8 |
| 2MR-36S-06 | 7842-6017 | 36 | .902 | .03 | AL | MPB | 1/4 - 7/16 |
| 2MR-40S-06 | 7842-6018 | 40 | 1.003 | .04 | AL | MPB | 1/4 - 1/2 |
| 2MR-42S-06 | 7842-6052 | 42 | 1.053 | .05 | AL | MPB | 1/4 - 5/8 |
| 2MR-44S-06 | 7842-6053 | 44 | 1.103 | .05 | AL | MPB | 1/4 - 11/16 |
| 2MR-45S-06 | 7842-6019 | 45 | 1.128 | .06 | AL | MPB | 1/4 - 11/16 |
| 2MR-48S-06 | 7842-6054 | 48 | 1.203 | .07 | AL | MPB | 1/4 - 11/16 |
| 2MR-50S-06 | 7842-6020 | 50 | 1.253 | .07 | AL | MPB | 1/4 - 11/16 |
| 2MR-56S-06 | 7842-6021 | 56 | 1.404 | .08 | AL | MPB | 1/4 - 13/16 |
| 2MR-60S-06 | 7842-6055 | 60 | 1.504 | .10 | AL | MPB | 1/4 - 7/8 |
| 2MR-62S-06 | 7842-6022 | 62 | 1.554 | .10 | AL | MPB | 1/4 - 15/16 |
| 2MR-68S-06 | 7842-6023 | 68 | 1.704 | .12 | AL | MPB | 1/4 - 15/16 |
| 2MR-72S-06 | 7842-6056 | 72 | 1.805 | .13 | AL | MPB | 1/4 - 15/16 |
| 2MR-74S-06 | 7842-6024 | 74 | 1.855 | .13 | AL | MPB | 1/4 - 1 |
| 2MR-80S-06 | 7842-6025 | 80 | 2.005 | .17 | AL | MPB | 5/16 - 1 1/4 |
| 2MR-90S-06 | 7842-6057 | 90 | 2.256 | .20 | AL | MPB | 5/16 - 1 1/4 |
| 2MR-100S-06 | 7842-6058 | 100 | 2.506 | .24 | AL | MPB | 5/16 - 1 1/4 |
| 2MR-120S-06 | 7842-6059 | 120 | 3.008 | .30 | AL | MPB | 3/8 - 1 1/4 |

**PowerGrip® GT®2 Sprockets - 2MR and 3MR****Product No. Series 7842 (continued)****2MR Pitch Sprockets - Aluminum - MPB Type — For Belts 9mm Wide**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 2MR-12S-09 | 7842-6026 | 12 | .301 | .01 | AL | MPB | 1/8 - 1/8 |
| 2MR-13S-09 | 7842-6027 | 13 | .326 | .01 | AL | MPB | 1/8 - 1/8 |
| 2MR-14S-09 | 7842-6028 | 14 | .351 | .01 | AL | MPB | 1/8 - 1/8 |
| 2MR-15S-09 | 7842-6029 | 15 | .376 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-16S-09 | 7842-6030 | 16 | .401 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-17S-09 | 7842-6031 | 17 | .426 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-18S-09 | 7842-6032 | 18 | .451 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-19S-09 | 7842-6033 | 19 | .476 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-20S-09 | 7842-6034 | 20 | .501 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-21S-09 | 7842-6035 | 21 | .526 | .01 | AL | MPB | 3/16 - 3/16 |
| 2MR-22S-09 | 7842-6036 | 22 | .551 | .02 | AL | MPB | 3/16 - 3/16 |
| 2MR-24S-09 | 7842-6037 | 24 | .602 | .01 | AL | MPB | 1/4 - 1/4 |
| 2MR-25S-09 | 7842-6060 | 25 | .627 | .02 | AL | MPB | 1/4 - 1/4 |
| 2MR-26S-09 | 7842-6038 | 26 | .652 | .02 | AL | MPB | 1/4 - 1/4 |
| 2MR-28S-09 | 7842-6039 | 28 | .702 | .02 | AL | MPB | 1/4 - 1/4 |
| 2MR-30S-09 | 7842-6040 | 30 | .752 | .02 | AL | MPB | 1/4 - 5/16 |
| 2MR-32S-09 | 7842-6041 | 32 | .802 | .03 | AL | MPB | 1/4 - 3/8 |
| 2MR-36S-09 | 7842-6042 | 36 | .902 | .04 | AL | MPB | 1/4 - 7/16 |
| 2MR-40S-09 | 7842-6043 | 40 | 1.003 | .05 | AL | MPB | 1/4 - 1/2 |
| 2MR-42S-09 | 7842-6061 | 42 | 1.053 | .06 | AL | MPB | 1/4 - 5/8 |
| 2MR-44S-09 | 7842-6062 | 44 | 1.103 | .06 | AL | MPB | 1/4 - 11/16 |
| 2MR-45S-09 | 7842-6044 | 45 | 1.128 | .07 | AL | MPB | 1/4 - 11/16 |
| 2MR-48S-09 | 7842-6063 | 48 | 1.203 | .08 | AL | MPB | 1/4 - 11/16 |
| 2MR-50S-09 | 7842-6045 | 50 | 1.253 | .08 | AL | MPB | 1/4 - 11/16 |
| 2MR-56S-09 | 7842-6046 | 56 | 1.404 | .10 | AL | MPB | 1/4 - 13/16 |
| 2MR-60S-09 | 7842-6064 | 60 | 1.504 | .12 | AL | MPB | 1/4 - 7/8 |
| 2MR-62S-09 | 7842-6047 | 62 | 1.554 | .12 | AL | MPB | 1/4 - 15/16 |
| 2MR-68S-09 | 7842-6048 | 68 | 1.704 | .14 | AL | MPB | 1/4 - 15/16 |
| 2MR-72S-09 | 7842-6065 | 72 | 1.805 | .16 | AL | MPB | 1/4 - 15/16 |
| 2MR-74S-09 | 7842-6049 | 74 | 1.855 | .17 | AL | MPB | 1/4 - 1 |
| 2MR-80S-09 | 7842-6050 | 80 | 2.005 | .21 | AL | MPB | 5/16 - 1 1/4 |
| 2MR-90S-09 | 7842-6066 | 90 | 2.256 | .25 | AL | MPB | 5/16 - 1 1/4 |
| 2MR-100S-09 | 7842-6067 | 100 | 2.506 | .29 | AL | MPB | 5/16 - 1 1/4 |
| 2MR-120S-09 | 7842-6068 | 120 | 3.008 | .31 | AL | MPB | 3/8 - 1 1/4 |

SYNCHRONOUS METAL

Product No. Series 7843**3MR Pitch Sprockets - Aluminum - MPB Type — For Belts 6mm Wide**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 3MR-16S-06 | 7843-6047 | 16 | .602 | .01 | AL | MPB | 3/16 - 1/4 |
| 3MR-17S-06 | 7843-6048 | 17 | .639 | .01 | AL | MPB | 3/16 - 1/4 |
| 3MR-18S-06 | 7843-6049 | 18 | .677 | .01 | AL | MPB | 1/4 - 1/4 |
| 3MR-19S-06 | 7843-6050 | 19 | .714 | .02 | AL | MPB | 1/4 - 1/4 |
| 3MR-20S-06 | 7843-6051 | 20 | .752 | .02 | AL | MPB | 1/4 - 1/4 |
| 3MR-21S-06 | 7843-6052 | 21 | .790 | .02 | AL | MPB | 1/4 - 1/4 |
| 3MR-22S-06 | 7843-6053 | 22 | .827 | .02 | AL | MPB | 1/4 - 5/16 |
| 3MR-24S-06 | 7843-6054 | 24 | .902 | .03 | AL | MPB | 1/4 - 3/8 |
| 3MR-25S-06 | 7843-6055 | 25 | .940 | .03 | AL | MPB | 1/4 - 3/8 |
| 3MR-26S-06 | 7843-6056 | 26 | .977 | .03 | AL | MPB | 1/4 - 3/8 |
| 3MR-28S-06 | 7843-6057 | 28 | 1.053 | .04 | AL | MPB | 1/4 - 1/2 |
| 3MR-30S-06 | 7843-6058 | 30 | 1.128 | .04 | AL | MPB | 1/4 - 9/16 |
| 3MR-32S-06 | 7843-6059 | 32 | 1.203 | .04 | AL | MPB | 1/4 - 5/8 |
| 3MR-34S-06 | 7843-6060 | 34 | 1.278 | .06 | AL | MPB | 1/4 - 11/16 |
| 3MR-36S-06 | 7843-6061 | 36 | 1.353 | .07 | AL | MPB | 1/4 - 3/4 |
| 3MR-38S-06 | 7843-6062 | 38 | 1.429 | .08 | AL | MPB | 1/4 - 7/8 |
| 3MR-40S-06 | 7843-6063 | 40 | 1.504 | .08 | AL | MPB | 1/4 - 5/16 |
| 3MR-44S-06 | 7843-6064 | 44 | 1.654 | .12 | AL | MPB | 1/4 - 1 |
| 3MR-45S-06 | 7843-6065 | 45 | 1.692 | .12 | AL | MPB | 1/4 - 1 |



PowerGrip® GT®2 Sprockets - 2MR and 3MR

Product No. Series 7843 (continued)

3MR Pitch Sprockets - Aluminum - MPB Type — For Belts 6mm Wide (continued)

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 3MR-48S-06 | 7843-6066 | 48 | 1.805 | .13 | AL | MPB | 5/16 - 1 |
| 3MR-50S-06 | 7843-6067 | 50 | 1.880 | .14 | AL | MPB | 5/16 - 1 |
| 3MR-56S-06 | 7843-6068 | 56 | 2.105 | .16 | AL | MPB | 5/16 - 1 |
| 3MR-60S-06 | 7843-6069 | 60 | 2.256 | .18 | AL | MPB | 5/16 - 1 |
| 3MR-62S-06 | 7843-6070 | 62 | 2.331 | .19 | AL | MPB | 5/16 - 1 |
| 3MR-68S-06 | 7843-6071 | 68 | 2.557 | .23 | AL | MPB | 5/16 - 1 |
| 3MR-72S-06 | 7843-6072 | 72 | 2.707 | .25 | AL | MPB | 5/16 - 1 |
| 3MR-74S-06 | 7843-6073 | 74 | 2.782 | .26 | AL | MPB | 5/16 - 1 |
| 3MR-80S-06 | 7843-6074 | 80 | 3.008 | .31 | AL | MPB | 5/16 - 1 |

3MR Pitch Sprockets - Aluminum - MPB Type — For Belts 9mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 3MR-16S-09 | 7843-6001 | 16 | .602 | .02 | AL | MPB | 3/16 - 1/4 |
| 3MR-17S-09 | 7843-6002 | 17 | .639 | .02 | AL | MPB | 3/16 - 1/4 |
| 3MR-18S-09 | 7843-6003 | 18 | .677 | .02 | AL | MPB | 1/4 - 1/4 |
| 3MR-19S-09 | 7843-6004 | 19 | .714 | .02 | AL | MPB | 1/4 - 1/4 |
| 3MR-20S-09 | 7843-6005 | 20 | .752 | .02 | AL | MPB | 1/4 - 1/4 |
| 3MR-21S-09 | 7843-6006 | 21 | .790 | .03 | AL | MPB | 1/4 - 1/4 |
| 3MR-22S-09 | 7843-6007 | 22 | .827 | .03 | AL | MPB | 1/4 - 5/16 |
| 3MR-24S-09 | 7843-6008 | 24 | .902 | .03 | AL | MPB | 1/4 - 3/8 |
| 3MR-25S-09 | 7843-6075 | 25 | .940 | .04 | AL | MPB | 1/4 - 3/8 |
| 3MR-26S-09 | 7843-6009 | 26 | .978 | .04 | AL | MPB | 1/4 - 3/8 |
| 3MR-28S-09 | 7843-6010 | 28 | 1.053 | .05 | AL | MPB | 1/4 - 1/2 |
| 3MR-30S-09 | 7843-6011 | 30 | 1.128 | .05 | AL | MPB | 1/4 - 9/16 |
| 3MR-32S-09 | 7843-6012 | 32 | 1.203 | .06 | AL | MPB | 1/4 - 5/8 |
| 3MR-34S-09 | 7843-6013 | 34 | 1.278 | .08 | AL | MPB | 1/4 - 11/16 |
| 3MR-36S-09 | 7843-6014 | 36 | 1.353 | .09 | AL | MPB | 1/4 - 3/4 |
| 3MR-38S-09 | 7843-6015 | 38 | 1.429 | .10 | AL | MPB | 1/4 - 7/8 |
| 3MR-40S-09 | 7843-6016 | 40 | 1.504 | .11 | AL | MPB | 1/4 - 15/16 |
| 3MR-44S-09 | 7843-6076 | 44 | 1.654 | .12 | AL | MPB | 1/4 - 1 |
| 3MR-45S-09 | 7843-6017 | 45 | 1.692 | .17 | AL | MPB | 5/16 - 1 |
| 3MR-48S-09 | 7843-6077 | 48 | 1.805 | .15 | AL | MPB | 5/16 - 1 |
| 3MR-50S-09 | 7843-6018 | 50 | 1.880 | .16 | AL | MPB | 5/16 - 1 |
| 3MR-56S-09 | 7843-6019 | 56 | 2.105 | .20 | AL | MPB | 5/16 - 1 |
| 3MR-60S-09 | 7843-6078 | 60 | 2.256 | .22 | AL | MPB | 5/16 - 1 |
| 3MR-62S-09 | 7843-6020 | 62 | 2.331 | .23 | AL | MPB | 5/16 - 1 |
| 3MR-68S-09 | 7843-6021 | 68 | 2.557 | .28 | AL | MPB | 5/16 - 1 |
| 3MR-72S-09 | 7843-6079 | 72 | 2.707 | .31 | AL | MPB | 5/16 - 1 |
| 3MR-74S-09 | 7843-6022 | 74 | 2.782 | .32 | AL | MPB | 5/16 - 1 |
| 3MR-80S-09 | 7843-6023 | 80 | 3.008 | .37 | AL | MPB | 5/16 - 1 |
| 3MR-90S-09 | 7843-6080 | 90 | 3.384 | .42 | AL | MPB | 5/16 - 1 |
| 3MR-100S-09 | 7843-6081 | 100 | 3.760 | .50 | AL | MPB | 5/16 - 1 |
| 3MR-120S-09 | 7843-6082 | 120 | 4.511 | .62 | AL | MPB | 5/16 - 1 |

3MR Pitch Sprockets - Aluminum - MPB Type — For Belts 15mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 3MR-16S-15 | 7843-6024 | 16 | .602 | .02 | AL | MPB | 3/16 - 1/4 |
| 3MR-17S-15 | 7843-6025 | 17 | .639 | .02 | AL | MPB | 3/16 - 1/4 |
| 3MR-18S-15 | 7843-6026 | 18 | .677 | .02 | AL | MPB | 1/4 - 1/4 |
| 3MR-19S-15 | 7843-6027 | 19 | .714 | .02 | AL | MPB | 1/4 - 1/4 |
| 3MR-20S-15 | 7843-6028 | 20 | .752 | .03 | AL | MPB | 1/4 - 1/4 |
| 3MR-21S-15 | 7843-6029 | 21 | .790 | .03 | AL | MPB | 1/4 - 1/4 |
| 3MR-22S-15 | 7843-6030 | 22 | .827 | .04 | AL | MPB | 1/4 - 5/16 |
| 3MR-24S-15 | 7843-6031 | 24 | .902 | .04 | AL | MPB | 1/4 - 3/8 |



**PowerGrip® GT®2 Sprockets - 2MR and 3MR****Product No. Series 7843 (continued)****3MR Pitch Sprockets - Aluminum - MPB Type — For Belts 15mm Wide (continued)**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| 3MR-25S-15 | 7843-6083 | 25 | .940 | .05 | AL | MPB | 1/4 - 3/8 |
| 3MR-26S-15 | 7843-6032 | 26 | .978 | .05 | AL | MPB | 1/4 - 3/8 |
| 3MR-28S-15 | 7843-6033 | 28 | 1.053 | .06 | AL | MPB | 1/4 - 1/2 |
| 3MR-30S-15 | 7843-6034 | 30 | 1.128 | .07 | AL | MPB | 1/4 - 9/16 |
| 3MR-32S-15 | 7843-6035 | 32 | 1.203 | .09 | AL | MPB | 1/4 - 5/8 |
| 3MR-34S-15 | 7843-6036 | 34 | 1.278 | .10 | AL | MPB | 1/4 - 11/16 |
| 3MR-36S-15 | 7843-6037 | 36 | 1.353 | .12 | AL | MPB | 1/4 - 3/4 |
| 3MR-38S-15 | 7843-6038 | 38 | 1.429 | .13 | AL | MPB | 1/4 - 7/8 |
| 3MR-40S-15 | 7843-6039 | 40 | 1.504 | .15 | AL | MPB | 1/4 - 15/16 |
| 3MR-44S-15 | 7843-6084 | 44 | 1.654 | .18 | AL | MPB | 1/4 - 1 |
| 3MR-45S-15 | 7843-6040 | 45 | 1.692 | .19 | AL | MPB | 1/4 - 1 |
| 3MR-48S-15 | 7843-6085 | 48 | 1.805 | .21 | AL | MPB | 5/16 - 1 |
| 3MR-50S-15 | 7843-6041 | 50 | 1.880 | .22 | AL | MPB | 5/16 - 1 |
| 3MR-56S-15 | 7843-6042 | 56 | 2.105 | .27 | AL | MPB | 5/16 - 1 |
| 3MR-60S-15 | 7843-6086 | 60 | 2.256 | .30 | AL | MPB | 5/16 - 1 |
| 3MR-62S-15 | 7843-6043 | 62 | 2.331 | .32 | AL | MPB | 5/16 - 1 |
| 3MR-68S-15 | 7843-6044 | 68 | 2.557 | .38 | AL | MPB | 5/16 - 1 |
| 3MR-72S-15 | 7843-6087 | 72 | 2.707 | .43 | AL | MPB | 5/16 - 1 |
| 3MR-74S-15 | 7843-6045 | 74 | 2.782 | .45 | AL | MPB | 5/16 - 1 |
| 3MR-80S-15 | 7843-6046 | 80 | 3.008 | .52 | AL | MPB | 5/16 - 1 |
| 3MR-90S-15 | 7843-6088 | 90 | 3.384 | .60 | AL | MPB | 5/16 - 1 |
| 3MR-100S-15 | 7843-6089 | 100 | 3.760 | .73 | AL | MPB | 5/16 - 1 |
| 3MR-120S-15 | 7843-6090 | 120 | 4.511 | .85 | AL | MPB | 5/16 - 1 |

SYNCHRONOUS METAL



PowerGrip® HTD® Sprockets

Markets/Applications

Use with PowerGrip HTD Belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Precision manufactured and static balanced to eliminate sprocket wobble.

Notes


3M and 5M PowerGrip HTD Sprockets are available in minimum plain bore (MPB). 20M sprockets are available in QD® style.

Sprocket part numbers are comprised of number of grooves, pitch and width. For example; part number P14-5M-09AL denotes 14 grooves, 5mm pitch, 9mm width and "AL" for aluminum.

On a sprocket, pitch is the distance between groove centers and is measured on the pitch circle of the sprocket. The pitch circle of the sprocket coincides with the pitch line of the belt mating with it. The pitch diameter of the sprocket is always greater than its outside diameter. Details shown which do not affect drive function or overall weight may be changed without notification.

Abbreviations used for sprocket materials: AL=Aluminum and GI=Gray Iron.

WARNING: Do **NOT** use these sprockets with rim speeds in excess of 6,500 fpm.



SYNCHRONOUS METAL

Product No. Series 7882

3mm Pitch Sprockets - Aluminum - MPB Type — For Belts 6mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P10-3M-06AL | 7882-0001 | 10 | .376 | .01 | AL | MPB | 1/8 - 1/8 |
| P11-3M-06AL | 7882-1082 | 11 | .414 | .01 | AL | MPB | 1/8 - 1/8 |
| P12-3M-06AL | 7882-0003 | 12 | .451 | .01 | AL | MPB | 3/16 - 3/16 |
| P13-3M-06AL | 7882-1083 | 13 | .489 | .01 | AL | MPB | 3/16 - 3/16 |
| P14-3M-06AL | 7882-0005 | 14 | .526 | .01 | AL | MPB | 3/16 - 3/16 |
| P15-3M-06AL | 7882-0007 | 15 | .564 | .01 | AL | MPB | 3/16 - 3/16 |
| P16-3M-06AL | 7882-0009 | 16 | .602 | .01 | AL | MPB | 3/16 - 3/16 |
| P17-3M-06AL | 7882-0011 | 17 | .639 | .02 | AL | MPB | 3/16 - 3/16 |
| P18-3M-06AL | 7882-0048 | 18 | .677 | .02 | AL | MPB | 1/4 - 1/4 |
| P19-3M-06AL | 7882-0014 | 19 | .714 | .02 | AL | MPB | 1/4 - 1/4 |
| P20-3M-06AL | 7882-0016 | 20 | .752 | .02 | AL | MPB | 1/4 - 1/4 |
| P22-3M-06AL | 7882-0018 | 22 | .827 | .02 | AL | MPB | 1/4 - 1/4 |
| P24-3M-06AL | 7882-0020 | 24 | .902 | .03 | AL | MPB | 1/4 - 5/16 |
| P25-3M-06AL | 7882-1084 | 25 | .940 | .03 | AL | MPB | 1/4 - 5/16 |
| P26-3M-06AL | 7882-0022 | 26 | .977 | .04 | AL | MPB | 1/4 - 5/16 |
| P28-3M-06AL | 7882-0024 | 28 | 1.053 | .04 | AL | MPB | 1/4 - 3/8 |
| P30-3M-06AL | 7882-0026 | 30 | 1.128 | .05 | AL | MPB | 1/4 - 7/16 |
| P32-3M-06AL | 7882-0028 | 32 | 1.203 | .05 | AL | MPB | 1/4 - 1/2 |
| P34-3M-06AL | 7882-0030 | 34 | 1.278 | .07 | AL | MPB | 1/4 - 9/16 |
| P36-3M-06AL | 7882-0032 | 36 | 1.353 | .08 | AL | MPB | 1/4 - 5/8 |
| P38-3M-06AL | 7882-0034 | 38 | 1.429 | .09 | AL | MPB | 1/4 - 3/4 |
| P40-3M-06AL | 7882-0036 | 40 | 1.504 | .10 | AL | MPB | 1/4 - 13/16 |
| P44-3M-06AL | 7882-0038 | 44 | 1.654 | .12 | AL | MPB | 1/4 - 15/16 |
| P48-3M-06AL | 7882-1085 | 48 | 1.805 | .13 | AL | MPB | 5/16 - 15/16 |
| P50-3M-06AL | 7882-0040 | 50 | 1.880 | .14 | AL | MPB | 5/16 - 15/16 |
| P56-3M-06AL | 7882-0042 | 56 | 2.105 | .16 | AL | MPB | 5/16 - 15/16 |
| P60-3M-06AL | 7882-1086 | 60 | 2.256 | .18 | AL | MPB | 5/16 - 15/16 |
| P62-3M-06AL | 7882-0044 | 62 | 2.331 | .19 | AL | MPB | 5/16 - 15/16 |
| P72-3M-06AL | 7882-0046 | 72 | 2.707 | .25 | AL | MPB | 5/16 - 15/16 |

3mm Pitch Sprockets - Aluminum - MPB Type — For Belts 9mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P10-3M-09AL | 7882-0002 | 10 | .376 | .01 | AL | MPB | 1/8 - 1/8 |
| P11-3M-09AL | 7882-1087 | 11 | .414 | .01 | AL | MPB | 1/8 - 1/8 |
| P12-3M-09AL | 7882-0004 | 12 | .451 | .01 | AL | MPB | 3/16 - 3/16 |



**PowerGrip® HTD® Sprockets****Product No. Series 7882 (continued)****3mm Pitch Sprockets - Aluminum - MPB Type — For Belts 9mm Wide (continued)**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P13-3M-09AL | 7882-1088 | 13 | .489 | .01 | AL | MPB | 3/16 - 3/16 |
| P14-3M-09AL | 7882-0006 | 14 | .526 | .01 | AL | MPB | 3/16 - 3/16 |
| P15-3M-09AL | 7882-0008 | 15 | .564 | .02 | AL | MPB | 3/16 - 3/16 |
| P16-3M-09AL | 7882-0010 | 16 | .602 | .02 | AL | MPB | 3/16 - 3/16 |
| P17-3M-09AL | 7882-0012 | 17 | .639 | .02 | AL | MPB | 3/16 - 3/16 |
| P18-3M-09AL | 7882-0013 | 18 | .677 | .02 | AL | MPB | 1/4 - 1/4 |
| P19-3M-09AL | 7882-0015 | 19 | .714 | .02 | AL | MPB | 1/4 - 1/4 |
| P20-3M-09AL | 7882-0017 | 20 | .752 | .02 | AL | MPB | 1/4 - 1/4 |
| P22-3M-09AL | 7882-0019 | 22 | .827 | .03 | AL | MPB | 1/4 - 1/4 |
| P24-3M-09AL | 7882-0021 | 24 | .902 | .03 | AL | MPB | 1/4 - 5/16 |
| P25-3M-09AL | 7882-1089 | 25 | .940 | .04 | AL | MPB | 1/4 - 5/16 |
| P26-3M-09AL | 7882-0023 | 26 | .977 | .04 | AL | MPB | 1/4 - 5/16 |
| P28-3M-09AL | 7882-0025 | 28 | 1.053 | .05 | AL | MPB | 1/4 - 3/8 |
| P30-3M-09AL | 7882-0027 | 30 | 1.128 | .05 | AL | MPB | 1/4 - 7/16 |
| P32-3M-09AL | 7882-0029 | 32 | 1.203 | .07 | AL | MPB | 1/4 - 1/2 |
| P34-3M-09AL | 7882-0031 | 34 | 1.278 | .08 | AL | MPB | 1/4 - 9/16 |
| P36-3M-09AL | 7882-0033 | 36 | 1.353 | .09 | AL | MPB | 1/4 - 5/8 |
| P38-3M-09AL | 7882-0035 | 38 | 1.429 | .10 | AL | MPB | 1/4 - 3/4 |
| P40-3M-09AL | 7882-0037 | 40 | 1.504 | .11 | AL | MPB | 1/4 - 13/16 |
| P44-3M-09AL | 7882-0039 | 44 | 1.654 | .14 | AL | MPB | 1/4 - 15/16 |
| P48-3M-09AL | 7882-1090 | 48 | 1.805 | .16 | AL | MPB | 5/16 - 15/16 |
| P50-3M-09AL | 7882-0041 | 50 | 1.880 | .18 | AL | MPB | 5/16 - 15/16 |
| P56-3M-09AL | 7882-0043 | 56 | 2.105 | .20 | AL | MPB | 5/16 - 15/16 |
| P60-3M-09AL | 7882-1091 | 60 | 2.256 | .22 | AL | MPB | 5/16 - 15/16 |
| P62-3M-09AL | 7882-0045 | 62 | 2.331 | .23 | AL | MPB | 5/16 - 15/16 |
| P72-3M-09AL | 7882-0047 | 72 | 2.707 | .30 | AL | MPB | 5/16 - 15/16 |

SYNCHRONOUS METAL

5mm Pitch Sprockets - Aluminum - MPB Type — For Belts 9mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P12-5M-09AL | 7882-1092 | 12 | .752 | .02 | AL | MPB | 1/4 - 1/4 |
| P13-5M-09AL | 7882-1093 | 13 | .815 | .01 | AL | MPB | 1/4 - 1/4 |
| P14-5M-09AL | 7882-1077 | 14 | .877 | .03 | AL | MPB | 1/4 - 1/4 |
| P15-5M-09AL | 7882-1004 | 15 | .940 | .03 | AL | MPB | 1/4 - 1/4 |
| P16-5M-09AL | 7882-1006 | 16 | 1.003 | .04 | AL | MPB | 1/4 - 1/4 |
| P17-5M-09AL | 7882-1008 | 17 | 1.065 | .04 | AL | MPB | 1/4 - 5/16 |
| P18-5M-09AL | 7882-1010 | 18 | 1.128 | .05 | AL | MPB | 1/4 - 3/8 |
| P19-5M-09AL | 7882-1078 | 19 | 1.191 | .06 | AL | MPB | 1/4 - 7/16 |
| P20-5M-09AL | 7882-1013 | 20 | 1.253 | .06 | AL | MPB | 1/4 - 1/2 |
| P22-5M-09AL | 7882-1015 | 22 | 1.379 | .08 | AL | MPB | 1/4 - 5/8 |
| P24-5M-09AL | 7882-1017 | 24 | 1.504 | .10 | AL | MPB | 1/4 - 11/16 |
| P25-5M-09AL | 7882-1094 | 25 | 1.566 | .11 | AL | MPB | 1/4 - 11/16 |
| P26-5M-09AL | 7882-1021 | 26 | 1.629 | .12 | AL | MPB | 1/4 - 3/4 |
| P28-5M-09AL | 7882-1023 | 28 | 1.754 | .14 | AL | MPB | 1/4 - 7/8 |
| P30-5M-09AL | 7882-1025 | 30 | 1.880 | .16 | AL | MPB | 1/4 - 7/8 |
| P32-5M-09AL | 7882-1027 | 32 | 2.005 | .18 | AL | MPB | 1/4 - 15/16 |
| P34-5M-09AL | 7882-1031 | 34 | 2.130 | .21 | AL | MPB | 1/4 - 1 1/16 |
| P36-5M-09AL | 7882-1035 | 36 | 2.256 | .25 | AL | MPB | 5/16 - 1 1/16 |
| P38-5M-09AL | 7882-1039 | 38 | 2.381 | .28 | AL | MPB | 5/16 - 1 3/16 |
| P40-5M-09AL | 7882-1043 | 40 | 2.506 | .30 | AL | MPB | 5/16 - 1 3/16 |
| P44-5M-09AL | 7882-1047 | 44 | 2.757 | .35 | AL | MPB | 5/16 - 1 3/16 |
| P48-5M-09AL | 7882-1095 | 48 | 3.008 | .40 | AL | MPB | 3/8 - 1 3/16 |
| P50-5M-09AL | 7882-1053 | 50 | 3.133 | .43 | AL | MPB | 3/8 - 1 3/16 |
| P56-5M-09AL | 7882-1057 | 56 | 3.509 | .54 | AL | MPB | 3/8 - 1 3/16 |
| P60-5M-09AL | 7882-1096 | 60 | 3.760 | .62 | AL | MPB | 3/8 - 1 3/16 |
| P62-5M-09AL | 7882-1063 | 62 | 3.885 | .64 | AL | MPB | 3/8 - 1 3/16 |
| P70-5M-09AL | 7882-1097 | 70 | 4.386 | .80 | AL | MPB | 3/8 - 1 3/16 |
| P72-5M-09AL | 7882-1069 | 72 | 4.511 | .84 | AL | MPB | 3/8 - 1 3/16 |



PowerGrip® HTD® Sprockets

Product No. Series 7882 (continued)

5mm Pitch Sprockets - Aluminum - MPB Type — For Belts 15mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P12-5M-15AL | 7882-1098 | 12 | .752 | .02 | AL | MPB | 1/4 - 1/4 |
| P13-5M-15AL | 7882-1099 | 13 | .815 | .03 | AL | MPB | 1/4 - 1/4 |
| P14-5M-15AL | 7882-1003 | 14 | .877 | .04 | AL | MPB | 1/4 - 1/4 |
| P15-5M-15AL | 7882-1005 | 15 | .940 | .04 | AL | MPB | 1/4 - 1/4 |
| P16-5M-15AL | 7882-1007 | 16 | 1.003 | .05 | AL | MPB | 1/4 - 1/4 |
| P17-5M-15AL | 7882-1009 | 17 | 1.065 | .06 | AL | MPB | 1/4 - 5/16 |
| P18-5M-15AL | 7882-1011 | 18 | 1.128 | .07 | AL | MPB | 1/4 - 3/8 |
| P19-5M-15AL | 7882-1012 | 19 | 1.191 | .08 | AL | MPB | 1/4 - 7/16 |
| P20-5M-15AL | 7882-1014 | 20 | 1.253 | .08 | AL | MPB | 1/4 - 1/2 |
| P22-5M-15AL | 7882-1016 | 22 | 1.379 | .11 | AL | MPB | 1/4 - 5/8 |
| P24-5M-15AL | 7882-1018 | 24 | 1.504 | .13 | AL | MPB | 1/4 - 11/16 |
| P25-5M-15AL | 7882-1100 | 25 | 1.566 | .14 | AL | MPB | 1/4 - 11/16 |
| P26-5M-15AL | 7882-1022 | 26 | 1.629 | .16 | AL | MPB | 1/4 - 3/4 |
| P28-5M-15AL | 7882-1024 | 28 | 1.754 | .18 | AL | MPB | 1/4 - 7/8 |
| P30-5M-15AL | 7882-1026 | 30 | 1.880 | .21 | AL | MPB | 1/4 - 7/8 |
| P32-5M-15AL | 7882-1029 | 32 | 2.005 | .24 | AL | MPB | 1/4 - 15/16 |
| P34-5M-15AL | 7882-1033 | 34 | 2.130 | .28 | AL | MPB | 1/4 - 1 1/16 |
| P36-5M-15AL | 7882-1037 | 36 | 2.256 | .33 | AL | MPB | 5/16 - 1 1/16 |
| P38-5M-15AL | 7882-1041 | 38 | 2.381 | .36 | AL | MPB | 5/16 - 1 3/16 |
| P40-5M-15AL | 7882-1045 | 40 | 2.506 | .40 | AL | MPB | 5/16 - 1 3/16 |
| P44-5M-15AL | 7882-1049 | 44 | 2.757 | .47 | AL | MPB | 5/16 - 1 3/16 |
| P48-5M-15AL | 7882-1101 | 48 | 3.008 | .58 | AL | MPB | 3/8 - 1 3/16 |
| P50-5M-15AL | 7882-1054 | 50 | 3.133 | .62 | AL | MPB | 3/8 - 1 3/16 |
| P56-5M-15AL | 7882-1059 | 56 | 3.509 | .74 | AL | MPB | 3/8 - 1 3/16 |
| P60-5M-15AL | 7882-1102 | 60 | 3.760 | .84 | AL | MPB | 3/8 - 1 3/16 |
| P62-5M-15AL | 7882-1064 | 62 | 3.885 | .91 | AL | MPB | 3/8 - 1 3/16 |
| P70-5M-15AL | 7882-1103 | 70 | 4.386 | 1.14 | AL | MPB | 3/8 - 1 3/16 |
| P72-5M-15AL | 7882-1071 | 72 | 4.511 | 1.21 | AL | MPB | 3/8 - 1 3/16 |

SYNCHRONOUS METAL

20mm Pitch Sprockets — For Belts 115mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P34-20M-115 | 7882-4024 | 34 | 8.522 | 36.50 | GI | F | 1 - 3 15/16 |
| P36-20M-115 | 7882-4026 | 36 | 9.023 | 46.30 | GI | F | 1 - 3 15/16 |
| P38-20M-115 | 7882-4028 | 38 | 9.524 | 51.00 | GI | F | 1 - 3 15/16 |
| P40-20M-115 | 7882-4031 | 40 | 10.026 | 57.40 | GI | F | 1 - 3 15/16 |
| P44-20M-115 | 7882-4034 | 44 | 11.028 | 70.80 | GI | F | 1 - 3 15/16 |
| P48-20M-115 | 7882-4037 | 48 | 12.031 | 90.90 | GI | J | 1 1/2 - 4 1/2 |
| P52-20M-115 | 7882-4040 | 52 | 13.033 | 110.00 | GI | J | 1 1/2 - 4 1/2 |
| P56-20M-115 | 7882-4045 | 56 | 14.036 | 106.00 | GI | J | 1 1/2 - 4 1/2 |
| P60-20M-115 | 7882-4079 | 60 | 15.038 | 116.00 | GI | J | 1 1/2 - 4 1/2 |
| P64-20M-115 | 7882-4054 | 64 | 16.041 | 127.00 | GI | J | 1 1/2 - 4 1/2 |
| P68-20M-115 | 7882-4059 | 68 | 17.032 | 148.00 | GI | J | 1 1/2 - 4 1/2 |
| P72-20M-115 | 7882-4064 | 72 | 18.046 | 122.00 | GI | J | 1 1/2 - 4 1/2 |
| P80-20M-115 | 7882-4069 | 80 | 20.051 | 237.00 | GI | M | 2 - 5 1/2 |
| P90-20M-115 | 7882-4074 | 90 | 22.557 | 275.00 | GI | M | 2 - 5 1/2 |
| P112-20M-115 | 7882-4001 | 112 | 28.071 | 243.00 | GI | M | 2 - 5 1/2 |
| P144-20M-115 | 7882-4080 | 144 | 36.092 | 612.00 | GI | N | 2 7/16 - 5 7/8 |
| P168-20M-115 | 7882-4081 | 168 | 42.107 | 465.00 | GI | N | 2 7/16 - 5 7/8 |
| P192-20M-115 | 7882-4014 | 192 | 48.122 | 786.00 | GI | N | 2 7/16 - 5 7/8 |
| P216-20M-115 | 7882-4019 | 216 | 54.136 | 907.00 | GI | N | 2 7/16 - 5 7/8 |

**PowerGrip® HTD® Sprockets****Product No. Series 7882 (continued)****20mm Pitch Sprockets — For Belts 170mm Wide**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P34-20M-170 | 7882-4025 | 34 | 8.522 | 87.20 | GI | MPB | 2 1/8 - 4 1/4 |
| P36-20M-170 | 7882-4027 | 36 | 9.023 | 98.70 | GI | MPB | 2 1/8 - 4 1/2 |
| P38-20M-170 | 7882-4029 | 38 | 9.524 | 62.00 | GI | J | 1 1/2 - 4 1/2 |
| P40-20M-170 | 7882-4032 | 40 | 10.026 | 69.00 | GI | J | 1 1/2 - 4 1/2 |
| P44-20M-170 | 7882-4035 | 44 | 11.028 | 88.10 | GI | J | 1 1/2 - 4 1/2 |
| P48-20M-170 | 7882-4038 | 48 | 12.031 | 120.00 | GI | M | 2 - 5 1/2 |
| P52-20M-170 | 7882-4041 | 52 | 13.033 | 149.00 | GI | M | 2 - 5 1/2 |
| P56-20M-170 | 7882-4046 | 56 | 14.036 | 166.00 | GI | M | 2 - 5 1/2 |
| P60-20M-170 | 7882-4050 | 60 | 15.038 | 199.00 | GI | M | 2 - 5 1/2 |
| P64-20M-170 | 7882-4055 | 64 | 16.041 | 1.82 | GI | M | 2 - 5 1/2 |
| P68-20M-170 | 7882-4060 | 68 | 17.032 | 198.00 | GI | M | 2 - 5 1/2 |
| P72-20M-170 | 7882-4065 | 72 | 18.046 | 207.00 | GI | M | 2 - 5 1/2 |
| P80-20M-170 | 7882-4070 | 80 | 20.051 | 262.00 | GI | M | 2 - 5 1/2 |
| P90-20M-170 | 7882-4075 | 90 | 22.557 | 303.00 | GI | M | 2 - 5 1/2 |
| P112-20M-170 | 7882-4002 | 112 | 28.071 | 473.00 | GI | N | 2 7/16 - 5 7/8 |
| P144-20M-170 | 7882-4006 | 144 | 36.092 | 520.00 | GI | N | 2 7/16 - 5 7/8 |
| P168-20M-170 | 7882-4010 | 168 | 42.107 | 619.00 | GI | P | 3 7/16 - 7 |
| P192-20M-170 | 7882-4015 | 192 | 48.122 | 783.00 | GI | P | 3 7/16 - 7 |
| P216-20M-170 | 7882-4020 | 216 | 54.136 | 820.00 | GI | P | 3 7/16 - 7 |

SYNCHRONOUS METAL

20mm Pitch Sprockets — For Belts 230mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P38-20M-230 | 7882-4030 | 38 | 9.524 | 128.00 | GI | MPB | 2 7/8 - 4 3/4 |
| P40-20M-230 | 7882-4033 | 40 | 10.026 | 156.00 | GI | MPB | 2 7/8 - 5 1/4 |
| P44-20M-230 | 7882-4036 | 44 | 11.028 | 189.00 | GI | MPB | 2 7/8 - 6 |
| P48-20M-230 | 7882-4039 | 48 | 12.031 | 140.00 | GI | M | 2 - 5 1/2 |
| P52-20M-230 | 7882-4042 | 52 | 13.033 | 161.00 | GI | M | 2 - 5 1/2 |
| P56-20M-230 | 7882-4047 | 56 | 14.036 | 193.00 | GI | M | 2 - 5 1/2 |
| P60-20M-230 | 7882-4051 | 60 | 15.038 | 234.00 | GI | M | 2 - 5 1/2 |
| P64-20M-230 | 7882-4056 | 64 | 16.041 | 270.00 | GI | M | 2 - 5 1/2 |
| P68-20M-230 | 7882-4061 | 68 | 17.032 | 341.00 | GI | N | 2 7/16 - 5 7/8 |
| P72-20M-230 | 7882-4066 | 72 | 18.046 | 410.00 | GI | N | 2 7/16 - 5 7/8 |
| P80-20M-230 | 7882-4071 | 80 | 20.051 | 343.00 | GI | N | 2 7/16 - 5 7/8 |
| P90-20M-230 | 7882-4076 | 90 | 22.557 | 398.00 | GI | N | 2 7/16 - 5 7/8 |
| P112-20M-230 | 7882-4003 | 112 | 28.071 | 389.00 | GI | N | 2 7/16 - 5 7/8 |
| P144-20M-230 | 7882-4007 | 144 | 36.092 | 552.00 | GI | P | 2 15/16 - 7 |
| P168-20M-230 | 7882-4011 | 168 | 42.107 | 934.00 | GI | P | 2 15/16 - 7 |
| P192-20M-230 | 7882-4016 | 192 | 48.122 | 1429.00 | GI | W | 4 - 8 1/2 |
| P216-20M-230 | 7882-4021 | 216 | 54.136 | 1317.00 | GI | W | 4 - 8 1/2 |

20mm Pitch Sprockets — For Belts 290mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P52-20M-290 | 7882-4043 | 52 | 13.033 | 202.00 | GI | N | 2 7/16 - 5 7/8 |
| P56-20M-290 | 7882-4048 | 56 | 14.036 | 237.00 | GI | N | 2 7/16 - 5 7/8 |
| P60-20M-290 | 7882-4052 | 60 | 15.038 | 276.00 | GI | N | 2 7/16 - 5 7/8 |
| P64-20M-290 | 7882-4057 | 64 | 16.041 | 320.00 | GI | N | 2 7/16 - 5 7/8 |
| P68-20M-290 | 7882-4062 | 68 | 17.032 | 368.00 | GI | N | 2 7/16 - 5 7/8 |
| P72-20M-290 | 7882-4067 | 72 | 18.046 | 404.00 | GI | N | 2 7/16 - 5 7/8 |
| P80-20M-290 | 7882-4072 | 80 | 20.051 | 376.00 | GI | N | 2 7/16 - 5 7/8 |
| P90-20M-290 | 7882-4077 | 90 | 22.557 | 431.00 | GI | N | 2 7/16 - 5 7/8 |
| P112-20M-290 | 7882-4004 | 112 | 28.071 | 799.00 | GI | P | 2 15/16 - 7 |
| P144-20M-290 | 7882-4008 | 144 | 36.092 | 1004.00 | GI | P | 2 15/16 - 7 |
| P168-20M-290 | 7882-4012 | 168 | 42.107 | 1410.00 | GI | W | 4 - 8 1/2 |
| P192-20M-290 | 7882-4017 | 192 | 48.122 | 1552.00 | GI | W | 4 - 8 1/2 |



PowerGrip® HTD® Sprockets

Product No. Series 7882 (continued)

20mm Pitch Sprockets — For Belts 290mm Wide (continued)

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P216-20M-290 | 7882-4022 | 216 | 54.136 | 1441.00 | GI | W | 4 - 8 1/2 |

20mm Pitch Sprockets — For Belts 340mm Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|--------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| P52-20M-340 | 7882-4044 | 52 | 13.033 | 219.00 | GI | N | 2 7/16 - 5 7/8 |
| P56-20M-340 | 7882-4049 | 56 | 14.036 | 258.00 | GI | N | 2 7/16 - 5 7/8 |
| P60-20M-340 | 7882-4053 | 60 | 15.038 | 294.00 | GI | N | 2 7/16 - 5 7/8 |
| P64-20M-340 | 7882-4058 | 64 | 16.041 | 339.00 | GI | N | 2 7/16 - 5 7/8 |
| P68-20M-340 | 7882-4063 | 68 | 17.032 | 389.00 | GI | N | 2 7/16 - 5 7/8 |
| P72-20M-340 | 7882-4068 | 72 | 18.046 | 438.00 | GI | N | 2 7/16 - 5 7/8 |
| P80-20M-340 | 7882-4073 | 80 | 20.051 | 462.00 | GI | P | 2 15/16 - 7 |
| P90-20M-340 | 7882-4078 | 90 | 22.557 | 507.00 | GI | P | 2 15/16 - 7 |
| P112-20M-340 | 7882-4005 | 112 | 28.071 | 870.00 | GI | P | 2 15/16 - 7 |
| P144-20M-340 | 7882-4009 | 144 | 36.092 | 1215.00 | GI | W | 4 - 8 1/2 |
| P168-20M-340 | 7882-4013 | 168 | 42.107 | 1514.00 | GI | W | 4 - 8 1/2 |
| P192-20M-340 | 7882-4018 | 192 | 48.122 | 1817.00 | GI | S | 5 1/2 - 10 |
| P216-20M-340 | 7882-4023 | 216 | 54.136 | 1601.00 | GI | S | 5 1/2 - 10 |

SYNCHRONOUS METAL





PowerGrip® Timing Pulleys

Markets/Applications

Use with PowerGrip Timing Belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sprocket design produces positive, press fit to shaft.
- Precision manufactured and static balanced to eliminate sprocket wobble.

Notes

Gates PowerGrip Timing Pulleys are measured by number of grooves, pitch and width. For example; part number TL30L050 denotes "TL" for Taper-Lock®, 30 grooves, L (.375") pitch and 1/2" width.

Pitch — The pitch of a PowerGrip Timing Pulley is the distance from center to center of the grooves (in inches). The letters correspond to pitches as follows:

MXL = Mini Extra Light = 0.080" pitch;

XL = Extra Light = 0.200" pitch;

L = Light = 0.375" pitch;

H = Heavy = 0.500" pitch.

Width — The width designation is in hundredths of inches and corresponds to the width of the widest belt that can operate in the pulley.


The complete pulley designation must be used when ordering a Gates PowerGrip Pulley.

Details shown which do not affect drive function or overall weight may be changed without notification.

Abbreviations used for pulley bore: MPB=Minimum Plain Bore. Abbreviations used for pulley materials: AL=Aluminum, ST=Steel, SiS=Sintered Steel, GI=Gray Iron, DI=Ductile Iron.

MXL and XL MPB pulleys are supplied with set screws. L and H pulleys are not supplied with keyway and set screws.

WARNING: Do **NOT** use these sprockets with rim speeds in excess of 6,500 fpm.



SYNCHRONOUS METAL

Product No. Series 7826

2/25" Pitch (0.08"/MXL) - Mini Extra Light — For Belts 1/8" Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB10MXL012 | 7826-0273 | 10 | .255 | .01 | AL | MPB | 1/8 - 1/8 |
| PB11MXL012 | 7826-0274 | 11 | .280 | .01 | AL | MPB | 1/8 - 1/8 |
| PB12MXL012 | 7826-0275 | 12 | .306 | .01 | AL | MPB | 1/8 - 1/8 |
| PB14MXL012 | 7826-0276 | 14 | .357 | .01 | AL | MPB | 3/16 - 3/16 |
| PB15MXL012 | 7826-0277 | 15 | .382 | .01 | AL | MPB | 3/16 - 3/16 |
| PB16MXL012 | 7826-0278 | 16 | .407 | .01 | AL | MPB | 3/16 - 1/4 |
| PB18MXL012 | 7826-0279 | 18 | .458 | .01 | AL | MPB | 3/16 - 3/16 |
| PB20MXL012 | 7826-0280 | 20 | .509 | .01 | AL | MPB | 3/16 - 3/16 |
| PB21MXL012 | 7826-0281 | 21 | .535 | .01 | AL | MPB | 3/16 - 3/16 |
| PB22MXL012 | 7826-0282 | 22 | .560 | .01 | AL | MPB | 3/16 - 3/16 |
| PB24MXL012 | 7826-0283 | 24 | .611 | .01 | AL | MPB | 1/4 - 1/4 |
| PB28MXL012 | 7826-0284 | 28 | .713 | .01 | AL | MPB | 1/4 - 1/4 |
| PB30MXL012 | 7826-0285 | 30 | .764 | .02 | AL | MPB | 1/4 - 5/16 |
| PB32MXL012 | 7826-0286 | 32 | .815 | .02 | AL | MPB | 1/4 - 3/8 |
| PB36MXL012 | 7826-0287 | 36 | .917 | .02 | AL | MPB | 1/4 - 3/8 |
| PB40MXL012 | 7826-0288 | 40 | 1.019 | .03 | AL | MPB | 1/4 - 1/2 |
| PB42MXL012 | 7826-0289 | 42 | 1.070 | .04 | AL | MPB | 1/4 - 1/2 |
| PB44MXL012 | 7826-0290 | 44 | 1.120 | .04 | AL | MPB | 1/4 - 5/8 |
| PB48MXL012 | 7826-0291 | 48 | 1.222 | .05 | AL | MPB | 1/4 - 5/8 |
| PB60MXL012 | 7826-0292 | 60 | 1.528 | .08 | AL | MPB | 1/4 - 3/4 |

2/25" Pitch (0.08"/MXL) - Mini Extra Light — For Belts 1/8", 3/16" and 1/4" Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB10MXL025 | 7826-0010 | 10 | .255 | .01 | AL | MPB | 1/8 - 1/8 |
| PB11MXL025 | 7826-0011 | 11 | .280 | .01 | AL | MPB | 1/8 - 1/8 |
| PB12MXL025 | 7826-0012 | 12 | .306 | .01 | AL | MPB | 1/8 - 1/8 |
| PB14MXL025 | 7826-0014 | 14 | .357 | .01 | AL | MPB | 1/8 - 1/8 |
| PB15MXL025 | 7826-0015 | 15 | .382 | .01 | AL | MPB | 3/16 - 3/16 |
| PB16MXL025 | 7826-0016 | 16 | .407 | .01 | AL | MPB | 3/16 - 3/16 |
| PB18MXL025 | 7826-0118 | 18 | .458 | .01 | AL | MPB | 3/16 - 3/16 |



PowerGrip® Timing Pulleys

Product No. Series 7826 (continued)

2/25" Pitch (0.08"/MXL) - Mini Extra Light — For Belts 1/8", 3/16" and 1/4" Wide (continued)

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-------------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB20MXL025 | 7826-0120 | 20 | .509 | .01 | AL | MPB | 3/16 - 3/16 |
| PB21MXL025 | 7826-0121 | 21 | .535 | .01 | AL | MPB | 3/16 - 3/16 |
| PB22MXL025 | 7826-0122 | 22 | .560 | .01 | AL | MPB | 3/16 - 3/16 |
| PB24MXL025 | 7826-0124 | 24 | .611 | .01 | AL | MPB | 1/4 - 1/4 |
| PB25MXL025 | 7826-0293 | 25 | .637 | .01 | AL | MPB | 1/4 - 1/4 |
| PB28MXL025 | 7826-0128 | 28 | .713 | .02 | AL | MPB | 1/4 - 1/4 |
| PB30MXL025 | 7826-0130 | 30 | .764 | .02 | AL | MPB | 1/4 - 1/4 |
| PB32MXL025 | 7826-0132 | 32 | .815 | .03 | AL | MPB | 1/4 - 1/4 |
| PB36MXL025 | 7826-0136 | 36 | .917 | .03 | AL | MPB | 1/4 - 1/4 |
| PB40MXL025 | 7826-0140 | 40 | 1.019 | .04 | AL | MPB | 1/4 - 1/4 |
| PB42MXL025 | 7826-0142 | 42 | 1.070 | .05 | AL | MPB | 1/4 - 1/4 |
| PB44MXL025 | 7826-0144 | 44 | 1.120 | .05 | AL | MPB | 1/4 - 1/4 |
| PB48MXL025 | 7826-0148 | 48 | 1.222 | .08 | AL | MPB | 1/4 - 1/4 |
| PB60MXL025 | 7826-0160 | 60 | 1.528 | .11 | AL | MPB | 1/4 - 1/4 |
| PB72MXL025 | 7826-0272 | 72 | 1.833 | .13 | AL | MPB | 1/4 - 1/4 |
| PB80MXL025 | 7826-0180 | 80 | 2.037 | .18 | AL | MPB | 5/16 - 5/16 |
| PB90MXL025 | 7826-0294 | 90 | 2.292 | .21 | AL | MPB | 5/16 - 3/4 |
| PB100MXL025 | 7826-0295 | 100 | 2.546 | .24 | AL | MPB | 5/16 - 3/4 |
| PB120MXL025 | 7826-0296 | 120 | 3.056 | .32 | AL | MPB | 3/8 - 3/4 |

SYNCHRONOUS METAL

Product No. Series 7823 & 7881

1/5" Pitch (.200"/XL) - Extra Light Duty — For Belts 1/4" Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB10XL025 | 7823-1500 | 10 | .637 | .01 | AL | MPB | 3/16 - 1/4 |
| PB11XL025 | 7823-1501 | 11 | .700 | .02 | AL | MPB | 3/16 - 1/4 |
| PB12XL025 | 7823-1502 | 12 | .764 | .02 | AL | MPB | 3/16 - 5/16 |
| PB13XL025 | 7823-1503 | 13 | .828 | .03 | AL | MPB | 1/4 - 5/16 |
| PB14XL025 | 7823-1504 | 14 | .891 | .03 | AL | MPB | 1/4 - 3/8 |
| PB15XL025 | 7823-1505 | 15 | .955 | .03 | AL | MPB | 1/4 - 1/2 |
| PB16XL025 | 7823-1506 | 16 | 1.019 | .04 | AL | MPB | 5/16 - 1/2 |
| PB18XL025 | 7823-1507 | 18 | 1.146 | .05 | AL | MPB | 1/4 - 1/2 |
| PB20XL025 | 7823-1508 | 20 | 1.273 | .07 | AL | MPB | 1/4 - 1/2 |
| PB21XL025 | 7823-1509 | 21 | 1.337 | .08 | AL | MPB | 1/4 - 1/2 |
| PB22XL025 | 7823-1510 | 22 | 1.401 | .09 | AL | MPB | 1/4 - 5/8 |
| PB24XL025 | 7823-1511 | 24 | 1.528 | .10 | AL | MPB | 1/4 - 5/8 |
| PB26XL025 | 7823-1512 | 26 | 1.655 | .12 | AL | MPB | 1/4 - 5/8 |
| PB28XL025 | 7823-1513 | 28 | 1.783 | .14 | AL | MPB | 1/4 - 3/4 |
| PB30XL025 | 7823-1514 | 30 | 1.910 | .16 | AL | MPB | 1/4 - 3/4 |

1/5" Pitch (.200"/XL) - Extra Light Duty — For Belts 1/4" and 3/8" Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB10XL037 | 7823-0101 | 10 | .637 | .05 | ST | MPB | 3/16 - 3/16 |
| PB11XL037 | 7823-0106 | 11 | .700 | .07 | ST | MPB | 3/16 - 3/16 |
| PB12XL037 | 7823-0111 | 12 | .764 | .08 | ST | MPB | 3/16 - 1/4 |
| PB13XL037 | 7823-1515 | 13 | .828 | .03 | AL | MPB | 1/4 - 5/16 |
| PB14XL037 | 7823-0121 | 14 | .891 | .10 | ST | MPB | 1/4 - 1/4 |
| PB15XL037 | 7823-0126 | 15 | .955 | .12 | ST | MPB | 1/4 - 5/16 |
| PB16XL037 | 7823-0131 | 16 | 1.019 | .15 | ST | MPB | 1/4 - 3/8 |
| PB17XL037 | 7823-1516 | 17 | 1.082 | .06 | AL | MPB | 1/4 - 1/2 |
| PB18XL037 | 7823-0141 | 18 | 1.146 | .18 | ST | MPB | 1/4 - 1/2 |
| PB19XL037 | 7823-1517 | 19 | 1.210 | .07 | AL | MPB | 1/4 - 1/2 |
| PB20XL037 | 7823-0151 | 20 | 1.273 | .24 | ST | MPB | 1/4 - 9/16 |
| PB21XL037 | 7823-0156 | 21 | 1.337 | .27 | ST | MPB | 1/4 - 9/16 |
| PB22XL037 | 7823-0161 | 22 | 1.401 | .29 | ST | MPB | 1/4 - 3/4 |



**PowerGrip® Timing Pulleys****Product No. Series 7823 & 7881 (continued)****1/5" Pitch (.200"/XL) - Extra Light Duty — For Belts 1/4" and 3/8" Wide (continued)**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB23XL037 | 7823-1518 | 23 | 1.464 | .11 | AL | MPB | 1/4 - 5/8 |
| PB24XL037 | 7823-0166 | 24 | 1.528 | .35 | ST | MPB | 1/4 - 11/16 |
| PB25XL037 | 7823-1519 | 25 | 1.592 | .13 | AL | MPB | 1/4 - 5/8 |
| PB26XL037 | 7823-1520 | 26 | 1.655 | .16 | AL | MPB | 1/4 - 3/4 |
| PB28XL037 | 7823-0176 | 28 | 1.783 | .47 | ST | MPB | 1/4 - 13/16 |
| PB30XL037 | 7823-0181 | 30 | 1.910 | .54 | ST | MPB | 5/16 - 15/16 |
| PB32XL037 | 7823-0186 | 32 | 2.037 | .24 | AL | MPB | 5/16 - 1 |
| TL32XL037 | 7881-6032 | 32 | 2.037 | .34 | SiS | 1108 | 1/2 - 1 |
| PB36XL037 | 7823-0196 | 36 | 2.292 | .28 | AL | MPB | 5/16 - 1 |
| TL36XL037 | 7881-6036 | 36 | 2.292 | .50 | SiS | 1108 | 1/2 - 1 |
| PB40XL037 | 7823-0201 | 40 | 2.546 | .33 | AL | MPB | 5/16 - 1 |
| TL40XL037 | 7881-6040 | 40 | 2.546 | .65 | SiS | 1108 | 1/2 - 1 |
| PB42XL037 | 7823-0206 | 42 | 2.674 | .36 | AL | MPB | 5/16 - 1 |
| TL42XL037 | 7881-6042 | 42 | 2.674 | .77 | SiS | 1108 | 1/2 - 1 |
| PB44XL037 | 7823-0211 | 44 | 2.801 | .39 | AL | MPB | 5/16 - 1 |
| TL44XL037 | 7881-6044 | 44 | 2.801 | .97 | SiS | 1108 | 1/2 - 1 |
| PB45XL037 | 7823-1521 | 45 | 2.865 | .40 | AL | MPB | 5/16 - 1 |
| PB48XL037 | 7823-0216 | 48 | 3.056 | .39 | AL | MPB | 5/16 - 1 |
| TL48XL037 | 7881-6048 | 48 | 3.056 | 1.23 | SiS | 1108 | 1/2 - 1 |
| PB50XL037 | 7823-1522 | 50 | 3.183 | .40 | AL | MPB | 5/16 - 1 |
| PB60XL037 | 7823-0221 | 60 | 3.820 | .50 | AL | MPB | 3/8 - 1 |
| TL60XL037 | 7881-6060 | 60 | 3.820 | 2.15 | SiS | 1210 | 1/2 - 1 1/4 |
| PB72XL037 | 7823-0226 | 72 | 4.584 | .67 | AL | MPB | 3/8 - 1 |
| TL72XL037 | 7881-6072 | 72 | 4.584 | 2.90 | SiS | 1610 | 1/2 - 1 11/16 |

SYNCHRONOUS METAL

3/8" Pitch (.375"/L) - Light Duty — For Belts 1/2" Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|----------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB10L050 | 7823-0301 | 10 | 1.194 | .25 | ST | MPB | 3/8 - 1/2 |
| PB12L050 | 7823-0311 | 12 | 1.432 | .39 | ST | MPB | 3/8 - 3/4 |
| PB13L050 | 7823-1523 | 13 | 1.552 | .48 | ST | MPB | 3/8 - 3/4 |
| PB14L050 | 7823-0321 | 14 | 1.671 | .53 | ST | MPB | 3/8 - 3/4 |
| PB15L050 | 7823-1524 | 15 | 1.790 | .63 | ST | MPB | 1/2 - 7/8 |
| PB16L050 | 7823-0331 | 16 | 1.910 | .73 | ST | MPB | 1/2 - 1 |
| PB17L050 | 7823-0336 | 17 | 2.029 | .81 | ST | MPB | 1/2 - 1 |
| TL18L050 | 7881-7001 | 18 | 2.149 | .44 | SiS | 1108 | 1/2 - 1 |
| PB19L050 | 7823-0346 | 19 | 2.268 | 1.30 | ST | MPB | 1/2 - 1 3/16 |
| TL20L050 | 7881-7004 | 20 | 2.387 | .68 | SiS | 1108 | 1/2 - 1 |
| PB21L050 | 7823-0356 | 21 | 2.507 | 1.37 | ST | MPB | 1/2 - 1 1/4 |
| TL22L050 | 7881-7007 | 22 | 2.626 | .90 | SiS | 1108 | 1/2 - 1 |
| TL24L050 | 7881-7010 | 24 | 2.865 | 1.00 | SiS | 1210 | 1/2 - 1 1/4 |
| TL26L050 | 7881-7013 | 26 | 3.104 | 1.11 | SiS | 1210 | 1/2 - 1 1/4 |
| TL28L050 | 7881-7016 | 28 | 3.342 | 1.40 | SiS | 1210 | 1/2 - 1 1/4 |
| TL30L050 | 7881-7019 | 30 | 3.581 | 1.50 | SiS | 1610 | 1/2 - 1 5/8 |
| TL32L050 | 7881-7022 | 32 | 3.820 | 1.90 | SiS | 1610 | 1/2 - 1 5/8 |
| PB36L050 | 7823-1525 | 36 | 4.297 | 4.21 | ST | MPB | 1/2 - 2 5/16 |
| TL40L050 | 7881-7054 | 40 | 4.775 | 2.40 | GI | 2012 | 1/2 - 2 1/8 |
| TL48L050 | 7881-7055 | 48 | 5.730 | 3.20 | GI | 2012 | 1/2 - 2 1/8 |
| TL60L050 | 7881-7056 | 60 | 7.162 | 4.90 | GI | 2012 | 1/2 - 2 1/8 |
| TL72L050 | 7881-7057 | 72 | 8.594 | 6.00 | GI | 2012 | 1/2 - 2 1/8 |
| TL84L050 | 7881-7058 | 84 | 10.027 | 8.00 | GI | 2517 | 1/2 - 2 11/16 |



PowerGrip® Timing Pulleys

Product No. Series 7823 & 7881 (continued)

3/8" Pitch (.375"/L) - Light Duty — For Belts 3/4" Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|----------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB12L075 | 7823-0511 | 12 | 1.432 | .48 | ST | MPB | 3/8 - 3/4 |
| PB13L075 | 7823-1526 | 13 | 1.552 | .58 | ST | MPB | 3/8 - 3/4 |
| PB14L075 | 7823-0521 | 14 | 1.671 | .66 | ST | MPB | 3/8 - 3/4 |
| PB15L075 | 7823-1527 | 15 | 1.790 | .77 | ST | MPB | 1/2 - 7/8 |
| PB16L075 | 7823-0531 | 16 | 1.910 | .90 | ST | MPB | 1/2 - 1 1/8 |
| PB17L075 | 7823-0536 | 17 | 2.029 | .99 | ST | MPB | 1/2 - 1 1/8 |
| TL18L075 | 7881-7002 | 18 | 2.149 | .50 | SiS | 1108 | 1/2 - 1 |
| PB19L075 | 7823-0546 | 19 | 2.268 | 1.30 | ST | MPB | 5/8 - 7/8 |
| TL20L075 | 7881-7005 | 20 | 2.387 | .68 | SiS | 1108 | 1/2 - 1 |
| PB21L075 | 7823-0556 | 21 | 2.507 | 1.64 | ST | MPB | 5/8 - 1 1/4 |
| TL22L075 | 7881-7008 | 22 | 2.626 | .96 | SiS | 1108 | 1/2 - 1 |
| TL24L075 | 7881-7011 | 24 | 2.865 | 1.00 | SiS | 1210 | 1/2 - 1 1/4 |
| TL26L075 | 7881-7014 | 26 | 3.104 | 1.20 | SiS | 1210 | 1/2 - 1 1/4 |
| TL28L075 | 7881-7017 | 28 | 3.342 | 1.20 | SiS | 1610 | 1/2 - 1 5/8 |
| TL30L075 | 7881-7020 | 30 | 3.581 | 1.50 | SiS | 1610 | 1/2 - 1 5/8 |
| TL32L075 | 7881-7023 | 32 | 3.820 | 1.90 | SiS | 1610 | 1/2 - 1 5/8 |
| PB36L075 | 7823-1528 | 36 | 4.297 | 5.14 | ST | MPB | 1/2 - 2 5/16 |
| TL40L075 | 7881-7059 | 40 | 4.775 | 3.37 | GI | 2012 | 1/2 - 2 1/8 |
| TL48L075 | 7881-7060 | 48 | 5.730 | 3.20 | GI | 2012 | 1/2 - 2 1/8 |
| TL60L075 | 7881-7061 | 60 | 7.162 | 4.90 | GI | 2012 | 1/2 - 2 1/8 |
| TL72L075 | 7881-7062 | 72 | 8.594 | 7.00 | GI | 2012 | 1/2 - 2 1/8 |
| TL84L075 | 7881-7063 | 84 | 10.027 | 9.00 | GI | 2517 | 1/2 - 2 11/16 |

SYNCHRONOUS METAL

3/8" Pitch (.375"/L) - Light Duty — For Belts 1" Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|----------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| PB13L100 | 7823-1529 | 13 | 1.552 | .69 | ST | MPB | 3/8 - 3/4 |
| PB14L100 | 7823-0721 | 14 | 1.671 | .79 | ST | MPB | 3/8 - 3/4 |
| PB15L100 | 7823-1530 | 15 | 1.790 | .92 | ST | MPB | 1/2 - 7/8 |
| PB16L100 | 7823-0731 | 16 | 1.910 | 1.10 | ST | MPB | 1/2 - 1 |
| PB17L100 | 7823-0736 | 17 | 2.029 | 1.19 | ST | MPB | 1/2 - 1 |
| TL18L100 | 7881-7003 | 18 | 2.149 | .75 | SiS | 1108 | 1/2 - 1 |
| PB19L100 | 7823-0746 | 19 | 2.268 | 1.55 | ST | MPB | 5/8 - 7/8 |
| TL20L100 | 7881-7006 | 20 | 2.387 | 1.00 | SiS | 1108 | 1/2 - 1 |
| PB21L100 | 7823-0756 | 21 | 2.507 | 1.93 | ST | MPB | 5/8 - 1 1/4 |
| TL22L100 | 7881-7009 | 22 | 2.626 | 1.30 | SiS | 1108 | 1/2 - 1 |
| TL24L100 | 7881-7012 | 24 | 2.865 | 1.30 | SiS | 1210 | 1/2 - 1 1/4 |
| TL26L100 | 7881-7015 | 26 | 3.104 | 1.70 | SiS | 1210 | 1/2 - 1 1/4 |
| TL28L100 | 7881-7018 | 28 | 3.342 | 1.30 | SiS | 1610 | 1/2 - 1 5/8 |
| TL30L100 | 7881-7021 | 30 | 3.581 | 2.20 | SiS | 1610 | 1/2 - 1 5/8 |
| TL32L100 | 7881-7024 | 32 | 3.820 | 2.70 | GI | 1610 | 1/2 - 1 5/8 |
| PB36L100 | 7823-1532 | 36 | 4.297 | 6.07 | ST | MPB | 1/2 - 2 5/16 |
| TL40L100 | 7881-7064 | 40 | 4.775 | 4.06 | GI | 2012 | 1/2 - 2 1/8 |
| TL48L100 | 7881-7065 | 48 | 5.730 | 5.10 | GI | 2012 | 1/2 - 2 1/8 |
| TL60L100 | 7881-7066 | 60 | 7.162 | 6.00 | GI | 2012 | 1/2 - 2 1/8 |
| TL72L100 | 7881-7067 | 72 | 8.594 | 12.89 | GI | 2012 | 1/2 - 2 1/8 |
| TL84L100 | 7881-7068 | 84 | 10.027 | 10.00 | GI | 2517 | 1/2 - 2 11/16 |

Product No. Series 7881

1/2" Pitch (.500"/H) - Heavy Duty — For Belts 3/4" and 1" Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|----------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| TL14H100 | 7881-7025 | 14 | 2.228 | .80 | SiS | 1108 | 1/2 - 1 |
| TL16H100 | 7881-7027 | 16 | 2.546 | 1.30 | SiS | 1108 | 1/2 - 1 |
| TL18H100 | 7881-7030 | 18 | 2.865 | 1.20 | SiS | 1210 | 1/2 - 1 1/4 |



**PowerGrip® Timing Pulleys****Product No. Series 7881 (continued)****1/2" Pitch (.500"/H) - Heavy Duty — For Belts 3/4" and 1" Wide (continued)**

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| TL20H100 | 7881-7034 | 20 | 3.183 | 1.70 | SiS | 1210 | 1/2 - 1 1/4 |
| TL22H100 | 7881-7038 | 22 | 3.501 | 1.80 | SiS | 1610 | 1/2 - 1 5/8 |
| TL24H100 | 7881-7041 | 24 | 3.820 | 2.30 | SiS | 1610 | 1/2 - 1 5/8 |
| TL26H100 | 7881-7045 | 26 | 4.138 | 2.20 | DI | 2012 | 1/2 - 2 1/8 |
| TL28H100 | 7881-7049 | 28 | 4.456 | 2.80 | GI | 2012 | 1/2 - 1 5/8 |
| TL30H100 | 7881-7069 | 30 | 4.775 | 4.20 | GI | 2012 | 1/2 - 2 1/8 |
| TL32H100 | 7881-7070 | 32 | 5.093 | 4.10 | GI | 2517 | 1/2 - 2 11/16 |
| TL40H100 | 7881-7071 | 40 | 6.366 | 7.80 | GI | 2517 | 1/2 - 2 11/16 |
| TL48H100 | 7881-7072 | 48 | 7.639 | 12.10 | GI | 2517 | 1/2 - 2 11/16 |
| TL60H100 | 7881-7073 | 60 | 9.549 | 10.30 | GI | 3020 | 7/8 - 3 1/4 |
| TL72H100 | 7881-7074 | 72 | 11.459 | 25.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL84H100 | 7881-7075 | 84 | 13.369 | 29.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL96H100 | 7881-7076 | 96 | 15.279 | 35.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL120H100 | 7881-7077 | 120 | 19.099 | 42.00 | GI | 3020 | 7/8 - 3 1/4 |

1/2" Pitch (.500"/H) - Heavy Duty — For Belts 1 1/2" Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| TL14H150 | 7881-7026 | 14 | 2.228 | 1.00 | SiS | 1108 | 1/2 - 1 |
| TL16H150 | 7881-7028 | 16 | 2.546 | 1.50 | SiS | 1008 | 1/2 - 1 |
| TL18H150 | 7881-7031 | 18 | 2.865 | 1.60 | SiS | 1215 | 1/2 - 1 1/4 |
| TL20H150 | 7881-7035 | 20 | 3.183 | 2.20 | SiS | 1215 | 1/2 - 1 1/4 |
| TL22H150 | 7881-7053 | 22 | 3.501 | 2.35 | SiS | 1615 | 1/2 - 1 5/8 |
| TL24H150 | 7881-7042 | 24 | 3.820 | 2.20 | GI | 2012 | 1/2 - 1 5/8 |
| TL26H150 | 7881-7046 | 26 | 4.138 | 3.20 | GI | 2012 | 1/2 - 2 1/8 |
| TL28H150 | 7881-7050 | 28 | 4.456 | 4.10 | GI | 2012 | 1/2 - 2 1/8 |
| TL30H150 | 7881-7078 | 30 | 4.775 | 4.60 | GI | 2012 | 1/2 - 2 1/8 |
| TL32H150 | 7881-7079 | 32 | 5.093 | 4.60 | GI | 2517 | 1/2 - 2 11/16 |
| TL40H150 | 7881-7080 | 40 | 6.366 | 8.60 | GI | 2517 | 1/2 - 2 11/16 |
| TL48H150 | 7881-7081 | 48 | 7.639 | 13.60 | GI | 2517 | 1/2 - 2 11/16 |
| TL60H150 | 7881-7082 | 60 | 9.549 | 12.30 | GI | 3020 | 7/8 - 3 1/4 |
| TL72H150 | 7881-7083 | 72 | 11.459 | 27.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL84H150 | 7881-7084 | 84 | 13.369 | 32.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL96H150 | 7881-7085 | 96 | 15.279 | 38.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL120H150 | 7881-7086 | 120 | 19.099 | 50.00 | GI | 3020 | 7/8 - 3 1/4 |

1/2" Pitch (.500"/H) - Heavy Duty — For Belts 2" Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| TL16H200 | 7881-7029 | 16 | 2.546 | 1.90 | GI | 1008 | 1/2 - 1 |
| TL18H200 | 7881-7032 | 18 | 2.865 | 1.80 | GI | 1215 | 1/2 - 1 1/4 |
| TL20H200 | 7881-7036 | 20 | 3.183 | 2.60 | GI | 1215 | 1/2 - 1 1/4 |
| TL22H200 | 7881-7039 | 22 | 3.501 | 2.80 | GI | 1615 | 1/2 - 1 5/8 |
| TL24H200 | 7881-7043 | 24 | 3.820 | 2.60 | GI | 2012 | 1/2 - 2 1/8 |
| TL26H200 | 7881-7047 | 26 | 4.138 | 3.79 | GI | 2012 | 1/2 - 2 1/8 |
| TL28H200 | 7881-7051 | 28 | 4.456 | 5.40 | GI | 2012 | 1/2 - 2 1/8 |
| TL30H200 | 7881-7087 | 30 | 4.775 | 5.50 | GI | 2012 | 1/2 - 2 1/8 |
| TL32H200 | 7881-7088 | 32 | 5.093 | 5.50 | GI | 2517 | 1/2 - 2 11/16 |
| TL40H200 | 7881-7089 | 40 | 6.366 | 9.90 | GI | 2517 | 1/2 - 2 11/16 |
| TL48H200 | 7881-7090 | 48 | 7.639 | 14.30 | GI | 3020 | 1/2 - 2 11/16 |
| TL60H200 | 7881-7091 | 60 | 9.549 | 25.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL72H200 | 7881-7092 | 72 | 11.459 | 25.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL84H200 | 7881-7093 | 84 | 13.369 | 36.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL96H200 | 7881-7094 | 96 | 15.279 | 52.00 | GI | 3535 | 7/8 - 3 1/4 |
| TL120H200 | 7881-7095 | 120 | 19.099 | 55.00 | GI | 3020 | 7/8 - 3 1/4 |

SYNCHRONOUS METAL



PowerGrip® Timing Pulleys

Product No. Series 7881 (continued)

1/2" Pitch (.500"/H) - Heavy Duty — For Belts 3" Wide

| Part No. | Product No. | No. of Grooves | Pitch Dia. (In.) | Wt. Ea. (Lbs.) | Material | Bore or Bushing | Bore Range (In.) |
|-----------|-------------|----------------|------------------|----------------|----------|-----------------|------------------|
| TL16H300 | 7881-7096 | 16 | 2.546 | 2.50 | GI | 1108 | 1/2 - 1 |
| TL18H300 | 7881-7033 | 18 | 2.865 | 2.60 | GI | 1215 | 1/2 - 1 1/4 |
| TL20H300 | 7881-7037 | 20 | 3.183 | 3.90 | GI | 1215 | 1/2 - 1 1/4 |
| TL22H300 | 7881-7040 | 22 | 3.501 | 4.00 | GI | 1615 | 1/2 - 1 5/8 |
| TL24H300 | 7881-7044 | 24 | 3.820 | 4.30 | GI | 2012 | 1/2 - 2 1/8 |
| TL26H300 | 7881-7048 | 26 | 4.138 | 5.40 | GI | 2012 | 1/2 - 2 1/8 |
| TL28H300 | 7881-7052 | 28 | 4.456 | 7.60 | GI | 2012 | 1/2 - 2 1/8 |
| TL30H300 | 7881-7097 | 30 | 4.775 | 7.00 | GI | 2012 | 1/2 - 2 1/8 |
| TL32H300 | 7881-7098 | 32 | 5.093 | 7.40 | GI | 2517 | 1/2 - 2 11/16 |
| TL40H300 | 7881-7099 | 40 | 6.366 | 12.10 | GI | 2517 | 1/2 - 2 11/16 |
| TL48H300 | 7881-7100 | 48 | 7.639 | 16.30 | GI | 3020 | 7/8 - 3 1/3 |
| TL60H300 | 7881-7101 | 60 | 9.549 | 26.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL72H300 | 7881-7102 | 72 | 11.459 | 41.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL84H300 | 7881-7103 | 84 | 13.369 | 42.00 | GI | 3020 | 7/8 - 3 1/4 |
| TL96H300 | 7881-7104 | 96 | 15.279 | 77.00 | GI | 3535 | 7/8 - 3 1/4 |
| TL120H300 | 7881-7105 | 120 | 19.099 | 82.00 | GI | 3535 | 7/8 - 3 1/4 |

SYNCHRONOUS METAL



Clamping Plates for Long-Length Belting

Markets/Applications


Use with Synchronous long-length belting including Poly Chain® GT®2, PowerGrip® GT2, Synchro-Power®, PowerGrip Timing and HTD®.

Features/Advantages

- Clamping Plates allow maximum clamping strength for long-length belting used in linear drives.
- Clamping Plates are aluminum.
- Bolts are included.

Notes

Gates Clamping Plates are Made-To-Order. Contact customer service for price and availability.



SYNCHRONOUS METAL

Product No. Series 7887

| Available Pitches | | |
|-------------------|---------|--------|
| Metric | | Timing |
| 2MR GT | T5 | XL |
| 3MR GT | T10 | L |
| 5MR GT | AT5 | H |
| 8MR GT | AT10 | |
| 8M GT | 5M HTD | |
| 14M GT | 8M HTD | |
| | 14M HTD | |



Super HC® Sheaves - QD®

Markets/Applications

Use with Super HC and Super HC PowerBand® belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sheave design produces positive, press fit to shaft.
- Narrower sheave design is precision manufactured, static balanced and transmits higher horsepower.

Notes

Sheaves and bushings must be ordered separately.

Details shown which do not affect drive function or overall weight may be changed without notification.

WARNING: Do **NOT** use these sheaves with rim speeds in excess of 6,500 fpm.



Product No. Series 7872 & 7873

3V Section

| Part No. | Product No. | No. of Grooves | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|----------------|---------|-----------------|------------------|----------------|
| QD1/3V2.20 | 7872-1022 | 1 | JA | 1 3/16 | 1 1/16 | .63 |
| QD2/3V2.20 | 7872-2022 | 2 | JA | 1 3/16 | 1 3/32 | .80 |
| ⁶ QD1/3V2.35 | 7872-1023 | 1 | JA | 1 3/16 | 1 1/16 | .80 |
| QD2/3V2.35 | 7872-2023 | 2 | JA | 1 3/16 | 1 3/32 | .96 |
| QD1/3V2.50 | 7872-1025 | 1 | JA | 1 3/16 | 1 1/16 | .97 |
| QD2/3V2.50 | 7872-2025 | 2 | JA | 1 3/16 | 1 3/32 | 1.18 |
| QD3/3V2.50 | 7872-3025 | 3 | JA | 1 3/16 | 1 1/2 | 1.35 |
| QD1/3V2.65 | 7872-1026 | 1 | JA | 1 3/16 | 1 1/16 | .78 |
| QD2/3V2.65 | 7872-2026 | 2 | JA | 1 3/16 | 1 3/32 | .62 |
| QD3/3V2.65 | 7872-3026 | 3 | JA | 1 3/16 | 1 1/2 | 1.16 |
| QD4/3V2.65 | 7872-4026 | 4 | JA | 1 3/16 | 1 29/32 | 1.42 |
| QD1/3V2.80 | 7872-1028 | 1 | JA | 1 3/16 | 1 1/16 | .92 |
| QD2/3V2.80 | 7872-2028 | 2 | JA | 1 3/16 | 1 3/32 | .79 |
| QD3/3V2.80 | 7872-3028 | 3 | JA | 1 3/16 | 1 1/2 | 1.36 |
| QD4/3V2.80 | 7872-4028 | 4 | JA | 1 3/16 | 1 29/32 | 1.68 |
| QD1/3V3.00 | 7872-1030 | 1 | JA | 1 3/16 | 1 1/16 | 1.18 |
| QD2/3V3.00 | 7872-2030 | 2 | JA | 1 3/16 | 1 3/32 | 1.01 |
| QD3/3V3.00 | 7872-3030 | 3 | SH | 1 5/8 | 1 1/2 | 1.86 |
| QD4/3V3.00 | 7872-4030 | 4 | SH | 1 5/8 | 1 29/32 | 2.03 |
| QD1/3V3.15 | 7872-1031 | 1 | JA | 1 3/16 | 1 1/16 | 1.32 |
| QD2/3V3.15 | 7872-2031 | 2 | JA | 1 3/16 | 1 3/32 | 1.18 |
| QD3/3V3.15 | 7872-3031 | 3 | SH | 1 5/8 | 1 1/2 | 2.25 |
| QD4/3V3.15 | 7872-4031 | 4 | SH | 1 5/8 | 1 29/32 | 2.42 |
| QD1/3V3.35 | 7872-1033 | 1 | JA | 1 3/16 | 1 1/16 | 1.60 |
| QD2/3V3.35 | 7872-2033 | 2 | SH | 1 5/8 | 1 3/32 | 1.00 |
| QD3/3V3.35 | 7872-3033 | 3 | SH | 1 5/8 | 1 1/2 | 1.51 |
| QD4/3V3.35 | 7872-4033 | 4 | SH | 1 5/8 | 1 29/32 | 2.23 |
| QD1/3V3.65 | 7872-1036 | 1 | SH | 1 5/8 | 1 1/16 | 1.59 |
| QD2/3V3.65 | 7872-2036 | 2 | SH | 1 5/8 | 1 3/32 | 1.41 |
| QD3/3V3.65 | 7872-3036 | 3 | SH | 1 5/8 | 1 1/2 | 2.12 |
| QD4/3V3.65 | 7872-4036 | 4 | SH | 1 5/8 | 1 29/32 | 2.16 |
| QD1/3V4.12 | 7872-1041 | 1 | SH | 1 5/8 | 1 1/16 | 2.06 |
| QD2/3V4.12 | 7872-2041 | 2 | SH | 1 5/8 | 1 3/32 | 2.26 |
| QD3/3V4.12 | 7872-3041 | 3 | SH | 1 5/8 | 1 1/2 | 2.64 |
| QD4/3V4.12 | 7872-4041 | 4 | SH | 1 5/8 | 1 29/32 | 3.05 |
| QD1/3V4.50 | 7872-1045 | 1 | SH | 1 5/8 | 1 1/16 | 2.60 |
| QD2/3V4.50 | 7872-2045 | 2 | SH | 1 5/8 | 1 3/32 | 2.81 |
| QD3/3V4.50 | 7872-3045 | 3 | SDS | 1 15/16 | 1 1/2 | 3.00 |
| QD4/3V4.50 | 7872-4045 | 4 | SDS | 1 15/16 | 1 29/32 | 3.47 |
| QD1/3V4.75 | 7872-1047 | 1 | SH | 1 5/8 | 1 1/16 | 3.00 |
| QD2/3V4.75 | 7872-2047 | 2 | SH | 1 5/8 | 1 3/32 | 3.21 |
| QD3/3V4.75 | 7872-3047 | 3 | SDS | 1 15/16 | 1 1/2 | 3.38 |
| QD4/3V4.75 | 7872-4047 | 4 | SDS | 1 15/16 | 1 29/32 | 4.04 |
| QD5/3V4.75 | 7872-5047 | 5 | SDS | 1 15/16 | 2 5/16 | 4.33 |
| QD6/3V4.75 | 7872-6047 | 6 | SK | 2 1/2 | 2 23/32 | 5.28 |
| QD8/3V4.75 | 7872-8047 | 8 | SK | 2 1/2 | 3 17/32 | 6.94 |

HEAVY DUTY V-BELT METAL

⁶ Standard/Non-Stock item. Check with Customer Service for availability.



**Super HC[®] Sheaves - QD[®]****Product No. Series 7872 & 7873 (continued)****3V Section (continued)**

| Part No. | Product No. | No. of Grooves | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|--------------------------|-------------|----------------|---------|-----------------|------------------|----------------|
| QD10/3V4.75 | 7873-0047 | 10 | SK | 2 1/2 | 4 11/32 | 7.42 |
| QD1/3V5.00 | 7872-1050 | 1 | SH | 1 5/8 | 11/16 | 3.30 |
| QD2/3V5.00 | 7872-2050 | 2 | SH | 1 5/8 | 1 3/32 | 3.64 |
| QD3/3V5.00 | 7872-3050 | 3 | SDS | 1 15/16 | 1 1/2 | 3.92 |
| QD4/3V5.00 | 7872-4050 | 4 | SDS | 1 15/16 | 1 29/32 | 4.59 |
| QD5/3V5.00 | 7872-5050 | 5 | SDS | 1 15/16 | 2 5/16 | 5.15 |
| QD6/3V5.00 | 7872-6050 | 6 | SK | 2 1/2 | 2 23/32 | 6.09 |
| QD8/3V5.00 | 7872-8050 | 8 | SK | 2 1/2 | 3 17/32 | 7.47 |
| QD10/3V5.00 | 7873-0050 | 10 | SK | 2 1/2 | 4 11/32 | 8.67 |
| QD1/3V5.30 | 7872-1053 | 1 | SH | 1 5/8 | 11/16 | 3.79 |
| QD2/3V5.30 | 7872-2053 | 2 | SH | 1 5/8 | 1 3/32 | 4.18 |
| QD3/3V5.30 | 7872-3053 | 3 | SDS | 1 15/16 | 1 1/2 | 4.51 |
| QD4/3V5.30 | 7872-4053 | 4 | SDS | 1 15/16 | 1 29/32 | 5.22 |
| QD5/3V5.30 | 7872-5053 | 5 | SK | 2 1/2 | 2 5/16 | 5.99 |
| QD6/3V5.30 | 7872-6053 | 6 | SK | 2 1/2 | 2 23/32 | 6.60 |
| QD8/3V5.30 | 7872-8053 | 8 | SK | 2 1/2 | 3 17/32 | 7.55 |
| QD10/3V5.30 | 7873-0053 | 10 | SK | 2 1/2 | 4 11/32 | 8.74 |
| QD1/3V5.60 | 7872-1056 | 1 | SH | 1 5/8 | 11/16 | 4.35 |
| QD2/3V5.60 | 7872-2056 | 2 | SH | 1 5/8 | 1 3/32 | 4.69 |
| QD3/3V5.60 | 7872-3056 | 3 | SDS | 1 15/16 | 1 1/2 | 4.98 |
| QD4/3V5.60 | 7872-4056 | 4 | SDS | 1 15/16 | 1 29/32 | 5.64 |
| QD5/3V5.60 | 7872-5056 | 5 | SK | 2 1/2 | 2 5/16 | 6.99 |
| QD6/3V5.60 | 7872-6056 | 6 | SK | 2 1/2 | 2 23/32 | 7.69 |
| QD8/3V5.60 | 7872-8056 | 8 | SK | 2 1/2 | 3 17/32 | 9.35 |
| QD10/3V5.60 | 7873-0056 | 10 | SK | 2 1/2 | 4 11/32 | 11.00 |
| QD1/3V6.00 | 7872-1060 | 1 | SH | 1 5/8 | 11/16 | 5.05 |
| QD2/3V6.00 | 7872-2060 | 2 | SH | 1 5/8 | 1 3/32 | 5.70 |
| QD3/3V6.00 | 7872-3060 | 3 | SDS | 1 15/16 | 1 1/2 | 7.10 |
| QD4/3V6.00 | 7872-4060 | 4 | SK | 2 1/2 | 1 29/32 | 7.93 |
| QD5/3V6.00 | 7872-5060 | 5 | SK | 2 1/2 | 2 5/16 | 9.11 |
| QD6/3V6.00 | 7872-6060 | 6 | SK | 2 1/2 | 2 23/32 | 10.15 |
| QD8/3V6.00 | 7872-8060 | 8 | SK | 2 1/2 | 3 17/32 | 10.00 |
| QD10/3V6.00 | 7873-0060 | 10 | SK | 2 1/2 | 4 11/32 | 11.39 |
| QD1/3V6.50 | 7872-1065 | 1 | SH | 1 5/8 | 11/16 | 6.10 |
| QD2/3V6.50 | 7872-2065 | 2 | SDS | 1 5/8 | 1 3/32 | 6.46 |
| QD3/3V6.50 | 7872-3065 | 3 | SDS | 1 15/16 | 1 1/2 | 8.20 |
| QD4/3V6.50 | 7872-4065 | 4 | SK | 2 1/2 | 1 29/32 | 9.61 |
| QD5/3V6.50 | 7872-5065 | 5 | SK | 2 1/2 | 2 5/16 | 10.72 |
| QD6/3V6.50 | 7872-6065 | 6 | SK | 2 1/2 | 2 23/32 | 11.77 |
| QD8/3V6.50 | 7872-8065 | 8 | SK | 2 1/2 | 3 17/32 | 14.35 |
| ⁶ QD10/3V6.50 | 7873-0065 | 10 | SK | 2 1/2 | 4 11/32 | 14.32 |
| QD1/3V6.90 | 7872-1069 | 1 | SH | 1 5/8 | 11/16 | 6.93 |
| QD2/3V6.90 | 7872-2069 | 2 | SDS | 1 5/8 | 1 3/32 | 7.28 |
| QD3/3V6.90 | 7872-3069 | 3 | SDS | 1 15/16 | 1 1/2 | 8.91 |
| QD4/3V6.90 | 7872-4069 | 4 | SK | 2 1/2 | 1 29/32 | 11.08 |
| QD5/3V6.90 | 7872-5069 | 5 | SK | 2 1/2 | 2 5/16 | 13.04 |
| QD6/3V6.90 | 7872-6069 | 6 | SK | 2 1/2 | 2 23/32 | 14.51 |
| QD8/3V6.90 | 7872-8069 | 8 | SK | 2 1/2 | 3 17/32 | 14.09 |
| QD10/3V6.90 | 7873-0069 | 10 | SK | 2 1/2 | 4 11/32 | 16.40 |
| QD1/3V8.00 | 7872-1080 | 1 | SDS | 1 15/16 | 11/16 | 8.21 |
| QD2/3V8.00 | 7872-2080 | 2 | SDS | 1 15/16 | 1 3/32 | 10.03 |
| QD3/3V8.00 | 7872-3080 | 3 | SK | 2 1/2 | 1 1/2 | 14.44 |
| QD4/3V8.00 | 7872-4080 | 4 | SK | 2 1/2 | 1 29/32 | 16.56 |
| QD5/3V8.00 | 7872-5080 | 5 | SK | 2 1/2 | 2 5/16 | 17.99 |
| QD6/3V8.00 | 7872-6080 | 6 | SK | 2 1/2 | 2 23/32 | 16.93 |
| QD8/3V8.00 | 7872-8080 | 8 | SF | 2 15/16 | 3 17/32 | 19.68 |
| QD10/3V8.00 | 7873-0080 | 10 | SF | 2 15/16 | 4 11/32 | 19.00 |
| QD1/3V10.60 | 7872-1106 | 1 | SDS | 1 15/16 | 11/16 | 14.13 |
| QD2/3V10.60 | 7872-2106 | 2 | SK | 1 15/16 | 1 3/32 | 19.80 |
| QD3/3V10.60 | 7872-3106 | 3 | SK | 2 1/2 | 1 1/2 | 16.10 |
| QD4/3V10.60 | 7872-4106 | 4 | SK | 2 1/2 | 1 29/32 | 17.29 |
| QD5/3V10.60 | 7872-5106 | 5 | SK | 2 1/2 | 2 5/16 | 32.74 |

HEAVY DUTY V-BELT METAL

6 Standard/Non-Stock item. Check with Customer Service for availability.



Super HC[®] Sheaves - QD[®]**Product No. Series 7872 & 7873 (continued)****3V Section (continued)**

| Part No. | Product No. | No. of Grooves | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|--------------------------|-------------|----------------|---------|-----------------|------------------|----------------|
| QD6/3V10.60 | 7872-6106 | 6 | SF | 2 15/16 | 2 23/32 | 35.49 |
| QD8/3V10.60 | 7872-8106 | 8 | SF | 2 15/16 | 3 17/32 | 24.87 |
| QD10/3V10.60 | 7873-0106 | 10 | E | 3 1/2 | 4 11/32 | 31.29 |
| QD1/3V14.00 | 7872-1140 | 1 | SK | 2 1/2 | 1 1/16 | 17.53 |
| QD2/3V14.00 | 7872-2140 | 2 | SK | 2 1/2 | 1 3/32 | 14.82 |
| QD3/3V14.00 | 7872-3140 | 3 | SK | 2 1/2 | 1 1/2 | 20.33 |
| QD4/3V14.00 | 7872-4140 | 4 | SK | 2 1/2 | 1 29/32 | 26.13 |
| QD5/3V14.00 | 7872-5140 | 5 | SF | 2 15/16 | 2 5/16 | 30.47 |
| QD6/3V14.00 | 7872-6140 | 6 | SF | 2 15/16 | 2 23/32 | 33.26 |
| QD8/3V14.00 | 7872-8140 | 8 | E | 3 1/2 | 3 17/32 | 45.54 |
| QD10/3V14.00 | 7873-0140 | 10 | E | 3 1/2 | 4 11/32 | 49.70 |
| QD1/3V19.00 | 7872-1190 | 1 | SK | 2 1/2 | 1 1/16 | 34.81 |
| QD2/3V19.00 | 7872-2190 | 2 | SK | 2 1/2 | 1 3/32 | 35.06 |
| QD3/3V19.00 | 7872-3190 | 3 | SF | 2 15/16 | 1 1/2 | 34.30 |
| QD4/3V19.00 | 7872-4190 | 4 | SF | 2 15/16 | 1 29/32 | 36.99 |
| QD5/3V19.00 | 7872-5190 | 5 | SF | 2 15/16 | 2 5/16 | 43.65 |
| QD6/3V19.00 | 7872-6190 | 6 | E | 3 1/2 | 2 23/32 | 50.77 |
| ⁶ QD8/3V19.00 | 7872-8190 | 8 | E | 3 1/2 | 3 17/32 | 60.75 |
| QD10/3V19.00 | 7873-0190 | 10 | E | 3 1/2 | 4 11/32 | 72.30 |
| QD2/3V25.00 | 7872-2250 | 2 | SF | 2 15/16 | 1 3/32 | 33.75 |
| QD3/3V25.00 | 7872-3250 | 3 | SF | 2 15/16 | 1 1/2 | 51.50 |
| QD4/3V25.00 | 7872-4250 | 4 | SF | 2 15/16 | 1 29/32 | 49.00 |
| QD5/3V25.00 | 7872-5250 | 5 | E | 3 1/2 | 2 5/16 | 68.00 |
| QD6/3V25.00 | 7872-6250 | 6 | E | 3 1/2 | 2 23/32 | 66.50 |
| QD8/3V25.00 | 7872-8250 | 8 | E | 3 1/2 | 3 17/32 | 84.50 |
| QD10/3V25.00 | 7873-0250 | 10 | F | 3 15/16 | 4 11/32 | 98.60 |
| ⁶ QD3/3V33.50 | 7872-3335 | 3 | SF | 2 15/16 | 1 1/2 | 75.50 |
| QD4/3V33.50 | 7872-4335 | 4 | E | 3 1/2 | 1 29/32 | 96.00 |
| QD5/3V33.50 | 7872-5335 | 5 | E | 3 1/2 | 2 5/16 | 97.50 |
| QD6/3V33.50 | 7872-6335 | 6 | E | 3 1/2 | 2 23/32 | 105.00 |
| QD8/3V33.50 | 7872-8335 | 8 | F | 3 15/16 | 3 17/32 | 137.00 |
| QD10/3V33.50 | 7873-0335 | 10 | F | 3 15/16 | 4 11/32 | 178.00 |

HEAVY DUTY V-BELT METAL

Product No. Series 7874 & 7875**5V Section**

| Part No. | Product No. | No. of Grooves | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|----------------|---------|-----------------|------------------|----------------|
| QD2/5V4.40 | 7874-2044 | 2 | SH | 1 5/8 | 1 11/16 | 3.27 |
| QD3/5V4.40 | 7874-3044 | 3 | SDS | 1 15/16 | 2 3/8 | 4.41 |
| QD4/5V4.40 | 7874-4044 | 4 | SD | 1 15/16 | 3 1/16 | 5.53 |
| QD5/5V4.40 | 7874-5044 | 5 | SD | 1 15/16 | 3 3/4 | 6.42 |
| ⁶ QD6/5V4.40 | 7874-6044 | 6 | SD | 1 15/16 | 4 7/16 | 7.45 |
| QD2/5V4.65 | 7874-2046 | 2 | SDS | 1 15/16 | 1 11/16 | 4.16 |
| QD3/5V4.65 | 7874-3046 | 3 | SDS | 1 15/16 | 2 3/8 | 4.51 |
| QD4/5V4.65 | 7874-4046 | 4 | SD | 1 15/16 | 3 1/16 | 6.70 |
| ⁶ QD5/5V4.65 | 7874-5046 | 5 | SD | 1 15/16 | 3 3/4 | 7.94 |
| ⁶ QD6/5V4.65 | 7874-6046 | 6 | SD | 1 15/16 | 4 7/16 | 8.54 |
| QD2/5V4.90 | 7874-2049 | 2 | SDS | 1 15/16 | 1 11/16 | 3.95 |
| QD3/5V4.90 | 7874-3049 | 3 | SDS | 1 15/16 | 2 3/8 | 5.00 |
| QD4/5V4.90 | 7874-4049 | 4 | SD | 1 15/16 | 3 1/16 | 6.60 |
| ⁶ QD5/5V4.90 | 7874-5049 | 5 | SD | 1 15/16 | 3 3/4 | 8.58 |
| QD6/5V4.90 | 7874-6049 | 6 | SD | 1 15/16 | 4 7/16 | 10.32 |
| QD2/5V5.20 | 7874-2052 | 2 | SDS | 1 15/16 | 1 11/16 | 4.55 |
| QD3/5V5.20 | 7874-3052 | 3 | SDS | 1 15/16 | 2 3/8 | 5.79 |
| QD4/5V5.20 | 7874-4052 | 4 | SD | 1 15/16 | 3 1/16 | 7.70 |
| QD5/5V5.20 | 7874-5052 | 5 | SD | 1 15/16 | 3 3/4 | 8.69 |
| QD6/5V5.20 | 7874-6052 | 6 | SD | 1 15/16 | 4 7/16 | 10.28 |
| QD2/5V5.50 | 7874-2055 | 2 | SDS | 1 15/16 | 1 11/16 | 5.15 |

⁶ Standard/Non-Stock item. Check with Customer Service for availability.

**Super HC[®] Sheaves - QD[®]****Product No. Series 7874 & 7875 (continued)****5V Section (continued)**

| Part No. | Product No. | No. of Grooves | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|----------------|---------|-----------------|------------------|----------------|
| QD3/5V5.50 | 7874-3055 | 3 | SDS | 1 15/16 | 2 3/8 | 6.47 |
| QD4/5V5.50 | 7874-4055 | 4 | SD | 1 15/16 | 3 1/16 | 9.15 |
| QD5/5V5.50 | 7874-5055 | 5 | SD | 1 15/16 | 3 3/4 | 10.24 |
| ⁶ QD6/5V5.50 | 7874-6055 | 6 | SD | 1 15/16 | 4 7/16 | 11.53 |
| QD2/5V5.90 | 7874-2059 | 2 | SDS | 1 15/16 | 1 11/16 | 6.16 |
| QD3/5V5.90 | 7874-3059 | 3 | SDS | 1 15/16 | 2 3/8 | 7.87 |
| QD4/5V5.90 | 7874-4059 | 4 | SD | 1 15/16 | 3 1/16 | 10.25 |
| QD5/5V5.90 | 7874-5059 | 5 | SK | 2 1/2 | 3 3/4 | 10.82 |
| QD6/5V5.90 | 7874-6059 | 6 | SK | 2 1/2 | 4 7/16 | 12.30 |
| QD2/5V6.30 | 7874-2063 | 2 | SK | 2 1/2 | 1 11/16 | 7.60 |
| QD3/5V6.30 | 7874-3063 | 3 | SK | 2 1/2 | 2 3/8 | 9.57 |
| QD4/5V6.30 | 7874-4063 | 4 | SK | 2 1/2 | 3 1/16 | 11.01 |
| QD5/5V6.30 | 7874-5063 | 5 | SK | 2 1/2 | 3 3/4 | 12.70 |
| QD6/5V6.30 | 7874-6063 | 6 | SK | 2 1/2 | 4 7/16 | 14.17 |
| QD2/5V6.70 | 7874-2067 | 2 | SK | 2 1/2 | 1 11/16 | 8.96 |
| QD3/5V6.70 | 7874-3067 | 3 | SK | 2 1/2 | 2 3/8 | 10.62 |
| QD4/5V6.70 | 7874-4067 | 4 | SK | 2 1/2 | 3 1/16 | 12.33 |
| QD5/5V6.70 | 7874-5067 | 5 | SF | 2 15/16 | 3 3/4 | 13.84 |
| QD6/5V6.70 | 7874-6067 | 6 | SF | 2 15/16 | 4 7/16 | 16.00 |
| QD2/5V7.10 | 7874-2071 | 2 | SK | 2 1/2 | 1 11/16 | 10.31 |
| QD3/5V7.10 | 7874-3071 | 3 | SF | 2 15/16 | 2 3/8 | 12.35 |
| QD4/5V7.10 | 7874-4071 | 4 | SF | 2 15/16 | 3 1/16 | 14.82 |
| QD5/5V7.10 | 7874-5071 | 5 | SF | 2 15/16 | 3 3/4 | 16.74 |
| QD6/5V7.10 | 7874-6071 | 6 | SF | 2 15/16 | 4 7/16 | 17.79 |
| QD7/5V7.10 | 7874-7071 | 7 | SF | 2 15/16 | 5 1/8 | 18.80 |
| QD8/5V7.10 | 7874-8071 | 8 | SF | 2 15/16 | 5 13/16 | 21.78 |
| QD2/5V7.50 | 7874-2075 | 2 | SK | 2 1/2 | 1 11/16 | 11.77 |
| QD3/5V7.50 | 7874-3075 | 3 | SF | 2 15/16 | 2 3/8 | 13.23 |
| QD4/5V7.50 | 7874-4075 | 4 | SF | 2 15/16 | 3 1/16 | 15.34 |
| QD5/5V7.50 | 7874-5075 | 5 | SF | 2 15/16 | 3 3/4 | 17.98 |
| QD6/5V7.50 | 7874-6075 | 6 | SF | 2 15/16 | 4 7/16 | 21.74 |
| QD7/5V7.50 | 7874-7075 | 7 | SF | 2 15/16 | 5 1/8 | 22.00 |
| QD8/5V7.50 | 7874-8075 | 8 | SF | 2 15/16 | 5 13/16 | 28.04 |
| QD2/5V8.00 | 7874-2080 | 2 | SK | 2 1/2 | 1 11/16 | 14.21 |
| QD3/5V8.00 | 7874-3080 | 3 | SF | 2 15/16 | 2 3/8 | 16.68 |
| QD4/5V8.00 | 7874-4080 | 4 | E | 3 1/2 | 3 1/16 | 18.10 |
| QD5/5V8.00 | 7874-5080 | 5 | E | 3 1/2 | 3 3/4 | 20.22 |
| QD6/5V8.00 | 7874-6080 | 6 | E | 3 1/2 | 4 7/16 | 22.57 |
| QD7/5V8.00 | 7874-7080 | 7 | E | 3 1/2 | 5 1/8 | 25.00 |
| QD8/5V8.00 | 7874-8080 | 8 | E | 3 1/2 | 5 13/16 | 27.48 |
| QD9/5V8.00 | 7874-9080 | 9 | E | 3 1/2 | 6 1/2 | 29.00 |
| QD10/5V8.00 | 7875-0080 | 10 | E | 3 1/2 | 7 3/16 | 31.41 |
| QD2/5V8.50 | 7874-2085 | 2 | SK | 2 1/2 | 1 11/16 | 13.07 |
| QD3/5V8.50 | 7874-3085 | 3 | SF | 2 15/16 | 2 3/8 | 17.78 |
| QD4/5V8.50 | 7874-4085 | 4 | E | 3 1/2 | 3 1/16 | 20.84 |
| QD5/5V8.50 | 7874-5085 | 5 | E | 3 1/2 | 3 3/4 | 24.35 |
| QD6/5V8.50 | 7874-6085 | 6 | E | 3 1/2 | 4 7/16 | 27.39 |
| QD7/5V8.50 | 7874-7085 | 7 | E | 3 1/2 | 5 1/8 | 28.00 |
| QD8/5V8.50 | 7874-8085 | 8 | E | 3 1/2 | 5 13/16 | 36.55 |
| QD9/5V8.50 | 7874-9085 | 9 | E | 3 1/2 | 6 1/2 | 33.00 |
| QD10/5V8.50 | 7875-0085 | 10 | E | 3 1/2 | 7 3/16 | 42.44 |
| QD2/5V9.00 | 7874-2090 | 2 | SK | 2 1/2 | 1 11/16 | 15.80 |
| QD3/5V9.00 | 7874-3090 | 3 | SF | 2 15/16 | 2 3/8 | 21.88 |
| QD4/5V9.00 | 7874-4090 | 4 | E | 3 1/2 | 3 1/16 | 25.95 |
| QD5/5V9.00 | 7874-5090 | 5 | E | 3 1/2 | 3 3/4 | 26.75 |
| QD6/5V9.00 | 7874-6090 | 6 | E | 3 1/2 | 4 7/16 | 29.85 |
| QD7/5V9.00 | 7874-7090 | 7 | E | 3 1/2 | 5 1/8 | 32.00 |
| QD8/5V9.00 | 7874-8090 | 8 | E | 3 1/2 | 5 13/16 | 34.74 |
| QD9/5V9.00 | 7874-9090 | 9 | E | 3 1/2 | 6 1/2 | 37.00 |
| QD10/5V9.00 | 7875-0090 | 10 | F | 3 15/16 | 7 3/16 | 43.66 |
| QD2/5V9.25 | 7874-2092 | 2 | SK | 2 1/2 | 1 11/16 | 19.45 |
| QD3/5V9.25 | 7874-3092 | 3 | SF | 2 15/16 | 2 3/8 | 21.30 |

6 Standard/Non-Stock item. Check with Customer Service for availability.



Super HC[®] Sheaves - QD[®]

Product No. Series 7874 & 7875 (continued)

5V Section (continued)

| Part No. | Product No. | No. of Grooves | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|----------------|---------|-----------------|------------------|----------------|
| QD4/5V9.25 | 7874-4092 | 4 | E | 3 1/2 | 3 1/16 | 25.87 |
| QD5/5V9.25 | 7874-5092 | 5 | E | 3 1/2 | 3 3/4 | 28.32 |
| QD6/5V9.25 | 7874-6092 | 6 | E | 3 1/2 | 4 7/16 | 31.26 |
| QD7/5V9.25 | 7874-7092 | 7 | E | 3 1/2 | 5 1/8 | 33.00 |
| QD8/5V9.25 | 7874-8092 | 8 | F | 3 15/16 | 5 13/16 | 43.35 |
| QD9/5V9.25 | 7874-9092 | 9 | F | 3 15/16 | 6 1/2 | 42.00 |
| QD10/5V9.25 | 7875-0092 | 10 | F | 3 15/16 | 7 3/16 | 48.23 |
| QD2/5V9.75 | 7874-2097 | 2 | SK | 2 1/2 | 1 11/16 | 22.54 |
| QD3/5V9.75 | 7874-3097 | 3 | SF | 2 15/16 | 2 3/8 | 22.04 |
| QD4/5V9.75 | 7874-4097 | 4 | E | 3 1/2 | 3 1/16 | 29.15 |
| QD5/5V9.75 | 7874-5097 | 5 | E | 3 1/2 | 3 3/4 | 33.29 |
| QD6/5V9.75 | 7874-6097 | 6 | E | 3 1/2 | 4 7/16 | 34.98 |
| QD7/5V9.75 | 7874-7097 | 7 | E | 3 1/2 | 5 1/8 | 37.00 |
| QD8/5V9.75 | 7874-8097 | 8 | F | 3 15/16 | 5 13/16 | 53.57 |
| QD9/5V9.75 | 7874-9097 | 9 | F | 3 15/16 | 6 1/2 | 48.00 |
| QD10/5V9.75 | 7875-0097 | 10 | F | 3 15/16 | 7 3/16 | 51.62 |
| QD2/5V10.30 | 7874-2103 | 2 | SK | 2 1/2 | 1 11/16 | 20.65 |
| QD3/5V10.30 | 7874-3103 | 3 | SF | 2 15/16 | 2 3/8 | 22.65 |
| QD4/5V10.30 | 7874-4103 | 4 | E | 3 1/2 | 3 1/16 | 33.48 |
| QD5/5V10.30 | 7874-5103 | 5 | E | 3 1/2 | 3 3/4 | 37.53 |
| QD6/5V10.30 | 7874-6103 | 6 | E | 3 1/2 | 4 7/16 | 43.44 |
| QD7/5V10.30 | 7874-7103 | 7 | F | 3 15/16 | 5 1/8 | 49.00 |
| QD8/5V10.30 | 7874-8103 | 8 | F | 3 15/16 | 5 13/16 | 53.39 |
| QD9/5V10.30 | 7874-9103 | 9 | F | 3 15/16 | 6 1/2 | 55.00 |
| QD10/5V10.30 | 7875-0103 | 10 | F | 3 15/16 | 7 3/16 | 58.30 |
| QD2/5V10.90 | 7874-2109 | 2 | SK | 2 1/2 | 1 11/16 | 19.41 |
| QD3/5V10.90 | 7874-3109 | 3 | SF | 2 15/16 | 2 3/8 | 25.16 |
| QD4/5V10.90 | 7874-4109 | 4 | E | 3 1/2 | 3 1/16 | 37.33 |
| QD5/5V10.90 | 7874-5109 | 5 | E | 3 1/2 | 3 3/4 | 41.75 |
| QD6/5V10.90 | 7874-6109 | 6 | E | 3 1/2 | 4 7/16 | 43.74 |
| QD7/5V10.90 | 7874-7109 | 7 | F | 3 15/16 | 5 1/8 | 55.00 |
| QD8/5V10.90 | 7874-8109 | 8 | F | 3 15/16 | 5 13/16 | 53.00 |
| QD9/5V10.90 | 7874-9109 | 9 | F | 3 15/16 | 6 1/2 | 61.00 |
| QD10/5V10.90 | 7875-0109 | 10 | F | 3 15/16 | 7 3/16 | 84.30 |
| QD2/5V11.30 | 7874-2113 | 2 | SK | 2 1/2 | 1 11/16 | 22.77 |
| QD3/5V11.30 | 7874-3113 | 3 | SF | 2 15/16 | 2 3/8 | 28.46 |
| QD4/5V11.30 | 7874-4113 | 4 | E | 3 1/2 | 3 1/16 | 41.12 |
| QD5/5V11.30 | 7874-5113 | 5 | E | 3 1/2 | 3 3/4 | 47.90 |
| QD6/5V11.30 | 7874-6113 | 6 | E | 3 1/2 | 4 7/16 | 50.67 |
| QD7/5V11.30 | 7874-7113 | 7 | F | 3 15/16 | 5 1/8 | 62.00 |
| QD8/5V11.30 | 7874-8113 | 8 | F | 3 15/16 | 5 13/16 | 76.94 |
| QD9/5V11.30 | 7874-9113 | 9 | F | 3 15/16 | 6 1/2 | 69.00 |
| QD10/5V11.30 | 7875-0113 | 10 | F | 3 15/16 | 7 3/16 | 75.40 |
| QD2/5V11.80 | 7874-2118 | 2 | SK | 2 1/2 | 1 11/16 | 28.10 |
| QD3/5V11.80 | 7874-3118 | 3 | SF | 2 15/16 | 2 3/8 | 27.29 |
| QD4/5V11.80 | 7874-4118 | 4 | E | 3 1/2 | 3 1/16 | 36.84 |
| QD5/5V11.80 | 7874-5118 | 5 | E | 3 1/2 | 3 3/4 | 39.27 |
| QD6/5V11.80 | 7874-6118 | 6 | E | 3 1/2 | 4 7/16 | 46.86 |
| QD7/5V11.80 | 7874-7118 | 7 | F | 3 15/16 | 5 1/8 | 52.00 |
| QD8/5V11.80 | 7874-8118 | 8 | F | 3 15/16 | 5 13/16 | 71.70 |
| QD9/5V11.80 | 7874-9118 | 9 | F | 3 15/16 | 6 1/2 | 60.00 |
| QD10/5V11.80 | 7875-0118 | 10 | F | 3 15/16 | 7 3/16 | 90.94 |
| QD2/5V12.50 | 7874-2125 | 2 | SF | 2 1/2 | 1 11/16 | 24.87 |
| QD3/5V12.50 | 7874-3125 | 3 | E | 3 1/2 | 2 3/8 | 36.96 |
| QD4/5V12.50 | 7874-4125 | 4 | E | 3 1/2 | 3 1/16 | 37.54 |
| QD5/5V12.50 | 7874-5125 | 5 | E | 3 1/2 | 3 3/4 | 41.46 |
| QD6/5V12.50 | 7874-6125 | 6 | F | 3 15/16 | 4 7/16 | 62.90 |
| QD7/5V12.50 | 7874-7125 | 7 | F | 3 15/16 | 5 1/8 | 58.00 |
| QD8/5V12.50 | 7874-8125 | 8 | F | 3 15/16 | 5 13/16 | 90.18 |
| QD9/5V12.50 | 7874-9125 | 9 | F | 3 15/16 | 6 1/2 | 66.00 |
| QD10/5V12.50 | 7875-0125 | 10 | J | 4 1/2 | 7 3/16 | 116.00 |
| QD2/5V13.20 | 7874-2132 | 2 | SF | 2 15/16 | 1 11/16 | 27.64 |

HEAVY DUTY V-BELT METAL

**Super HC[®] Sheaves - QD[®]****Product No. Series 7874 & 7875 (continued)****5V Section (continued)**

| Part No. | Product No. | No. of Grooves | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|----------------|---------|-----------------|------------------|----------------|
| QD3/5V13.20 | 7874-3132 | 3 | E | 3 1/2 | 2 3/8 | 40.07 |
| QD4/5V13.20 | 7874-4132 | 4 | E | 3 1/2 | 3 1/16 | 39.66 |
| QD5/5V13.20 | 7874-5132 | 5 | E | 3 1/2 | 3 3/4 | 44.73 |
| QD6/5V13.20 | 7874-6132 | 6 | F | 3 15/16 | 4 7/16 | 61.44 |
| QD7/5V13.20 | 7874-7132 | 7 | F | 3 15/16 | 5 1/8 | 63.00 |
| QD8/5V13.20 | 7874-8132 | 8 | F | 3 15/16 | 5 13/16 | 92.00 |
| QD9/5V13.20 | 7874-9132 | 9 | F | 3 15/16 | 6 1/2 | 72.00 |
| QD10/5V13.20 | 7875-0132 | 10 | J | 4 1/2 | 7 3/16 | 125.00 |
| QD2/5V14.00 | 7874-2140 | 2 | SF | 2 15/16 | 1 11/16 | 30.69 |
| QD3/5V14.00 | 7874-3140 | 3 | E | 3 1/2 | 2 3/8 | 39.06 |
| QD4/5V14.00 | 7874-4140 | 4 | E | 3 1/2 | 3 1/16 | 46.66 |
| QD5/5V14.00 | 7874-5140 | 5 | E | 3 1/2 | 3 3/4 | 52.80 |
| QD6/5V14.00 | 7874-6140 | 6 | F | 3 15/16 | 4 7/16 | 68.72 |
| QD7/5V14.00 | 7874-7140 | 7 | F | 3 15/16 | 5 1/8 | 67.00 |
| QD8/5V14.00 | 7874-8140 | 8 | F | 3 15/16 | 5 13/16 | 118.00 |
| QD9/5V14.00 | 7874-9140 | 9 | F | 3 15/16 | 6 1/2 | 78.00 |
| QD10/5V14.00 | 7875-0140 | 10 | J | 4 1/2 | 7 3/16 | 145.00 |
| QD2/5V15.00 | 7874-2150 | 2 | SF | 2 15/16 | 1 11/16 | 34.57 |
| QD3/5V15.00 | 7874-3150 | 3 | E | 3 1/2 | 2 3/8 | 41.55 |
| QD4/5V15.00 | 7874-4150 | 4 | E | 3 1/2 | 3 1/16 | 51.35 |
| QD5/5V15.00 | 7874-5150 | 5 | E | 3 1/2 | 3 3/4 | 53.79 |
| QD6/5V15.00 | 7874-6150 | 6 | F | 3 15/16 | 4 7/16 | 75.74 |
| QD7/5V15.00 | 7874-7150 | 7 | F | 3 15/16 | 5 1/8 | 66.00 |
| QD8/5V15.00 | 7874-8150 | 8 | F | 3 15/16 | 5 13/16 | 86.56 |
| QD9/5V15.00 | 7874-9150 | 9 | J | 4 1/2 | 6 1/2 | 91.00 |
| QD10/5V15.00 | 7875-0150 | 10 | J | 4 1/2 | 7 3/16 | 180.00 |
| QD2/5V16.00 | 7874-2160 | 2 | SF | 2 15/16 | 1 11/16 | 36.58 |
| QD3/5V16.00 | 7874-3160 | 3 | E | 3 1/2 | 2 3/8 | 43.96 |
| QD4/5V16.00 | 7874-4160 | 4 | E | 3 1/2 | 3 1/16 | 54.57 |
| QD5/5V16.00 | 7874-5160 | 5 | E | 3 1/2 | 3 3/4 | 59.56 |
| QD6/5V16.00 | 7874-6160 | 6 | F | 3 15/16 | 4 7/16 | 79.82 |
| QD7/5V16.00 | 7874-7160 | 7 | F | 3 15/16 | 5 1/8 | 71.00 |
| QD8/5V16.00 | 7874-8160 | 8 | F | 3 15/16 | 5 13/16 | 88.00 |
| QD9/5V16.00 | 7874-9160 | 9 | J | 4 1/2 | 6 1/2 | 91.00 |
| QD10/5V16.00 | 7875-0160 | 10 | J | 4 1/2 | 7 3/16 | 200.00 |
| QD2/5V18.70 | 7874-2187 | 2 | SF | 2 15/16 | 1 11/16 | 53.90 |
| QD3/5V18.70 | 7874-3187 | 3 | E | 3 1/2 | 2 3/8 | 64.51 |
| QD4/5V18.70 | 7874-4187 | 4 | E | 3 1/2 | 3 1/16 | 70.72 |
| QD5/5V18.70 | 7874-5187 | 5 | F | 3 15/16 | 3 3/4 | 85.00 |
| QD6/5V18.70 | 7874-6187 | 6 | F | 3 15/16 | 4 7/16 | 152.00 |
| QD7/5V18.70 | 7874-7187 | 7 | F | 3 15/16 | 5 1/8 | 88.00 |
| QD8/5V18.70 | 7874-8187 | 8 | J | 4 1/2 | 5 13/16 | 128.00 |
| QD9/5V18.70 | 7874-9187 | 9 | J | 4 1/2 | 6 1/2 | 110.00 |
| QD10/5V18.70 | 7875-0187 | 10 | J | 4 1/2 | 7 3/16 | 200.00 |
| QD2/5V21.20 | 7874-2212 | 2 | SF | 2 15/16 | 1 11/16 | 46.00 |
| QD3/5V21.20 | 7874-3212 | 3 | E | 3 1/2 | 2 3/8 | 62.00 |
| QD4/5V21.20 | 7874-4212 | 4 | E | 3 1/2 | 3 1/16 | 71.00 |
| QD5/5V21.20 | 7874-5212 | 5 | F | 3 15/16 | 3 3/4 | 105.00 |
| QD6/5V21.20 | 7874-6212 | 6 | F | 3 15/16 | 4 7/16 | 101.00 |
| QD7/5V21.20 | 7874-7212 | 7 | J | 4 1/2 | 5 1/8 | 113.00 |
| QD8/5V21.20 | 7874-8212 | 8 | J | 4 1/2 | 5 13/16 | 145.00 |
| QD9/5V21.20 | 7874-9212 | 9 | J | 4 1/2 | 6 1/2 | 127.00 |
| QD10/5V21.20 | 7875-0212 | 10 | J | 4 1/2 | 7 3/16 | 188.00 |
| QD2/5V23.60 | 7874-2236 | 2 | E | 3 1/2 | 1 11/16 | 46.00 |
| QD3/5V23.60 | 7874-3236 | 3 | E | 3 1/2 | 2 3/8 | 69.00 |
| QD4/5V23.60 | 7874-4236 | 4 | F | 3 15/16 | 3 1/16 | 110.00 |
| QD5/5V23.60 | 7874-5236 | 5 | F | 3 15/16 | 3 3/4 | 120.00 |
| QD6/5V23.60 | 7874-6236 | 6 | J | 4 1/2 | 4 7/16 | 142.00 |
| QD7/5V23.60 | 7874-7236 | 7 | J | 4 1/2 | 5 1/8 | 123.00 |
| QD8/5V23.60 | 7874-8236 | 8 | J | 4 1/2 | 5 13/16 | 165.00 |
| QD9/5V23.60 | 7874-9236 | 9 | J | 4 1/2 | 6 1/2 | 145.00 |
| QD10/5V23.60 | 7875-0236 | 10 | M | 5 1/2 | 7 3/16 | 217.00 |

HEAVY DUTY V-BELT METAL



Super HC[®] Sheaves - QD[®]

Product No. Series 7874 & 7875 (continued)

5V Section (continued)

| Part No. | Product No. | No. of Grooves | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|----------------|---------|-----------------|------------------|----------------|
| QD2/5V28.00 | 7874-2280 | 2 | E | 3 1/2 | 1 11/16 | 94.08 |
| QD3/5V28.00 | 7874-3280 | 3 | E | 3 1/2 | 2 3/8 | 93.99 |
| QD4/5V28.00 | 7874-4280 | 4 | F | 3 15/16 | 3 1/16 | 128.00 |
| QD5/5V28.00 | 7874-5280 | 5 | F | 3 15/16 | 3 3/4 | 141.00 |
| QD6/5V28.00 | 7874-6280 | 6 | J | 4 1/2 | 4 7/16 | 151.00 |
| QD7/5V28.00 | 7874-7280 | 7 | J | 4 1/2 | 5 1/8 | 162.00 |
| QD8/5V28.00 | 7874-8280 | 8 | J | 4 1/2 | 5 13/16 | 178.00 |
| QD9/5V28.00 | 7874-9280 | 9 | M | 5 1/2 | 6 1/2 | 230.00 |
| QD10/5V28.00 | 7875-0280 | 10 | M | 5 1/2 | 7 3/16 | 260.00 |
| QD3/5V31.50 | 7874-3315 | 3 | F | 3 15/16 | 2 3/8 | 110.00 |
| QD4/5V31.50 | 7874-4315 | 4 | F | 3 15/16 | 3 1/16 | 145.00 |
| QD5/5V31.50 | 7874-5315 | 5 | J | 4 1/2 | 3 3/4 | 165.90 |
| QD6/5V31.50 | 7874-6315 | 6 | J | 4 1/2 | 4 7/16 | 190.00 |
| QD7/5V31.50 | 7874-7315 | 7 | J | 4 1/2 | 5 1/8 | 192.00 |
| QD8/5V31.50 | 7874-8315 | 8 | M | 5 1/2 | 5 13/16 | 286.00 |
| QD9/5V31.50 | 7874-9315 | 9 | M | 5 1/2 | 6 1/2 | 281.00 |
| QD10/5V31.50 | 7875-0315 | 10 | M | 5 1/2 | 7 3/16 | 286.00 |
| QD3/5V37.50 | 7874-3375 | 3 | F | 3 15/16 | 2 3/8 | 144.00 |
| QD4/5V37.50 | 7874-4375 | 4 | F | 3 15/16 | 3 1/16 | 180.50 |
| QD5/5V37.50 | 7874-5375 | 5 | J | 4 1/2 | 3 3/4 | 225.50 |
| QD6/5V37.50 | 7874-6375 | 6 | J | 4 1/2 | 4 7/16 | 235.00 |
| QD7/5V37.50 | 7874-7375 | 7 | M | 5 1/2 | 5 1/8 | 304.00 |
| QD8/5V37.50 | 7874-8375 | 8 | M | 5 1/2 | 5 13/16 | 324.00 |
| QD9/5V37.50 | 7874-9375 | 9 | M | 5 1/2 | 6 1/2 | 335.00 |
| QD10/5V37.50 | 7875-0375 | 10 | M | 5 1/2 | 7 3/16 | 340.00 |
| QD3/5V50.00 | 7874-3500 | 3 | F | 3 15/16 | 2 3/8 | 420.00 |
| QD4/5V50.00 | 7874-4500 | 4 | J | 4 1/2 | 3 1/16 | 328.00 |
| QD5/5V50.00 | 7874-5500 | 5 | J | 4 1/2 | 3 3/4 | 290.00 |
| QD6/5V50.00 | 7874-6500 | 6 | M | 5 1/2 | 4 7/16 | 360.00 |
| QD7/5V50.00 | 7874-7500 | 7 | M | 5 1/2 | 5 1/8 | 477.00 |
| QD8/5V50.00 | 7874-8500 | 8 | M | 5 1/2 | 5 13/16 | 444.00 |
| QD9/5V50.00 | 7874-9500 | 9 | M | 5 1/2 | 6 1/2 | 520.00 |
| QD10/5V50.00 | 7875-0500 | 10 | M | 5 1/2 | 7 3/16 | 540.00 |

HEAVY DUTY V-BELT METAL

Product No. Series 7876 & 7877

8V Section

| Part No. | Product No. | No. of Grooves | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|---------------------------|-------------|----------------|---------|-----------------|------------------|----------------|
| QD4/8V12.50 | 7876-4125 | 4 | F | 3 15/16 | 4 7/8 | 74.65 |
| QD5/8V12.50 | 7876-5125 | 5 | F | 3 15/16 | 6 | 70.00 |
| QD6/8V12.50 | 7876-6125 | 6 | F | 3 15/16 | 7 1/8 | 91.43 |
| QD8/8V12.50 | 7876-8125 | 8 | J | 4 1/2 | 9 3/8 | 110.00 |
| QD10/8V12.50 | 7877-0125 | 10 | J | 4 1/2 | 11 5/8 | 133.00 |
| QD12/8V12.50 | 7877-2125 | 12 | M | 5 1/2 | 13 7/8 | 153.00 |
| QD4/8V13.20 | 7876-4132 | 4 | F | 3 15/16 | 4 7/8 | 88.00 |
| QD5/8V13.20 | 7876-5132 | 5 | F | 3 15/16 | 6 | 82.96 |
| QD6/8V13.20 | 7876-6132 | 6 | F | 3 15/16 | 7 1/8 | 91.00 |
| QD8/8V13.20 | 7876-8132 | 8 | J | 4 1/2 | 9 3/8 | 128.00 |
| QD10/8V13.20 | 7877-0132 | 10 | J | 4 1/2 | 11 5/8 | 151.00 |
| ⁶ QD12/8V13.20 | 7877-2132 | 12 | M | 5 1/2 | 13 7/8 | 180.00 |
| QD4/8V14.00 | 7876-4140 | 4 | F | 3 15/16 | 4 7/8 | 76.69 |
| QD5/8V14.00 | 7876-5140 | 5 | F | 3 15/16 | 6 | 104.00 |
| QD6/8V14.00 | 7876-6140 | 6 | F | 3 15/16 | 7 1/8 | 118.00 |
| QD8/8V14.00 | 7876-8140 | 8 | J | 4 1/2 | 9 3/8 | 131.00 |
| QD10/8V14.00 | 7877-0140 | 10 | J | 4 1/2 | 11 5/8 | 168.00 |
| QD12/8V14.00 | 7877-2140 | 12 | M | 5 1/2 | 13 7/8 | 186.00 |
| QD4/8V15.00 | 7876-4150 | 4 | F | 3 15/16 | 4 7/8 | 111.00 |
| QD5/8V15.00 | 7876-5150 | 5 | F | 3 15/16 | 6 | 105.50 |

⁶ Standard/Non-Stock item. Check with Customer Service for availability.



**Super HC[®] Sheaves - QD[®]****Product No. Series 7876 & 7877 (continued)****8V Section (continued)**

| Part No. | Product No. | No. of Grooves | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|---------------------------|-------------|----------------|---------|-----------------|------------------|----------------|
| QD6/8V15.00 | 7876-6150 | 6 | J | 4 1/2 | 7 1/8 | 128.00 |
| QD8/8V15.00 | 7876-8150 | 8 | J | 4 1/2 | 9 3/8 | 154.00 |
| QD10/8V15.00 | 7877-0150 | 10 | M | 5 1/2 | 11 5/8 | 181.00 |
| QD12/8V15.00 | 7877-2150 | 12 | M | 5 1/2 | 13 7/8 | 221.00 |
| QD4/8V16.00 | 7876-4160 | 4 | F | 3 15/16 | 4 7/8 | 97.00 |
| QD5/8V16.00 | 7876-5160 | 5 | F | 3 15/16 | 6 | 110.00 |
| QD6/8V16.00 | 7876-6160 | 6 | J | 4 1/2 | 7 1/8 | 143.00 |
| QD8/8V16.00 | 7876-8160 | 8 | J | 4 1/2 | 9 3/8 | 153.00 |
| QD10/8V16.00 | 7877-0160 | 10 | M | 5 1/2 | 11 5/8 | 257.00 |
| QD12/8V16.00 | 7877-2160 | 12 | M | 5 1/2 | 13 7/8 | 247.00 |
| ⁶ QD4/8V17.00 | 7876-4170 | 4 | F | 3 15/16 | 4 7/8 | 150.00 |
| QD5/8V17.00 | 7876-5170 | 5 | J | 4 1/2 | 6 | 150.00 |
| QD6/8V17.00 | 7876-6170 | 6 | J | 4 1/2 | 7 1/8 | 138.00 |
| QD8/8V17.00 | 7876-8170 | 8 | M | 5 1/2 | 9 3/8 | 186.00 |
| QD10/8V17.00 | 7877-0170 | 10 | M | 5 1/2 | 11 5/8 | 261.00 |
| QD12/8V17.00 | 7877-2170 | 12 | M | 5 1/2 | 13 7/8 | 267.00 |
| QD4/8V18.00 | 7876-4180 | 4 | F | 3 15/16 | 4 7/8 | 150.00 |
| QD5/8V18.00 | 7876-5180 | 5 | J | 4 1/2 | 6 | 150.00 |
| QD6/8V18.00 | 7876-6180 | 6 | J | 4 1/2 | 7 1/8 | 135.00 |
| QD8/8V18.00 | 7876-8180 | 8 | M | 5 1/2 | 9 3/8 | 218.00 |
| QD10/8V18.00 | 7877-0180 | 10 | M | 5 1/2 | 11 5/8 | 295.00 |
| QD12/8V18.00 | 7877-2180 | 12 | M | 5 1/2 | 13 7/8 | 274.00 |
| QD4/8V19.00 | 7876-4190 | 4 | F | 3 15/16 | 4 7/8 | 100.00 |
| QD5/8V19.00 | 7876-5190 | 5 | J | 4 1/2 | 6 | 146.00 |
| QD6/8V19.00 | 7876-6190 | 6 | J | 4 1/2 | 7 1/8 | 163.00 |
| QD8/8V19.00 | 7876-8190 | 8 | M | 5 1/2 | 9 3/8 | 190.00 |
| QD10/8V19.00 | 7877-0190 | 10 | M | 5 1/2 | 11 5/8 | 249.00 |
| ⁶ QD12/8V19.00 | 7877-2190 | 12 | N | 5 7/8 | 13 7/8 | 306.00 |
| QD4/8V20.00 | 7876-4200 | 4 | J | 4 1/2 | 4 7/8 | 145.00 |
| QD5/8V20.00 | 7876-5200 | 5 | J | 4 1/2 | 6 | 145.00 |
| QD6/8V20.00 | 7876-6200 | 6 | M | 5 1/2 | 7 1/8 | 100.00 |
| QD8/8V20.00 | 7876-8200 | 8 | M | 5 1/2 | 9 3/8 | 212.00 |
| QD10/8V20.00 | 7877-0200 | 10 | M | 5 1/2 | 11 5/8 | 277.00 |
| ⁶ QD12/8V20.00 | 7877-2200 | 12 | N | 5 7/8 | 13 7/8 | 338.00 |
| ⁶ QD4/8V21.20 | 7876-4212 | 4 | J | 4 1/2 | 4 7/8 | 181.00 |
| QD5/8V21.20 | 7876-5212 | 5 | J | 4 1/2 | 6 | 181.00 |
| QD6/8V21.20 | 7876-6212 | 6 | M | 5 1/2 | 7 1/8 | 188.00 |
| QD8/8V21.20 | 7876-8212 | 8 | M | 5 1/2 | 9 3/8 | 282.00 |
| QD10/8V21.20 | 7877-0212 | 10 | M | 5 1/2 | 11 5/8 | 254.00 |
| QD12/8V21.20 | 7877-2212 | 12 | N | 5 7/8 | 13 7/8 | 310.00 |
| ⁶ QD4/8V22.40 | 7876-4224 | 4 | J | 4 1/2 | 4 7/8 | 199.00 |
| QD5/8V22.40 | 7876-5224 | 5 | J | 4 1/2 | 6 | 199.00 |
| QD6/8V22.40 | 7876-6224 | 6 | M | 5 1/2 | 7 1/8 | 221.00 |
| QD8/8V22.40 | 7876-8224 | 8 | M | 5 1/2 | 9 3/8 | 258.00 |
| ⁶ QD10/8V22.40 | 7877-0224 | 10 | N | 5 7/8 | 11 5/8 | 326.00 |
| ⁶ QD12/8V22.40 | 7877-2224 | 12 | N | 5 7/8 | 13 7/8 | 361.00 |
| QD4/8V24.80 | 7876-4248 | 4 | M | 5 1/2 | 4 7/8 | 220.00 |
| ⁶ QD5/8V24.80 | 7876-5248 | 5 | M | 5 1/2 | 6 | 232.00 |
| QD6/8V24.80 | 7876-6248 | 6 | M | 5 1/2 | 7 1/8 | 302.00 |
| QD8/8V24.80 | 7876-8248 | 8 | N | 5 7/8 | 9 3/8 | 362.00 |
| QD10/8V24.80 | 7877-0248 | 10 | N | 5 7/8 | 11 5/8 | 336.00 |
| ⁶ QD12/8V24.80 | 7877-2248 | 12 | N | 5 7/8 | 13 7/8 | 313.00 |
| ⁶ QD4/8V30.00 | 7876-4300 | 4 | M | 5 1/2 | 4 7/8 | 292.00 |
| QD5/8V30.00 | 7876-5300 | 5 | M | 5 1/2 | 6 | 295.00 |
| QD6/8V30.00 | 7876-6300 | 6 | M | 5 1/2 | 7 1/8 | 345.00 |
| QD8/8V30.00 | 7876-8300 | 8 | N | 5 7/8 | 9 3/8 | 410.00 |
| QD10/8V30.00 | 7877-0300 | 10 | N | 5 7/8 | 11 5/8 | 463.00 |
| QD12/8V30.00 | 7877-2300 | 12 | P | 7 | 13 7/8 | 567.00 |
| QD4/8V35.50 | 7876-4355 | 4 | M | 5 1/2 | 4 7/8 | 367.00 |
| ⁶ QD5/8V35.50 | 7876-5355 | 5 | M | 5 1/2 | 6 | 399.00 |
| QD6/8V35.50 | 7876-6355 | 6 | N | 5 7/8 | 7 1/8 | 444.00 |
| QD8/8V35.50 | 7876-8355 | 8 | N | 5 7/8 | 9 3/8 | 508.00 |

6 Standard/Non-Stock item. Check with Customer Service for availability.



Super HC[®] Sheaves - QD[®]

Product No. Series 7876 & 7877 (continued)

8V Section (continued)

| Part No. | Product No. | No. of Grooves | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|---------------------------|-------------|----------------|---------|-----------------|------------------|----------------|
| ⁶ QD10/8V35.50 | 7877-0355 | 10 | P | 7 | 11 5/8 | 605.00 |
| ⁶ QD12/8V35.50 | 7877-2355 | 12 | P | 7 | 13 7/8 | 693.00 |
| ⁶ QD4/8V40.00 | 7876-4400 | 4 | M | 5 1/2 | 4 7/8 | 434.00 |
| QD5/8V40.00 | 7876-5400 | 5 | M | 5 1/2 | 6 | 471.00 |
| QD6/8V40.00 | 7876-6400 | 6 | N | 5 7/8 | 7 1/8 | 519.00 |
| QD8/8V40.00 | 7876-8400 | 8 | N | 5 7/8 | 9 3/8 | 592.00 |
| QD10/8V40.00 | 7877-0400 | 10 | P | 7 | 11 5/8 | 697.00 |
| QD12/8V40.00 | 7877-2400 | 12 | P | 7 | 13 7/8 | 796.00 |
| ⁶ QD4/8V44.50 | 7876-4445 | 4 | M | 5 1/2 | 4 7/8 | 369.00 |
| ⁶ QD5/8V44.50 | 7876-5445 | 5 | N | 5 7/8 | 6 | 427.00 |
| QD6/8V44.50 | 7876-6445 | 6 | N | 5 7/8 | 7 1/8 | 510.00 |
| QD8/8V44.50 | 7876-8445 | 8 | P | 7 | 9 3/8 | 691.00 |
| ⁶ QD10/8V44.50 | 7877-0445 | 10 | P | 7 | 11 5/8 | 754.00 |
| ⁶ QD12/8V44.50 | 7877-2445 | 12 | P | 7 | 13 7/8 | 839.00 |
| ⁶ QD4/8V53.00 | 7876-4530 | 4 | M | 5 1/2 | 4 7/8 | 818.00 |
| ⁶ QD5/8V53.00 | 7876-5530 | 5 | N | 5 7/8 | 6 | 613.00 |
| QD6/8V53.00 | 7876-6530 | 6 | N | 5 7/8 | 7 1/8 | 924.00 |
| QD8/8V53.00 | 7876-8530 | 8 | P | 7 | 9 3/8 | 1040.00 |
| QD10/8V53.00 | 7877-0530 | 10 | P | 7 | 11 5/8 | 1138.00 |
| ⁶ QD12/8V53.00 | 7877-2530 | 12 | W | 8 1/2 | 13 7/8 | 1343.00 |
| QD6/8V63.00 | 7876-6630 | 6 | P | 7 | 7 1/8 | 860.00 |
| ⁶ QD8/8V63.00 | 7876-8630 | 8 | P | 7 | 9 3/8 | 960.00 |
| ⁶ QD10/8V63.00 | 7877-0630 | 10 | W | 8 1/2 | 11 5/8 | 1143.00 |
| ⁶ QD12/8V63.00 | 7877-2630 | 12 | W | 8 1/2 | 13 7/8 | 1777.00 |
| ⁶ QD6/8V71.00 | 7876-6710 | 6 | P | 7 | 7 1/8 | 1558.00 |
| ⁶ QD8/8V71.00 | 7876-8710 | 8 | W | 8 1/2 | 9 3/8 | 1490.00 |
| ⁶ QD10/8V71.00 | 7877-0710 | 10 | W | 8 1/2 | 11 5/8 | 1881.00 |
| ⁶ QD12/8V71.00 | 7877-2710 | 12 | W | 8 1/2 | 13 7/8 | 2002.00 |

HEAVY DUTY V-BELT METAL

⁶ Standard/Non-Stock item. Check with Customer Service for availability.





Multi-Duty® Sheaves - QD®

Markets/Applications

Use with Hi-Power® II, Tri-Power®, Dubl-V, Power Curve®, PowerBack® and classical section PowerBand® belts.

Features/Advantages

- Full split in bushing allows easy installation and removal.
- Precise sheave design produces positive, press fit to shaft.
- Precision manufactured and static balanced.

Notes

The multi-duty function applies to part numbers showing both the A and B dimensions.

Sheaves and bushings must be ordered separately.

Details shown which do not affect drive function or overall weight may be changed without notification.

WARNING: Do NOT use with "A" section PowerBand belts.

Do NOT use these sheaves with rim speeds in excess of 6,500 fpm.



Product No. Series 7831, 7832, & 7833

Combination A or B Section

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|---------------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| QD1A3.0/B3.4 | 7831-1030 | 1 | 3.75 | SH | 1 5/8 | 7/8 | 2.30 |
| QD2A3.0/B3.4 | 7831-2030 | 2 | 3.75 | SH | 1 5/8 | 1 3/4 | 3.39 |
| QD3A3.0/B3.4 | 7831-3030 | 3 | 3.75 | SH | 1 5/8 | 2 1/2 | 4.38 |
| QD4A3.0/B3.4 | 7831-4030 | 4 | 3.75 | SD | 1 15/16 | 3 1/4 | 4.73 |
| QD5A3.0/B3.4 | 7831-5030 | 5 | 3.75 | SD | 1 15/16 | 4 | 5.25 |
| ⁶ QD6A3.0/B3.4 | 7831-6030 | 6 | 3.75 | SD | 1 15/16 | 4 3/4 | 5.95 |
| QD1A3.2/B3.6 | 7831-1032 | 1 | 3.95 | SH | 1 5/8 | 7/8 | 3.00 |
| QD2A3.2/B3.6 | 7831-2032 | 2 | 3.95 | SH | 1 5/8 | 1 3/4 | 2.63 |
| QD3A3.2/B3.6 | 7831-3032 | 3 | 3.95 | SH | 1 5/8 | 2 1/2 | 3.48 |
| QD4A3.2/B3.6 | 7831-4032 | 4 | 3.95 | SD | 1 15/16 | 3 1/4 | 5.14 |
| QD5A3.2/B3.6 | 7831-5032 | 5 | 3.95 | SD | 1 15/16 | 4 | 5.90 |
| ⁶ QD6A3.2/B3.6 | 7831-6032 | 6 | 3.95 | SD | 1 15/16 | 4 3/4 | 6.76 |
| QD1A3.4/B3.8 | 7831-1034 | 1 | 4.15 | SH | 1 5/8 | 7/8 | 1.62 |
| QD2A3.4/B3.8 | 7831-2034 | 2 | 4.15 | SH | 1 5/8 | 1 3/4 | 2.95 |
| QD3A3.4/B3.8 | 7831-3034 | 3 | 4.15 | SH | 1 5/8 | 2 1/2 | 4.01 |
| QD4A3.4/B3.8 | 7831-4034 | 4 | 4.15 | SD | 1 15/16 | 3 1/4 | 6.32 |
| QD5A3.4/B3.8 | 7831-5034 | 5 | 4.15 | SD | 1 15/16 | 4 | 6.41 |
| ⁶ QD6A3.4/B3.8 | 7831-6034 | 6 | 4.15 | SD | 1 15/16 | 4 3/4 | 7.25 |
| QD1A3.6/B4.0 | 7831-1036 | 1 | 4.35 | SH | 1 5/8 | 7/8 | 1.86 |
| QD2A3.6/B4.0 | 7831-2036 | 2 | 4.35 | SH | 1 5/8 | 1 3/4 | 3.20 |
| QD3A3.6/B4.0 | 7831-3036 | 3 | 4.35 | SH | 1 5/8 | 2 1/2 | 4.18 |
| QD4A3.6/B4.0 | 7831-4036 | 4 | 4.35 | SD | 1 15/16 | 3 1/4 | 5.54 |
| QD5A3.6/B4.0 | 7831-5036 | 5 | 4.35 | SD | 1 15/16 | 4 | 6.58 |
| ⁶ QD6A3.6/B4.0 | 7831-6036 | 6 | 4.35 | SD | 1 15/16 | 4 3/4 | 6.94 |
| QD1A3.8/B4.2 | 7831-1038 | 1 | 4.55 | SH | 1 5/8 | 7/8 | 2.13 |
| QD2A3.8/B4.2 | 7831-2038 | 2 | 4.55 | SH | 1 5/8 | 1 3/4 | 3.57 |
| QD3A3.8/B4.2 | 7831-3038 | 3 | 4.55 | SH | 1 5/8 | 2 1/2 | 4.76 |
| QD4A3.8/B4.2 | 7831-4038 | 4 | 4.55 | SD | 1 15/16 | 3 1/4 | 6.33 |
| QD5A3.8/B4.2 | 7831-5038 | 5 | 4.55 | SD | 1 15/16 | 4 | 7.53 |
| QD6A3.8/B4.2 | 7831-6038 | 6 | 4.55 | SD | 1 15/16 | 4 3/4 | 8.71 |
| QD1A4.0/B4.4 | 7831-1040 | 1 | 4.75 | SH | 1 5/8 | 7/8 | 2.42 |
| QD2A4.0/B4.4 | 7831-2040 | 2 | 4.75 | SH | 1 5/8 | 1 3/4 | 3.88 |
| QD3A4.0/B4.4 | 7831-3040 | 3 | 4.75 | SH | 1 5/8 | 2 1/2 | 5.01 |
| QD4A4.0/B4.4 | 7831-4040 | 4 | 4.75 | SD | 1 15/16 | 3 1/4 | 6.74 |
| QD5A4.0/B4.4 | 7831-5040 | 5 | 4.75 | SD | 1 15/16 | 4 | 6.62 |
| QD6A4.0/B4.4 | 7831-6040 | 6 | 4.75 | SD | 1 15/16 | 4 3/4 | 9.13 |
| QD1A4.2/B4.6 | 7831-1042 | 1 | 4.95 | SDS | 1 15/16 | 7/8 | 2.94 |
| QD2A4.2/B4.6 | 7831-2042 | 2 | 4.95 | SDS | 1 15/16 | 1 3/4 | 4.00 |
| QD3A4.2/B4.6 | 7831-3042 | 3 | 4.95 | SD | 1 15/16 | 2 1/2 | 5.89 |
| QD4A4.2/B4.6 | 7831-4042 | 4 | 4.95 | SD | 1 15/16 | 3 1/4 | 7.13 |
| QD5A4.2/B4.6 | 7831-5042 | 5 | 4.95 | SD | 1 15/16 | 4 | 8.30 |
| QD6A4.2/B4.6 | 7831-6042 | 6 | 4.95 | SD | 1 15/16 | 4 3/4 | 9.51 |
| QD1A4.4/B4.8 | 7831-1044 | 1 | 5.15 | SDS | 1 15/16 | 7/8 | 3.24 |
| QD2A4.4/B4.8 | 7831-2044 | 2 | 5.15 | SDS | 1 15/16 | 1 3/4 | 4.31 |

⁶ Standard/Non-Stock item. Check with Customer Service for availability.



Multi-Duty® Sheaves - QD®

Product No. Series 7831, 7832, & 7833 (continued)

Combination A or B Section (continued)

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|---------------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| QD3A4.4/B4.8 | 7831-3044 | 3 | 5.15 | SD | 1 15/16 | 2 1/2 | 6.32 |
| QD4A4.4/B4.8 | 7831-4044 | 4 | 5.15 | SD | 1 15/16 | 3 1/4 | 7.61 |
| QD5A4.4/B4.8 | 7831-5044 | 5 | 5.15 | SD | 1 15/16 | 4 | 8.92 |
| ⁶ QD6A4.4/B4.8 | 7831-6044 | 6 | 5.15 | SD | 1 15/16 | 4 3/4 | 10.16 |
| QD1A4.6/B5.0 | 7831-1046 | 1 | 5.35 | SDS | 1 15/16 | 7/8 | 3.62 |
| QD2A4.6/B5.0 | 7831-2046 | 2 | 5.35 | SDS | 1 15/16 | 1 3/4 | 5.00 |
| QD3A4.6/B5.0 | 7831-3046 | 3 | 5.35 | SD | 1 15/16 | 2 1/2 | 6.92 |
| QD4A4.6/B5.0 | 7831-4046 | 4 | 5.35 | SD | 1 15/16 | 3 1/4 | 8.24 |
| QD5A4.6/B5.0 | 7831-5046 | 5 | 5.35 | SD | 1 15/16 | 4 | 9.68 |
| QD6A4.6/B5.0 | 7831-6046 | 6 | 5.35 | SD | 1 15/16 | 4 3/4 | 10.99 |
| QD1A4.8/B5.2 | 7831-1048 | 1 | 5.55 | SDS | 1 15/16 | 7/8 | 4.00 |
| QD2A4.8/B5.2 | 7831-2048 | 2 | 5.55 | SDS | 1 15/16 | 1 3/4 | 5.33 |
| QD3A4.8/B5.2 | 7831-3048 | 3 | 5.55 | SD | 1 15/16 | 2 1/2 | 7.96 |
| QD4A4.8/B5.2 | 7831-4048 | 4 | 5.55 | SD | 1 15/16 | 3 1/4 | 9.63 |
| QD5A4.8/B5.2 | 7831-5048 | 5 | 5.55 | SD | 1 15/16 | 4 | 11.19 |
| QD6A4.8/B5.2 | 7831-6048 | 6 | 5.55 | SD | 1 15/16 | 4 3/4 | 12.82 |
| QD1A5.0/B5.4 | 7831-1050 | 1 | 5.75 | SDS | 1 15/16 | 7/8 | 4.47 |
| QD2A5.0/B5.4 | 7831-2050 | 2 | 5.75 | SDS | 1 15/16 | 1 3/4 | 5.85 |
| QD3A5.0/B5.4 | 7831-3050 | 3 | 5.75 | SD | 1 15/16 | 2 1/2 | 8.31 |
| QD4A5.0/B5.4 | 7831-4050 | 4 | 5.75 | SD | 1 15/16 | 3 1/4 | 9.98 |
| QD5A5.0/B5.4 | 7831-5050 | 5 | 5.75 | SK | 2 1/2 | 4 | 10.45 |
| QD6A5.0/B5.4 | 7831-6050 | 6 | 5.75 | SK | 2 1/2 | 4 3/4 | 11.56 |
| QD7A5.0/B5.4 | 7831-7050 | 7 | 5.75 | SK | 2 1/2 | 5 1/2 | 12.60 |
| QD8B5.4 | 7832-8054 | 8 | 5.75 | SK | 2 1/2 | 6 1/4 | 13.30 |
| QD10B5.4 | 7833-0054 | 10 | 5.75 | SK | 2 1/2 | 7 3/4 | 17.06 |
| QD1A5.2/B5.6 | 7831-1052 | 1 | 5.95 | SDS | 1 15/16 | 7/8 | 4.59 |
| QD2A5.2/B5.6 | 7831-2052 | 2 | 5.95 | SDS | 1 15/16 | 1 3/4 | 6.01 |
| QD3A5.2/B5.6 | 7831-3052 | 3 | 5.95 | SD | 1 15/16 | 2 1/2 | 9.41 |
| QD4A5.2/B5.6 | 7831-4052 | 4 | 5.95 | SD | 1 15/16 | 3 1/4 | 11.38 |
| QD5A5.2/B5.6 | 7831-5052 | 5 | 5.95 | SK | 2 1/2 | 4 | 11.02 |
| QD6A5.2/B5.6 | 7831-6052 | 6 | 5.95 | SK | 2 1/2 | 4 3/4 | 12.62 |
| QD7A5.2/B5.6 | 7831-7052 | 7 | 5.95 | SK | 2 1/2 | 5 1/2 | 14.00 |
| QD8B5.6 | 7832-8056 | 8 | 5.95 | SK | 2 1/2 | 6 1/4 | 16.82 |
| ⁶ QD10B5.6 | 7833-0056 | 10 | 5.95 | SK | 2 1/2 | 7 3/4 | 18.87 |
| QD1A5.4/B5.8 | 7831-1054 | 1 | 6.15 | SDS | 1 15/16 | 7/8 | 4.80 |
| QD2A5.4/B5.8 | 7831-2054 | 2 | 6.15 | SDS | 1 15/16 | 1 3/4 | 6.57 |
| QD3A5.4/B5.8 | 7831-3054 | 3 | 6.15 | SD | 1 15/16 | 2 1/2 | 9.65 |
| QD4A5.4/B5.8 | 7831-4054 | 4 | 6.15 | SD | 1 15/16 | 3 1/4 | 11.36 |
| QD5A5.4/B5.8 | 7831-5054 | 5 | 6.15 | SK | 2 1/2 | 4 | 12.45 |
| QD6A5.4/B5.8 | 7831-6054 | 6 | 6.15 | SK | 2 1/2 | 4 3/4 | 14.16 |
| QD7A5.4/B5.8 | 7831-7054 | 7 | 6.15 | SK | 2 1/2 | 5 1/2 | 15.10 |
| QD8B5.8 | 7832-8058 | 8 | 6.15 | SK | 2 1/2 | 6 1/4 | 16.60 |
| QD10B5.8 | 7833-0058 | 10 | 6.15 | SK | 2 1/2 | 7 3/4 | 19.80 |
| QD1A5.6/B6.0 | 7831-1056 | 1 | 6.35 | SDS | 1 15/16 | 7/8 | 5.23 |
| QD2A5.6/B6.0 | 7831-2056 | 2 | 6.35 | SDS | 1 15/16 | 1 3/4 | 7.12 |
| QD3A5.6/B6.0 | 7831-3056 | 3 | 6.35 | SD | 1 15/16 | 2 1/2 | 10.78 |
| QD4A5.6/B6.0 | 7831-4056 | 4 | 6.35 | SD | 1 15/16 | 3 1/4 | 12.80 |
| QD5A5.6/B6.0 | 7831-5056 | 5 | 6.35 | SK | 2 1/2 | 4 | 12.78 |
| QD6A5.6/B6.0 | 7831-6056 | 6 | 6.35 | SK | 2 1/2 | 4 3/4 | 15.12 |
| QD7A5.6/B6.0 | 7831-7056 | 7 | 6.35 | SF | 2 15/16 | 5 1/2 | 15.20 |
| QD8B6.0 | 7832-8060 | 8 | 6.35 | SF | 2 15/16 | 6 1/4 | 15.98 |
| ⁶ QD10B6.0 | 7833-0060 | 10 | 6.35 | SF | 2 15/16 | 7 3/4 | 16.79 |
| QD1A5.8/B6.2 | 7831-1058 | 1 | 6.55 | SDS | 1 15/16 | 7/8 | 5.70 |
| QD2A5.8/B6.2 | 7831-2058 | 2 | 6.55 | SDS | 1 15/16 | 1 3/4 | 7.95 |
| QD3A5.8/B6.2 | 7831-3058 | 3 | 6.55 | SD | 1 15/16 | 2 1/2 | 12.02 |
| QD4A5.8/B6.2 | 7831-4058 | 4 | 6.55 | SD | 1 15/16 | 3 1/4 | 14.03 |
| QD5A5.8/B6.2 | 7831-5058 | 5 | 6.55 | SK | 2 1/2 | 4 | 14.10 |
| QD6A5.8/B6.2 | 7831-6058 | 6 | 6.55 | SK | 2 1/2 | 4 3/4 | 16.05 |
| QD7A5.8/B6.2 | 7831-7058 | 7 | 6.55 | SF | 2 15/16 | 5 1/2 | 16.70 |
| QD8B6.2 | 7832-8062 | 8 | 6.55 | SF | 2 15/16 | 6 1/4 | 18.40 |
| QD10B6.2 | 7833-0062 | 10 | 6.55 | SF | 2 15/16 | 7 3/4 | 22.00 |
| QD1A6.0/B6.4 | 7831-1060 | 1 | 6.75 | SDS | 1 15/16 | 7/8 | 5.94 |

HEAVY DUTY V-BELT METAL

⁶ Standard/Non-Stock item. Check with Customer Service for availability.



**Multi-Duty® Sheaves - QD®****Product No. Series 7831, 7832, & 7833 (continued)****Combination A or B Section (continued)**

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|-----------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| QD2A6.0/B6.4 | 7831-2060 | 2 | 6.75 | SDS | 1 15/16 | 1 3/4 | 7.92 |
| QD3A6.0/B6.4 | 7831-3060 | 3 | 6.75 | SD | 1 15/16 | 2 1/2 | 11.73 |
| QD4A6.0/B6.4 | 7831-4060 | 4 | 6.75 | SD | 1 15/16 | 3 1/4 | 13.65 |
| QD5A6.0/B6.4 | 7831-5060 | 5 | 6.75 | SK | 2 1/2 | 4 | 16.76 |
| QD6A6.0/B6.4 | 7831-6060 | 6 | 6.75 | SK | 2 1/2 | 4 3/4 | 15.70 |
| QD7A6.0/B6.4 | 7831-7060 | 7 | 6.75 | SF | 2 15/16 | 5 1/2 | 17.20 |
| QD8B6.4 | 7832-8064 | 8 | 6.75 | SF | 2 15/16 | 6 1/4 | 19.66 |
| ⁶ QD10B6.4 | 7833-0064 | 10 | 6.75 | SF | 2 15/16 | 7 3/4 | 25.16 |
| QD1A6.2/B6.6 | 7831-1062 | 1 | 6.95 | SDS | 1 15/16 | 7/8 | 6.44 |
| QD2A6.2/B6.6 | 7831-2062 | 2 | 6.95 | SDS | 1 15/16 | 1 3/4 | 9.00 |
| QD3A6.2/B6.6 | 7831-3062 | 3 | 6.95 | SD | 1 15/16 | 2 1/2 | 13.50 |
| QD4A6.2/B6.6 | 7831-4062 | 4 | 6.95 | SD | 1 15/16 | 3 1/4 | 15.28 |
| QD5A6.2/B6.6 | 7831-5062 | 5 | 6.95 | SK | 2 1/2 | 4 | 16.04 |
| QD6A6.2/B6.6 | 7831-6062 | 6 | 6.95 | SK | 2 1/2 | 4 3/4 | 20.88 |
| QD7A6.2/B6.6 | 7831-7062 | 7 | 6.95 | SF | 2 15/16 | 5 1/2 | 18.30 |
| QD8B6.6 | 7832-8066 | 8 | 6.95 | SF | 2 15/16 | 6 1/4 | 20.00 |
| QD10B6.6 | 7833-0066 | 10 | 6.95 | SF | 2 15/16 | 7 3/4 | 24.00 |
| QD1A6.4/B6.8 | 7831-1064 | 1 | 7.15 | SDS | 1 15/16 | 7/8 | 7.00 |
| QD2A6.4/B6.8 | 7831-2064 | 2 | 7.15 | SDS | 1 15/16 | 1 3/4 | 9.71 |
| QD3A6.4/B6.8 | 7831-3064 | 3 | 7.15 | SD | 1 15/16 | 2 1/2 | 14.33 |
| QD4A6.4/B6.8 | 7831-4064 | 4 | 7.15 | SD | 1 15/16 | 3 1/4 | 16.95 |
| QD5A6.4/B6.8 | 7831-5064 | 5 | 7.15 | SK | 2 1/2 | 4 | 18.18 |
| QD6A6.4/B6.8 | 7831-6064 | 6 | 7.15 | SK | 2 1/2 | 4 3/4 | 23.28 |
| QD7A6.4/B6.8 | 7831-7064 | 7 | 7.15 | SF | 2 15/16 | 5 1/2 | 19.50 |
| ⁶ QD8B6.8 | 7832-8068 | 8 | 7.15 | SF | 2 15/16 | 6 1/4 | 24.33 |
| ⁶ QD10B6.8 | 7833-0068 | 10 | 7.15 | SF | 2 15/16 | 7 3/4 | 24.40 |
| QD1A6.6/B7.0 | 7831-1066 | 1 | 7.35 | SDS | 1 15/16 | 7/8 | 7.00 |
| QD2A6.6/B7.0 | 7831-2066 | 2 | 7.35 | SK | 2 1/2 | 1 3/4 | 11.21 |
| QD3A6.6/B7.0 | 7831-3066 | 3 | 7.35 | SK | 2 1/2 | 2 1/2 | 13.02 |
| QD4A6.6/B7.0 | 7831-4066 | 4 | 7.35 | SK | 2 1/2 | 3 1/4 | 16.33 |
| QD5A6.6/B7.0 | 7831-5066 | 5 | 7.35 | SF | 2 15/16 | 4 | 16.84 |
| QD6A6.6/B7.0 | 7831-6066 | 6 | 7.35 | SF | 2 15/16 | 4 3/4 | 18.75 |
| QD7A6.6/B7.0 | 7831-7066 | 7 | 7.35 | SF | 2 15/16 | 5 1/2 | 21.00 |
| QD8B7.0 | 7832-8070 | 8 | 7.35 | SF | 2 15/16 | 6 1/4 | 23.00 |
| QD10B7.0 | 7833-0070 | 10 | 7.35 | SF | 2 15/16 | 7 3/4 | 27.00 |
| QD1A7.0/B7.4 | 7831-1070 | 1 | 7.75 | SDS | 1 15/16 | 1 | 8.29 |
| QD2A7.0/B7.4 | 7831-2070 | 2 | 7.75 | SK | 2 1/2 | 1 3/4 | 13.12 |
| QD3A7.0/B7.4 | 7831-3070 | 3 | 7.75 | SK | 2 1/2 | 2 1/2 | 15.17 |
| QD4A7.0/B7.4 | 7831-4070 | 4 | 7.75 | SK | 2 1/2 | 3 1/4 | 18.21 |
| QD5A7.0/B7.4 | 7831-5070 | 5 | 7.75 | SF | 2 15/16 | 4 | 21.39 |
| QD6A7.0/B7.4 | 7831-6070 | 6 | 7.75 | SF | 2 15/16 | 4 3/4 | 20.89 |
| QD7A7.0/B7.4 | 7831-7070 | 7 | 7.75 | SF | 2 15/16 | 5 1/2 | 23.00 |
| QD8B7.4 | 7832-8074 | 8 | 7.75 | SF | 2 15/16 | 6 1/4 | 34.14 |
| ⁶ QD10B7.4 | 7833-0074 | 10 | 7.75 | SF | 2 15/16 | 7 3/4 | 30.00 |
| QD1A7.6/B8.0 | 7831-1076 | 1 | 8.35 | SDS | 1 15/16 | 1 | 9.77 |
| QD2A7.6/B8.0 | 7831-2076 | 2 | 8.35 | SK | 2 1/2 | 1 3/4 | 12.53 |
| QD3A7.6/B8.0 | 7831-3076 | 3 | 8.35 | SK | 2 1/2 | 2 1/2 | 17.46 |
| QD4A7.6/B8.0 | 7831-4076 | 4 | 8.35 | SK | 2 1/2 | 3 1/4 | 20.83 |
| QD5A7.6/B8.0 | 7831-5076 | 5 | 8.35 | SF | 2 15/16 | 4 | 22.14 |
| QD6A7.6/B8.0 | 7831-6076 | 6 | 8.35 | SF | 2 15/16 | 4 3/4 | 23.94 |
| QD1A8.2/B8.6 | 7831-1082 | 1 | 8.95 | SDS | 1 15/16 | 1 | 10.83 |
| QD2A8.2/B8.6 | 7831-2082 | 2 | 8.95 | SK | 2 1/2 | 1 3/4 | 15.65 |
| QD3A8.2/B8.6 | 7831-3082 | 3 | 8.95 | SK | 2 1/2 | 2 1/2 | 22.12 |
| QD4A8.2/B8.6 | 7831-4082 | 4 | 8.95 | SK | 2 1/2 | 3 1/4 | 25.65 |
| QD5A8.2/B8.6 | 7831-5082 | 5 | 8.95 | SF | 2 15/16 | 4 | 24.95 |
| QD6A8.2/B8.6 | 7831-6082 | 6 | 8.95 | SF | 2 15/16 | 4 3/4 | 27.46 |
| QD7A8.2/B8.6 | 7831-7082 | 7 | 8.95 | E | 3 1/2 | 5 1/2 | 31.00 |
| QD8B8.6 | 7832-8086 | 8 | 8.95 | E | 3 1/2 | 6 1/4 | 33.57 |
| ⁶ QD10B8.6 | 7833-0086 | 10 | 8.95 | E | 3 1/2 | 7 3/4 | 55.52 |
| QD1A9.0/B9.4 | 7831-1090 | 1 | 9.75 | SDS | 1 15/16 | 1 | 12.80 |
| QD2A9.0/B9.4 | 7831-2090 | 2 | 9.75 | SK | 2 1/2 | 1 3/4 | 16.35 |
| QD3A9.0/B9.4 | 7831-3090 | 3 | 9.75 | SK | 2 1/2 | 2 1/2 | 19.58 |

6 Standard/Non-Stock item. Check with Customer Service for availability.



Multi-Duty® Sheaves - QD®

Product No. Series 7831, 7832, & 7833 (continued)

Combination A or B Section (continued)

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| QD4A9.0/B9.4 | 7831-4090 | 4 | 9.75 | SK | 2 1/2 | 3 1/4 | 24.66 |
| QD5A9.0/B9.4 | 7831-5090 | 5 | 9.75 | SF | 2 15/16 | 4 | 29.53 |
| QD6A9.0/B9.4 | 7831-6090 | 6 | 9.75 | SF | 2 15/16 | 4 3/4 | 34.13 |
| QD7A9.0/B9.4 | 7831-7090 | 7 | 9.75 | E | 3 1/2 | 5 1/2 | 33.00 |
| QD8B9.4 | 7832-8094 | 8 | 9.75 | E | 3 1/2 | 6 1/4 | 51.00 |
| ⁶ QD10B9.4 | 7833-0094 | 10 | 9.75 | E | 3 1/2 | 7 3/4 | 60.70 |
| QD1A10.6/B11.0 | 7831-1106 | 1 | 11.35 | SDS | 1 15/16 | 1 | 12.76 |
| QD2A10.6/B11.0 | 7831-2106 | 2 | 11.35 | SK | 2 1/2 | 1 3/4 | 19.79 |
| QD3A10.6/B11.0 | 7831-3106 | 3 | 11.35 | SK | 2 1/2 | 2 1/2 | 19.80 |
| QD4A10.6/B11.0 | 7831-4106 | 4 | 11.35 | SK | 2 1/2 | 3 1/4 | 24.75 |
| QD5A10.6/B11.0 | 7831-5106 | 5 | 11.35 | SF | 2 15/16 | 4 | 34.15 |
| QD6A10.6/B11.0 | 7831-6106 | 6 | 11.35 | SF | 2 15/16 | 4 3/4 | 36.00 |
| QD7A10.6/B11.0 | 7831-7106 | 7 | 11.35 | E | 3 1/2 | 5 1/2 | 42.00 |
| ⁶ QD8B11.0 | 7832-8110 | 8 | 11.35 | E | 3 1/2 | 6 1/4 | 60.30 |
| ⁶ QD10B11.0 | 7833-0110 | 10 | 11.35 | E | 3 1/2 | 7 3/4 | 69.48 |
| QD1A12.0/B12.4 | 7831-1120 | 1 | 12.75 | SDS | 1 15/16 | 1 | 13.79 |
| QD2A12.0/B12.4 | 7831-2120 | 2 | 12.75 | SK | 2 1/2 | 1 3/4 | 19.52 |
| QD3A12.0/B12.4 | 7831-3120 | 3 | 12.75 | SK | 2 1/2 | 2 1/2 | 23.34 |
| QD4A12.0/B12.4 | 7831-4120 | 4 | 12.75 | SK | 2 1/2 | 3 1/4 | 28.48 |
| QD5A12.0/B12.4 | 7831-5120 | 5 | 12.75 | SF | 2 15/16 | 4 | 36.32 |
| QD6A12.0/B12.4 | 7831-6120 | 6 | 12.75 | SF | 2 15/16 | 4 3/4 | 43.74 |
| QD7A12.0/B12.4 | 7831-7120 | 7 | 12.75 | E | 3 1/2 | 5 1/2 | 48.00 |
| QD8B12.4 | 7832-8124 | 8 | 12.75 | E | 3 1/2 | 6 1/4 | 54.38 |
| ⁶ QD10B12.4 | 7833-0124 | 10 | 12.75 | F | 3 15/16 | 7 3/4 | 113.20 |
| QD1A13.2/B13.6 | 7831-1132 | 1 | 13.95 | SDS | 1 15/16 | 1 | 17.15 |
| QD2A13.2/B13.6 | 7831-2132 | 2 | 13.95 | SK | 2 1/2 | 1 3/4 | 25.56 |
| QD3A13.2/B13.6 | 7831-3132 | 3 | 13.95 | SK | 2 1/2 | 2 1/2 | 29.31 |
| QD4A13.2/B13.6 | 7831-4132 | 4 | 13.95 | SK | 2 1/2 | 3 1/4 | 34.47 |
| QD5A13.2/B13.6 | 7831-5132 | 5 | 13.95 | SF | 2 15/16 | 4 | 47.92 |
| QD6A13.2/B13.6 | 7831-6132 | 6 | 13.95 | SF | 2 15/16 | 4 3/4 | 52.46 |
| QD7A13.2/B13.6 | 7831-7132 | 7 | 13.95 | E | 3 1/2 | 5 1/2 | 49.00 |
| QD8B13.6 | 7832-8136 | 8 | 13.95 | E | 3 1/2 | 6 1/4 | 53.00 |
| QD10B13.6 | 7833-0136 | 10 | 13.95 | F | 3 15/16 | 7 3/4 | 73.00 |
| QD1A15.0/B15.4 | 7831-1150 | 1 | 15.75 | SK | 2 1/2 | 1 | 20.93 |
| QD2A15.0/B15.4 | 7831-2150 | 2 | 15.75 | SK | 2 1/2 | 1 3/4 | 25.32 |
| QD3A15.0/B15.4 | 7831-3150 | 3 | 15.75 | SK | 2 1/2 | 2 1/2 | 41.50 |
| QD4A15.0/B15.4 | 7831-4150 | 4 | 15.75 | SF | 2 15/16 | 3 1/4 | 45.74 |
| QD5A15.0/B15.4 | 7831-5150 | 5 | 15.75 | SF | 2 15/16 | 4 | 49.00 |
| QD6A15.0/B15.4 | 7831-6150 | 6 | 15.75 | SF | 2 15/16 | 4 3/4 | 66.41 |
| QD7A15.0/B15.4 | 7831-7150 | 7 | 15.75 | E | 3 1/2 | 5 1/2 | 62.00 |
| ⁶ QD8B15.4 | 7832-8154 | 8 | 15.75 | E | 3 1/2 | 6 1/4 | 82.26 |
| ⁶ QD10B15.4 | 7833-0154 | 10 | 15.75 | F | 3 15/16 | 7 3/4 | 98.50 |
| QD1A15.6/B16.0 | 7831-1156 | 1 | 16.35 | SK | 2 1/2 | 1 | 24.87 |
| QD2A15.6/B16.0 | 7831-2156 | 2 | 16.35 | SK | 2 1/2 | 1 3/4 | 32.83 |
| QD3A15.6/B16.0 | 7831-3156 | 3 | 16.35 | SK | 2 1/2 | 2 1/2 | 50.72 |
| QD4A15.6/B16.0 | 7831-4156 | 4 | 16.35 | SF | 2 15/16 | 3 1/4 | 56.03 |
| QD5A15.6/B16.0 | 7831-5156 | 5 | 16.35 | SF | 2 15/16 | 4 | 75.00 |
| QD6A15.6/B16.0 | 7831-6156 | 6 | 16.35 | SF | 2 15/16 | 4 3/4 | 81.85 |
| QD7A15.6/B16.0 | 7831-7156 | 7 | 16.35 | E | 3 1/2 | 5 1/2 | 69.00 |
| QD8B16.0 | 7832-8160 | 8 | 16.35 | E | 3 1/2 | 6 1/4 | 73.00 |
| QD10B16.0 | 7833-0160 | 10 | 16.35 | F | 3 15/16 | 7 3/4 | 95.00 |
| QD1A18.0/B18.4 | 7831-1180 | 1 | 18.75 | SK | 2 1/2 | 1 | 50.18 |
| QD2A18.0/B18.4 | 7831-2180 | 2 | 18.75 | SK | 2 1/2 | 1 3/4 | 39.80 |
| QD3A18.0/B18.4 | 7831-3180 | 3 | 18.75 | SK | 2 1/2 | 2 1/2 | 45.85 |
| QD4A18.0/B18.4 | 7831-4180 | 4 | 18.75 | SF | 2 15/16 | 3 1/4 | 63.31 |
| QD5A18.0/B18.4 | 7831-5180 | 5 | 18.75 | SF | 2 15/16 | 4 | 70.36 |
| QD6A18.0/B18.4 | 7831-6180 | 6 | 18.75 | SF | 2 15/16 | 4 3/4 | 73.00 |
| QD7A18.0/B18.4 | 7831-7180 | 7 | 18.75 | F | 3 15/16 | 5 1/2 | 80.00 |
| ⁶ QD8B18.4 | 7832-8184 | 8 | 18.75 | F | 3 15/16 | 6 1/4 | 87.70 |
| ⁶ QD10B18.4 | 7833-0184 | 10 | 18.75 | F | 3 15/16 | 7 3/4 | 116.00 |
| QD1A19.6/B20.0 | 7832-1200 | 1 | 20.35 | SK | 2 1/2 | 1 | 30.31 |
| QD2A19.6/B20.0 | 7832-2200 | 2 | 20.35 | SF | 2 15/16 | 1 3/4 | 41.34 |

HEAVY DUTY V-BELT METAL

⁶ Standard/Non-Stock item. Check with Customer Service for availability.



**Multi-Duty® Sheaves - QD®****Product No. Series 7831, 7832, & 7833 (continued)****Combination A or B Section (continued)**

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| QD3A19.6/B20.0 | 7832-3200 | 3 | 20.35 | SF | 2 15/16 | 2 1/2 | 43.20 |
| QD4A19.6/B20.0 | 7832-4200 | 4 | 20.35 | SF | 2 15/16 | 3 3/4 | 58.00 |
| QD5A19.6/B20.0 | 7832-5200 | 5 | 20.35 | E | 3 1/2 | 4 | 74.00 |
| QD6A19.6/B20.0 | 7832-6200 | 6 | 20.35 | E | 3 1/2 | 4 3/4 | 82.00 |
| QD7A19.6/B20.0 | 7832-7200 | 7 | 20.35 | F | 3 15/16 | 5 1/2 | 95.00 |
| QD8B20.0 | 7832-8200 | 8 | 20.35 | F | 3 15/16 | 6 1/4 | 87.00 |
| ⁶ QD10B20.0 | 7833-0200 | 10 | 20.35 | F | 3 15/16 | 7 3/4 | 110.00 |
| QD1A24.6/B25.0 | 7832-1250 | 1 | 25.35 | SF | 2 15/16 | 1 | 40.00 |
| QD2A24.6/B25.0 | 7832-2250 | 2 | 25.35 | SF | 2 15/16 | 1 3/4 | 58.00 |
| QD3A24.6/B25.0 | 7832-3250 | 3 | 25.35 | SF | 2 15/16 | 2 1/2 | 73.00 |
| QD4A24.6/B25.0 | 7832-4250 | 4 | 25.35 | E | 3 1/2 | 3 1/4 | 77.00 |
| QD5A24.6/B25.0 | 7832-5250 | 5 | 25.35 | E | 3 1/2 | 4 | 97.33 |
| QD6A24.6/B25.0 | 7832-6250 | 6 | 25.35 | E | 3 1/2 | 4 3/4 | 116.00 |
| QD7A24.6/B25.0 | 7832-7250 | 7 | 25.35 | F | 3 15/16 | 5 1/2 | 123.00 |
| QD8B25.0 | 7832-8250 | 8 | 25.35 | F | 3 15/16 | 6 1/4 | 118.00 |
| QD10B25.0 | 7833-0250 | 10 | 25.00 | F | 4 | 7 3/4 | 142.00 |
| QD1A29.6/B30.0 | 7832-1300 | 1 | 30.35 | SF | 2 15/16 | 1 | 52.00 |
| QD2A29.6/B30.0 | 7832-2300 | 2 | 30.35 | SF | 2 15/16 | 1 3/4 | 72.00 |
| QD3A29.6/B30.0 | 7832-3300 | 3 | 30.35 | SF | 2 15/16 | 2 1/2 | 83.00 |
| QD4A29.6/B30.0 | 7832-4300 | 4 | 30.35 | E | 3 1/2 | 3 1/4 | 110.00 |
| QD5A29.6/B30.0 | 7832-5300 | 5 | 30.35 | E | 3 1/2 | 4 | 105.00 |
| QD6A29.6/B30.0 | 7832-6300 | 6 | 30.35 | E | 3 1/2 | 4 3/4 | 132.00 |
| QD7A29.6/B30.0 | 7832-7300 | 7 | 30.35 | F | 3 15/16 | 5 1/2 | 160.00 |
| ⁶ QD8B30.0 | 7832-8300 | 8 | 30.35 | F | 3 15/16 | 6 1/4 | 149.00 |
| ⁶ QD10B30.0 | 7833-0300 | 10 | 30.35 | F | 3 15/16 | 7 3/4 | 165.00 |
| QD2A37.6/B38.0 | 7832-2380 | 2 | 38.35 | SF | 2 15/16 | 1 3/4 | 165.00 |
| QD3A37.6/B38.0 | 7832-3380 | 3 | 38.35 | E | 3 1/2 | 2 1/2 | 103.00 |
| QD4A37.6/B38.0 | 7832-4380 | 4 | 38.35 | E | 3 1/2 | 3 1/4 | 120.00 |
| QD5A37.6/B38.0 | 7832-5380 | 5 | 38.35 | E | 3 1/2 | 4 | 145.00 |
| QD6A37.6/B38.0 | 7832-6380 | 6 | 38.35 | E | 3 1/2 | 4 3/4 | 175.00 |
| QD7A37.6/B38.0 | 7832-7380 | 7 | 38.35 | F | 3 15/16 | 5 1/2 | 233.00 |
| ⁶ QD8B38.0 | 7832-8380 | 8 | 38.35 | F | 3 15/16 | 6 1/4 | 205.00 |
| ⁶ QD10B38.0 | 7833-0380 | 10 | 38.35 | J | 4 1/2 | 7 3/4 | 230.00 |

HEAVY DUTY V-BELT METAL

Product No. Series 7834 & 7835**C Section**

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|----------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| QD3C5.0 | 7834-3050 | 3 | 5.40 | SD | 1 15/16 | 3 3/8 | 8.55 |
| QD4C5.0 | 7834-4050 | 4 | 5.40 | SD | 1 15/16 | 4 3/8 | 10.42 |
| QD2C5.6 | 7834-2056 | 2 | 6.00 | SD | 1 15/16 | 2 3/8 | 8.50 |
| QD3C5.6 | 7834-3056 | 3 | 6.00 | SD | 1 15/16 | 3 3/8 | 11.50 |
| QD4C5.6 | 7834-4056 | 4 | 6.00 | SD | 1 15/16 | 4 3/8 | 13.30 |
| QD3C6.0 | 7834-3060 | 3 | 6.40 | SF | 2 15/16 | 3 3/8 | 11.50 |
| QD4C6.0 | 7834-4060 | 4 | 6.40 | SF | 2 15/16 | 4 3/8 | 13.90 |
| QD5C6.0 | 7834-5060 | 5 | 6.40 | SF | 2 15/16 | 5 3/8 | 16.30 |
| QD6C6.0 | 7834-6060 | 6 | 6.40 | SF | 2 15/16 | 6 3/8 | 18.60 |
| QD1C7.0 | 7834-1070 | 1 | 7.40 | SF | 2 15/16 | 1 3/8 | 9.50 |
| QD2C7.0 | 7834-2070 | 2 | 7.40 | SF | 2 15/16 | 2 3/8 | 12.40 |
| QD3C7.0 | 7834-3070 | 3 | 7.40 | SF | 2 15/16 | 3 3/8 | 14.97 |
| QD4C7.0 | 7834-4070 | 4 | 7.40 | SF | 2 15/16 | 4 3/8 | 17.84 |
| QD5C7.0 | 7834-5070 | 5 | 7.40 | SF | 2 15/16 | 5 3/8 | 22.67 |
| QD6C7.0 | 7834-6070 | 6 | 7.40 | SF | 2 15/16 | 6 3/8 | 24.10 |
| QD7C7.0 | 7834-7070 | 7 | 7.40 | SF | 2 15/16 | 7 3/8 | 26.00 |
| ⁶ QD8C7.0 | 7834-8070 | 8 | 7.40 | SF | 2 15/16 | 8 3/8 | 29.81 |
| QD1C7.5 | 7834-1075 | 1 | 7.90 | SF | 2 15/16 | 1 3/8 | 11.38 |
| QD2C7.5 | 7834-2075 | 2 | 7.90 | SF | 2 15/16 | 2 3/8 | 14.86 |
| QD3C7.5 | 7834-3075 | 3 | 7.90 | SF | 2 15/16 | 3 3/8 | 17.28 |

6 Standard/Non-Stock item. Check with Customer Service for availability.



Multi-Duty® Sheaves - QD®

Product No. Series 7834 & 7835 (continued)

C Section (continued)

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| QD4C7.5 | 7834-4075 | 4 | 7.90 | SF | 2 15/16 | 4 3/8 | 21.09 |
| QD5C7.5 | 7834-5075 | 5 | 7.90 | SF | 2 15/16 | 5 3/8 | 29.94 |
| QD6C7.5 | 7834-6075 | 6 | 7.90 | SF | 2 15/16 | 6 3/8 | 33.61 |
| QD1C8.0 | 7834-1080 | 1 | 8.40 | SF | 2 15/16 | 1 3/8 | 13.23 |
| QD2C8.0 | 7834-2080 | 2 | 8.40 | SF | 2 15/16 | 2 3/8 | 16.62 |
| QD3C8.0 | 7834-3080 | 3 | 8.40 | E | 3 1/2 | 3 3/8 | 20.35 |
| QD4C8.0 | 7834-4080 | 4 | 8.40 | E | 3 1/2 | 4 3/8 | 24.12 |
| QD5C8.0 | 7834-5080 | 5 | 8.40 | E | 3 1/2 | 5 3/8 | 27.26 |
| QD6C8.0 | 7834-6080 | 6 | 8.40 | E | 3 1/2 | 6 3/8 | 32.32 |
| QD7C8.0 | 7834-7080 | 7 | 8.40 | E | 3 1/2 | 7 3/8 | 35.00 |
| QD8C8.0 | 7834-8080 | 8 | 8.40 | E | 3 1/2 | 8 3/8 | 37.52 |
| QD9C8.0 | 7834-9080 | 9 | 8.40 | E | 3 1/2 | 9 3/8 | 42.00 |
| QD10C8.0 | 7835-0080 | 10 | 8.40 | E | 3 1/2 | 10 3/8 | 44.70 |
| QD1C8.5 | 7834-1085 | 1 | 8.90 | SF | 2 15/16 | 1 3/8 | 15.38 |
| QD2C8.5 | 7834-2085 | 2 | 8.90 | SF | 2 15/16 | 2 3/8 | 18.97 |
| QD3C8.5 | 7834-3085 | 3 | 8.90 | E | 3 1/2 | 3 3/8 | 23.41 |
| QD4C8.5 | 7834-4085 | 4 | 8.90 | E | 3 1/2 | 4 3/8 | 26.77 |
| QD5C8.5 | 7834-5085 | 5 | 8.90 | E | 3 1/2 | 5 3/8 | 37.00 |
| QD6C8.5 | 7834-6085 | 6 | 8.90 | E | 3 1/2 | 6 3/8 | 42.47 |
| QD7C8.5 | 7834-7085 | 7 | 8.90 | E | 3 1/2 | 7 3/8 | 40.00 |
| ⁶ QD8C8.5 | 7834-8085 | 8 | 8.90 | E | 3 1/2 | 8 3/8 | 46.38 |
| ⁶ QD9C8.5 | 7834-9085 | 9 | 8.90 | E | 3 1/2 | 9 3/8 | 47.00 |
| ⁶ QD10C8.5 | 7835-0085 | 10 | 8.90 | E | 3 1/2 | 10 3/8 | 50.58 |
| QD1C9.0 | 7834-1090 | 1 | 9.40 | SF | 2 15/16 | 1 3/8 | 17.77 |
| QD2C9.0 | 7834-2090 | 2 | 9.40 | SF | 2 15/16 | 2 3/8 | 22.20 |
| QD3C9.0 | 7834-3090 | 3 | 9.40 | E | 3 1/2 | 3 3/8 | 26.55 |
| QD4C9.0 | 7834-4090 | 4 | 9.40 | E | 3 1/2 | 4 3/8 | 30.63 |
| QD5C9.0 | 7834-5090 | 5 | 9.40 | E | 3 1/2 | 5 3/8 | 35.00 |
| QD6C9.0 | 7834-6090 | 6 | 9.40 | F | 3 15/16 | 6 3/8 | 42.31 |
| QD7C9.0 | 7834-7090 | 7 | 9.40 | F | 3 15/16 | 7 3/8 | 48.00 |
| QD8C9.0 | 7834-8090 | 8 | 9.40 | F | 3 15/16 | 8 3/8 | 50.07 |
| QD9C9.0 | 7834-9090 | 9 | 9.40 | J | 4 1/2 | 9 3/8 | 51.00 |
| ⁶ QD10C9.0 | 7835-0090 | 10 | 9.40 | J | 4 1/2 | 10 3/8 | 101.00 |
| ⁶ QD12C9.0 | 7835-2090 | 12 | 9.40 | J | 4 1/2 | 12 3/8 | 75.00 |
| ⁶ QD1C9.5 | 7834-1095 | 1 | 9.90 | SF | 2 15/16 | 1 3/8 | 19.84 |
| QD2C9.5 | 7834-2095 | 2 | 9.90 | SF | 2 15/16 | 2 3/8 | 23.99 |
| QD3C9.5 | 7834-3095 | 3 | 9.90 | E | 3 1/2 | 3 3/8 | 30.05 |
| QD4C9.5 | 7834-4095 | 4 | 9.90 | E | 3 1/2 | 4 3/8 | 34.30 |
| QD5C9.5 | 7834-5095 | 5 | 9.90 | E | 3 1/2 | 5 3/8 | 44.18 |
| QD6C9.5 | 7834-6095 | 6 | 9.90 | F | 3 15/16 | 6 3/8 | 53.68 |
| QD7C9.5 | 7834-7095 | 7 | 9.90 | F | 3 15/16 | 7 3/8 | 55.00 |
| QD8C9.5 | 7834-8095 | 8 | 9.90 | F | 3 15/16 | 8 3/8 | 56.13 |
| QD9C9.5 | 7834-9095 | 9 | 9.90 | J | 4 1/2 | 9 3/8 | 66.00 |
| ⁶ QD10C9.5 | 7835-0095 | 10 | 9.90 | J | 4 1/2 | 10 3/8 | 101.00 |
| ⁶ QD12C9.5 | 7835-2095 | 12 | 9.90 | J | 4 1/2 | 12 3/8 | 86.00 |
| QD1C10.0 | 7834-1100 | 1 | 10.40 | SF | 2 15/16 | 1 3/8 | 17.58 |
| QD2C10.0 | 7834-2100 | 2 | 10.40 | SF | 2 15/16 | 2 3/8 | 21.70 |
| QD3C10.0 | 7834-3100 | 3 | 10.40 | E | 3 1/2 | 3 3/8 | 33.70 |
| QD4C10.0 | 7834-4100 | 4 | 10.40 | E | 3 1/2 | 4 3/8 | 38.09 |
| QD5C10.0 | 7834-5100 | 5 | 10.40 | E | 3 1/2 | 5 3/8 | 42.67 |
| QD6C10.0 | 7834-6100 | 6 | 10.40 | F | 3 15/16 | 6 3/8 | 54.19 |
| QD7C10.0 | 7834-7100 | 7 | 10.40 | F | 3 15/16 | 7 3/8 | 60.00 |
| QD8C10.0 | 7834-8100 | 8 | 10.40 | F | 3 15/16 | 8 3/8 | 72.71 |
| QD9C10.0 | 7834-9100 | 9 | 10.40 | J | 4 1/2 | 9 3/8 | 72.00 |
| ⁶ QD10C10.0 | 7835-0100 | 10 | 10.40 | J | 4 1/2 | 10 3/8 | 70.62 |
| ⁶ QD12C10.0 | 7835-2100 | 12 | 10.40 | J | 4 1/2 | 12 3/8 | 86.00 |
| ⁶ QD1C10.5 | 7834-1105 | 1 | 10.90 | SF | 2 15/16 | 1 3/8 | 18.45 |
| QD2C10.5 | 7834-2105 | 2 | 10.90 | SF | 2 15/16 | 2 3/8 | 23.20 |
| QD3C10.5 | 7834-3105 | 3 | 10.90 | E | 3 1/2 | 3 3/8 | 37.99 |
| QD4C10.5 | 7834-4105 | 4 | 10.90 | E | 3 1/2 | 4 3/8 | 42.98 |
| QD5C10.5 | 7834-5105 | 5 | 10.90 | E | 3 1/2 | 5 3/8 | 42.00 |
| QD6C10.5 | 7834-6105 | 6 | 10.90 | F | 3 15/16 | 6 3/8 | 66.75 |

HEAVY DUTY V-BELT METAL

⁶ Standard/Non-Stock item. Check with Customer Service for availability.



**Multi-Duty® Sheaves - QD®****Product No. Series 7834 & 7835 (continued)****C Section (continued)**

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| QD7C10.5 | 7834-7105 | 7 | 10.90 | F | 3 15/16 | 7 3/8 | 66.00 |
| QD8C10.5 | 7834-8105 | 8 | 10.90 | F | 3 15/16 | 8 3/8 | 90.00 |
| QD9C10.5 | 7834-9105 | 9 | 10.90 | J | 4 1/2 | 9 3/8 | 80.00 |
| ⁶ QD10C10.5 | 7835-0105 | 10 | 10.90 | J | 4 1/2 | 10 3/8 | 101.00 |
| ⁶ QD12C10.5 | 7835-2105 | 12 | 10.90 | J | 4 1/2 | 12 3/8 | 96.00 |
| ⁶ QD1C11.0 | 7834-1110 | 1 | 11.40 | SF | 2 15/16 | 1 3/8 | 22.22 |
| QD2C11.0 | 7834-2110 | 2 | 11.40 | SF | 2 15/16 | 2 3/8 | 24.57 |
| QD3C11.0 | 7834-3110 | 3 | 11.40 | E | 3 1/2 | 3 3/8 | 31.37 |
| QD4C11.0 | 7834-4110 | 4 | 11.40 | E | 3 1/2 | 4 3/8 | 46.44 |
| QD5C11.0 | 7834-5110 | 5 | 11.40 | E | 3 1/2 | 5 3/8 | 51.83 |
| QD6C11.0 | 7834-6110 | 6 | 11.40 | F | 3 15/16 | 6 3/8 | 65.65 |
| QD7C11.0 | 7834-7110 | 7 | 11.40 | F | 3 15/16 | 7 3/8 | 73.00 |
| QD8C11.0 | 7834-8110 | 8 | 11.40 | F | 3 15/16 | 8 3/8 | 75.99 |
| QD9C11.0 | 7834-9110 | 9 | 11.40 | J | 4 1/2 | 9 3/8 | 88.00 |
| QD10C11.0 | 7835-0110 | 10 | 11.40 | J | 4 1/2 | 10 3/8 | 86.00 |
| ⁶ QD12C11.0 | 7835-2110 | 12 | 11.40 | J | 4 1/2 | 12 3/8 | 104.00 |
| QD1C12.0 | 7834-1120 | 1 | 12.40 | SF | 2 15/16 | 1 3/8 | 22.01 |
| QD2C12.0 | 7834-2120 | 2 | 12.40 | SF | 2 15/16 | 2 3/8 | 27.01 |
| QD3C12.0 | 7834-3120 | 3 | 12.40 | E | 3 1/2 | 3 3/8 | 41.06 |
| QD4C12.0 | 7834-4120 | 4 | 12.40 | E | 3 1/2 | 4 3/8 | 48.45 |
| QD5C12.0 | 7834-5120 | 5 | 12.40 | E | 3 1/2 | 5 3/8 | 75.78 |
| QD6C12.0 | 7834-6120 | 6 | 12.40 | F | 3 15/16 | 6 3/8 | 95.70 |
| QD7C12.0 | 7834-7120 | 7 | 12.40 | F | 3 15/16 | 7 3/8 | 70.00 |
| QD8C12.0 | 7834-8120 | 8 | 12.40 | F | 3 15/16 | 8 3/8 | 34.52 |
| QD9C12.0 | 7834-9120 | 9 | 12.40 | J | 4 1/2 | 9 3/8 | 102.00 |
| QD10C12.0 | 7835-0120 | 10 | 12.40 | J | 4 1/2 | 10 3/8 | 151.00 |
| ⁶ QD12C12.0 | 7835-2120 | 12 | 12.40 | J | 4 1/2 | 12 3/8 | 126.00 |
| ⁶ QD1C13.0 | 7834-1130 | 1 | 13.40 | SF | 2 15/16 | 1 3/8 | 24.56 |
| QD2C13.0 | 7834-2130 | 2 | 13.40 | SF | 2 15/16 | 2 3/8 | 30.39 |
| QD3C13.0 | 7834-3130 | 3 | 13.40 | E | 3 1/2 | 3 3/8 | 41.45 |
| QD4C13.0 | 7834-4130 | 4 | 13.40 | E | 3 1/2 | 4 3/8 | 50.55 |
| QD5C13.0 | 7834-5130 | 5 | 13.40 | E | 3 1/2 | 5 3/8 | 60.62 |
| QD6C13.0 | 7834-6130 | 6 | 13.40 | F | 3 15/16 | 6 3/8 | 72.50 |
| QD7C13.0 | 7834-7130 | 7 | 13.40 | F | 3 15/16 | 7 3/8 | 78.00 |
| QD8C13.0 | 7834-8130 | 8 | 13.40 | F | 3 15/16 | 8 3/8 | 108.00 |
| QD9C13.0 | 7834-9130 | 9 | 13.40 | J | 4 1/2 | 9 3/8 | 99.00 |
| QD10C13.0 | 7835-0130 | 10 | 13.40 | J | 4 1/2 | 10 3/8 | 120.00 |
| ⁶ QD12C13.0 | 7835-2130 | 12 | 13.40 | J | 4 1/2 | 12 3/8 | 134.00 |
| ⁶ QD1C14.0 | 7834-1140 | 1 | 14.40 | SF | 2 15/16 | 1 3/8 | 27.38 |
| QD2C14.0 | 7834-2140 | 2 | 14.40 | SF | 2 15/16 | 2 3/8 | 33.66 |
| QD3C14.0 | 7834-3140 | 3 | 14.40 | E | 3 1/2 | 3 3/8 | 50.07 |
| QD4C14.0 | 7834-4140 | 4 | 14.40 | E | 3 1/2 | 4 3/8 | 54.45 |
| QD5C14.0 | 7834-5140 | 5 | 14.40 | E | 3 1/2 | 5 3/8 | 68.00 |
| QD6C14.0 | 7834-6140 | 6 | 14.40 | F | 3 15/16 | 6 3/8 | 84.00 |
| QD7C14.0 | 7834-7140 | 7 | 14.40 | F | 3 15/16 | 7 3/8 | 84.00 |
| QD8C14.0 | 7834-8140 | 8 | 14.40 | F | 3 15/16 | 8 3/8 | 144.50 |
| QD9C14.0 | 7834-9140 | 9 | 14.40 | J | 4 1/2 | 9 3/8 | 108.00 |
| ⁶ QD10C14.0 | 7835-0140 | 10 | 14.40 | J | 4 1/2 | 10 3/8 | 181.00 |
| ⁶ QD12C14.0 | 7835-2140 | 12 | 14.40 | J | 4 1/2 | 12 3/8 | 153.00 |
| ⁶ QD1C16.0 | 7834-1160 | 1 | 16.40 | SF | 2 15/16 | 1 3/8 | 33.76 |
| QD2C16.0 | 7834-2160 | 2 | 16.40 | SF | 2 15/16 | 2 3/8 | 41.28 |
| QD3C16.0 | 7834-3160 | 3 | 16.40 | E | 3 1/2 | 3 3/8 | 52.88 |
| QD4C16.0 | 7834-4160 | 4 | 16.40 | E | 3 1/2 | 4 3/8 | 62.88 |
| QD5C16.0 | 7834-5160 | 5 | 16.40 | E | 3 1/2 | 5 3/8 | 79.00 |
| QD6C16.0 | 7834-6160 | 6 | 16.40 | F | 3 15/16 | 6 3/8 | 92.00 |
| QD7C16.0 | 7834-7160 | 7 | 16.40 | F | 3 15/16 | 7 3/8 | 100.00 |
| QD8C16.0 | 7834-8160 | 8 | 16.40 | F | 3 15/16 | 8 3/8 | 125.30 |
| QD9C16.0 | 7834-9160 | 9 | 16.40 | J | 4 1/2 | 9 3/8 | 129.00 |
| QD10C16.0 | 7835-0160 | 10 | 16.40 | J | 4 1/2 | 10 3/8 | 237.00 |
| ⁶ QD12C16.0 | 7835-2160 | 12 | 16.40 | J | 4 1/2 | 12 3/8 | 175.00 |
| ⁶ QD1C18.0 | 7834-1180 | 1 | 18.40 | SF | 2 15/16 | 1 3/8 | 44.50 |
| QD2C18.0 | 7834-2180 | 2 | 18.40 | SF | 2 15/16 | 2 3/8 | 56.16 |

6 Standard/Non-Stock item. Check with Customer Service for availability.



Multi-Duty® Sheaves - QD®

Product No. Series 7834 & 7835 (continued)

C Section (continued)

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| QD3C18.0 | 7834-3180 | 3 | 18.40 | E | 3 1/2 | 3 3/8 | 65.99 |
| QD4C18.0 | 7834-4180 | 4 | 18.40 | E | 3 1/2 | 4 3/8 | 85.01 |
| QD5C18.0 | 7834-5180 | 5 | 18.40 | E | 3 1/2 | 5 3/8 | 96.28 |
| QD6C18.0 | 7834-6180 | 6 | 18.40 | F | 3 15/16 | 6 3/8 | 126.00 |
| QD7C18.0 | 7834-7180 | 7 | 18.40 | F | 3 15/16 | 7 3/8 | 117.00 |
| ⁶ QD8C18.0 | 7834-8180 | 8 | 18.40 | F | 3 15/16 | 8 3/8 | 133.00 |
| QD9C18.0 | 7834-9180 | 9 | 18.40 | J | 4 1/2 | 9 3/8 | 143.00 |
| ⁶ QD10C18.0 | 7835-0180 | 10 | 18.40 | J | 4 1/2 | 10 3/8 | 249.00 |
| ⁶ QD12C18.0 | 7835-2180 | 12 | 18.40 | J | 4 1/2 | 12 3/8 | 198.00 |
| ⁶ QD1C20.0 | 7834-1200 | 1 | 20.40 | SF | 2 15/16 | 1 3/8 | 31.69 |
| QD2C20.0 | 7834-2200 | 2 | 20.40 | SF | 2 15/16 | 2 3/8 | 54.10 |
| QD3C20.0 | 7834-3200 | 3 | 20.40 | E | 3 1/2 | 3 3/8 | 69.00 |
| QD4C20.0 | 7834-4200 | 4 | 20.40 | E | 3 1/2 | 4 3/8 | 86.00 |
| QD5C20.0 | 7834-5200 | 5 | 20.40 | F | 3 15/16 | 5 3/8 | 114.00 |
| QD6C20.0 | 7834-6200 | 6 | 20.40 | F | 3 15/16 | 6 3/8 | 102.00 |
| QD7C20.0 | 7834-7200 | 7 | 20.40 | J | 4 1/2 | 7 3/8 | 131.00 |
| QD8C20.0 | 7834-8200 | 8 | 20.40 | J | 4 1/2 | 8 3/8 | 146.00 |
| QD9C20.0 | 7834-9200 | 9 | 20.40 | J | 4 1/2 | 9 3/8 | 156.00 |
| ⁶ QD10C20.0 | 7835-0200 | 10 | 20.40 | J | 4 1/2 | 10 3/8 | 277.00 |
| ⁶ QD12C20.0 | 7835-2200 | 12 | 20.40 | M | 5 1/2 | 12 3/8 | 237.00 |
| ⁶ QD1C24.0 | 7834-1240 | 1 | 24.40 | SF | 2 15/16 | 1 3/8 | 31.80 |
| ⁶ QD2C24.0 | 7834-2240 | 2 | 24.40 | SF | 2 15/16 | 2 3/8 | 61.00 |
| QD3C24.0 | 7834-3240 | 3 | 24.40 | E | 3 1/2 | 3 3/8 | 78.00 |
| QD4C24.0 | 7834-4240 | 4 | 24.40 | F | 3 15/16 | 4 3/8 | 108.00 |
| QD5C24.0 | 7834-5240 | 5 | 24.40 | F | 3 15/16 | 5 3/8 | 109.00 |
| QD6C24.0 | 7834-6240 | 6 | 24.40 | F | 3 15/16 | 6 3/8 | 150.00 |
| QD7C24.0 | 7834-7240 | 7 | 24.40 | J | 4 1/2 | 7 3/8 | 167.00 |
| ⁶ QD8C24.0 | 7834-8240 | 8 | 24.40 | J | 4 1/2 | 8 3/8 | 188.00 |
| QD9C24.0 | 7834-9240 | 9 | 24.40 | J | 4 1/2 | 9 3/8 | 192.00 |
| ⁶ QD10C24.0 | 7835-0240 | 10 | 24.40 | M | 5 1/2 | 10 3/8 | 336.00 |
| ⁶ QD12C24.0 | 7835-2240 | 12 | 24.40 | M | 5 1/2 | 12 3/8 | 277.00 |
| QD2C27.0 | 7834-2270 | 2 | 27.40 | F | 3 15/16 | 2 3/8 | 88.00 |
| QD3C27.0 | 7834-3270 | 3 | 27.40 | F | 3 15/16 | 3 3/8 | 101.00 |
| QD4C27.0 | 7834-4270 | 4 | 27.40 | F | 3 15/16 | 4 3/8 | 116.00 |
| QD5C27.0 | 7834-5270 | 5 | 27.40 | F | 3 15/16 | 5 3/8 | 133.00 |
| QD6C27.0 | 7834-6270 | 6 | 27.40 | J | 4 1/2 | 6 3/8 | 162.00 |
| QD7C27.0 | 7834-7270 | 7 | 27.40 | J | 4 1/2 | 7 3/8 | 209.00 |
| ⁶ QD8C27.0 | 7834-8270 | 8 | 27.40 | J | 4 1/2 | 8 3/8 | 230.00 |
| QD9C27.0 | 7834-9270 | 9 | 27.40 | J | 4 1/2 | 9 3/8 | 227.00 |
| ⁶ QD2C30.0 | 7834-2300 | 2 | 30.40 | F | 3 15/16 | 2 3/8 | 79.00 |
| QD3C30.0 | 7834-3300 | 3 | 30.40 | F | 3 15/16 | 3 3/8 | 129.00 |
| QD4C30.0 | 7834-4300 | 4 | 30.40 | F | 3 15/16 | 4 3/8 | 165.00 |
| QD5C30.0 | 7834-5300 | 5 | 30.40 | F | 3 15/16 | 5 3/8 | 160.00 |
| QD6C30.0 | 7834-6300 | 6 | 30.40 | J | 4 1/2 | 6 3/8 | 180.00 |
| QD7C30.0 | 7834-7300 | 7 | 30.40 | J | 4 1/2 | 7 3/8 | 221.00 |
| ⁶ QD8C30.0 | 7834-8300 | 8 | 30.40 | J | 4 1/2 | 8 3/8 | 230.00 |
| QD9C30.0 | 7834-9300 | 9 | 30.40 | M | 5 1/2 | 9 3/8 | 317.00 |
| ⁶ QD10C30.0 | 7835-0300 | 10 | 30.40 | M | 5 1/2 | 10 3/8 | 305.00 |
| ⁶ QD12C30.0 | 7835-2300 | 12 | 30.40 | M | 5 1/2 | 12 3/8 | 357.00 |
| QD3C36.0 | 7834-3360 | 3 | 36.40 | F | 3 15/16 | 3 3/8 | 143.00 |
| QD4C36.0 | 7834-4360 | 4 | 36.40 | F | 3 15/16 | 4 3/8 | 170.00 |
| QD5C36.0 | 7834-5360 | 5 | 36.40 | J | 4 1/2 | 5 3/8 | 205.00 |
| QD6C36.0 | 7834-6360 | 6 | 36.40 | J | 4 1/2 | 6 3/8 | 230.00 |
| QD7C36.0 | 7834-7360 | 7 | 36.40 | J | 4 1/2 | 7 3/8 | 282.00 |
| ⁶ QD8C36.0 | 7834-8360 | 8 | 36.40 | M | 5 1/2 | 8 3/8 | 285.00 |
| QD9C36.0 | 7834-9360 | 9 | 36.40 | M | 5 1/2 | 9 3/8 | 383.00 |
| ⁶ QD10C36.0 | 7835-0360 | 10 | 36.40 | M | 5 1/2 | 10 3/8 | 335.00 |
| ⁶ QD12C36.0 | 7835-2360 | 12 | 36.40 | M | 5 1/2 | 12 3/8 | 430.00 |
| ⁶ QD3C44.0 | 7834-3440 | 3 | 44.40 | F | 3 15/16 | 3 3/8 | 170.00 |
| QD4C44.0 | 7834-4440 | 4 | 44.40 | J | 4 1/2 | 4 3/8 | 366.00 |
| QD5C44.0 | 7834-5440 | 5 | 44.40 | J | 4 1/2 | 5 3/8 | 260.00 |
| QD6C44.0 | 7834-6440 | 6 | 44.40 | J | 4 1/2 | 6 3/8 | 315.00 |

HEAVY DUTY V-BELT METAL

⁶ Standard/Non-Stock item. Check with Customer Service for availability.



**Multi-Duty® Sheaves - QD®****Product No. Series 7834 & 7835 (continued)****C Section (continued)**

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| QD7C44.0 | 7834-7440 | 7 | 44.40 | M | 5 1/2 | 7 3/8 | 442.00 |
| QD8C44.0 | 7834-8440 | 8 | 44.40 | M | 5 1/2 | 8 3/8 | 590.00 |
| QD9C44.0 | 7834-9440 | 9 | 44.40 | M | 5 1/2 | 9 3/8 | 493.00 |
| ⁶ QD10C44.0 | 7835-0440 | 10 | 44.40 | M | 5 1/2 | 10 3/8 | 455.00 |
| ⁶ QD12C44.0 | 7835-2440 | 12 | 44.40 | M | 5 1/2 | 12 3/8 | 520.00 |
| QD3C50.0 | 7834-3500 | 3 | 50.40 | F | 3 15/16 | 3 3/8 | 190.00 |
| ⁶ QD4C50.0 | 7834-4500 | 4 | 50.40 | J | 4 1/2 | 4 3/8 | 256.00 |
| ⁶ QD5C50.0 | 7834-5500 | 5 | 50.40 | J | 4 1/2 | 5 3/8 | 275.00 |
| QD6C50.0 | 7834-6500 | 6 | 50.40 | J | 4 1/2 | 6 3/8 | 325.00 |
| QD7C50.0 | 7834-7500 | 7 | 50.40 | M | 5 1/2 | 7 3/8 | 488.00 |
| QD8C50.0 | 7834-8500 | 8 | 50.40 | M | 5 1/2 | 8 3/8 | 530.00 |
| QD9C50.0 | 7834-9500 | 9 | 50.40 | M | 5 1/2 | 9 3/8 | 585.00 |
| QD10C50.0 | 7835-0500 | 10 | 50.40 | M | 5 1/2 | 10 3/8 | 503.00 |
| ⁶ QD12C50.0 | 7835-2500 | 12 | 50.40 | M | 5 1/2 | 12 3/8 | 595.00 |

Product No. Series 7836 & 7837**D Section****D Section Sheaves are Standard/Non-Stock.**

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| ⁶ QD3D12.0 | 7836-3120 | 3 | 12.60 | F | 3 15/16 | 4 5/8 | 83.00 |
| ⁶ QD4D12.0 | 7836-4120 | 4 | 12.60 | F | 3 15/16 | 6 1/16 | 85.00 |
| ⁶ QD5D12.0 | 7836-5120 | 5 | 12.60 | F | 3 15/16 | 7 1/2 | 98.00 |
| QD6D12.0 | 7836-6120 | 6 | 12.60 | J | 4 1/2 | 8 15/16 | 111.00 |
| ⁶ QD8D12.0 | 7836-8120 | 8 | 12.60 | J | 4 1/2 | 11 13/16 | 151.00 |
| ⁶ QD10D12.0 | 7837-0120 | 10 | 12.60 | M | 5 1/2 | 14 11/16 | 153.00 |
| QD12D12.0 | 7837-2120 | 12 | 12.60 | M | 5 1/2 | 17 9/16 | 176.00 |
| QD3D13.0 | 7836-3130 | 3 | 13.60 | F | 3 15/16 | 4 5/8 | 88.00 |
| ⁶ QD4D13.0 | 7836-4130 | 4 | 13.60 | F | 3 15/16 | 6 1/16 | 76.00 |
| ⁶ QD5D13.0 | 7836-5130 | 5 | 13.60 | F | 3 15/16 | 7 1/2 | 114.00 |
| ⁶ QD6D13.0 | 7836-6130 | 6 | 13.60 | J | 4 1/2 | 8 15/16 | 140.00 |
| ⁶ QD8D13.0 | 7836-8130 | 8 | 13.60 | J | 4 1/2 | 11 13/16 | 168.00 |
| ⁶ QD10D13.0 | 7837-0130 | 10 | 13.60 | M | 5 1/2 | 14 11/16 | 180.00 |
| QD12D13.0 | 7837-2130 | 12 | 13.60 | M | 5 1/2 | 17 9/16 | 210.00 |
| ⁶ QD3D13.5 | 7836-3135 | 3 | 14.10 | F | 3 15/16 | 4 5/8 | 88.00 |
| ⁶ QD4D13.5 | 7836-4135 | 4 | 14.10 | F | 3 15/16 | 6 1/16 | 107.00 |
| ⁶ QD5D13.5 | 7836-5135 | 5 | 14.10 | F | 3 15/16 | 7 1/2 | 134.00 |
| ⁶ QD6D13.5 | 7836-6135 | 6 | 14.10 | J | 4 1/2 | 8 15/16 | 140.00 |
| ⁶ QD8D13.5 | 7836-8135 | 8 | 14.10 | J | 4 1/2 | 11 13/16 | 168.00 |
| ⁶ QD10D13.5 | 7837-0135 | 10 | 14.10 | M | 5 1/2 | 14 11/16 | 186.00 |
| QD12D13.5 | 7837-2135 | 12 | 14.10 | M | 5 1/2 | 17 9/16 | 227.00 |
| ⁶ QD3D14.0 | 7836-3140 | 3 | 14.60 | F | 3 15/16 | 4 5/8 | 111.00 |
| ⁶ QD4D14.0 | 7836-4140 | 4 | 14.60 | F | 3 15/16 | 6 1/16 | 106.00 |
| ⁶ QD5D14.0 | 7836-5140 | 5 | 14.60 | F | 3 15/16 | 7 1/2 | 140.00 |
| ⁶ QD6D14.0 | 7836-6140 | 6 | 14.60 | J | 4 1/2 | 8 15/16 | 159.00 |
| ⁶ QD8D14.0 | 7836-8140 | 8 | 14.60 | J | 4 1/2 | 11 13/16 | 181.00 |
| ⁶ QD10D14.0 | 7837-0140 | 10 | 14.60 | M | 5 1/2 | 14 11/16 | 221.00 |
| QD12D14.0 | 7837-2140 | 12 | 14.60 | M | 5 1/2 | 17 9/16 | 244.00 |
| QD3D14.5 | 7836-3145 | 3 | 15.10 | F | 3 15/16 | 4 5/8 | 111.00 |
| ⁶ QD4D14.5 | 7836-4145 | 4 | 15.10 | F | 3 15/16 | 6 1/16 | 106.00 |
| ⁶ QD5D14.5 | 7836-5145 | 5 | 15.10 | F | 3 15/16 | 7 1/2 | 140.00 |
| ⁶ QD6D14.5 | 7836-6145 | 6 | 15.10 | J | 4 1/2 | 8 15/16 | 159.00 |
| ⁶ QD8D14.5 | 7836-8145 | 8 | 15.10 | J | 4 1/2 | 11 13/16 | 181.00 |
| ⁶ QD10D14.5 | 7837-0145 | 10 | 15.10 | M | 5 1/2 | 14 11/16 | 221.00 |
| QD12D14.5 | 7837-2145 | 12 | 15.10 | M | 5 1/2 | 17 9/16 | 262.00 |
| ⁶ QD3D15.0 | 7836-3150 | 3 | 15.60 | F | 3 15/16 | 4 5/8 | 105.00 |
| ⁶ QD4D15.0 | 7836-4150 | 4 | 15.60 | F | 3 15/16 | 6 1/16 | 110.00 |
| ⁶ QD5D15.0 | 7836-5150 | 5 | 15.60 | F | 3 15/16 | 7 1/2 | 114.00 |
| ⁶ QD6D15.0 | 7836-6150 | 6 | 15.60 | J | 4 1/2 | 8 15/16 | 162.00 |

⁶ Standard/Non-Stock item. Check with Customer Service for availability.

Multi-Duty® Sheaves - QD®

Product No. Series 7836 & 7837 (continued)

D Section (continued)

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| ⁶ QD8D15.0 | 7836-8150 | 8 | 15.60 | J | 4 1/2 | 11 13/16 | 216.00 |
| ⁶ QD10D15.0 | 7837-0150 | 10 | 15.60 | M | 5 1/2 | 14 11/16 | 247.00 |
| QD12D15.0 | 7837-2150 | 12 | 15.60 | M | 5 1/2 | 17 9/16 | 281.00 |
| ⁶ QD3D15.5 | 7836-3155 | 3 | 16.10 | F | 3 15/16 | 4 5/8 | 105.00 |
| ⁶ QD4D15.5 | 7836-4155 | 4 | 16.10 | F | 3 15/16 | 6 1/16 | 110.00 |
| ⁶ QD5D15.5 | 7836-5155 | 5 | 16.10 | F | 3 15/16 | 7 1/2 | 146.00 |
| ⁶ QD6D15.5 | 7836-6155 | 6 | 16.10 | J | 4 1/2 | 8 15/16 | 162.00 |
| ⁶ QD8D15.5 | 7836-8155 | 8 | 16.10 | J | 4 1/2 | 11 13/16 | 216.00 |
| ⁶ QD10D15.5 | 7837-0155 | 10 | 16.10 | M | 5 1/2 | 14 11/16 | 270.00 |
| ⁶ QD12D15.5 | 7837-2155 | 12 | 16.10 | M | 5 1/2 | 17 9/16 | 300.00 |
| ⁶ QD3D16.0 | 7836-3160 | 3 | 16.60 | F | 3 15/16 | 4 5/8 | 150.00 |
| ⁶ QD4D16.0 | 7836-4160 | 4 | 16.60 | F | 3 15/16 | 6 1/16 | 150.00 |
| ⁶ QD5D16.0 | 7836-5160 | 5 | 16.60 | F | 3 15/16 | 7 1/2 | 143.00 |
| ⁶ QD6D16.0 | 7836-6160 | 6 | 16.60 | J | 4 1/2 | 8 15/16 | 199.00 |
| ⁶ QD8D16.0 | 7836-8160 | 8 | 16.60 | J | 4 1/2 | 11 13/16 | 237.00 |
| ⁶ QD10D16.0 | 7837-0160 | 10 | 16.60 | M | 5 1/2 | 14 11/16 | 267.00 |
| QD12D16.0 | 7837-2160 | 12 | 16.60 | M | 5 1/2 | 17 9/16 | 279.00 |
| QD4D17.0 | 7836-4170 | 4 | 17.60 | J | 4 1/2 | 6 1/16 | 111.00 |
| QD5D17.0 | 7836-5170 | 5 | 17.60 | J | 4 1/2 | 7 1/2 | 128.00 |
| QD6D17.0 | 7836-6170 | 6 | 17.60 | J | 4 1/2 | 8 15/16 | 145.00 |
| QD8D17.0 | 7836-8170 | 8 | 17.60 | J | 4 1/2 | 11 13/16 | 176.00 |
| QD10D17.0 | 7837-0170 | 10 | 17.60 | M | 5 1/2 | 14 11/16 | 263.00 |
| QD12D17.0 | 7837-2170 | 12 | 17.60 | M | 5 1/2 | 17 9/16 | 289.00 |
| ⁶ QD3D18.0 | 7836-3180 | 3 | 18.60 | J | 4 1/2 | 4 5/8 | 146.00 |
| ⁶ QD4D18.0 | 7836-4180 | 4 | 18.60 | J | 4 1/2 | 6 1/16 | 146.00 |
| ⁶ QD5D18.0 | 7836-5180 | 5 | 18.60 | J | 4 1/2 | 7 1/2 | 164.00 |
| ⁶ QD6D18.0 | 7836-6180 | 6 | 18.60 | J | 4 1/2 | 8 15/16 | 223.00 |
| ⁶ QD8D18.0 | 7836-8180 | 8 | 18.60 | M | 5 1/2 | 11 13/16 | 249.00 |
| ⁶ QD10D18.0 | 7837-0180 | 10 | 18.60 | M | 5 1/2 | 14 11/16 | 274.00 |
| ⁶ QD12D18.0 | 7837-2180 | 12 | 18.60 | M | 5 1/2 | 17 9/16 | 309.00 |
| ⁶ QD4D20.0 | 7836-4200 | 4 | 20.60 | J | 4 1/2 | 6 1/16 | 181.00 |
| ⁶ QD5D20.0 | 7836-5200 | 5 | 20.60 | J | 4 1/2 | 7 1/2 | 188.00 |
| ⁶ QD6D20.0 | 7836-6200 | 6 | 20.60 | J | 4 1/2 | 8 15/16 | 249.00 |
| ⁶ QD8D20.0 | 7836-8200 | 8 | 20.60 | M | 5 1/2 | 11 13/16 | 277.00 |
| ⁶ QD10D20.0 | 7837-0200 | 10 | 20.60 | M | 5 1/2 | 14 11/16 | 408.00 |
| QD12D20.0 | 7837-2200 | 12 | 20.60 | M | 5 1/2 | 17 9/16 | 352.00 |
| ⁶ QD3D22.0 | 7836-3220 | 3 | 22.60 | J | 4 1/2 | 4 5/8 | 199.00 |
| ⁶ QD4D22.0 | 7836-4220 | 4 | 22.60 | J | 4 1/2 | 6 1/16 | 199.00 |
| ⁶ QD5D22.0 | 7836-5220 | 5 | 22.60 | J | 4 1/2 | 7 1/2 | 221.00 |
| ⁶ QD6D22.0 | 7836-6220 | 6 | 22.60 | M | 5 1/2 | 8 15/16 | 258.00 |
| ⁶ QD8D22.0 | 7836-8220 | 8 | 22.60 | M | 5 1/2 | 11 13/16 | 326.00 |
| ⁶ QD10D22.0 | 7837-0220 | 10 | 22.60 | M | 5 1/2 | 14 11/16 | 361.00 |
| ⁶ QD12D22.0 | 7837-2220 | 12 | 22.60 | M | 5 1/2 | 17 9/16 | 384.00 |
| QD3D24.0 | 7836-3240 | 3 | 24.60 | J | 4 1/2 | 4 5/8 | 135.00 |
| QD4D24.0 | 7836-4240 | 4 | 24.60 | J | 4 1/2 | 6 1/16 | 170.00 |
| QD5D24.0 | 7836-5240 | 5 | 24.60 | J | 4 1/2 | 7 1/2 | 192.00 |
| QD6D24.0 | 7836-6240 | 6 | 24.60 | M | 5 1/2 | 8 15/16 | 264.00 |
| ⁶ QD3D27.0 | 7836-3270 | 3 | 27.60 | J | 4 1/2 | 4 5/8 | 236.00 |
| ⁶ QD4D27.0 | 7836-4270 | 4 | 27.60 | J | 4 1/2 | 6 1/16 | 257.00 |
| ⁶ QD5D27.0 | 7836-5270 | 5 | 27.60 | M | 5 1/2 | 7 1/2 | 296.00 |
| ⁶ QD6D27.0 | 7836-6270 | 6 | 27.60 | M | 5 1/2 | 8 15/16 | 331.00 |
| QD8D27.0 | 7836-8270 | 8 | 27.60 | M | 5 1/2 | 11 13/16 | 376.00 |
| ⁶ QD10D27.0 | 7837-0270 | 10 | 27.60 | M | 5 1/2 | 14 11/16 | 430.00 |
| ⁶ QD12D27.0 | 7837-2270 | 12 | 27.60 | N | 6 | 17 9/16 | 515.00 |
| ⁶ QD3D33.0 | 7836-3330 | 3 | 33.60 | J | 4 1/2 | 4 5/8 | 332.00 |
| ⁶ QD4D33.0 | 7836-4330 | 4 | 33.60 | M | 5 1/2 | 6 1/16 | 361.00 |
| ⁶ QD5D33.0 | 7836-5330 | 5 | 33.60 | M | 5 1/2 | 7 1/2 | 411.00 |
| ⁶ QD6D33.0 | 7836-6330 | 6 | 33.60 | M | 5 1/2 | 8 15/16 | 460.00 |
| ⁶ QD8D33.0 | 7836-8330 | 8 | 33.60 | M | 5 1/2 | 11 13/16 | 524.00 |
| ⁶ QD10D33.0 | 7837-0330 | 10 | 33.60 | N | 5 7/8 | 14 11/16 | 638.00 |
| ⁶ QD12D33.0 | 7837-2330 | 12 | 33.60 | N | 6 | 17 9/16 | 650.00 |
| ⁶ QD3D40.0 | 7836-3400 | 3 | 40.60 | J | 4 1/2 | 4 5/8 | 250.00 |

HEAVY DUTY V-BELT METAL

⁶ Standard/Non-Stock item. Check with Customer Service for availability.



**Multi-Duty® Sheaves - QD®****Product No. Series 7836 & 7837 (continued)****D Section (continued)**

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Max. Bore (In.) | Face Width (In.) | Wt. Ea. (Lbs.) |
|------------------------|-------------|----------------|--------------------|---------|-----------------|------------------|----------------|
| ⁶ QD4D40.0 | 7836-4400 | 4 | 40.60 | M | 5 1/2 | 6 1/16 | 498.00 |
| ⁶ QD5D40.0 | 7836-5400 | 5 | 40.60 | M | 5 1/2 | 7 1/2 | 546.00 |
| ⁶ QD6D40.0 | 7836-6400 | 6 | 40.60 | M | 5 1/2 | 8 15/16 | 606.00 |
| ⁶ QD8D40.0 | 7836-8400 | 8 | 40.60 | N | 5 7/8 | 11 13/16 | 695.00 |
| ⁶ QD10D40.0 | 7837-0400 | 10 | 40.60 | N | 5 7/8 | 14 11/16 | 788.00 |
| QD12D40.0 | 7837-2400 | 12 | 40.60 | P | 7 | 17 9/16 | 855.00 |
| ⁶ QD5D48.0 | 7836-5480 | 5 | 48.60 | M | 5 1/2 | 7 1/2 | 671.00 |
| ⁶ QD6D48.0 | 7836-6480 | 6 | 48.60 | M | 5 1/2 | 8 15/16 | 744.00 |
| ⁶ QD8D48.0 | 7836-8480 | 8 | 48.60 | N | 5 7/8 | 11 13/16 | 849.00 |
| ⁶ QD10D48.0 | 7837-0480 | 10 | 48.60 | P | 7 | 14 11/16 | 961.00 |
| QD12D48.0 | 7837-2480 | 12 | 48.60 | P | 7 | 17 9/16 | 1085.00 |
| ⁶ QD5D58.0 | 7836-5580 | 5 | 58.60 | M | 5 1/2 | 7 1/2 | 750.00 |
| ⁶ QD6D58.0 | 7836-6580 | 6 | 58.60 | N | 5 7/8 | 8 15/16 | 800.00 |
| ⁶ QD8D58.0 | 7836-8580 | 8 | 58.60 | N | 5 7/8 | 11 13/16 | 975.00 |
| ⁶ QD10D58.0 | 7837-0580 | 10 | 58.60 | P | 7 | 14 11/16 | 1200.00 |
| QD12D58.0 | 7837-2580 | 12 | 58.60 | P | 7 | 17 9/16 | 1395.00 |

HEAVY DUTY V-BELT METAL

6 Standard/Non-Stock item. Check with Customer Service for availability.



JVS Adjustable Speed Sheaves - Bored-to-Size

Markets/Applications

Use with Hi-Power® II A and B, Tri-Power® AX and BX, Super HC® 5V and Super HC® Molded Notched 5VX V-Belts.

Features/Advantages

- Accurate groove spacing is assured at all times.
- Capacities range up to 40 hp at 1750 rpm.
- No lubrication required.
- No corrosion or sticking.
- Wide variable speed range.

Notes

JVS sheaves use standard 2 groove Multi-Duty® A/B or Super HC® 5V sheaves as companions.

Details shown which do not affect drive function or overall weight may be changed without notification.



Product No. Series 7871

| Part No. | Product No. | Bore (in.) | Max. Bore (in.) | Outside Dia. (in.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|------------|-----------------|--------------------|----------------|
| 2/JVS5.12 1.1/8 | 7871-0001 | 1 1/8 | 1 3/8 | 5.12 | 8.30 |
| 2/JVS5.12 1.3/8 | 7871-0002 | 1 3/8 | 1 3/8 | 5.12 | 7.90 |
| 2/JVS5.90 1.1/8 | 7871-0003 | 1 1/8 | 1 11/16 | 5.90 | 11.40 |
| 2/JVS5.90 1.3/8 | 7871-0004 | 1 3/8 | 1 11/16 | 5.90 | 10.90 |
| 2/JVS5.90 1.5/8 | 7871-0005 | 1 5/8 | 1 11/16 | 5.90 | 10.30 |
| 2/JVS6.69 1.1/8 | 7871-0006 | 1 1/8 | 1 11/16 | 6.69 | 14.30 |
| 2/JVS6.69 1.3/8 | 7871-0007 | 1 3/8 | 1 11/16 | 6.69 | 13.80 |
| 2/JVS6.69 1.5/8 | 7871-0008 | 1 5/8 | 1 11/16 | 6.69 | 13.20 |
| 2/JVS7.48 1.3/8 | 7871-0009 | 1 3/8 | 2 7/16 | 7.48 | 20.50 |
| 2/JVS7.48 1.5/8 | 7871-0010 | 1 5/8 | 2 7/16 | 7.48 | 19.90 |
| 2/JVS7.48 1.7/8 | 7871-0011 | 1 7/8 | 2 7/16 | 7.48 | 19.10 |
| 2/JVS8.27 1.3/8 | 7871-0012 | 1 3/8 | 2 7/16 | 8.27 | 24.30 |
| 2/JVS8.27 1.5/8 | 7871-0013 | 1 5/8 | 2 7/16 | 8.27 | 23.70 |
| 2/JVS8.27 1.7/8 | 7871-0014 | 1 7/8 | 2 7/16 | 8.27 | 22.90 |
| 2/JVS8.27 2.1/8 | 7871-0015 | 2 1/8 | 2 7/16 | 8.27 | 22.10 |
| 2/JVS9.06 1.3/8 | 7871-0016 | 1 3/8 | 2 7/16 | 9.06 | 27.30 |
| 2/JVS9.06 1.5/8 | 7871-0017 | 1 5/8 | 2 7/16 | 9.06 | 26.70 |
| 2/JVS9.06 1.7/8 | 7871-0018 | 1 7/8 | 2 7/16 | 9.06 | 25.90 |
| 2/JVS9.06 2.1/8 | 7871-0019 | 2 1/8 | 2 7/16 | 9.06 | 25.10 |

HEAVY DUTY V-BELT METAL



5VS & 8VS Adjustable Speed Sheaves - QD®

Markets/Applications

Use with Super HC® 5V and 8V or Super HC® Molded Notched 5VX and 8VX V-belts.

Features/Advantages

- Capacities range up to 500 hp at 1750 rpm.
- Companion sheaves have wide groove spacing.
- Interchangeable bushings.
- More hp per inch face width.
- No lubrication required.
- No corrosion or sticking.

Notes

8 groove 5V companion sheaves are Made-to-Order. Contact made-to-Order Metal.

8V Companion Sheaves are Made-to-Order. Contact Made-to-Order Metals.

Details shown which do not affect drive function or overall weight may be changed without notification.



Product No. Series 7960

5V Section

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Wt. Ea. (Lbs.) |
|--------------|-------------|----------------|--------------------|---------|----------------|
| QD2/5VS9.56 | 7960-0001 | 2 | 9.56 | SK | 37.00 |
| QD3/5VS9.56 | 7960-0002 | 3 | 9.56 | 5VSSB | 52.00 |
| QD4/5VS9.56 | 7960-0003 | 4 | 9.56 | 5VSSB | 64.00 |
| QD5/5VS9.56 | 7960-0004 | 5 | 9.56 | 5VSSB | 76.00 |
| QD6/5VS9.56 | 7960-0005 | 6 | 9.56 | 5VSLB | 100.00 |
| QD2/5VS10.56 | 7960-0006 | 2 | 10.56 | SK | 42.00 |
| QD3/5VS10.56 | 7960-0007 | 3 | 10.56 | 5VSSB | 62.00 |
| QD4/5VS10.56 | 7960-0008 | 4 | 10.56 | 5VSSB | 78.00 |
| QD5/5VS10.56 | 7960-0009 | 5 | 10.56 | 5VSSB | 92.00 |
| QD6/5VS10.56 | 7960-0010 | 6 | 10.56 | 5VSLB | 118.00 |
| QD2/5VS11.54 | 7960-0011 | 2 | 11.54 | SK | 48.00 |
| QD3/5VS11.54 | 7960-0012 | 3 | 11.54 | 5VSSB | 74.00 |
| QD4/5VS11.54 | 7960-0013 | 4 | 11.54 | 5VSSB | 92.00 |
| QD5/5VS11.54 | 7960-0014 | 5 | 11.54 | 5VSSB | 110.00 |
| QD6/5VS11.54 | 7960-0015 | 6 | 11.54 | 5VSLB | 140.00 |
| QD8/5VS11.54 | 7960-0016 | 8 | 11.54 | 5VSLB | 178.00 |
| QD2/5VS12.52 | 7960-0017 | 2 | 12.52 | SK | 54.00 |
| QD3/5VS12.52 | 7960-0018 | 3 | 12.52 | 5VSSB | 84.00 |
| QD4/5VS12.52 | 7960-0019 | 4 | 12.52 | 5VSSB | 106.00 |
| QD5/5VS12.52 | 7960-0020 | 5 | 12.52 | 5VSSB | 130.00 |
| QD6/5VS12.52 | 7960-0021 | 6 | 12.52 | 5VSLB | 162.00 |
| QD8/5VS12.52 | 7960-0022 | 8 | 12.52 | 5VSLB | 210.00 |
| QD2/5VS14.09 | 7960-0023 | 2 | 14.09 | SK | 67.00 |
| QD3/5VS14.09 | 7960-0024 | 3 | 14.09 | 5VSSB | 104.00 |
| QD4/5VS14.09 | 7960-0025 | 4 | 14.09 | 5VSSB | 133.00 |
| QD5/5VS14.09 | 7960-0026 | 5 | 14.09 | 5VSSB | 164.00 |
| QD6/5VS14.09 | 7960-0027 | 6 | 14.09 | 5VSLB | 202.00 |
| QD8/5VS14.09 | 7960-0028 | 8 | 14.09 | 5VSLB | 264.00 |

HEAVY DUTY V-BELT METAL

5V Companion Sheaves

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Wt. Ea. (Lbs.) |
|-------------|-------------|----------------|--------------------|---------|----------------|
| QD6/5V10.3W | 7960-0029 | 6 | 10.30 | F | 71.00 |
| QD6/5V10.9W | 7960-0030 | 6 | 10.90 | F | 78.80 |
| QD6/5V11.3W | 7960-0031 | 6 | 11.30 | F | 87.30 |
| QD6/5V11.8W | 7960-0032 | 6 | 11.80 | F | 93.50 |
| QD6/5V12.5W | 7960-0033 | 6 | 12.50 | F | 85.30 |
| QD6/5V13.2W | 7960-0034 | 6 | 13.20 | F | 91.90 |



5VS & 8VS Adjustable Speed Sheaves - QD®

Product No. Series 7960 (continued)

5V Companion Sheaves (continued)

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Wt. Ea. (Lbs.) |
|-------------|-------------|----------------|--------------------|---------|----------------|
| QD6/5V14.0W | 7960-0035 | 6 | 14.00 | F | 101.20 |
| QD6/5V15.0W | 7960-0036 | 6 | 15.00 | F | 100.50 |
| QD6/5V16.0W | 7960-0037 | 6 | 16.00 | F | 110.00 |
| QD6/5V18.7W | 7960-0038 | 6 | 18.70 | J | 144.80 |
| QD6/5V21.2W | 7960-0039 | 6 | 21.20 | J | 170.30 |
| QD6/5V23.6W | 7960-0040 | 6 | 23.60 | J | 202.30 |
| QD6/5V28.0W | 7960-0041 | 6 | 28.00 | J | 219.80 |
| QD6/5V31.5W | 7960-0042 | 6 | 31.50 | J | 278.00 |
| QD6/5V37.5W | 7960-0043 | 6 | 37.50 | J | 341.90 |

Product No. Series 7961

8V Section

| Part No. | Product No. | No. of Grooves | Outside Dia. (In.) | Bushing | Wt. Ea. (Lbs.) |
|--------------|-------------|----------------|--------------------|---------|----------------|
| QD4/8VS14.17 | 7961-0001 | 4 | 14.17 | 8VSSB | 187.00 |
| QD5/8VS14.17 | 7961-0002 | 5 | 14.17 | 8VSSB | 220.00 |
| QD6/8VS14.17 | 7961-0003 | 6 | 14.17 | 8VSSB | 256.00 |
| QD8/8VS14.17 | 7961-0004 | 8 | 14.17 | 8VSLB | 340.00 |
| QD4/8VS16.14 | 7961-0005 | 4 | 16.14 | 8VSSB | 215.00 |
| QD5/8VS16.14 | 7961-0006 | 5 | 16.14 | 8VSSB | 250.00 |
| QD6/8VS16.14 | 7961-0007 | 6 | 16.14 | 8VSSB | 290.00 |
| QD8/8VS16.14 | 7961-0008 | 8 | 16.14 | 8VSLB | 388.00 |

HEAVY DUTY V-BELT METAL



SVS Adjustable Speed Sheaves - Bored-To-Size

Markets/Applications

For Use with Hi-Power II A, B or C and Tri-Power AX, BX or CX V-Belts.

Features/Advantages

- Available in 2, 3, & 4 groove sizes.
- For A or B section drives with center distances exceeding 12" for 2 groove drives and 16" for 3 and 4 groove drives, standard Multi-Duty Sheaves can be used as companion sheaves.
- For C section drives with center distances exceeding 19" for 2 groove drives and 25" for 3 and 4 groove drives, standard Multi-Duty Sheaves can be used as companion sheaves.
- Stocked in popular bore sizes.

Notes

Details shown which do not affect drive function or overall weight may be changed without notification.

Product No. Series 7962

A or B Section

| Part No. | Product No. | Outside Dia. (In.) | Bore (In.) | Max. Bore (In.) | Wt. Ea. (Lbs.) |
|-------------------|-------------|--------------------|------------|-----------------|----------------|
| SVS2/AB5.25 1.1/8 | 7962-0002 | 5.25 | 1 1/8 | 1 3/8 | 14.30 |
| SVS2/AB5.25 1.3/8 | 7962-0003 | 5.25 | 1 3/8 | 1 3/8 | 14.30 |
| SVS2/AB5.25 7/8 | 7962-0001 | 5.25 | 7/8 | 1 3/8 | 14.30 |
| SVS3/AB5.25 1.1/8 | 7962-0004 | 5.25 | 1 1/8 | 1 3/8 | 17.50 |
| SVS3/AB5.25 1.3/8 | 7962-0005 | 5.25 | 1 3/8 | 1 3/8 | 17.50 |
| SVS4/AB5.25 1.1/8 | 7962-0006 | 5.25 | 1 1/8 | 1 3/8 | 20.00 |
| SVS4/AB5.25 1.3/8 | 7962-0007 | 5.25 | 1 3/8 | 1 3/8 | 20.00 |
| SVS2/AB5.75 1.1/8 | 7962-0009 | 5.75 | 1 1/8 | 1 3/8 | 15.50 |
| SVS2/AB5.75 1.3/8 | 7962-0010 | 5.75 | 1 3/8 | 1 3/8 | 15.50 |
| SVS2/AB5.75 7/8 | 7962-0008 | 5.75 | 7/8 | 1 3/8 | 15.50 |
| SVS3/AB5.75 1.1/8 | 7962-0011 | 5.75 | 1 1/8 | 1 3/8 | 19.00 |
| SVS3/AB5.75 1.3/8 | 7962-0012 | 5.75 | 1 3/8 | 1 3/8 | 19.00 |
| SVS4/AB5.75 1.1/8 | 7962-0013 | 5.75 | 1 1/8 | 1 3/8 | 22.50 |
| SVS4/AB5.75 1.3/8 | 7962-0014 | 5.75 | 1 3/8 | 1 3/8 | 22.50 |
| SVS2/AB6.25 1.1/8 | 7962-0015 | 6.25 | 1 1/8 | 1 7/8 | 18.80 |
| SVS2/AB6.25 1.3/8 | 7962-0016 | 6.25 | 1 3/8 | 1 7/8 | 18.80 |
| SVS2/AB6.25 1.5/8 | 7962-0017 | 6.25 | 1 5/8 | 1 7/8 | 18.80 |
| SVS3/AB6.25 1.1/8 | 7962-0018 | 6.25 | 1 1/8 | 1 7/8 | 23.50 |
| SVS3/AB6.25 1.3/8 | 7962-0019 | 6.25 | 1 3/8 | 1 7/8 | 23.50 |
| SVS3/AB6.25 1.5/8 | 7962-0020 | 6.25 | 1 5/8 | 1 7/8 | 23.50 |
| SVS4/AB6.25 1.3/8 | 7962-0021 | 6.25 | 1 3/8 | 1 7/8 | 27.00 |
| SVS4/AB6.25 1.5/8 | 7962-0022 | 6.25 | 1 5/8 | 1 7/8 | 27.00 |
| SVS4/AB6.25 1.7/8 | 7962-0023 | 6.25 | 1 7/8 | 1 7/8 | 27.00 |
| SVS2/AB6.75 1.1/8 | 7962-0024 | 6.75 | 1 1/8 | 1 7/8 | 20.80 |
| SVS2/AB6.75 1.3/8 | 7962-0025 | 6.75 | 1 3/8 | 1 7/8 | 20.80 |
| SVS2/AB6.75 1.5/8 | 7962-0026 | 6.75 | 1 5/8 | 1 7/8 | 24.80 |
| SVS3/AB6.75 1.3/8 | 7962-0027 | 6.75 | 1 3/8 | 1 7/8 | 24.80 |
| SVS3/AB6.75 1.5/8 | 7962-0028 | 6.75 | 1 5/8 | 1 7/8 | 24.80 |
| SVS3/AB6.75 1.7/8 | 7962-0029 | 6.75 | 1 7/8 | 1 7/8 | 27.30 |
| SVS4/AB6.75 1.5/8 | 7962-0030 | 6.75 | 1 5/8 | 1 7/8 | 27.30 |
| SVS4/AB6.75 1.7/8 | 7962-0031 | 6.75 | 1 7/8 | 1 7/8 | 27.30 |

| Part No. | Product No. | Outside Dia. (In.) | Bore (In.) | Max. Bore (In.) | Wt. Ea. (Lbs.) |
|-------------------|-------------|--------------------|------------|-----------------|----------------|
| SVS2/AB7.25 1.1/8 | 7962-0032 | 7.25 | 1 1/8 | 1 7/8 | 22.30 |
| SVS2/AB7.25 1.3/8 | 7962-0033 | 7.25 | 1 3/8 | 1 7/8 | 22.30 |
| SVS2/AB7.25 1.5/8 | 7962-0034 | 7.25 | 1 5/8 | 1 7/8 | 22.30 |
| SVS3/AB7.25 1.3/8 | 7962-0035 | 7.25 | 1 3/8 | 1 7/8 | 27.00 |
| SVS3/AB7.25 1.5/8 | 7962-0036 | 7.25 | 1 5/8 | 1 7/8 | 27.00 |
| SVS3/AB7.25 1.7/8 | 7962-0037 | 7.25 | 1 7/8 | 1 7/8 | 27.00 |
| SVS4/AB7.25 1.5/8 | 7962-0038 | 7.25 | 1 5/8 | 1 7/8 | 27.30 |
| SVS4/AB7.25 1.7/8 | 7962-0039 | 7.25 | 1 7/8 | 1 7/8 | 27.30 |
| SVS2/AB7.75 1.1/8 | 7962-0040 | 7.75 | 1 1/8 | 2 3/8 | 26.30 |
| SVS2/AB7.75 1.3/8 | 7962-0041 | 7.75 | 1 3/8 | 2 3/8 | 26.30 |
| SVS2/AB7.75 1.5/8 | 7962-0042 | 7.75 | 1 5/8 | 2 3/8 | 26.30 |
| SVS3/AB7.75 1.5/8 | 7962-0043 | 7.75 | 1 5/8 | 2 3/8 | 32.00 |
| SVS3/AB7.75 1.7/8 | 7962-0044 | 7.75 | 1 7/8 | 2 3/8 | 32.00 |
| SVS4/AB7.75 1.5/8 | 7962-0045 | 7.75 | 1 5/8 | 2 3/8 | 37.30 |
| SVS4/AB7.75 1.7/8 | 7962-0046 | 7.75 | 1 7/8 | 2 3/8 | 37.30 |
| SVS4/AB7.75 2.1/8 | 7962-0047 | 7.75 | 2 1/8 | 2 3/8 | 37.30 |
| SVS2/AB8.75 1.3/8 | 7962-0048 | 8.75 | 1 3/8 | 2 3/8 | 29.00 |
| SVS2/AB8.75 1.5/8 | 7962-0049 | 8.75 | 1 5/8 | 2 3/8 | 29.00 |
| SVS3/AB8.75 1.3/8 | 7962-0050 | 8.75 | 1 3/8 | 2 3/8 | 32.00 |
| SVS3/AB8.75 1.5/8 | 7962-0051 | 8.75 | 1 5/8 | 2 3/8 | 32.00 |
| SVS3/AB8.75 1.7/8 | 7962-0052 | 8.75 | 1 7/8 | 2 3/8 | 32.00 |
| SVS4/AB8.75 1.5/8 | 7962-0053 | 8.75 | 1 5/8 | 2 3/8 | 43.00 |
| SVS4/AB8.75 1.7/8 | 7962-0054 | 8.75 | 1 7/8 | 2 3/8 | 43.00 |
| SVS4/AB8.75 2.1/8 | 7962-0055 | 8.75 | 2 1/8 | 2 3/8 | 43.00 |
| SVS2/AB9.75 1.3/8 | 7962-0056 | 9.75 | 1 3/8 | 2 3/8 | 32.50 |
| SVS2/AB9.75 1.5/8 | 7962-0057 | 9.75 | 1 5/8 | 2 3/8 | 32.50 |
| SVS3/AB9.75 1.5/8 | 7962-0058 | 9.75 | 1 5/8 | 2 3/8 | 42.00 |
| SVS3/AB9.75 1.7/8 | 7962-0059 | 9.75 | 1 7/8 | 2 3/8 | 42.00 |
| SVS4/AB9.75 1.5/8 | 7962-0060 | 9.75 | 1 5/8 | 2 3/8 | 50.30 |
| SVS4/AB9.75 1.7/8 | 7962-0061 | 9.75 | 1 7/8 | 2 3/8 | 50.30 |
| SVS4/AB9.75 2.1/8 | 7962-0062 | 9.75 | 2 1/8 | 2 3/8 | 50.30 |

Product No. Series 7963

C Section

| Part No. | Product No. | Outside Dia. (In.) | Bore (In.) | Max. Bore (In.) | Wt. Ea. (Lbs.) |
|-------------------|-------------|--------------------|------------|-----------------|----------------|
| SVS2/C9.56 1.5/8 | 7963-0001 | 9.56 | 1 5/8 | 2 1/2 | 40.50 |
| SVS2/C9.56 1.7/8 | 7963-0002 | 9.56 | 1 7/8 | 2 1/2 | 40.50 |
| SVS3/C9.56 1.5/8 | 7963-0003 | 9.56 | 1 5/8 | 2 1/2 | 54.00 |
| SVS3/C9.56 1.7/8 | 7963-0004 | 9.56 | 1 7/8 | 2 1/2 | 54.00 |
| SVS3/C9.56 2.1/8 | 7963-0005 | 9.56 | 2 1/8 | 2 1/2 | 54.00 |
| SVS4/C9.56 2.1/8 | 7963-0006 | 9.56 | 2 1/8 | 2 1/2 | 63.00 |
| SVS4/C9.56 2.3/8 | 7963-0007 | 9.56 | 2 3/8 | 2 1/2 | 63.00 |
| SVS2/C10.56 1.5/8 | 7963-0008 | 10.56 | 1 5/8 | 2 1/2 | 44.30 |

| Part No. | Product No. | Outside Dia. (In.) | Bore (In.) | Max. Bore (In.) | Wt. Ea. (Lbs.) |
|-------------------|-------------|--------------------|------------|-----------------|----------------|
| SVS2/C10.56 1.7/8 | 7963-0009 | 10.56 | 1 7/8 | 2 1/2 | 44.30 |
| SVS2/C10.56 2.1/8 | 7963-0010 | 10.56 | 2 1/8 | 2 1/2 | 49.30 |
| SVS3/C10.56 1.7/8 | 7963-0011 | 10.56 | 1 7/8 | 2 1/2 | 59.00 |
| SVS3/C10.56 2.1/8 | 7963-0012 | 10.56 | 2 1/8 | 2 1/2 | 59.00 |
| SVS3/C10.56 2.3/8 | 7963-0013 | 10.56 | 2 3/8 | 2 1/2 | 59.00 |
| SVS4/C10.56 2.1/8 | 7963-0014 | 10.56 | 2 1/8 | 2 1/2 | 71.80 |
| SVS4/C10.56 2.3/8 | 7963-0015 | 10.56 | 2 3/8 | 2 1/2 | 71.80 |
| SVS2/C11.06 1.5/8 | 7963-0016 | 11.06 | 1 5/8 | 2 1/2 | 49.25 |



SVS Adjustable Speed Sheaves - Bored-To-Size

Product No. Series 7963 (continued)

C Section (continued)

| Part No. | Product No. | Outside Dia. (In.) | Bore (In.) | Max. Bore (In.) | Wt. Ea. (Lbs.) |
|-------------------|-------------|--------------------|------------|-----------------|----------------|
| SVS2/C11.06 1.7/8 | 7963-0017 | 11.06 | 1 7/8 | 2 1/2 | 49.30 |
| SVS2/C11.06 2.1/8 | 7963-0018 | 11.06 | 2 1/8 | 2 1/2 | 49.30 |
| SVS3/C11.06 1.7/8 | 7963-0019 | 11.06 | 1 7/8 | 2 1/2 | 62.75 |
| SVS3/C11.06 2.1/8 | 7963-0020 | 11.06 | 2 1/8 | 2 1/2 | 62.80 |
| SVS3/C11.06 2.3/8 | 7963-0021 | 11.06 | 2 3/8 | 2 1/2 | 62.80 |
| SVS4/C11.06 2.1/8 | 7963-0022 | 11.06 | 2 1/8 | 2 1/2 | 76.00 |
| SVS4/C11.06 2.3/8 | 7963-0023 | 11.06 | 2 3/8 | 2 1/2 | 76.00 |
| SVS2/C11.56 1.5/8 | 7963-0024 | 11.56 | 1 5/8 | 2 1/2 | 50.50 |
| SVS2/C11.56 1.7/8 | 7963-0025 | 11.56 | 1 7/8 | 2 1/2 | 50.50 |
| SVS2/C11.56 2.1/8 | 7963-0026 | 11.56 | 2 1/8 | 2 1/2 | 50.50 |
| SVS3/C11.56 1.7/8 | 7963-0027 | 11.56 | 1 7/8 | 2 1/2 | 68.25 |
| SVS3/C11.56 2.1/8 | 7963-0028 | 11.56 | 2 1/8 | 2 1/2 | 68.25 |
| SVS3/C11.56 2.3/8 | 7963-0029 | 11.56 | 2 3/8 | 2 1/2 | 68.30 |
| SVS4/C11.56 2.1/8 | 7963-0030 | 11.56 | 2 1/8 | 2 1/2 | 82.50 |
| SVS4/C11.56 2.3/8 | 7963-0031 | 11.56 | 2 3/8 | 2 1/2 | 82.50 |
| SVS2/C12.06 1.5/8 | 7963-0032 | 12.06 | 1 5/8 | 2 1/2 | 55.00 |

| Part No. | Product No. | Outside Dia. (In.) | Bore (In.) | Max. Bore (In.) | Wt. Ea. (Lbs.) |
|-------------------|-------------|--------------------|------------|-----------------|----------------|
| SVS2/C12.06 1.7/8 | 7963-0033 | 12.06 | 1 7/8 | 2 1/2 | 55.00 |
| SVS2/C12.06 2.1/8 | 7963-0034 | 12.06 | 2 1/8 | 2 1/2 | 55.00 |
| SVS3/C12.06 1.7/8 | 7963-0035 | 12.06 | 1 7/8 | 2 1/2 | 69.50 |
| SVS3/C12.06 2.1/8 | 7963-0036 | 12.06 | 2 1/8 | 2 1/2 | 69.50 |
| SVS3/C12.06 2.3/8 | 7963-0037 | 12.06 | 2 3/8 | 2 1/2 | 69.50 |
| SVS4/C12.06 2.1/8 | 7963-0038 | 12.06 | 2 1/8 | 2 1/2 | 85.50 |
| SVS4/C12.06 2.3/8 | 7963-0039 | 12.06 | 2 3/8 | 2 1/2 | 85.50 |
| SVS2/C12.56 1.5/8 | 7963-0040 | 13.06 | 1 5/8 | 2 1/2 | 59.75 |
| SVS2/C12.56 1.7/8 | 7963-0041 | 13.06 | 1 7/8 | 2 1/2 | 59.80 |
| SVS2/C12.56 2.1/8 | 7963-0042 | 13.06 | 2 1/8 | 2 1/2 | 59.80 |
| SVS3/C12.56 1.7/8 | 7963-0043 | 13.06 | 1 7/8 | 2 1/2 | 76.00 |
| SVS3/C12.56 2.1/8 | 7963-0044 | 13.06 | 2 1/8 | 2 1/2 | 76.00 |
| SVS3/C12.56 2.3/8 | 7963-0045 | 13.06 | 2 3/8 | 2 1/2 | 76.00 |
| SVS4/C12.56 2.1/8 | 7963-0046 | 13.06 | 2 1/8 | 2 1/2 | 91.00 |
| SVS4/C12.56 2.3/8 | 7963-0047 | 13.06 | 2 3/8 | 2 1/2 | 91.00 |



Light Duty Sheaves - Bored-to-Size

Markets/Applications

Use with Truflex® belts.

Features/Advantages

- Precision machined grooves.
- Single or double groove designs are available.

| Sheave Type | Outside Diameter (In.) | | | |
|-------------|------------------------|-------------|-------------|-------------|
| | AK | BK | 2AK | 2BK |
| Solid | Up to 2.45 | Up to 2.75 | Up to 3.45 | Up to 3.75 |
| Web | 2.5 - 3.95 | 2.85 - 4.55 | 3.75 - 4.95 | 3.95 - 5.95 |
| Spoke | ≥ 4.25 | ≥ 4.75 | ≥ 5.25 | 5.75 |



Solid Type



Spoke Type



Web Type

Notes

Details shown which do not affect drive function or overall weight may be changed without notification.

Product No. Series 7805 & 7807

One Groove "3L" - "4L" - Bored-to-Size

(For use with No. 1 (3L) or No. 2 (4L) Section Truflex V-Belts.)

| Part No. | Outside Dia. (In.) | Wt. Ea. (Lbs.) | Pitch Diameter (In.) | | Stock Bore (In.) | | | | | | | | | | |
|----------|--------------------|----------------|----------------------|-------|------------------|-------|-------|-------|-------|-------|-------|--------|-------|-------|--------|
| | | | 3L | 4L | 1/2 | 5/8 | 3/4 | 7/8 | 15/16 | 1 | 1 1/8 | 1 3/16 | 1 1/4 | 1 3/8 | 1 7/16 |
| | | | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- |
| AK15 | 1.5 | .30 | 1.00 | 1.30 | 2046 | 2047 | — | — | — | — | — | — | — | — | — |
| AK16 | 1.65 | .30 | 1.06 | 1.40 | 2035 | 2036 | — | — | — | — | — | — | — | — | — |
| AK17 | 1.75 | .50 | 1.16 | 1.50 | 2041 | 2042 | 82043 | — | — | — | — | — | — | — | — |
| AK18 | 1.85 | .50 | 1.26 | 1.60 | — | 2050 | — | — | — | — | — | — | — | — | — |
| AK19 | 1.95 | .50 | 1.36 | 1.70 | 2051 | 2052 | 2053 | 2054 | — | — | — | — | — | — | — |
| AK20 | 2 | .50 | 1.46 | 1.80 | 2056 | 2057 | 2058 | — | — | — | — | — | — | — | — |
| AK21 | 2.1 | .70 | 1.56 | 1.90 | 2059 | 2060 | 2061 | — | — | — | — | — | — | — | — |
| AK22 | 2.2 | .80 | 1.66 | 2.00 | 2062 | 2063 | 2064 | 2065 | — | — | — | — | — | — | — |
| AK23 | 2.3 | .80 | 1.76 | 2.10 | 2066 | 2067 | 2068 | 2069 | — | — | — | — | — | — | — |
| AK24 | 2.45 | .70 | 1.86 | 2.20 | 2074 | 2075 | 2076 | 2077 | — | 2078 | — | — | — | — | — |
| AK25 | 2.5 | .90 | 1.96 | 2.30 | 2083 | 2084 | 2085 | 2086 | — | — | — | — | — | — | — |
| AK26 | 2.6 | 1.00 | 2.06 | 2.40 | 2087 | 2088 | 2089 | — | — | — | — | — | — | — | — |
| AK27 | 2.70 | 1.00 | 2.16 | 2.50 | 2090 | 2091 | 2092 | — | — | 2093 | — | — | — | — | — |
| AK28 | 2.8 | .80 | 2.26 | 2.60 | 2108 | 2109 | 2110 | 2111 | — | 2112 | — | — | — | — | — |
| AK30 | 3.05 | 1.10 | 2.46 | 2.80 | 2120 | 2121 | 2122 | 2123 | — | 2125 | — | — | — | — | — |
| AK32 | 3.25 | 1.40 | 2.66 | 3.00 | 2402 | 2403 | 2404 | 2405 | — | 2406 | 2407 | — | — | — | — |
| AK34 | 3.45 | 1.40 | 2.86 | 3.20 | 2144 | 2145 | 2146 | 2147 | — | 2149 | 2150 | — | — | — | — |
| AK35 | 3.55 | 1.50 | 2.96 | 3.30 | 2151 | 2152 | 2153 | 2154 | — | 2155 | — | — | — | — | — |
| | | | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- |
| AK39 | 3.75 | 2.00 | 3.16 | 3.50 | 2412 | 2413 | 2414 | 2415 | 2418 | 2416 | 2417 | — | — | — | — |
| AK41 | 3.95 | 2.00 | 3.36 | 3.70 | 2168 | 2169 | 2170 | 2171 | 2172 | 2173 | 2174 | — | — | — | — |
| AK44 | 4.25 | 1.80 | 3.66 | 4.00 | 2422 | 2423 | 2424 | 2425 | 2428 | 2426 | 2427 | — | — | — | — |
| AK46 | 4.45 | 1.90 | 3.86 | 4.20 | 2192 | 2193 | 2194 | 2195 | 2196 | 2197 | 2198 | — | — | — | — |
| AK49 | 4.75 | 1.90 | 4.16 | 4.50 | 2432 | 2433 | 2434 | 2435 | 2438 | 2436 | 2437 | — | — | — | — |
| AK51 | 4.95 | 2.80 | 4.36 | 4.70 | 2216 | 2217 | 2218 | 2219 | — | 2221 | 2222 | — | — | — | — |
| AK54 | 5.25 | 1.80 | 4.66 | 5.00 | 2442 | 2443 | 2444 | 2445 | 2449 | 2446 | 2447 | 2448 | — | — | — |
| AK56 | 5.45 | 2.40 | 4.86 | 5.20 | 2240 | 2241 | 2242 | 2243 | 2244 | 2245 | 2246 | 2247 | — | — | — |
| AK59 | 5.75 | 2.60 | 5.16 | 5.50 | 2250 | 2251 | 2252 | 2253 | 2254 | 2255 | 2256 | 2257 | — | — | — |
| AK61 | 5.95 | 2.80 | 5.36 | 5.70 | 2264 | 2265 | 2266 | 2267 | 2268 | 2269 | 2270 | 2271 | — | — | — |
| AK64 | 6.25 | 2.90 | 5.66 | 6.00 | 2452 | 2453 | 2454 | 2455 | 2459 | 2456 | 2457 | 2458 | — | — | — |
| AK66 | 6.45 | 3.00 | 5.86 | 6.20 | — | 2463 | 2464 | — | — | 2466 | 2467 | — | — | — | — |
| AK69 | 6.75 | 3.10 | 6.16 | 6.50 | — | — | 2474 | — | — | 2476 | 2477 | — | — | — | — |
| AK71 | 6.95 | 3.10 | 6.36 | 6.70 | 2482 | 2483 | 2484 | — | — | 2486 | 2487 | — | — | — | 2488 |
| AK74 | 7.25 | 3.00 | 6.66 | 7.00 | 2492 | 2493 | 2494 | — | 2495 | 2496 | 2497 | 2498 | 2499 | — | 2500 |
| AK79 | 7.75 | 3.50 | 7.16 | 7.50 | — | — | 2504 | — | — | 2506 | 2507 | — | — | — | 2510 |
| AK81 | 7.95 | 5.00 | 7.36 | 7.70 | — | 2522 | 2521 | — | — | 2520 | — | — | — | — | — |
| AK84 | 8.25 | 4.30 | 7.66 | 8.00 | 2532 | 2533 | 2534 | — | 2535 | 2536 | — | 2538 | — | — | 2540 |
| AK89 | 8.75 | 4.60 | 8.16 | 8.50 | — | — | 2544 | — | — | 2546 | 2547 | — | — | — | 2550 |
| AK91 | 8.95 | 5.50 | 8.36 | 8.70 | — | — | 2561 | — | — | 2560 | — | — | — | — | — |
| AK94 | 9.25 | 5.00 | 8.66 | 9.00 | 2572 | 2573 | 2574 | — | 2571 | 2576 | — | 2578 | 2579 | — | 2580 |
| AK99 | 9.75 | 5.20 | 9.16 | 9.50 | — | — | 2583 | — | — | 2586 | — | — | — | — | 2590 |
| AK104 | 10.25 | 5.60 | 9.66 | 10.00 | — | 2613 | 2614 | — | — | 2616 | — | 2618 | 2619 | 2621 | 2620 |
| AK109 | 10.75 | 6.00 | 10.16 | 10.50 | — | — | 2644 | — | — | 2646 | — | — | — | 2648 | 2640 |
| AK114 | 11.25 | 6.90 | 10.66 | 11.00 | — | — | 2664 | — | — | 2666 | — | 2668 | — | — | 2670 |
| AK124 | 12.25 | 7.90 | 11.66 | 12.00 | — | 2703 | 2704 | — | — | 2706 | — | 2708 | 2709 | — | 2710 |
| AK134 | 13.25 | 8.90 | 12.66 | 13.00 | — | — | 2740 | — | — | 2741 | — | 2742 | — | 2743 | 2744 |
| AK144 | 14.25 | 10.90 | 13.66 | 14.00 | — | — | 2780 | — | — | 2781 | — | 2782 | — | — | 2783 |
| AK154 | 15.25 | 9.60 | 14.66 | 15.00 | — | — | 2790 | — | — | 2791 | — | 2792 | — | — | 2793 |
| AK184 | 18.25 | 12.70 | 17.66 | 18.00 | — | — | 2800 | — | — | 2801 | — | 2802 | — | — | 2803 |

7 Pitch diameter is a reference diameter only.

8 No Keyseat.



Light Duty Sheaves - Bored-to-Size

Product No. Series 7805 & 7807 (continued)

Two Groove "3L" - "4L" - Bored-to-Size

(For use with No. 1 (3L) or No. 2 (4L) Section Truflex V-Belts.)

| Part No. | Outside Dia. (In.) | Wt. Ea. (Lbs.) | Pitch Diameter (In.) | | Stock Bore (In.) | | | | | | | | | | |
|----------|--------------------|----------------|----------------------|--------------|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | | | 3L | 4L | 1/2 | 5/8 | 3/4 | 7/8 | 15/16 | 1 | 1 1/8 | 1 3/16 | 1 1/4 | 1 3/8 | 1 7/16 |
| | | | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- |
| 2AK20 | 2.05 | .90 | 1.46 | 1.80 | 0011 | 0012 | 0013 | 0014 | — | — | — | — | — | — | — |
| 2AK21 | 2.15 | 1.10 | 1.56 | 1.90 | 0015 | 0016 | 0017 | — | — | — | — | — | — | — | — |
| 2AK22 | 2.25 | 1.20 | 1.66 | 2.00 | 0021 | 0022 | 0023 | 0024 | — | 0025 | — | — | — | — | — |
| 2AK23 | 2.35 | 1.30 | 1.76 | 2.10 | — | 0032 | 0033 | 0034 | — | 0035 | — | — | — | — | — |
| 2AK25 | 2.55 | 1.50 | 1.96 | 2.30 | 0111 | 0112 | 0113 | 0114 | — | 0115 | 0116 | — | — | — | — |
| 2AK26 | 2.65 | 1.50 | 2.06 | 2.40 | — | 0117 | 0118 | 0119 | — | — | — | — | — | — | — |
| 2AK27 | 2.75 | 1.80 | 2.16 | 2.50 | 0121 | 0122 | 0123 | 0124 | — | 0125 | 0126 | — | — | — | — |
| 2AK28 | 2.85 | 2.00 | 2.26 | 2.60 | — | 0132 | 0133 | 0134 | — | 0135 | — | — | — | — | — |
| 2AK30 | 3.05 | 2.20 | 2.46 | 2.80 | 0221 | 0222 | 0223 | 0224 | — | 0225 | 0226 | — | — | — | — |
| 2AK32 | 3.25 | 2.40 | 2.66 | 3.00 | 0141 | 0142 | 0143 | 0144 | — | 0145 | 0146 | — | — | — | — |
| 2AK34 | 3.45 | 2.70 | 2.86 | 3.20 | 0151 | 0152 | 0153 | 0154 | — | 0155 | 0156 | — | — | — | — |
| 2AK41 | 3.95 | 3.50 | 3.36 | 3.70 | — | 0171 | 0172 | 0173 | — | 0174 | 0175 | — | — | — | — |
| | | | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- |
| 2AK39 | 3.75 | 3.20 | 3.16 | 3.50 | 0161 | 0162 | 0163 | 0164 | — | 0165 | 0166 | — | — | — | — |
| 2AK44 | 4.25 | 4.10 | 3.66 | 4.00 | — | 0171 | 0172 | 0173 | — | 0174 | 0175 | — | — | — | — |
| 2AK46 | 4.45 | 4.60 | 3.86 | 4.20 | — | 0177 | — | 0178 | — | 0179 | 0180 | — | — | — | — |
| 2AK49 | 4.75 | 2.70 | 4.16 | 4.50 | — | — | 0182 | 0183 | — | 0184 | 0242 | — | — | 0243 | — |
| 2AK51 | 4.95 | 2.90 | 4.36 | 4.70 | — | — | 0186 | 0187 | — | 0188 | 0244 | — | — | 0245 | — |
| 2AK54 | 5.25 | 3.20 | 4.66 | 5.00 | — | 0189 | 0190 | 0191 | — | 0192 | 0246 | — | — | 0247 | — |
| 2AK56 | 5.45 | 3.30 | 4.86 | 5.20 | — | 0193 | 0194 | — | — | 0196 | 0248 | — | — | 0249 | — |
| 2AK59 | 5.75 | 3.40 | 5.16 | 5.50 | — | — | — | — | — | 0250 | 0251 | — | — | 0252 | — |
| 2AK61 | 5.95 | 3.60 | 5.36 | 5.70 | — | — | 0197 | 0198 | — | 0199 | 0253 | — | — | 0254 | — |
| 2AK64 | 6.25 | 4.50 | 5.66 | 6.00 | — | — | 0200 | — | — | 0202 | 0255 | 0203 | — | 0256 | 0204 |
| 2AK74 | 7.25 | 5.80 | 6.66 | 7.00 | — | — | 0205 | — | — | 0206 | 0257 | 0207 | — | 0258 | 0208 |
| 2AK84 | 8.25 | 6.90 | 7.66 | 8.00 | — | — | 0209 | — | 0210 | 0211 | 0259 | 0212 | — | 0260 | 0214 |
| 2AK94 | 9.25 | 7.70 | 8.66 | 9.00 | — | — | 0215 | — | — | 0217 | 0261 | 0218 | — | 0262 | 0219 |
| 2AK104 | 10.25 | 9.70 | 9.66 | 10.00 | — | — | 0220 | — | 0221 | 0222 | — | 0266 | — | — | 0224 |
| 2AK114 | 11.25 | 10.20 | 10.66 | 11.00 | — | — | — | — | — | 0226 | — | 0227 | — | 0263 | 0228 |
| 2AK124 | 12.25 | 11.30 | 11.66 | 12.00 | — | — | — | — | — | 0230 | — | 0231 | — | — | 0232 |
| 2AK134 | 13.25 | 12.40 | 12.66 | 13.00 | — | — | — | — | — | — | — | 0264 | — | — | 0265 |
| 2AK144 | 14.25 | 13.20 | 13.66 | 14.00 | — | — | — | — | — | 0233 | — | — | — | — | 0235 |
| 2AK154 | 15.25 | 13.70 | 14.66 | 15.00 | — | — | — | — | — | — | — | 0237 | — | — | 0238 |
| 2AK184 | 18.25 | 17.00 | 17.66 | 18.00 | — | — | — | — | — | — | — | 0240 | — | — | 0241 |

One Groove "4L" - "5L" - Bored-to-Size

(For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Outside Dia. (In.) | Wt. Ea. (Lbs.) | Pitch Diameter (In.) | | Stock Bore (In.) | | | | | | | | | | |
|----------|--------------------|----------------|----------------------|--------------|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | | | 4L | 5L | 1/2 | 5/8 | 3/4 | 7/8 | 15/16 | 1 | 1 1/8 | 1 3/16 | 1 1/4 | 1 3/8 | 1 7/16 |
| | | | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- |
| BK19 | 2.05 | .60 | 1.30 | 1.70 | — | 3520 | 3521 | — | — | — | — | — | — | — | — |
| BK20 | 2.15 | .70 | 1.40 | 1.80 | 3527 | 3528 | 3529 | — | — | — | — | — | — | — | — |
| BK22 | 2.35 | .70 | 1.60 | 2.00 | 3534 | 3535 | 3536 | — | — | 3538 | — | — | — | — | — |
| BK23 | 2.45 | .90 | 1.70 | 2.10 | 3539 | 3540 | 3541 | 3542 | — | 3543 | — | — | — | — | — |
| BK24 | 2.55 | .90 | 1.80 | 2.20 | 3545 | 3546 | 3547 | — | — | — | — | — | — | — | — |
| BK25 | 2.65 | .70 | 1.90 | 2.30 | 3551 | 3552 | 3553 | 3554 | — | 3555 | — | — | — | — | — |
| BK26 | 2.75 | 1.20 | 2.00 | 2.40 | 3565 | 3566 | 3567 | 3568 | — | — | — | — | — | — | — |
| BK27 | 2.85 | 1.10 | 2.10 | 2.50 | 3575 | 3576 | 3577 | 3578 | — | — | — | — | — | — | — |
| BK28 | 2.95 | 1.20 | 2.20 | 2.60 | 3587 | 3588 | 3589 | 3590 | — | 3592 | 3593 | — | — | — | — |
| BK30 | 3.15 | 1.50 | 2.40 | 2.80 | 3597 | 3598 | 3599 | 3600 | — | — | — | — | — | — | — |
| BK31 | 3.25 | 1.40 | 2.50 | 2.90 | 3907 | 3908 | 3909 | 3916 | — | 3917 | 3919 | — | — | — | — |
| BK32 | 3.35 | 1.50 | 2.60 | 3.00 | 3621 | 3622 | 3623 | 3624 | — | — | — | — | — | — | — |
| BK34 | 3.55 | 1.80 | 2.80 | 3.20 | 3611 | 3612 | 3613 | 3614 | — | 3616 | 3618 | — | — | — | — |
| | | | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- |
| BK22 | 2.35 | .80 | 1.60 | 2.00 | — | — | — | 3537 | — | — | — | — | — | — | — |
| BK24 | 2.55 | .80 | 1.80 | 2.20 | — | — | — | 3548 | — | 3549 | — | — | — | — | — |
| BK27 | 2.85 | 1.00 | 2.10 | 2.50 | — | — | — | — | — | — | 3581 | — | — | — | — |
| BK30 | 3.15 | 1.30 | 2.40 | 2.80 | — | — | — | — | — | 3601 | 3602 | — | — | — | — |
| BK32 | 3.35 | 1.50 | 2.60 | 3.00 | — | — | — | — | — | 3625 | — | — | — | — | — |
| BK36 | 3.75 | 2.00 | 3.00 | 3.40 | 3930 | 3931 | 3932 | 3933 | — | 3934 | 3935 | — | — | — | — |
| BK40 | 3.95 | 2.20 | 3.20 | 3.60 | 3635 | 3636 | 3637 | 3638 | — | 3640 | 3641 | — | — | — | — |
| BK45 | 4.25 | 2.70 | 3.50 | 3.90 | 3950 | 3951 | 3952 | 3953 | — | 3954 | 3955 | — | — | — | — |
| BK46 | 4.35 | 2.70 | 3.60 | 4.00 | — | — | — | 3959 | — | — | — | — | — | — | — |
| BK47 | 4.45 | 2.90 | 3.70 | 4.10 | 5201 | 5202 | 5203 | 5204 | — | 5205 | 5238 | — | — | — | — |
| BK48 | 4.55 | 2.90 | 3.80 | 4.20 | — | 3968 | 3969 | 3970 | — | — | 3961 | — | — | — | — |

LIGHT DUTY V-BELT METAL

7 Pitch diameter is a reference diameter only.





Light Duty Sheaves - Bored-to-Size

Product No. Series 7805 & 7807 (continued)

One Groove "4L" - "5L" - Bored-to-Size (continued)

| Part No. | Outside Dia. (In.) | Wt. Ea. (Lbs.) | Pitch Diameter (In.) | | Stock Bore (In.) | | | | | | | | | | |
|----------|--------------------|----------------|----------------------|--------------|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | | | 4L | 5L | 1/2 | 5/8 | 3/4 | 7/8 | 15/16 | 1 | 1 1/8 | 1 3/16 | 1 1/4 | 1 3/8 | 1 7/16 |
| | | | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- |
| BK50 | 4.75 | 3.20 | 4.00 | 4.40 | 3980 | 3981 | 3982 | 3983 | 3979 | 3984 | 3985 | — | — | — | — |
| BK52 | 4.95 | 3.40 | 4.20 | 4.60 | 3683 | 3684 | 3685 | 3686 | — | 3688 | 3689 | — | — | — | — |
| BK55 | 5.25 | 2.20 | 4.50 | 4.90 | 5206 | 5207 | 5208 | 5209 | — | 5210 | 5211 | 5239 | — | — | — |
| BK57 | 5.45 | 4.10 | 4.70 | 5.10 | — | 5213 | 5214 | 5215 | 5240 | 5216 | 5217 | — | — | — | — |
| BK60 | 5.75 | 4.60 | 5.00 | 5.40 | 4050 | 4051 | 4052 | 4053 | — | 4054 | 4055 | 4056 | — | — | — |
| BK62 | 5.95 | 3.60 | 5.20 | 5.60 | 3731 | 3732 | 3733 | 3734 | 3692 | 3736 | 3737 | 3738 | — | — | — |
| BK65 | 6.25 | 3.70 | 5.50 | 5.90 | — | 4071 | 4072 | — | — | 4074 | 4075 | — | — | — | — |
| BK67 | 6.45 | 3.70 | 5.70 | 6.10 | — | 5218 | 5219 | — | — | 5221 | 5222 | — | — | — | — |
| BK70 | 6.75 | 3.70 | 6.00 | 6.40 | — | 5001 | 5002 | — | 5241 | 5004 | 5005 | 5006 | — | — | 5008 |
| BK72 | 6.95 | 3.80 | 6.20 | 6.60 | — | — | 5012 | — | — | 5014 | 5242 | — | — | 5243 | 5015 |
| BK75 | 7.25 | 4.30 | 6.50 | 6.90 | — | — | 5224 | — | — | 5225 | 5244 | — | — | — | 5284 |
| BK77 | 7.45 | 4.50 | 6.70 | 7.10 | — | — | 5246 | — | — | 5247 | 5248 | — | — | 5249 | 5285 |
| BK80 | 7.75 | 5.10 | 7.00 | 7.40 | — | 5031 | 5032 | 5033 | — | 5034 | 5035 | 5036 | 5037 | 5250 | 5038 |
| BK85 | 8.25 | 5.50 | 7.50 | 7.90 | — | — | 5226 | — | — | 5227 | 5251 | 5286 | — | 5252 | 5253 |
| BK90 | 8.75 | 6.00 | 8.00 | 8.40 | — | 5287 | 5282 | 5043 | 5254 | 5044 | 5255 | 5256 | — | 5257 | 5258 |
| BK95 | 9.25 | 6.30 | 8.50 | 8.90 | — | — | 5259 | — | — | 5260 | 5261 | — | — | 5262 | 5288 |
| BK100 | 9.75 | 7.20 | 9.00 | 9.40 | — | — | 5092 | 5093 | 5263 | 5094 | 5095 | 5096 | 5097 | 5266 | 5098 |
| BK105 | 10.25 | 7.70 | 9.50 | 9.90 | — | — | — | — | — | 5265 | — | — | — | 5283 | 5267 |
| BK110 | 10.75 | 8.20 | 10.00 | 10.40 | — | — | 5102 | — | — | 5104 | 5268 | 5106 | — | 5269 | 5270 |
| BK115 | 11.25 | 8.70 | 10.50 | 10.90 | — | — | — | — | — | 5271 | — | — | — | 5120 | 5272 |
| BK120 | 11.75 | 9.20 | 11.00 | 11.40 | — | — | 5172 | — | — | 5174 | — | 5176 | — | 5175 | 5178 |
| BK130 | 12.75 | 9.60 | 12.00 | 12.40 | — | — | 6002 | — | — | 6004 | 6005 | 6006 | 6007 | — | 6008 |
| BK140 | 13.75 | 11.20 | 13.00 | 13.40 | — | — | 5273 | — | — | 5274 | 5275 | 5276 | — | — | 5277 |
| BK160 | 15.75 | 11.20 | 15.00 | 15.40 | — | — | — | — | — | 5229 | 5278 | 5230 | 5233 | — | 5232 |
| BK190 | 18.75 | 13.40 | 18.00 | 18.40 | — | — | — | — | — | 5234 | — | 5235 | 5281 | — | 5237 |

Two Groove "4L" - "5L" - Bored-to-Size

(For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Outside Dia. (In.) | Wt. Ea. (Lbs.) | Pitch Diameter (In.) | | Stock Bore (In.) | | | | | | | | | | |
|----------|--------------------|----------------|----------------------|--------------|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | | | 4L | 5L | 1/2 | 5/8 | 3/4 | 7/8 | 15/16 | 1 | 1 1/8 | 1 3/16 | 1 1/4 | 1 3/8 | 1 7/16 |
| | | | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- | 7807- |
| 2BK23 | 2.45 | 1.50 | 1.70 | 2.10 | — | 7209 | — | 7210 | — | — | — | — | — | — | — |
| 2BK25 | 2.65 | 1.40 | 1.90 | 2.30 | 7211 | 7212 | 7213 | 7214 | — | 7215 | — | — | — | — | — |
| 2BK26 | 2.75 | 1.40 | 2.00 | 2.40 | — | 7217 | — | 7218 | — | — | 7216 | — | — | — | — |
| 2BK27 | 2.85 | 1.70 | 2.10 | 2.50 | 7221 | 7222 | 7223 | 7224 | — | 7225 | 7836 | — | — | — | — |
| 2BK28 | 2.95 | 1.80 | 2.20 | 2.60 | 7231 | 7232 | 7233 | 7234 | — | 7235 | 7236 | — | — | — | — |
| 2BK30 | 3.15 | 2.10 | 2.40 | 2.80 | 7837 | 7838 | 7839 | 7840 | — | 7841 | 7842 | — | — | — | — |
| 2BK32 | 3.35 | 2.50 | 2.60 | 3.00 | — | 7812 | 7813 | 7814 | — | 7815 | 7816 | — | — | — | — |
| 2BK34 | 3.55 | 2.80 | 2.80 | 3.20 | — | 7822 | 7823 | 7824 | — | 7825 | 7826 | — | — | — | — |
| 2BK36 | 3.75 | 3.50 | 3.00 | 3.40 | — | 7827 | — | — | — | — | — | — | — | — | — |
| 2BK40 | 3.95 | 3.20 | 3.20 | 3.60 | — | 7830 | 7831 | 7832 | — | 7833 | 7834 | — | — | 7835 | — |
| | | | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- | 7805- |
| 2BK36 | 3.75 | 3.30 | 3.00 | 3.40 | — | — | 7273 | 7274 | — | 7275 | 7276 | — | — | 7351 | — |
| 2BK45 | 4.25 | 3.70 | 3.50 | 3.90 | — | — | — | — | — | 7277 | 7281 | — | — | 7282 | — |
| 2BK47 | 4.45 | 4.00 | 3.70 | 4.10 | — | — | — | 7284 | — | 7285 | 7286 | — | — | — | — |
| 2BK50 | 4.75 | 4.40 | 4.00 | 4.40 | — | — | 7288 | — | — | 7290 | 7291 | — | — | 7292 | — |
| 2BK52 | 4.95 | 4.70 | 4.20 | 4.60 | — | — | — | 7294 | — | 7295 | 7296 | — | — | 7297 | — |
| 2BK55 | 5.25 | 5.20 | 4.50 | 4.90 | — | — | — | — | — | — | 7301 | — | — | 7352 | — |
| 2BK57 | 5.45 | 5.70 | 4.70 | 5.10 | — | — | — | — | — | 7304 | 7305 | — | — | 7353 | — |
| 2BK60 | 5.75 | 6.20 | 5.00 | 5.40 | — | — | 7306 | 7307 | — | 7308 | 7309 | — | — | 7354 | — |
| 2BK62 | 5.95 | 6.60 | 5.20 | 5.60 | — | — | — | — | — | 7355 | 7356 | — | — | 7357 | — |
| 2BK65 | 6.25 | 5.30 | 5.50 | 5.90 | — | — | — | — | — | 7312 | 7313 | — | — | 7358 | — |
| 2BK67 | 6.45 | 5.40 | 5.70 | 6.10 | — | — | — | — | — | 7315 | 7316 | — | — | 7359 | — |
| 2BK70 | 6.75 | 6.20 | 6.00 | 6.40 | — | — | 7317 | — | — | 7318 | 7360 | 7319 | — | 7361 | 7320 |
| 2BK80 | 7.75 | 7.50 | 7.00 | 7.40 | — | — | 7321 | — | — | 7323 | 7362 | 7324 | — | 7363 | 7325 |
| 2BK90 | 8.75 | 8.50 | 8.00 | 8.40 | — | — | 7326 | — | — | 7327 | 7364 | 7328 | — | 7365 | 7329 |
| 2BK100 | 9.75 | 9.80 | 9.00 | 9.40 | — | — | 7330 | — | — | 7332 | — | 7333 | — | 7366 | 7334 |
| 2BK110 | 10.75 | 10.80 | 10.00 | 10.40 | — | — | — | — | — | 7335 | — | 7336 | — | — | 7337 |
| 2BK120 | 11.75 | 12.00 | 11.00 | 11.40 | — | — | — | — | — | 7339 | — | 7340 | — | — | 7341 |
| 2BK130 | 12.75 | 13.80 | 12.00 | 12.40 | — | — | — | — | — | 7367 | — | 7368 | — | — | 7369 |
| 2BK140 | 13.75 | 14.90 | 13.00 | 13.40 | — | — | — | — | — | 7342 | — | 7343 | — | — | 7344 |
| 2BK160 | 15.75 | 17.70 | 15.00 | 15.40 | — | — | — | — | — | 7345 | — | 7346 | — | — | 7347 |
| 2BK190 | 18.75 | 21.10 | 18.00 | 18.40 | — | — | — | — | — | — | — | 7349 | — | — | 7350 |

7 Pitch diameter is a reference diameter only.



Light Duty Sheaves - Variable Pitch

Markets/Applications

Use with PowerRated® belts on light industrial HVAC, outdoor power equipment and appliance applications. Also try our Hi-Power® II A & B industrial belts.

Features/Advantages

- Sheave grooves are precision machined.
- Single or double groove designs are available.

Notes

Details shown which do not affect drive function or overall weight may be changed without notification.



One-Groove



Two-Groove

Product No. Series 7810

One Groove "3L" - "4L" - "5L" - Pitch

(For use with No. 1 (3L), No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Outside Dia. (In.) | Wt. Ea. (Lbs.) | Pitch Diameter (In.) | | | | | | Stock Bore (In.) | | | | | | | | | |
|----------|--------------------|----------------|----------------------|---------|---------|---------|---------|---------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | 3L Min. | 3L Max. | 4L Min. | 4L Max. | 5L Min. | 5L Max. | 1/2 | 5/8 | 3/4 | 7/8 | 1 | 1 1/8 | 1 1/4 | 1 3/8 | 1 5/8 | |
| | | | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- |
| 1VP25 | 2.32 | 1.23 | 1.40 | 2.20 | — | — | — | — | 1108 | 1110 | 1112 | — | — | — | — | — | — | — |
| 1VP30 | 2.87 | 1.27 | 1.80 | 2.70 | — | — | — | — | 1208 | 1210 | 1212 | — | — | — | — | — | — | — |
| 1VP34 | 3.15 | 1.40 | 2.06 | 2.92 | 2.41 | 3.13 | 2.77 | 3.19 | 1308 | 1310 | 1312 | 1314 | 1316 | 1318 | — | — | — | — |
| 1VP40 | 3.75 | 1.90 | 2.27 | 3.22 | 2.57 | 3.75 | 2.98 | 3.81 | 1408 | 1410 | 1412 | 1414 | 1416 | 1418 | — | — | — | — |
| 1VP44 | 4.15 | 2.95 | 2.70 | 3.50 | 2.80 | 3.80 | 3.10 | 4.10 | 1508 | 1510 | 1512 | 1514 | 1516 | 1518 | — | — | — | — |
| 1VP50 | 4.75 | 3.75 | 3.30 | 4.10 | 3.40 | 4.40 | 3.70 | 4.70 | 1608 | 1610 | 1612 | 1614 | 1616 | 1618 | — | — | — | — |
| 1VP56 | 5.35 | 4.84 | 3.90 | 4.70 | 4.00 | 5.00 | 4.30 | 5.30 | 1708 | 1710 | 1712 | 1714 | 1716 | 1718 | — | — | — | — |
| 1VP60 | 6 | 6.05 | — | — | 4.20 | 5.20 | 4.30 | 5.50 | — | 1720 | 1722 | 1724 | — | 1728 | — | 1732 | 1734 | — |
| 1VP62 | 5.95 | 6.15 | 4.50 | 5.30 | 4.60 | 5.60 | 4.90 | 5.90 | — | 1810 | 1812 | 1814 | 1816 | 1818 | 1822 | 1823 | — | — |
| 1VP65 | 6.5 | 3.80 | — | — | 4.70 | 5.70 | 4.80 | 6.00 | — | — | 1832 | 1834 | — | 1838 | — | 1839 | 1841 | — |
| 1VP68 | 6.55 | 8.35 | 5.10 | 5.90 | 5.20 | 6.20 | 5.50 | 6.50 | — | 1840 | 1842 | 1844 | 1846 | 1848 | 1852 | 1855 | — | — |
| 1VP71 | 7.1 | 8.90 | — | — | 5.30 | 6.30 | 5.40 | 6.60 | — | — | 1882 | 1884 | — | 1888 | — | 1892 | 1894 | — |
| 1VP75 | 7.50 | 9.20 | — | — | 5.95 | 6.98 | 6.24 | 7.45 | — | — | 1862 | 1864 | 1867 | 1868 | — | 1873 | 1875 | — |

Two Groove "3L" - "4L" - "5L" - Pitch

(For use with No. 1 (3L), No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Outside Dia. (In.) | Wt. Ea. (Lbs.) | Pitch Diameter (In.) | | | | | | Stock Bore (In.) | | | | | | | | | |
|----------|--------------------|----------------|----------------------|---------|---------|---------|---------|---------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | 3L Min. | 3L Max. | 4L Min. | 4L Max. | 5L Min. | 5L Max. | 1/2 | 5/8 | 3/4 | 7/8 | 1 | 1 1/8 | 1 1/4 | 1 3/8 | 1 5/8 | |
| | | | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- | 7810- |
| 2VP36 | 3.35 | 3.45 | 1.90 | 2.70 | 2.00 | 3.00 | 2.50 | 3.50 | 4358 | 4360 | 4362 | 4364 | 4366 | 4368 | — | — | — | — |
| 2VP42 | 3.95 | 4.30 | 2.50 | 3.30 | 2.60 | 3.60 | 2.90 | 3.90 | — | 4420 | 4422 | 4424 | 4426 | 4428 | — | — | — | — |
| 2VP50 | 4.75 | 6.00 | 3.30 | 4.10 | 3.40 | 4.40 | 3.70 | 4.70 | — | 4610 | 4612 | 4614 | 4616 | 4618 | — | — | — | — |
| 2VP56 | 5.35 | 7.50 | 3.90 | 4.70 | 4.00 | 5.00 | 4.30 | 5.30 | — | 4720 | 4722 | 4724 | 4726 | 4728 | — | 4732 | 4734 | — |
| 2VP60 | 6 | 10.60 | — | — | 4.20 | 5.20 | 4.30 | 5.50 | — | — | 4742 | 4744 | 4746 | 4748 | — | 4752 | 4754 | — |
| 2VP62 | 5.95 | 11.50 | 4.50 | 5.30 | 4.60 | 5.60 | 4.90 | 5.90 | — | — | 4812 | 4814 | 4816 | 4818 | 4830 | 4832 | — | — |
| 2VP65 | 6.5 | 12.70 | — | — | 4.70 | 5.70 | 4.80 | 6.00 | — | — | 4822 | 4824 | — | 4828 | — | 4829 | 4834 | — |
| 2VP68 | 6.55 | 13.60 | 5.10 | 5.90 | 5.20 | 6.20 | 5.50 | 6.50 | — | — | 4843 | 4844 | 4846 | 4848 | 4850 | 4852 | 4854 | — |
| 2VP71 | 7.1 | 15.70 | — | — | 5.30 | 6.30 | 5.40 | 6.60 | — | — | 4882 | 4884 | — | 4888 | — | 4892 | 4894 | — |
| 2VP75 | 7.50 | 16.50 | — | — | 5.40 | 6.58 | 5.84 | 7.05 | — | — | 4862 | 4864 | 4867 | 4868 | — | 4872 | 4874 | — |

LIGHT DUTY V-BELT METAL

9 Pitch diameter is a reference diameter only. The minimum recommended pitch diameters should be observed for the specific belt section used.





Light Duty Sheaves - H Bushed

Markets/Applications

Use with Truflex® belts.

Features/Advantages

- Sheave grooves are precision machined.

Notes

H Type bushings are sold separately.

Sheaves up to 4.45" diameter are Solid Type.

Sheaves with diameters from 4.75" to 5.45" are Web Type.

Sheaves with diameters larger than 5.45" are Spoke Type.

Details shown which do not affect drive function or overall weight may be changed without notification.



Product No. Series 7801

One Groove "3L" - "4L" Taper Bushed

(For use with No. 1 (3L) or No. 2 (4L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (In.) | Pitch Diameter (In.) | | Wt. Ea. (Lbs.) |
|----------|-------------|--------------------|----------------------|------|----------------|
| | | | 3L | 4L | |
| ○ AK32H | 7801-0032 | 3.25 | 2.66 | 3.00 | 1.50 |
| ○ AK64H | 7801-0110 | 6.25 | 5.66 | 6.00 | 3.05 |
| ○ AK79H | 7801-0115 | 7.75 | 7.16 | 7.50 | 3.50 |
| ○ AK84H | 7801-0118 | 8.75 | 7.66 | 8.00 | 4.05 |

One Groove "4L" - "5L" Taper Bushed

(For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (In.) | Pitch Diameter (In.) | | Wt. Ea. (Lbs.) |
|----------|-------------|--------------------|----------------------|-------|----------------|
| | | | 4L | 5L | |
| ○ BK34H | 7801-0144 | 3.55 | 2.80 | 3.20 | 1.80 |
| ○ BK57H | 7801-0157 | 5.45 | 4.70 | 5.10 | 3.00 |
| ○ BK67H | 7801-0161 | 6.45 | 5.70 | 6.10 | 3.90 |
| ○ BK70H | 7801-0162 | 6.75 | 6.00 | 6.40 | 3.15 |
| ○ BK75H | 7801-0164 | 7.25 | 6.50 | 6.90 | 4.20 |
| ○ BK80H | 7801-0166 | 7.75 | 7.00 | 7.40 | 4.05 |
| ○ BK90H | 7801-0169 | 8.75 | 8.00 | 8.40 | 4.73 |
| ○ BK100H | 7801-0171 | 9.75 | 9.00 | 9.40 | 6.30 |
| ○ BK140H | 7801-0179 | 13.75 | 13.00 | 13.40 | 8.65 |
| ○ BK150H | 7801-0180 | 14.75 | 14.00 | 14.40 | 10.45 |

Two Groove "3L" - "4L" Taper Bushed

(For use with No. 1 (3L) or No. 2 (4L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (In.) | Pitch Diameter (In.) | | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------------|----------------------|-------|----------------|
| | | | 3L | 4L | |
| ○ 2AK124H | 7801-0226 | 12.25 | 11.66 | 12.00 | 11.70 |
| ○ 2AK134H | 7801-0228 | 13.25 | 12.66 | 13.00 | 12.00 |
| ○ 2AK144H | 7801-0230 | 14.25 | 13.66 | 14.00 | 14.10 |

⁷ Pitch diameter is a reference diameter only.

○ Available Until Stock Depleted.



Light Duty Sheaves - H Bushed

Product No. Series 7801 (continued)

Two Groove "4L" - "5L" Taper Bushed

(For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (In.) | Pitch Diameter (In.) | | Wt. Ea. (Lbs.) |
|-----------|-------------|--------------------|----------------------|-------|----------------|
| | | | 4L | 5L | |
| ◦ 2BK57H | 7801-0257 | 5.45 | 4.70 | 5.10 | 4.55 |
| ◦ 2BK60H | 7801-0258 | 5.75 | 5.00 | 5.40 | 4.85 |
| ◦ 2BK90H | 7801-0269 | 8.75 | 8.00 | 8.40 | 8.25 |
| ◦ 2BK120H | 7801-0275 | 11.75 | 11.00 | 11.40 | 11.75 |
| ◦ 2BK130H | 7801-0277 | 12.75 | 12.00 | 12.40 | 7.59 |
| ◦ 2BK140H | 7801-0279 | 13.75 | 13.00 | 13.40 | 9.20 |
| ◦ 2BK160H | 7801-0282 | 15.75 | 15.00 | 15.40 | 9.10 |
| ◦ 2BK190H | 7801-0284 | 18.75 | 18.00 | 18.40 | 14.08 |

⁷ Pitch diameter is a reference diameter only.
⁰ Available Until Stock Depleted.





Light Duty Sheaves - QT Bushed

Markets/Applications

Use with Truflex® belts.

Features/Advantages

- Sheave grooves are precision machined.

Notes

QT Type bushings are sold separately.

| Sheave Type | Outside Diameter (In.) | | | |
|-------------|------------------------|-------------|-------------|-------------|
| | AK | BK | 2AK | 2BK |
| Solid | Up to 3.25 | Up to 3.55 | Up to 3.75 | Up to 4.25 |
| Web | 3.45 - 5.75 | 3.75 - 6.45 | 3.95 - 5.45 | 4.45 - 5.95 |
| Spoke | ≥ 5.95 | ≥ 6.75 | ≥ 5.75 | 6.25 |



Details shown which do not affect drive function or overall weight may be changed without notification.

Product No. Series 7819

One Groove "3L" - "4L" Taper Bushed

(For use with No. 1 (3L) or No. 2 (4L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (In.) | Pitch Diameter (In.) | | Wt. Ea. (Lbs.) |
|----------|-------------|--------------------|----------------------|-------|----------------|
| | | | 3L | 4L | |
| AK30QT | 7819-0030 | 3.05 | 2.46 | 2.80 | 1.30 |
| AK32QT | 7819-0032 | 3.25 | 2.66 | 3.00 | 1.40 |
| AK34QT | 7819-0034 | 3.45 | 2.86 | 3.20 | 1.00 |
| AK39QT | 7819-0100 | 3.75 | 3.16 | 3.50 | 1.30 |
| AK41QT | 7819-0101 | 3.95 | 3.36 | 3.70 | 1.50 |
| AK44QT | 7819-0102 | 4.25 | 3.66 | 4.00 | 2.00 |
| AK46QT | 7819-0103 | 4.45 | 3.86 | 4.20 | 1.80 |
| AK49QT | 7819-0104 | 4.75 | 4.16 | 4.50 | 2.00 |
| AK51QT | 7819-0105 | 4.95 | 4.36 | 4.70 | 2.10 |
| AK54QT | 7819-0106 | 5.25 | 4.66 | 5.00 | 2.40 |
| AK56QT | 7819-0107 | 5.45 | 4.86 | 5.20 | 2.50 |
| AK59QT | 7819-0108 | 5.75 | 5.16 | 5.50 | 2.80 |
| AK61QT | 7819-0109 | 5.95 | 5.36 | 5.70 | 2.20 |
| AK64QT | 7819-0110 | 6.25 | 5.66 | 6.00 | 2.30 |
| AK66QT | 7819-0111 | 6.45 | 5.86 | 6.20 | 2.40 |
| AK69QT | 7819-0112 | 6.75 | 6.16 | 6.50 | 2.50 |
| AK71QT | 7819-0113 | 6.95 | 6.36 | 6.70 | 2.80 |
| AK74QT | 7819-0114 | 7.25 | 6.66 | 7.00 | 3.20 |
| AK79QT | 7819-0115 | 7.75 | 7.16 | 7.50 | 3.40 |
| AK84QT | 7819-0118 | 8.25 | 7.66 | 8.00 | 3.60 |
| AK89QT | 7819-0116 | 8.75 | 8.16 | 8.50 | 3.90 |
| AK94QT | 7819-0120 | 9.25 | 8.66 | 9.00 | 4.20 |
| AK99QT | 7819-0121 | 9.75 | 9.16 | 9.50 | 4.40 |
| AK104QT | 7819-0122 | 10.25 | 9.66 | 10.00 | 4.70 |
| AK109QT | 7819-0123 | 10.75 | 10.16 | 10.50 | 4.90 |
| AK114QT | 7819-0124 | 11.25 | 10.66 | 11.00 | 5.20 |
| AK124QT | 7819-0126 | 12.25 | 11.66 | 12.00 | 6.10 |
| AK134QT | 7819-0128 | 13.25 | 12.66 | 13.00 | 6.60 |
| AK144QT | 7819-0130 | 14.25 | 13.66 | 14.00 | 7.60 |
| AK154QT | 7819-0131 | 15.25 | 14.66 | 15.00 | 9.30 |
| AK184QT | 7819-0133 | 18.25 | 17.66 | 18.00 | 10.60 |

One Groove "4L" - "5L" Taper Bushed

(For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (In.) | Pitch Diameter (In.) | | Wt. Ea. (Lbs.) |
|----------|-------------|--------------------|----------------------|------|----------------|
| | | | 4L | 5L | |
| BK30QT | 7819-0140 | 3.15 | 2.40 | 2.80 | 1.40 |
| BK32QT | 7819-0142 | 3.35 | 2.60 | 3.00 | 1.50 |
| BK34QT | 7819-0144 | 3.55 | 2.80 | 3.20 | 1.70 |
| BK36QT | 7819-0150 | 3.75 | 3.00 | 3.40 | 1.40 |
| BK40QT | 7819-0151 | 3.95 | 3.20 | 3.60 | 1.60 |
| BK45QT | 7819-0152 | 4.25 | 3.50 | 3.90 | 2.00 |
| BK47QT | 7819-0153 | 4.45 | 3.70 | 4.10 | 1.90 |
| BK50QT | 7819-0154 | 4.75 | 4.00 | 4.40 | 2.10 |
| BK52QT | 7819-0155 | 4.95 | 4.20 | 4.60 | 2.20 |
| BK55QT | 7819-0156 | 5.25 | 4.50 | 4.90 | 2.50 |
| BK57QT | 7819-0157 | 5.45 | 4.70 | 5.10 | 2.60 |

⁷ Pitch diameter is a reference diameter only.

LIGHT DUTY V-BELT METAL



Light Duty Sheaves - QT Bushed

Product No. Series 7819 (continued)

One Groove "4L" - "5L" Taper Bushed (continued)

| Part No. | Product No. | Outside Dia. (In.) | Pitch Diameter (In.) | | Wt. Ea. (Lbs.) |
|----------|-------------|--------------------|----------------------|-------|----------------|
| | | | 4L | 5L | |
| BK60QT | 7819-0158 | 5.75 | 5.00 | 5.40 | 2.90 |
| BK62QT | 7819-0159 | 5.95 | 5.20 | 5.60 | 3.10 |
| BK65QT | 7819-0160 | 6.25 | 5.50 | 5.90 | 3.40 |
| BK67QT | 7819-0161 | 6.45 | 5.70 | 6.10 | 3.60 |
| BK70QT | 7819-0162 | 6.75 | 6.00 | 6.40 | 2.90 |
| BK72QT | 7819-0163 | 6.95 | 6.20 | 6.60 | 3.00 |
| BK75QT | 7819-0164 | 7.25 | 6.50 | 6.90 | 3.20 |
| BK77QT | 7819-0165 | 7.45 | 6.70 | 7.10 | 3.40 |
| BK80QT | 7819-0166 | 7.75 | 7.00 | 7.40 | 3.70 |
| BK85QT | 7819-0168 | 8.25 | 7.50 | 7.90 | 4.00 |
| BK90QT | 7819-0169 | 8.75 | 8.00 | 8.40 | 4.30 |
| BK95QT | 7819-0170 | 9.25 | 8.50 | 8.90 | 4.60 |
| BK100QT | 7819-0171 | 9.75 | 9.00 | 9.40 | 4.90 |
| BK105QT | 7819-0172 | 10.25 | 9.50 | 9.90 | 5.30 |
| BK110QT | 7819-0173 | 10.75 | 10.00 | 10.40 | 5.60 |
| BK115QT | 7819-0174 | 11.25 | 10.50 | 10.90 | 5.90 |
| BK120QT | 7819-0175 | 11.75 | 11.00 | 11.40 | 6.20 |
| BK130QT | 7819-0177 | 12.75 | 12.00 | 12.40 | 7.30 |
| BK140QT | 7819-0179 | 13.75 | 13.00 | 13.40 | 8.20 |
| BK150QT | 7819-0180 | 14.75 | 14.00 | 14.40 | 9.00 |
| BK160QT | 7819-0182 | 15.75 | 15.00 | 15.40 | 9.70 |
| BK190QT | 7819-0184 | 18.75 | 18.00 | 18.40 | 11.70 |

Two Groove "3L" - "4L" Taper Bushed

(For use with No. 1 (3L) or No. 2 (4L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (In.) | Pitch Diameter (In.) | | Wt. Ea. (Lbs.) |
|----------|-------------|--------------------|----------------------|-------|----------------|
| | | | 3L | 4L | |
| 2AK30QT | 7819-0197 | 3.05 | 2.46 | 2.80 | 1.70 |
| 2AK32QT | 7819-0198 | 3.25 | 2.66 | 3.00 | 1.90 |
| 2AK34QT | 7819-0199 | 3.45 | 2.86 | 3.20 | 1.50 |
| 2AK39QT | 7819-0200 | 3.75 | 3.16 | 3.50 | 1.90 |
| 2AK41QT | 7819-0201 | 3.95 | 3.36 | 3.70 | 2.10 |
| 2AK44QT | 7819-0202 | 4.25 | 3.66 | 4.00 | 2.40 |
| 2AK46QT | 7819-0203 | 4.45 | 3.86 | 4.20 | 2.60 |
| 2AK49QT | 7819-0204 | 4.75 | 4.16 | 4.50 | 3.00 |
| 2AK51QT | 7819-0205 | 4.95 | 4.36 | 4.70 | 3.30 |
| 2AK54QT | 7819-0206 | 5.25 | 4.66 | 5.00 | 3.80 |
| 2AK56QT | 7819-0207 | 5.45 | 4.86 | 5.20 | 4.10 |
| 2AK59QT | 7819-0208 | 5.75 | 5.16 | 5.50 | 3.30 |
| 2AK61QT | 7819-0209 | 5.95 | 5.36 | 5.70 | 3.40 |
| 2AK64QT | 7819-0210 | 6.25 | 5.66 | 6.00 | 3.80 |
| 2AK74QT | 7819-0214 | 7.25 | 6.66 | 7.00 | 4.60 |
| 2AK84QT | 7819-0218 | 8.25 | 7.66 | 8.00 | 5.40 |
| 2AK94QT | 7819-0220 | 9.25 | 8.66 | 9.00 | 6.20 |
| 2AK104QT | 7819-0222 | 10.25 | 9.66 | 10.00 | 7.10 |
| 2AK114QT | 7819-0224 | 11.25 | 10.66 | 11.00 | 7.80 |
| 2AK124QT | 7819-0226 | 12.25 | 11.66 | 12.00 | 8.70 |
| 2AK134QT | 7819-0228 | 13.25 | 12.66 | 13.00 | 9.50 |
| 2AK144QT | 7819-0230 | 14.25 | 13.66 | 14.00 | 10.70 |
| 2AK154QT | 7819-0231 | 15.25 | 14.66 | 15.00 | 12.30 |
| 2AK184QT | 7819-0233 | 18.25 | 17.66 | 18.00 | 15.50 |

LIGHT DUTY V-BELT METAL

Two Groove "4L" - "5L" Taper Bushed

(For use with No. 2 (4L) or No. 3 (5L) Section Truflex V-Belts.)

| Part No. | Product No. | Outside Dia. (In.) | Pitch Diameter (In.) | | Wt. Ea. (Lbs.) |
|----------|-------------|--------------------|----------------------|------|----------------|
| | | | 4L | 5L | |
| 2BK32QT | 7819-0248 | 3.35 | 2.60 | 3.00 | 2.40 |
| 2BK34QT | 7819-0249 | 3.55 | 2.80 | 3.20 | 2.60 |
| 2BK36QT | 7819-0250 | 3.75 | 3.00 | 3.40 | 2.30 |
| 2BK40QT | 7819-0251 | 3.95 | 3.20 | 3.60 | 2.60 |
| 2BK45QT | 7819-0252 | 4.25 | 3.50 | 3.90 | 3.10 |
| 2BK47QT | 7819-0253 | 4.45 | 3.70 | 4.10 | 3.40 |
| 2BK50QT | 7819-0254 | 4.75 | 4.00 | 4.40 | 3.60 |
| 2BK52QT | 7819-0255 | 4.95 | 4.20 | 4.60 | 3.90 |

⁷ Pitch diameter is a reference diameter only.





Light Duty Sheaves - QT Bushed

Product No. Series 7819 (continued)

Two Groove "4L" - "5L" Taper Bushed (continued)

| Part No. | Product No. | Outside Dia. (In.) | Pitch Diameter (In.) | | Wt. Ea. (Lbs.) |
|----------|-------------|--------------------|----------------------|-------|----------------|
| | | | 4L | 5L | |
| 2BK55QT | 7819-0256 | 5.25 | 4.50 | 4.90 | 4.50 |
| 2BK57QT | 7819-0257 | 5.45 | 4.70 | 5.10 | 4.80 |
| 2BK60QT | 7819-0258 | 5.75 | 5.00 | 5.40 | 5.30 |
| 2BK62QT | 7819-0259 | 5.95 | 5.20 | 5.60 | 5.70 |
| 2BK65QT | 7819-0260 | 6.25 | 5.50 | 5.90 | 4.90 |
| 2BK67QT | 7819-0261 | 6.45 | 5.70 | 6.10 | 5.00 |
| 2BK70QT | 7819-0262 | 6.75 | 6.00 | 6.40 | 5.40 |
| 2BK72QT | 7819-0285 | 6.95 | 6.20 | 6.60 | 5.50 |
| 2BK80QT | 7819-0266 | 7.75 | 7.00 | 7.40 | 6.60 |
| 2BK90QT | 7819-0269 | 8.75 | 8.00 | 8.40 | 7.60 |
| 2BK100QT | 7819-0271 | 9.75 | 9.00 | 9.40 | 8.90 |
| 2BK110QT | 7819-0273 | 10.75 | 10.00 | 10.40 | 9.90 |
| 2BK120QT | 7819-0275 | 11.75 | 11.00 | 11.40 | 11.00 |
| 2BK130QT | 7819-0277 | 12.75 | 12.00 | 12.40 | 12.30 |
| 2BK140QT | 7819-0279 | 13.75 | 13.00 | 13.40 | 13.40 |
| 2BK160QT | 7819-0282 | 15.75 | 15.00 | 15.40 | 16.20 |
| 2BK190QT | 7819-0284 | 18.75 | 18.00 | 18.40 | 20.00 |



QD® Bushings - English Sizes

Markets/Applications

Use with all QD style sheaves, sprockets and pulleys.

Features/Advantages

- Bushings are made to precise tolerances.
- Available in popular bore sizes.

Notes

Details shown which do not affect drive function or overall weight may be changed without notification.

WARNING: Excessive cap-screw torque can cause sheave and/or bushing to break.
Use of lubricants can result in sheave breakage.



NOTE: Bushings with standard keyseats do not include keys.

Product No. Series 7838 & 7839

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|------------|----------------|
| E.7/8 | 7839-1014 | 7/8 | 11.80 |
| E 1. | 7839-1100 | 1 | 11.65 |
| E 1.1/16 | 7839-1101 | 1 1/16 | 11.50 |
| E 1.1/8 | 7839-1102 | 1 1/8 | 11.46 |
| E 1.3/16 | 7839-1103 | 1 3/16 | 11.40 |
| E 1.1/4 | 7839-1104 | 1 1/4 | 11.33 |
| E 1.5/16 | 7839-1105 | 1 5/16 | 11.26 |
| E 1.3/8 | 7839-1106 | 1 3/8 | 11.13 |
| E 1.7/16 | 7839-1107 | 1 7/16 | 10.94 |
| E 1.1/2 | 7839-1108 | 1 1/2 | 10.86 |
| E 1.5/8 | 7839-1110 | 1 5/8 | 10.69 |
| E 1.11/16 | 7839-1111 | 1 11/16 | 10.56 |
| E 1.3/4 | 7839-1112 | 1 3/4 | 10.46 |
| E 1.7/8 | 7839-1114 | 1 7/8 | 10.16 |
| E 1.15/16 | 7839-1115 | 1 15/16 | 9.99 |
| E 2. | 7839-1200 | 2 | 9.94 |
| E 2.1/8 | 7839-1202 | 2 1/8 | 9.62 |
| E 2.3/16 | 7839-1203 | 2 3/16 | 9.42 |
| E 2.1/4 | 7839-1204 | 2 1/4 | 9.28 |
| E 2.5/16 | 7839-1205 | 2 5/16 | 9.07 |
| E 2.3/8 | 7839-1206 | 2 3/8 | 8.95 |
| E 2.7/16 | 7839-1207 | 2 7/16 | 8.77 |
| E 2.1/2 | 7839-1208 | 2 1/2 | 8.61 |
| E 2.5/8 | 7839-1210 | 2 5/8 | 8.23 |
| E 2.11/16 | 7839-1211 | 2 11/16 | 8.05 |
| E 2.3/4 | 7839-1212 | 2 3/4 | 7.90 |
| E 2.7/8 | 7839-1214 | 2 7/8 | 7.32 |
| ¹² E 2.15/16 | 7839-1215 | 2 15/16 | 7.53 |
| ¹² E 3. | 7839-1300 | 3 | 7.31 |
| ¹² E 3.1/8 | 7839-1302 | 3 1/8 | 6.90 |
| ¹² E 3.3/16 | 7839-1303 | 3 3/16 | 6.69 |
| ¹² E 3.1/4 | 7839-1304 | 3 1/4 | 6.48 |
| ¹² E 3.5/16 | 7839-1305 | 3 5/16 | 6.10 |
| ¹² E 3.3/8 | 7839-1306 | 3 3/8 | 6.10 |
| ¹² E 3.7/16 | 7839-1307 | 3 7/16 | 5.86 |
| ¹² E 3.1/2 | 7839-1308 | 3 1/2 | 5.63 |
| F 1. | 7839-2100 | 1 | 19.41 |
| F 1.1/8 | 7839-2102 | 1 1/8 | 19.15 |
| F 1.3/16 | 7839-2103 | 1 3/16 | 18.00 |
| F 1.1/4 | 7839-2104 | 1 1/4 | 18.99 |
| F 1.3/8 | 7839-2106 | 1 3/8 | 18.68 |
| F 1.7/16 | 7839-2107 | 1 7/16 | 18.56 |
| F 1.1/2 | 7839-2108 | 1 1/2 | 18.48 |
| F 1.9/16 | 7839-2109 | 1 9/16 | 14.00 |
| F 1.5/8 | 7839-2110 | 1 5/8 | 18.15 |
| F 1.11/16 | 7839-2111 | 1 11/16 | 17.91 |

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|------------|----------------|
| F 1.3/4 | 7839-2112 | 1 3/4 | 16.77 |
| F 1.13/16 | 7839-2113 | 1 13/16 | 17.62 |
| F 1.7/8 | 7839-2114 | 1 7/8 | 16.41 |
| F 1.15/16 | 7839-2115 | 1 15/16 | 17.23 |
| F 2. | 7839-2200 | 2 | 16.97 |
| F 2.1/8 | 7839-2202 | 2 1/8 | 16.70 |
| F 2.3/16 | 7839-2203 | 2 3/16 | 16.54 |
| F 2.1/4 | 7839-2204 | 2 1/4 | 16.25 |
| F 2.5/16 | 7839-2205 | 2 5/16 | 15.96 |
| F 2.3/8 | 7839-2206 | 2 3/8 | 15.79 |
| F 2.7/16 | 7839-2207 | 2 7/16 | 15.56 |
| F 2.1/2 | 7839-2208 | 2 1/2 | 15.37 |
| F 2.5/8 | 7839-2210 | 2 5/8 | 14.86 |
| F 2.11/16 | 7839-2211 | 2 11/16 | 13.42 |
| F 2.3/4 | 7839-2212 | 2 3/4 | 14.37 |
| F 2.13/16 | 7839-2213 | 2 13/16 | 14.00 |
| F 2.7/8 | 7839-2214 | 2 7/8 | 13.75 |
| F 2.15/16 | 7839-2215 | 2 15/16 | 13.47 |
| F 3. | 7839-2300 | 3 | 13.20 |
| F 3.1/8 | 7839-2302 | 3 1/8 | 12.67 |
| F 3.3/16 | 7839-2303 | 3 3/16 | 14.00 |
| F 3.1/4 | 7839-2304 | 3 1/4 | 12.00 |
| ¹² F 3.3/8 | 7839-2306 | 3 3/8 | 12.05 |
| ¹² F 3.7/16 | 7839-2307 | 3 7/16 | 11.73 |
| ¹² F 3.1/2 | 7839-2308 | 3 1/2 | 11.17 |
| ¹² F 3.5/8 | 7839-2310 | 3 5/8 | 10.53 |
| ¹² F 3.11/16 | 7839-2311 | 3 11/16 | 14.00 |
| ¹² F 3.3/4 | 7839-2312 | 3 3/4 | 9.89 |
| ¹² F 3.7/8 | 7839-2314 | 3 7/8 | 9.26 |
| ¹² F 3.15/16 | 7839-2315 | 3 15/16 | 8.11 |
| ¹³ F 4. | 7839-2400 | 4 | 7.96 |
| J 1.1/2 | 7839-3108 | 1 1/2 | 28.97 |
| J 1.5/8 | 7839-3110 | 1 5/8 | 28.61 |
| J 1.3/4 | 7839-3112 | 1 3/4 | 28.28 |
| J 1.7/8 | 7839-3114 | 1 7/8 | 27.79 |
| J 1.15/16 | 7839-3115 | 1 15/16 | 27.53 |
| J 2. | 7839-3200 | 2 | 27.33 |
| J 2.1/8 | 7839-3202 | 2 1/8 | 26.74 |
| J 2.3/16 | 7839-3203 | 2 3/16 | 26.37 |
| J 2.1/4 | 7839-3204 | 2 1/4 | 26.32 |
| J 2.3/8 | 7839-3206 | 2 3/8 | 25.65 |
| J 2.7/16 | 7839-3207 | 2 7/16 | 25.38 |
| J 2.1/2 | 7839-3208 | 2 1/2 | 25.05 |
| J 2.5/8 | 7839-3210 | 2 5/8 | 24.50 |
| J 2.11/16 | 7839-3211 | 2 11/16 | 24.18 |
| J 2.3/4 | 7839-3212 | 2 3/4 | 23.86 |

¹² Shallow keyway.
¹³ No keyway.



**QD® Bushings - English Sizes****Product No. Series 7838 & 7839 (continued)**

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|------------|----------------|
| J 2.7/8 | 7839-3214 | 2 7/8 | 23.15 |
| J 2.15/16 | 7839-3215 | 2 15/16 | 22.73 |
| J 3. | 7839-3300 | 3 | 22.43 |
| J 3.1/8 | 7839-3302 | 3 1/8 | 21.68 |
| J 3.3/16 | 7839-3303 | 3 3/16 | 21.35 |
| J 3.1/4 | 7839-3304 | 3 1/4 | 20.98 |
| J 3.3/8 | 7839-3306 | 3 3/8 | 20.10 |
| J 3.7/16 | 7839-3307 | 3 7/16 | 19.71 |
| J 3.1/2 | 7839-3308 | 3 1/2 | 19.25 |
| J 3.5/8 | 7839-3310 | 3 5/8 | 18.44 |
| J 3.11/16 | 7839-3311 | 3 11/16 | 18.04 |
| J 3.3/4 | 7839-3312 | 3 3/4 | 17.62 |
| ¹² J 3.7/8 | 7839-3314 | 3 7/8 | 17.80 |
| ¹² J 3.15/16 | 7839-3315 | 3 15/16 | 17.14 |
| ¹² J 4. | 7839-3400 | 4 | 16.62 |
| ¹² J 4.1/8 | 7839-3402 | 4 1/8 | 15.69 |
| ¹² J 4.3/16 | 7839-3403 | 4 3/16 | 14.55 |
| ¹² J 4.1/4 | 7839-3404 | 4 1/4 | 14.68 |
| ¹² J 4.3/8 | 7839-3406 | 4 3/8 | 14.00 |
| ¹² J 4.7/16 | 7839-3407 | 4 7/16 | 13.18 |
| ¹² J 4.1/2 | 7839-3408 | 4 1/2 | 12.67 |
| JA.1/2 | 7838-0008 | 1/2 | .46 |
| JA.9/16 | 7838-0009 | 9/16 | .46 |
| JA.5/8 | 7838-0010 | 5/8 | .45 |
| JA.11/16 | 7838-0011 | 11/16 | .43 |
| JA.3/4 | 7838-0012 | 3/4 | .41 |
| JA.13/16 | 7838-0013 | 13/16 | .40 |
| JA.7/8 | 7838-0014 | 7/8 | .37 |
| JA.15/16 | 7838-0015 | 15/16 | .35 |
| JA 1. | 7838-0100 | 1 | .33 |
| ¹² JA 1.1/16 | 7838-0101 | 1 1/16 | .34 |
| ¹² JA 1.1/8 | 7838-0102 | 1 1/8 | .31 |
| ¹² JA 1.3/16 | 7838-0103 | 1 3/16 | .29 |
| ¹³ JA 1.1/4 | 7838-0104 | 1 1/4 | .25 |
| M 2. | 7839-4200 | 2 | 62.49 |
| M 2.3/16 | 7839-4203 | 2 3/16 | 61.38 |
| M 2.1/4 | 7839-4204 | 2 1/4 | 61.14 |
| M 2.3/8 | 7839-4206 | 2 3/8 | 60.32 |
| M 2.7/16 | 7839-4207 | 2 7/16 | 59.97 |
| M 2.1/2 | 7839-4208 | 2 1/2 | 59.48 |
| M 2.5/8 | 7839-4210 | 2 5/8 | 58.69 |
| M 2.11/16 | 7839-4211 | 2 11/16 | 47.80 |
| M 2.3/4 | 7839-4212 | 2 3/4 | 57.86 |
| M 2.7/8 | 7839-4214 | 2 7/8 | 29.07 |
| M 2.15/16 | 7839-4215 | 2 15/16 | 56.17 |
| M 3. | 7839-4300 | 3 | 55.55 |
| M 3.1/8 | 7839-4302 | 3 1/8 | 54.00 |
| M 3.3/16 | 7839-4303 | 3 3/16 | 53.84 |
| M 3.1/4 | 7839-4304 | 3 1/4 | 53.42 |
| M 3.3/8 | 7839-4306 | 3 3/8 | 52.21 |
| M 3.7/16 | 7839-4307 | 3 7/16 | 51.61 |
| M 3.1/2 | 7839-4308 | 3 1/2 | 51.12 |
| M 3.5/8 | 7839-4310 | 3 5/8 | 50.08 |
| M 3.11/16 | 7839-4311 | 3 11/16 | 49.00 |
| M 3.3/4 | 7839-4312 | 3 3/4 | 48.47 |
| M 3.7/8 | 7839-4314 | 3 7/8 | 47.03 |
| M 3.15/16 | 7839-4315 | 3 15/16 | 46.26 |
| M 4. | 7839-4400 | 4 | 47.80 |
| M 4.1/8 | 7839-4402 | 4 1/8 | 44.24 |
| M 4.3/16 | 7839-4403 | 4 3/16 | 43.64 |
| M 4.1/4 | 7839-4404 | 4 1/4 | 42.81 |
| M 4.3/8 | 7839-4406 | 4 3/8 | 41.46 |
| M 4.7/16 | 7839-4407 | 4 7/16 | 40.60 |
| M 4.1/2 | 7839-4408 | 4 1/2 | 39.89 |

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|--------------------------|-------------|------------|----------------|
| M 4.11/16 | 7839-4411 | 4 11/16 | 36.98 |
| M 4.3/4 | 7839-4412 | 4 3/4 | 36.25 |
| ¹² M 4.7/8 | 7839-4414 | 4 7/8 | 36.89 |
| ¹² M 4.15/16 | 7839-4415 | 4 15/16 | 36.78 |
| ¹² M 5. | 7839-4500 | 5 | 35.49 |
| ¹² M 5.1/4 | 7839-4504 | 5 1/4 | 31.80 |
| ¹² M 5.7/16 | 7839-4507 | 5 7/16 | 29.06 |
| ¹² M 5.1/2 | 7839-4508 | 5 1/2 | 28.04 |
| N 2.7/16 | 7839-5207 | 2 7/16 | 87.57 |
| N 2.15/16 | 7839-5215 | 2 15/16 | 80.00 |
| N 3.7/16 | 7839-5307 | 3 7/16 | 80.00 |
| N 3.3/4 | 7839-5312 | 3 3/4 | 80.00 |
| N 3.7/8 | 7839-5314 | 3 7/8 | 80.00 |
| N 3.15/16 | 7839-5315 | 3 15/16 | 80.00 |
| N 4. | 7839-5400 | 4 | 80.00 |
| N 4.3/16 | 7839-5403 | 4 3/16 | 80.00 |
| N 4.1/4 | 7839-5404 | 4 1/4 | 80.00 |
| N 4.7/16 | 7839-5407 | 4 7/16 | 64.23 |
| N 4.1/2 | 7839-5408 | 4 1/2 | 60.00 |
| N 4.3/4 | 7839-5412 | 4 3/4 | 80.00 |
| N 4.7/8 | 7839-5414 | 4 7/8 | 80.00 |
| N 4.15/16 | 7839-5415 | 4 15/16 | 56.06 |
| N 5. | 7839-5500 | 5 | 54.89 |
| N 5.1/8 | 7839-5502 | 5 1/8 | 52.00 |
| N 5.1/4 | 7839-5504 | 5 1/4 | 70.00 |
| ¹² N 5.1/2 | 7839-5508 | 5 1/2 | 49.02 |
| N 5.3/4 | 7839-5512 | 5 3/4 | 80.00 |
| ¹² N 5.7/8 | 7839-5514 | 5 7/8 | 44.00 |
| P 3.7/16 | 7839-6307 | 3 7/16 | 134.00 |
| P 3.15/16 | 7839-6315 | 3 15/16 | 122.00 |
| P 4.7/16 | 7839-6407 | 4 7/16 | 114.00 |
| P 4.1/2 | 7839-6408 | 4 1/2 | 125.00 |
| P 4.15/16 | 7839-6415 | 4 15/16 | 104.00 |
| P 5. | 7839-6500 | 5 | 125.00 |
| P 5.1/2 | 7839-6508 | 5 1/2 | 125.00 |
| P 5.15/16 | 7839-6515 | 5 15/16 | 86.84 |
| ¹² P 6. | 7839-6600 | 6 | 70.00 |
| P 6.1/2 | 7839-6608 | 6 1/2 | 125.00 |
| ¹² P 7. | 7839-6700 | 7 | 68.00 |
| SD.1/2 | 7838-3008 | 1/2 | 2.07 |
| SD.9/16 | 7838-3009 | 9/16 | 2.05 |
| SD.5/8 | 7838-3010 | 5/8 | 2.03 |
| SD.11/16 | 7838-3011 | 11/16 | 2.00 |
| SD.3/4 | 7838-3012 | 3/4 | 1.96 |
| SD.13/16 | 7838-3013 | 13/16 | 2.01 |
| SD.7/8 | 7838-3014 | 7/8 | 1.88 |
| SD.15/16 | 7838-3015 | 15/16 | 1.85 |
| SD 1. | 7838-3100 | 1 | 1.80 |
| SD 1.1/16 | 7838-3101 | 1 1/16 | 1.79 |
| SD 1.1/8 | 7838-3102 | 1 1/8 | 1.72 |
| SD 1.3/16 | 7838-3103 | 1 3/16 | 1.67 |
| SD 1.1/4 | 7838-3104 | 1 1/4 | 1.62 |
| SD 1.5/16 | 7838-3105 | 1 5/16 | 1.55 |
| SD 1.3/8 | 7838-3106 | 1 3/8 | 1.50 |
| SD 1.7/16 | 7838-3107 | 1 7/16 | 1.44 |
| SD 1.1/2 | 7838-3108 | 1 1/2 | 1.36 |
| SD 1.9/16 | 7838-3109 | 1 9/16 | 1.29 |
| SD 1.5/8 | 7838-3110 | 1 5/8 | 1.29 |
| ¹² SD 1.11/16 | 7838-3111 | 1 11/16 | 1.27 |
| ¹² SD 1.3/4 | 7838-3112 | 1 3/4 | 1.28 |
| ¹² SD 1.13/16 | 7838-3113 | 1 13/16 | 1.15 |
| ¹² SD 1.7/8 | 7838-3114 | 1 7/8 | 1.07 |
| ¹² SD 1.15/16 | 7838-3115 | 1 15/16 | 1.00 |
| ¹³ SD 2. | 7838-3200 | 2 | 1.30 |

¹² Shallow keyway.¹³ No keyway.

QD® Bushings - English Sizes

Product No. Series 7838 & 7839 (continued)

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|---------------------------|-------------|------------|----------------|
| SDS.1/2 | 7838-2008 | 1/2 | 1.65 |
| SDS.9/16 | 7838-2009 | 9/16 | 1.65 |
| SDS.5/8 | 7838-2010 | 5/8 | 1.61 |
| SDS.11/16 | 7838-2011 | 11/16 | 1.60 |
| SDS.3/4 | 7838-2012 | 3/4 | 1.58 |
| SDS.13/16 | 7838-2013 | 13/16 | 1.54 |
| SDS.7/8 | 7838-2014 | 7/8 | 1.54 |
| SDS.15/16 | 7838-2015 | 15/16 | 1.50 |
| SDS 1. | 7838-2100 | 1 | 1.46 |
| SDS 1.1/16 | 7838-2101 | 1 1/16 | 1.43 |
| SDS 1.1/8 | 7838-2102 | 1 1/8 | 1.38 |
| SDS 1.3/16 | 7838-2103 | 1 3/16 | 1.36 |
| SDS 1.1/4 | 7838-2104 | 1 1/4 | 1.32 |
| SDS 1.5/16 | 7838-2105 | 1 5/16 | 1.26 |
| SDS 1.3/8 | 7838-2106 | 1 3/8 | 1.24 |
| SDS 1.7/16 | 7838-2107 | 1 7/16 | 1.19 |
| SDS 1.1/2 | 7838-2108 | 1 1/2 | 1.15 |
| SDS 1.9/16 | 7838-2109 | 1 9/16 | 1.11 |
| SDS 1.5/8 | 7838-2110 | 1 5/8 | 1.08 |
| ¹² SDS 1.11/16 | 7838-2111 | 1 11/16 | 1.08 |
| ¹² SDS 1.3/4 | 7838-2112 | 1 3/4 | 1.02 |
| ¹² SDS 1.13/16 | 7838-2113 | 1 13/16 | .98 |
| ¹² SDS 1.7/8 | 7838-2114 | 1 7/8 | .92 |
| ¹² SDS 1.15/16 | 7838-2115 | 1 15/16 | .87 |
| ¹³ SDS 2. | 7838-2200 | 2 | .77 |
| SF.1/2 | 7838-5008 | 1/2 | 5.27 |
| SF.5/8 | 7838-5010 | 5/8 | 5.22 |
| ⁰ SF.11/16 | 7838-5011 | 11/16 | 5.20 |
| SF.3/4 | 7838-5012 | 3/4 | 5.17 |
| SF.7/8 | 7838-5014 | 7/8 | 5.08 |
| SF.15/16 | 7838-5015 | 15/16 | 5.05 |
| SF 1. | 7838-5100 | 1 | 5.00 |
| SF 1.1/8 | 7838-5102 | 1 1/8 | 4.90 |
| SF 1.3/16 | 7838-5103 | 1 3/16 | 4.83 |
| SF 1.1/4 | 7838-5104 | 1 1/4 | 4.77 |
| SF 1.5/16 | 7838-5105 | 1 5/16 | 4.71 |
| SF 1.3/8 | 7838-5106 | 1 3/8 | 4.61 |
| SF 1.7/16 | 7838-5107 | 1 7/16 | 4.57 |
| SF 1.1/2 | 7838-5108 | 1 1/2 | 4.48 |
| SF 1.9/16 | 7838-5109 | 1 9/16 | 4.42 |
| SF 1.5/8 | 7838-5110 | 1 5/8 | 4.32 |
| SF 1.11/16 | 7838-5111 | 1 11/16 | 4.31 |
| SF 1.3/4 | 7838-5112 | 1 3/4 | 4.16 |
| SF 1.13/16 | 7838-5113 | 1 13/16 | 4.06 |
| SF 1.7/8 | 7838-5114 | 1 7/8 | 4.00 |
| SF 1.15/16 | 7838-5115 | 1 15/16 | 3.87 |
| SF 2. | 7838-5200 | 2 | 3.78 |
| SF 2.1/16 | 7838-5201 | 2 1/16 | 3.70 |
| SF 2.1/8 | 7838-5202 | 2 1/8 | 3.57 |
| SF 2.3/16 | 7838-5203 | 2 3/16 | 3.45 |
| SF 2.1/4 | 7838-5204 | 2 1/4 | 3.38 |
| SF 2.5/16 | 7838-5205 | 2 5/16 | 3.32 |
| ¹² SF 2.3/8 | 7838-5206 | 2 3/8 | 3.39 |
| ¹² SF 2.7/16 | 7838-5207 | 2 7/16 | 3.26 |
| ¹² SF 2.1/2 | 7838-5208 | 2 1/2 | 3.16 |
| ¹² SF 2.5/8 | 7838-5210 | 2 5/8 | 2.91 |
| ¹² SF 2.11/16 | 7838-5211 | 2 11/16 | 2.72 |
| ¹² SF 2.3/4 | 7838-5212 | 2 3/4 | 2.59 |

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|--------------------------|-------------|------------|----------------|
| ¹² SF 2.13/16 | 7838-5213 | 2 13/16 | 3.50 |
| ¹³ SF 2.7/8 | 7838-5214 | 2 7/8 | 2.35 |
| ¹³ SF 2.15/16 | 7838-5215 | 2 15/16 | 2.22 |
| SH.1/2 | 7838-1008 | 1/2 | 1.16 |
| SH.9/16 | 7838-1009 | 9/16 | 1.14 |
| SH.5/8 | 7838-1010 | 5/8 | 1.14 |
| SH.11/16 | 7838-1011 | 11/16 | 1.14 |
| SH.3/4 | 7838-1012 | 3/4 | 1.10 |
| SH .13/16 | 7838-1013 | 13/16 | 1.07 |
| SH.7/8 | 7838-1014 | 7/8 | 1.04 |
| SH.15/16 | 7838-1015 | 15/16 | 1.00 |
| SH 1. | 7838-1100 | 1 | .98 |
| SH 1.1/16 | 7838-1101 | 1 1/16 | .94 |
| SH 1.1/8 | 7838-1102 | 1 1/8 | .91 |
| SH 1.3/16 | 7838-1103 | 1 3/16 | .88 |
| SH 1.1/4 | 7838-1104 | 1 1/4 | .84 |
| SH 1.5/16 | 7838-1105 | 1 5/16 | .82 |
| SH 1.3/8 | 7838-1106 | 1 3/8 | .80 |
| ¹² SH 1.7/16 | 7838-1107 | 1 7/16 | .79 |
| ¹² SH 1.1/2 | 7838-1108 | 1 1/2 | .75 |
| ¹² SH 1.9/16 | 7838-1109 | 1 9/16 | .90 |
| ¹² SH 1.5/8 | 7838-1110 | 1 5/8 | .64 |
| ¹³ SH 1.11/16 | 7838-1111 | 1 11/16 | .55 |
| SK.1/2 | 7838-4008 | 1/2 | 3.77 |
| SK.5/8 | 7838-4010 | 5/8 | 3.72 |
| SK.11/16 | 7838-4011 | 11/16 | 3.70 |
| SK.3/4 | 7838-4012 | 3/4 | 3.61 |
| SK.13/16 | 7838-4013 | 13/16 | 3.53 |
| SK.7/8 | 7838-4014 | 7/8 | 3.58 |
| SK.15/16 | 7838-4015 | 15/16 | 3.52 |
| SK 1. | 7838-4100 | 1 | 3.45 |
| SK 1.1/16 | 7838-4101 | 1 1/16 | 3.41 |
| SK 1.1/8 | 7838-4102 | 1 1/8 | 3.37 |
| SK 1.3/16 | 7838-4103 | 1 3/16 | 3.31 |
| SK 1.1/4 | 7838-4104 | 1 1/4 | 3.31 |
| SK 1.5/16 | 7838-4105 | 1 5/16 | 3.18 |
| SK 1.3/8 | 7838-4106 | 1 3/8 | 3.12 |
| SK 1.7/16 | 7838-4107 | 1 7/16 | 3.08 |
| SK 1.1/2 | 7838-4108 | 1 1/2 | 3.00 |
| SK 1.9/16 | 7838-4109 | 1 9/16 | 2.95 |
| SK 1.5/8 | 7838-4110 | 1 5/8 | 2.86 |
| SK 1.11/16 | 7838-4111 | 1 11/16 | 2.79 |
| SK 1.3/4 | 7838-4112 | 1 3/4 | 2.88 |
| SK 1.13/16 | 7838-4113 | 1 13/16 | 2.62 |
| SK 1.7/8 | 7838-4114 | 1 7/8 | 2.50 |
| SK 1.15/16 | 7838-4115 | 1 15/16 | 2.42 |
| SK 2. | 7838-4200 | 2 | 2.32 |
| SK 2.1/16 | 7838-4201 | 2 1/16 | 2.26 |
| SK 2.1/8 | 7838-4202 | 2 1/8 | 2.17 |
| ¹² SK 2.3/16 | 7838-4203 | 2 3/16 | 2.21 |
| ¹² SK 2.1/4 | 7838-4204 | 2 1/4 | 2.09 |
| ¹² SK 2.5/16 | 7838-4205 | 2 5/16 | 1.50 |
| ¹² SK 2.3/8 | 7838-4206 | 2 3/8 | 1.91 |
| ¹² SK 2.7/16 | 7838-4207 | 2 7/16 | 1.81 |
| ¹² SK 2.1/2 | 7838-4208 | 2 1/2 | 2.00 |
| SK 2.9/16 | 7838-4209 | 2 9/16 | 2.00 |
| ¹³ SK 2.5/8 | 7838-4210 | 2 5/8 | 1.32 |

¹² Shallow keyway.
¹³ No keyway.
⁰ Available Until Stock Depleted.



QD® VS Bushings - English Sizes

Markets/Applications


For use with 5VS and 8VS Adjustable Speed Sheaves.

Features/Advantages

- Available in Short Bore or Long Bore.
- Stocked in popular bore sizes.

Notes

Details shown which do not affect drive function or overall weight may be changed without notification.



Product No. Series 7964

5VS

| Part No. | Product No. | Length (In.) | Bore (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|------------|----------------|
| 5VS-LB 2.3/8 | 7964-0001 | 8.46 | 2 3/8 | 13.00 |
| 5VS-LB 2.7/8 | 7964-0002 | 8.46 | 2 7/8 | 12.00 |
| 5VS-LB 3.3/8 | 7964-0003 | 7.00 | 3 3/8 | 6.00 |
| 5VS-SB 1.7/8 | 7964-0004 | 5.27 | 1 7/8 | 15.00 |
| 5VS-SB 2.1/8 | 7964-0005 | 5.27 | 2 1/8 | 13.00 |
| 5VS-SB 2.3/8 | 7964-0006 | 5.27 | 2 3/8 | 11.50 |
| 5VS-SB 2.7/8 | 7964-0007 | 5.27 | 2 7/8 | 9.00 |
| 5VS-SB 3.3/8 | 7964-0008 | 5.27 | 3 3/8 | 5.60 |

8VS

| Part No. | Product No. | Length (In.) | Bore (In.) | Wt. Ea. (Lbs.) |
|--------------|-------------|--------------|------------|----------------|
| 8VS-LB 3.3/8 | 7964-0009 | 12.36 | 3 3/8 | 53.00 |
| 8VS-LB 3.7/8 | 7964-0010 | 12.36 | 3 7/8 | 46.00 |
| 8VS-LB 4.3/8 | 7964-0011 | 12.36 | 4 3/8 | 35.00 |
| 8VS-SB 3.3/8 | 7964-0012 | 9.33 | 3 3/8 | 45.00 |
| 8VS-SB 3.7/8 | 7964-0013 | 9.33 | 3 7/8 | 38.00 |

QD[®] Bushings - Metric Sizes

Markets/Applications

Use with all QD style sheaves, sprockets and pulleys.

Features/Advantages

- Bushings are made to precise tolerances.
- Available in popular bore sizes.

Notes

Details shown which do not affect drive function or overall weight may be changed without notification.

WARNING: Excessive cap-screw torque can cause sheave and/or bushing to break.
Use of lubricants can result in sheave breakage.



NOTE: Bushings with standard keyseats do not include keys.

Product No. Series 7840 & 7841

| Part No. | Product No. | Bore (mm) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------|----------------|
| E 50MM | 7841-1200 | 50 | 10.15 |
| E 60MM | 7841-1206 | 60 | 9.03 |
| E 65MM | 7841-1209 | 65 | 9.00 |
| J 55MM | 7841-3203 | 55 | 26.40 |
| J 70MM | 7841-3212 | 70 | 21.00 |
| SD 25MM | 7840-3100 | 25 | 1.82 |
| SD 30MM | 7840-3103 | 30 | 1.66 |
| SD 35MM | 7840-3106 | 35 | 1.49 |
| SD 42MM | 7840-3111 | 42 | 1.18 |
| SDS 24MM | 7840-2015 | 24 | 1.50 |
| SDS 25MM | 7840-2100 | 25 | 1.47 |
| SDS 28MM | 7840-2101 | 28 | 1.40 |
| SDS 30MM | 7840-2103 | 30 | 1.35 |
| SDS 35MM | 7840-2106 | 35 | 1.22 |
| SDS 38MM | 7840-2108 | 38 | 1.00 |
| SDS 42MM | 7840-2111 | 42 | 1.02 |
| SF 50MM | 7840-5200 | 50 | 3.80 |

| Part No. | Product No. | Bore (mm) | Wt. Ea. (Lbs.) |
|----------|-------------|-----------|----------------|
| SF 60MM | 7840-5206 | 60 | 3.14 |
| SH 24MM | 7840-1015 | 24 | 1.00 |
| SH 28MM | 7840-1101 | 28 | .65 |
| SH 30MM | 7840-1103 | 30 | .85 |
| SH 35MM | 7840-1106 | 35 | 1.00 |
| SK 24MM | 7840-4015 | 24 | 3.50 |
| SK 25MM | 7840-4100 | 25 | 3.48 |
| SK 30MM | 7840-4103 | 30 | 3.33 |
| SK 32MM | 7840-4104 | 32 | 3.22 |
| SK 35MM | 7840-4106 | 35 | 3.13 |
| SK 38MM | 7840-4108 | 38 | 3.00 |
| SK 40MM | 7840-4109 | 40 | 2.91 |
| SK 42MM | 7840-4111 | 42 | 2.80 |
| SK 48MM | 7840-4114 | 48 | 2.35 |
| SK 50MM | 7840-4200 | 50 | 2.39 |
| SK 55MM | 7840-4203 | 55 | 2.10 |

NOTE: Metric screws/threads are available on a MTO basis. Minimum lead times may be required.



Taper-Lock® Bushings - English Sizes

Markets/Applications


Use with all Taper-Lock style sheaves, sprockets and pulleys.

Features/Advantages

- Bushings are made to precise tolerances.
- Available in popular bore sizes.

Notes

Details shown which do not affect drive function or overall weight may be changed without notification.



NOTE: Bushings with standard keyseats do not include keys.

Product No. Series 7848, 7858 & 7859

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) | Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|---------------------------|-------------|------------|----------------|----------------------------|-------------|------------|----------------|
| 1008.1/2 | 7858-0008 | 1/2 | .27 | 1310.9/16 | 7848-4009 | 9/16 | .64 |
| 1008.9/16 | 7858-0009 | 9/16 | .25 | 1310.5/8 | 7848-4010 | 5/8 | .63 |
| 1008.5/8 | 7858-0010 | 5/8 | .24 | 1310.11/16 | 7848-4011 | 11/16 | .62 |
| 1008.11/16 | 7858-0011 | 11/16 | .23 | 1310.3/4 | 7848-4012 | 3/4 | .61 |
| 1008.3/4 | 7858-0012 | 3/4 | .21 | 1310.13/16 | 7848-4013 | 13/16 | .59 |
| 1008.13/16 | 7858-0013 | 13/16 | .20 | 1310.7/8 | 7848-4014 | 7/8 | .56 |
| 1008.7/8 | 7858-0014 | 7/8 | .18 | 1310.15/16 | 7848-4015 | 15/16 | .54 |
| ¹² 1008.15/16 | 7858-0015 | 15/16 | .17 | 1310.1. | 7848-4100 | 1 | .52 |
| ¹² 1008.1. | 7858-0100 | 1 | .15 | 1310.1.1/16 | 7848-4101 | 1 1/16 | .49 |
| 1108.1/2 | 7858-0108 | 1/2 | .31 | 1310.1.1/8 | 7848-4102 | 1 1/8 | .47 |
| 1108.9/16 | 7858-0109 | 9/16 | .31 | 1310.1.3/16 | 7848-4103 | 1 3/16 | .44 |
| 1108.5/8 | 7858-0110 | 5/8 | .29 | 1310.1.1/4 | 7848-4104 | 1 1/4 | .41 |
| 1108.11/16 | 7858-0111 | 11/16 | .28 | 1310.1.5/16 | 7848-4105 | 1 5/16 | .39 |
| 1108.3/4 | 7858-0112 | 3/4 | .27 | 1310.1.3/8 | 7848-4106 | 1 3/8 | .35 |
| 1108.13/16 | 7858-0113 | 13/16 | .25 | 1310.1.7/16 | 7848-4107 | 1 7/16 | .40 |
| 1108.7/8 | 7858-0114 | 7/8 | .24 | 1610.1/2 | 7858-1608 | 1/2 | .85 |
| 1108.15/16 | 7858-0115 | 15/16 | .21 | 1610.9/16 | 7858-1609 | 9/16 | .85 |
| 1108.1. | 7858-0200 | 1 | .19 | 1610.5/8 | 7858-1610 | 5/8 | .83 |
| ¹² 1108.1.1/16 | 7858-0201 | 1 1/16 | .19 | 1610.11/16 | 7858-1611 | 11/16 | .83 |
| ¹² 1108.1.1/8 | 7858-0202 | 1 1/8 | .16 | 1610.3/4 | 7858-1612 | 3/4 | .79 |
| 1210.1/2 | 7858-0508 | 1/2 | .58 | 1610.13/16 | 7858-1613 | 13/16 | .84 |
| 1210.9/16 | 7858-0509 | 9/16 | .56 | 1610.7/8 | 7858-1614 | 7/8 | .76 |
| 1210.5/8 | 7858-0510 | 5/8 | .54 | 1610.15/16 | 7858-1615 | 15/16 | .72 |
| 1210.11/16 | 7858-0511 | 11/16 | .53 | 1610.1. | 7858-1700 | 1 | .71 |
| 1210.3/4 | 7858-0512 | 3/4 | .52 | 1610.1.1/16 | 7858-1701 | 1 1/16 | .69 |
| 1210.13/16 | 7858-0513 | 13/16 | .49 | 1610.1.1/8 | 7858-1702 | 1 1/8 | .66 |
| 1210.7/8 | 7858-0514 | 7/8 | .48 | 1610.1.3/16 | 7858-1703 | 1 3/16 | .63 |
| 1210.15/16 | 7858-0515 | 15/16 | .47 | 1610.1.1/4 | 7858-1704 | 1 1/4 | .61 |
| 1210.1. | 7858-0600 | 1 | .43 | 1610.1.5/16 | 7858-1705 | 1 5/16 | .57 |
| 1210.1.1/16 | 7858-0601 | 1 1/16 | .41 | 1610.1.3/8 | 7858-1706 | 1 3/8 | .54 |
| 1210.1.1/8 | 7858-0602 | 1 1/8 | .38 | 1610.1.7/16 | 7858-1707 | 1 7/16 | .50 |
| 1210.1.3/16 | 7858-0603 | 1 3/16 | .36 | 1610.1.1/2 | 7858-1708 | 1 1/2 | .47 |
| 1210.1.1/4 | 7858-0604 | 1 1/4 | .32 | ¹² 1610.1.9/16 | 7858-1709 | 1 9/16 | .47 |
| 1215.1/2 | 7858-1008 | 1/2 | .82 | ¹² 1610.1.5/8 | 7858-1710 | 1 5/8 | .43 |
| 1215.9/16 | 7858-1009 | 9/16 | .85 | ¹² 1610.1.11/16 | 7858-1711 | 1 11/16 | .45 |
| 1215.5/8 | 7858-1010 | 5/8 | .78 | 1615.1/2 | 7858-2008 | 1/2 | 1.24 |
| 1215.11/16 | 7858-1011 | 11/16 | .81 | 1615.9/16 | 7858-2009 | 9/16 | 1.30 |
| 1215.3/4 | 7858-1012 | 3/4 | .75 | 1615.5/8 | 7858-2010 | 5/8 | 1.20 |
| 1215.13/16 | 7858-1013 | 13/16 | .75 | 1615.11/16 | 7858-2011 | 11/16 | 1.24 |
| 1215.7/8 | 7858-1014 | 7/8 | .68 | 1615.3/4 | 7858-2012 | 3/4 | 1.16 |
| 1215.15/16 | 7858-1015 | 15/16 | .64 | 1615.13/16 | 7858-2013 | 13/16 | 1.20 |
| 1215.1. | 7858-1100 | 1 | .61 | 1615.7/8 | 7858-2014 | 7/8 | 1.11 |
| 1215.1.1/16 | 7858-1101 | 1 1/16 | .57 | 1615.15/16 | 7858-2015 | 15/16 | 1.06 |
| 1215.1.1/8 | 7858-1102 | 1 1/8 | .54 | 1615.1. | 7858-2100 | 1 | 1.02 |
| 1215.1.3/16 | 7858-1103 | 1 3/16 | .49 | 1615.1.1/16 | 7858-2101 | 1 1/16 | .99 |
| 1215.1.1/4 | 7858-1104 | 1 1/4 | .45 | 1615.1.1/8 | 7858-2102 | 1 1/8 | .95 |
| 1310.1/2 | 7848-4008 | 1/2 | .66 | 1615.1.3/16 | 7858-2103 | 1 3/16 | .91 |

¹² Shallow keyway.



Taper-Lock® Bushings - English Sizes

Product No. Series 7848, 7858 & 7859 (continued)

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) | Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|----------------------------|-------------|------------|----------------|----------------------------|-------------|------------|----------------|
| 1615 1.1/4 | 7858-2104 | 1 1/4 | .87 | ¹² 2517 2.3/8 | 7858-3206 | 2 3/8 | 1.78 |
| 1615 1.5/16 | 7858-2105 | 1 5/16 | .82 | ¹² 2517 2.7/16 | 7858-3207 | 2 7/16 | 1.69 |
| 1615 1.3/8 | 7858-2106 | 1 3/8 | .77 | ¹² 2517 2.1/2 | 7858-3208 | 2 1/2 | 1.59 |
| 1615 1.7/16 | 7858-2107 | 1 7/16 | .72 | ¹² 2517 2.5/8 | 7858-3210 | 2 5/8 | 1.80 |
| 1615 1.1/2 | 7858-2108 | 1 1/2 | .66 | ¹² 2517 2.11/16 | 7858-3211 | 2 11/16 | 1.43 |
| ¹² 1615 1.9/16 | 7858-2109 | 1 9/16 | .67 | 2525.3/4 | 7859-1012 | 3/4 | 4.94 |
| ¹² 1615 1.5/8 | 7858-2110 | 1 5/8 | .60 | 2525.7/8 | 7859-1014 | 2 7/8 | 4.83 |
| ¹² 1615 1.11/16 | 7858-2111 | 1 11/16 | .62 | 2525 1. | 7859-1100 | 1 | 4.86 |
| 2012.1/2 | 7858-2508 | 1/2 | 1.63 | 2525 1.1/8 | 7859-1102 | 1 1/8 | 4.58 |
| 2012.9/16 | 7858-2509 | 9/16 | 1.61 | 2525 1.3/16 | 7859-1103 | 1 3/16 | 4.46 |
| 2012.5/8 | 7858-2510 | 5/8 | 1.59 | 2525 1.1/4 | 7859-1104 | 1 1/4 | 4.41 |
| 2012.11/16 | 7858-2511 | 11/16 | 1.57 | 2525 1.3/8 | 7859-1106 | 1 3/8 | 4.24 |
| 2012.3/4 | 7858-2512 | 3/4 | 1.15 | 2525 1.7/16 | 7859-1107 | 1 7/16 | 4.17 |
| 2012.13/16 | 7858-2513 | 13/16 | 1.53 | 2525 1.1/2 | 7859-1108 | 1 1/2 | 4.03 |
| 2012.7/8 | 7858-2514 | 7/8 | 1.51 | 2525 1.5/8 | 7859-1110 | 1 5/8 | 3.85 |
| 2012.15/16 | 7858-2515 | 15/16 | 1.47 | 2525 1.11/16 | 7859-1111 | 1 11/16 | 3.78 |
| 2012 1. | 7858-2600 | 1 | 1.46 | 2525 1.3/4 | 7859-1112 | 1 3/4 | 3.65 |
| 2012 1.1/16 | 7858-2601 | 1 1/16 | 1.43 | 2525 1.13/16 | 7859-1113 | 1 13/16 | 3.20 |
| 2012 1.1/8 | 7858-2602 | 1 1/8 | 1.39 | 2525 1.7/8 | 7859-1114 | 1 7/8 | 3.39 |
| 2012 1.3/16 | 7858-2603 | 1 3/16 | 1.36 | 2525 1.15/16 | 7859-1115 | 1 15/16 | 3.28 |
| 2012 1.1/4 | 7858-2604 | 1 1/4 | 1.33 | 2525 2. | 7859-1200 | 2 | 3.17 |
| 2012 1.5/16 | 7858-2605 | 1 5/16 | 1.27 | 2525 2.1/8 | 7859-1202 | 2 1/8 | 2.89 |
| 2012 1.3/8 | 7858-2606 | 1 3/8 | 1.25 | 2525 2.3/16 | 7859-1203 | 2 3/16 | 2.50 |
| 2012 1.7/16 | 7858-2607 | 1 7/16 | 1.20 | 2525 2.1/4 | 7859-1204 | 2 1/4 | 2.40 |
| 2012 1.1/2 | 7858-2608 | 1 1/2 | 1.15 | ¹² 2525 2.5/16 | 7859-1205 | 2 5/16 | 2.73 |
| 2012 1.9/16 | 7858-2609 | 1 9/16 | 1.10 | 2525 2.3/8 | 7859-1206 | 2 3/8 | 2.33 |
| 2012 1.5/8 | 7858-2610 | 1 5/8 | 1.05 | 2525 2.7/16 | 7859-1207 | 2 7/16 | 2.36 |
| 2012 1.11/16 | 7858-2611 | 1 11/16 | 1.02 | ¹² 2525 2.1/2 | 7859-1208 | 2 1/2 | 2.19 |
| 2012 1.3/4 | 7858-2612 | 1 3/4 | .95 | 3020.7/8 | 7859-6014 | 7/8 | 6.21 |
| 2012 1.13/16 | 7858-2613 | 1 13/16 | .88 | 3020.15/16 | 7859-6015 | 15/16 | 6.10 |
| 2012 1.7/8 | 7858-2614 | 1 7/8 | .83 | 3020 1. | 7859-6100 | 1 | 6.08 |
| ¹² 2012 1.15/16 | 7858-2615 | 1 15/16 | .86 | 3020 1.1/8 | 7859-6102 | 1 1/8 | 5.93 |
| ¹² 2012 2. | 7858-2700 | 2 | .80 | 3020 1.3/16 | 7859-6103 | 1 3/16 | 5.95 |
| ¹² 2012 2.1/8 | 7858-2702 | 2 1/8 | .77 | 3020 1.1/4 | 7859-6104 | 1 1/4 | 5.86 |
| 2517.1/2 | 7858-3008 | 1/2 | 3.44 | 3020 1.5/16 | 7859-6105 | 1 5/16 | 5.81 |
| 2517.9/16 | 7858-3009 | 9/16 | 3.60 | 3020 1.3/8 | 7859-6106 | 1 3/8 | 5.72 |
| 2517.5/8 | 7858-3010 | 5/8 | 3.37 | 3020 1.7/16 | 7859-6107 | 1 7/16 | 5.65 |
| 2517.11/16 | 7858-3011 | 11/16 | 3.35 | 3020 1.1/2 | 7859-6108 | 1 1/2 | 5.60 |
| 2517.3/4 | 7858-3012 | 3/4 | 3.33 | 3020 1.9/16 | 7859-6109 | 1 9/16 | 5.90 |
| 2517.13/16 | 7858-3013 | 13/16 | 3.34 | 3020 1.5/8 | 7859-6110 | 1 5/8 | 5.47 |
| 2517.7/8 | 7858-3014 | 7/8 | 3.52 | 3020 1.11/16 | 7859-6111 | 1 11/16 | 5.36 |
| 2517.15/16 | 7858-3015 | 15/16 | 3.26 | 3020 1.3/4 | 7859-6112 | 1 3/4 | 5.28 |
| 2517 1. | 7858-3100 | 1 | 3.18 | 3020 1.13/16 | 7859-6113 | 1 13/16 | 5.53 |
| 2517 1.1/16 | 7858-3101 | 1 1/16 | 3.18 | 3020 1.7/8 | 7859-6114 | 1 7/8 | 5.11 |
| 2517 1.1/8 | 7858-3102 | 1 1/8 | 3.09 | 3020 1.15/16 | 7859-6115 | 1 15/16 | 5.01 |
| 2517 1.3/16 | 7858-3103 | 1 3/16 | 3.06 | 3020 2. | 7859-6200 | 2 | 4.92 |
| 2517 1.1/4 | 7858-3104 | 1 1/4 | 3.00 | 3020 2.1/16 | 7859-6201 | 2 1/16 | 4.81 |
| 2517 1.5/16 | 7858-3105 | 1 5/16 | 2.93 | 3020 2.1/8 | 7859-6202 | 2 1/8 | 4.72 |
| 2517 1.3/8 | 7858-3106 | 1 3/8 | 2.89 | 3020 2.3/16 | 7859-6203 | 2 3/16 | 4.63 |
| 2517 1.7/16 | 7858-3107 | 1 7/16 | 2.83 | 3020 2.1/4 | 7859-6204 | 2 1/4 | 4.50 |
| 2517 1.1/2 | 7858-3108 | 1 1/2 | 2.78 | 3020 2.5/16 | 7859-6205 | 2 5/16 | 4.37 |
| 2517 1.9/16 | 7858-3109 | 1 9/16 | 2.70 | 3020 2.3/8 | 7859-6206 | 2 3/8 | 4.28 |
| 2517 1.5/8 | 7858-3110 | 1 5/8 | 2.65 | 3020 2.7/16 | 7859-6207 | 2 7/16 | 4.16 |
| 2517 1.11/16 | 7858-3111 | 1 11/16 | 2.57 | 3020 2.1/2 | 7859-6208 | 2 1/2 | 4.05 |
| 2517 1.3/4 | 7858-3112 | 1 3/4 | 2.52 | 3020 2.5/8 | 7859-6210 | 2 5/8 | 3.78 |
| 2517 1.13/16 | 7858-3113 | 1 13/16 | 2.41 | 3020 2.11/16 | 7859-6211 | 2 11/16 | 3.67 |
| 2517 1.7/8 | 7858-3114 | 1 7/8 | 2.34 | 3020 2.3/4 | 7859-6212 | 2 3/4 | 3.62 |
| 2517 1.15/16 | 7858-3115 | 1 15/16 | 2.27 | ¹² 3020 2.13/16 | 7859-6213 | 2 13/16 | 3.66 |
| 2517 2. | 7858-3200 | 2 | 2.16 | ¹² 3020 2.7/8 | 7859-6214 | 2 7/8 | 3.54 |
| 2517 2.1/16 | 7858-3201 | 2 1/16 | 2.10 | ¹² 3020 2.15/16 | 7859-6215 | 2 15/16 | 3.43 |
| 2517 2.1/8 | 7858-3202 | 2 1/8 | 2.02 | ¹² 3020 3. | 7859-6300 | 3 | 3.27 |
| 2517 2.3/16 | 7858-3203 | 2 3/16 | 1.94 | ¹² 3020 3.1/8 | 7859-6302 | 3 1/8 | 3.35 |
| 2517 2.1/4 | 7858-3204 | 2 1/4 | 1.82 | ¹² 3020 3.3/16 | 7859-6303 | 3 3/16 | 3.13 |
| ¹² 2517 2.5/16 | 7858-3205 | 2 5/16 | 1.89 | ¹² 3020 3.1/4 | 7859-6304 | 3 1/4 | 2.96 |

¹² Shallow keyway.



**Taper-Lock® Bushings - English Sizes****Product No. Series 7848, 7858 & 7859 (continued)**

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) | Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|----------------------------|-------------|------------|----------------|----------------------------|-------------|------------|----------------|
| 3030.15/16 | 7859-2015 | 15/16 | 9.36 | 3525 3.1/16 | 7858-5301 | 3 1/16 | 9.40 |
| 3030 1. | 7859-2100 | 1 | 9.36 | 3525 3.1/8 | 7858-5302 | 3 1/8 | 9.30 |
| 3030 1.1/8 | 7859-2102 | 1 1/8 | 9.20 | 3525 3.3/16 | 7858-5303 | 3 3/16 | 8.60 |
| 3030 1.3/16 | 7859-2103 | 1 3/16 | 9.14 | 3525 3.1/4 | 7858-5304 | 3 1/4 | 8.80 |
| 3030 1.1/4 | 7859-2104 | 1 1/4 | 9.08 | ¹² 3525 3.5/16 | 7858-5305 | 3 5/16 | 8.70 |
| 3030 1.5/16 | 7859-2105 | 1 5/16 | 8.98 | ¹² 3525 3.3/8 | 7858-5306 | 3 3/8 | 8.50 |
| 3030 1.3/8 | 7859-2106 | 1 3/8 | 8.75 | ¹² 3525 3.7/16 | 7858-5307 | 3 7/16 | 8.20 |
| 3030 1.7/16 | 7859-2107 | 1 7/16 | 8.75 | ¹² 3525 3.1/2 | 7858-5308 | 3 1/2 | 8.00 |
| 3030 1.1/2 | 7859-2108 | 1 1/2 | 8.59 | ¹² 3525 3.9/16 | 7858-5309 | 3 9/16 | 8.00 |
| 3030 1.9/16 | 7859-2109 | 1 9/16 | 8.47 | ¹² 3525 3.5/8 | 7858-5310 | 3 5/8 | 7.90 |
| 3030 1.5/8 | 7859-2110 | 1 5/8 | 8.28 | ¹² 3525 3.11/16 | 7858-5311 | 3 11/16 | 7.90 |
| 3030 1.11/16 | 7859-2111 | 1 11/16 | 8.17 | ¹² 3525 3.3/4 | 7858-5312 | 3 3/4 | 7.90 |
| 3030 1.3/4 | 7859-2112 | 1 3/4 | 8.03 | ¹² 3525 3.13/16 | 7858-5313 | 3 13/16 | 7.90 |
| 3030 1.13/16 | 7859-2113 | 1 13/16 | 8.00 | ¹² 3525 3.7/8 | 7858-5314 | 3 7/8 | 7.90 |
| 3030 1.7/8 | 7859-2114 | 1 7/8 | 7.71 | ¹² 3525 3.15/16 | 7858-5315 | 3 15/16 | 7.90 |
| 3030 1.15/16 | 7859-2115 | 1 15/16 | 7.58 | 3535 1.3/16 | 7859-3103 | 1 3/16 | 15.08 |
| 3030 2. | 7859-2200 | 2 | 7.39 | 3535 1.1/4 | 7859-3104 | 1 1/4 | 14.86 |
| 3030 2.1/16 | 7859-2201 | 2 1/16 | 7.39 | 3535 1.3/8 | 7859-3106 | 1 3/8 | 14.76 |
| 3030 2.1/8 | 7859-2202 | 2 1/8 | 7.11 | 3535 1.7/16 | 7859-3107 | 1 7/16 | 14.58 |
| 3030 2.3/16 | 7859-2203 | 2 3/16 | 6.97 | 3535 1.1/2 | 7859-3108 | 1 1/2 | 14.40 |
| 3030 2.1/4 | 7859-2204 | 2 1/4 | 6.77 | 3535 1.5/8 | 7859-3110 | 1 5/8 | 14.10 |
| 3030 2.5/16 | 7859-2205 | 2 5/16 | 6.57 | 3535 1.11/16 | 7859-3111 | 1 11/16 | 14.05 |
| 3030 2.3/8 | 7859-2206 | 2 3/8 | 6.39 | 3535 1.3/4 | 7859-3112 | 1 3/4 | 13.75 |
| 3030 2.7/16 | 7859-2207 | 2 7/16 | 6.26 | 3535 1.7/8 | 7859-3114 | 1 7/8 | 13.20 |
| 3030 2.1/2 | 7859-2208 | 2 1/2 | 6.08 | 3535 1.15/16 | 7859-3115 | 1 15/16 | 13.16 |
| 3030 2.5/8 | 7859-2210 | 2 5/8 | 5.66 | 3535 2. | 7859-3200 | 2 | 13.11 |
| 3030 2.11/16 | 7859-2211 | 2 11/16 | 5.50 | 3535 2.1/8 | 7859-3202 | 2 1/8 | 12.75 |
| 3030 2.3/4 | 7859-2212 | 2 3/4 | 5.28 | 3535 2.3/16 | 7859-3203 | 2 3/16 | 12.59 |
| ¹² 3030 2.7/8 | 7859-2214 | 2 7/8 | 5.26 | 3535 2.1/4 | 7859-3204 | 2 1/4 | 12.40 |
| ¹² 3030 2.15/16 | 7859-2215 | 2 15/16 | 4.99 | 3535 2.3/8 | 7859-3206 | 2 3/8 | 12.00 |
| ¹² 3030 3. | 7859-2300 | 3 | 4.78 | 3535 2.7/16 | 7859-3207 | 2 7/16 | 11.69 |
| ¹² 3030 3.1/8 | 7859-2302 | 3 1/8 | 4.69 | 3535 2.1/2 | 7859-3208 | 2 1/2 | 11.51 |
| ¹² 3030 3.3/16 | 7859-2303 | 3 3/16 | 4.80 | 3535 2.5/8 | 7859-3210 | 2 5/8 | 11.02 |
| ¹² 3030 3.1/4 | 7859-2304 | 3 1/4 | 4.80 | 3535 2.11/16 | 7859-3211 | 2 11/16 | 10.79 |
| 3525 1.3/16 | 7858-5103 | 1 3/16 | 16.00 | 3535 2.3/4 | 7859-3212 | 2 3/4 | 10.58 |
| 3525 1.1/4 | 7858-5104 | 1 1/4 | 14.60 | 3535 2.7/8 | 7859-3214 | 2 7/8 | 10.02 |
| 3525 1.5/16 | 7858-5105 | 1 5/16 | 14.60 | 3535 2.15/16 | 7859-3215 | 2 15/16 | 9.75 |
| 3525 1.3/8 | 7858-5106 | 1 3/8 | 14.30 | 3535 3. | 7859-3300 | 3 | 9.50 |
| 3525 1.7/16 | 7858-5107 | 1 7/16 | 14.10 | 3535 3.1/8 | 7859-3302 | 3 1/8 | 8.94 |
| 3525 1.1/2 | 7858-5108 | 1 1/2 | 14.00 | 3535 3.3/16 | 7859-3303 | 3 3/16 | 8.66 |
| 3525 1.9/16 | 7858-5109 | 1 9/16 | 14.00 | 3535 3.1/4 | 7859-3304 | 3 1/4 | 8.30 |
| 3525 1.5/8 | 7858-5110 | 1 5/8 | 13.90 | ¹² 3535 3.5/16 | 7859-3305 | 3 5/16 | 8.70 |
| 3525 1.11/16 | 7858-5111 | 1 11/16 | 13.90 | ¹² 3535 3.3/8 | 7859-3306 | 3 3/8 | 8.44 |
| 3525 1.3/4 | 7858-5112 | 1 3/4 | 13.40 | ¹² 3535 3.7/16 | 7859-3307 | 3 7/16 | 8.13 |
| 3525 1.13/16 | 7858-5113 | 1 13/16 | 13.30 | ¹² 3535 3.1/2 | 7859-3308 | 3 1/2 | 7.90 |
| 3525 1.7/8 | 7858-5114 | 1 7/8 | 13.20 | ¹² 3535 3.5/8 | 7859-3310 | 3 5/8 | 7.09 |
| 3525 1.15/16 | 7858-5115 | 1 15/16 | 13.00 | ¹² 3535 3.11/16 | 7859-3311 | 3 11/16 | 6.79 |
| 3525 2. | 7858-5200 | 2 | 13.00 | ¹² 3535 3.3/4 | 7859-3312 | 3 3/4 | 6.41 |
| 3525 2.1/16 | 7858-5201 | 2 1/16 | 12.90 | ¹² 3535 3.7/8 | 7859-3314 | 3 7/8 | 5.94 |
| 3525 2.1/8 | 7858-5202 | 2 1/8 | 12.60 | ¹² 3535 3.15/16 | 7859-3315 | 3 15/16 | 5.58 |
| 3525 2.3/16 | 7858-5203 | 2 3/16 | 12.40 | 4030 1.7/16 | 7858-6107 | 1 7/16 | 24.00 |
| 3525 2.1/4 | 7858-5204 | 2 1/4 | 12.30 | 4030 1.1/2 | 7858-6108 | 1 1/2 | 22.00 |
| 3525 2.5/16 | 7858-5205 | 2 5/16 | 11.80 | 4030 1.9/16 | 7858-6109 | 1 9/16 | 21.90 |
| 3525 2.3/8 | 7858-5206 | 2 3/8 | 12.00 | 4030 1.5/8 | 7858-6110 | 1 5/8 | 21.80 |
| 3525 2.7/16 | 7858-5207 | 2 7/16 | 11.70 | 4030 1.11/16 | 7858-6111 | 1 11/16 | 21.50 |
| 3525 2.1/2 | 7858-5208 | 2 1/2 | 11.50 | 4030 1.3/4 | 7858-6112 | 1 3/4 | 21.20 |
| 3525 2.9/16 | 7858-5209 | 2 9/16 | 11.40 | 4030 1.13/16 | 7858-6113 | 1 13/16 | 21.00 |
| 3525 2.5/8 | 7858-5210 | 2 5/8 | 11.10 | 4030 1.7/8 | 7858-6114 | 1 7/8 | 20.90 |
| 3525 2.11/16 | 7858-5211 | 2 11/16 | 10.70 | 4030 1.15/16 | 7858-6115 | 1 15/16 | 20.70 |
| 3525 2.3/4 | 7858-5212 | 2 3/4 | 10.40 | 4030 2. | 7858-6200 | 2 | 20.60 |
| 3525 2.13/16 | 7858-5213 | 2 13/16 | 10.30 | 4030 2.1/16 | 7858-6201 | 2 1/16 | 20.60 |
| 3525 2.7/8 | 7858-5214 | 2 7/8 | 10.10 | 4030 2.1/8 | 7858-6202 | 2 1/8 | 20.70 |
| 3525 2.15/16 | 7858-5215 | 2 15/16 | 10.50 | 4030 2.3/16 | 7858-6203 | 2 3/16 | 20.40 |
| 3525 3. | 7858-5300 | 3 | 9.50 | 4030 2.1/4 | 7858-6204 | 2 1/4 | 20.10 |

¹² Shallow keyway.

Taper-Lock® Bushings - English Sizes

Product No. Series 7848, 7858 & 7859 (continued)

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) | Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|----------------------------|-------------|------------|----------------|----------------------------|-------------|------------|----------------|
| 4030 2.5/16 | 7858-6205 | 2 5/16 | 20.00 | ¹² 4040 4. | 7859-4400 | 4 | 12.05 |
| 4030 2.3/8 | 7858-6206 | 2 3/8 | 19.50 | ¹² 4040 4.1/8 | 7859-4402 | 4 1/8 | 11.22 |
| 4030 2.7/16 | 7858-6207 | 2 7/16 | 19.30 | ¹² 4040 4.3/16 | 7859-4403 | 4 3/16 | 10.70 |
| 4030 2.1/2 | 7858-6208 | 2 1/2 | 19.20 | ¹² 4040 4.3/8 | 7859-4406 | 4 3/8 | 9.52 |
| 4030 2.9/16 | 7858-6209 | 2 9/16 | 19.10 | ¹² 4040 4.7/16 | 7859-4407 | 4 7/16 | 8.88 |
| 4030 2.5/8 | 7858-6210 | 2 5/8 | 19.00 | 4535 1.15/16 | 7858-7115 | 1 15/16 | 31.00 |
| 4030 2.11/16 | 7858-6211 | 2 11/16 | 18.40 | 4535 2. | 7858-7200 | 2 | 29.70 |
| 4030 2.3/4 | 7858-6212 | 2 3/4 | 17.70 | 4535 2.1/16 | 7858-7201 | 2 1/16 | 23.65 |
| 4030 2.13/16 | 7858-6213 | 2 13/16 | 17.50 | 4535 2.1/8 | 7858-7202 | 2 1/8 | 29.30 |
| 4030 2.7/8 | 7858-6214 | 2 7/8 | 17.20 | 4535 2.3/16 | 7858-7203 | 2 3/16 | 29.00 |
| 4030 2.15/16 | 7858-6215 | 2 15/16 | 17.20 | 4535 2.1/4 | 7858-7204 | 2 1/4 | 23.15 |
| 4030 3. | 7858-6300 | 3 | 17.00 | 4535 2.5/16 | 7858-7205 | 2 5/16 | 28.60 |
| 4030 3.1/16 | 7858-6301 | 3 1/16 | 16.80 | 4535 2.3/8 | 7858-7206 | 2 3/8 | 28.40 |
| 4030 3.1/8 | 7858-6302 | 3 1/8 | 16.50 | 4535 2.7/16 | 7858-7207 | 2 7/16 | 28.00 |
| 4030 3.3/16 | 7858-6303 | 3 3/16 | 15.90 | 4535 2.1/2 | 7858-7208 | 2 1/2 | 26.70 |
| 4030 3.1/4 | 7858-6304 | 3 1/4 | 15.40 | 4535 2.9/16 | 7858-7209 | 2 9/16 | 26.40 |
| 4030 3.5/16 | 7858-6305 | 3 5/16 | 14.90 | 4535 2.5/8 | 7858-7210 | 2 5/8 | 25.90 |
| 4030 3.3/8 | 7858-6306 | 3 3/8 | 14.60 | 4535 2.11/16 | 7858-7211 | 2 11/16 | 25.40 |
| 4030 3.7/16 | 7858-6307 | 3 7/16 | 14.10 | 4535 2.3/4 | 7858-7212 | 2 3/4 | 25.00 |
| 4030 3.1/2 | 7858-6308 | 3 1/2 | 13.40 | 4535 2.13/16 | 7858-7213 | 2 13/16 | 24.90 |
| 4030 3.9/16 | 7858-6309 | 3 9/16 | 10.85 | 4535 2.7/8 | 7858-7214 | 2 7/8 | 24.80 |
| 4030 3.5/8 | 7858-6310 | 3 5/8 | 14.00 | 4535 2.15/16 | 7858-7215 | 2 15/16 | 24.10 |
| 4030 3.11/16 | 7858-6311 | 3 11/16 | 13.00 | 4535 3. | 7858-7300 | 3 | 24.20 |
| 4030 3.3/4 | 7858-6312 | 3 3/4 | 12.70 | 4535 3.1/16 | 7858-7301 | 3 1/16 | 24.20 |
| 4030 3.13/16 | 7858-6313 | 3 3/16 | 9.65 | 4535 3.1/8 | 7858-7302 | 3 1/8 | 24.10 |
| 4030 3.7/8 | 7858-6314 | 3 7/8 | 12.90 | 4535 3.3/16 | 7858-7303 | 3 3/16 | 23.80 |
| 4030 3.15/16 | 7858-6315 | 3 15/16 | 12.60 | 4535 3.1/4 | 7858-7304 | 3 1/4 | 23.10 |
| 4030 4. | 7858-6400 | 4 | 12.60 | 4535 3.5/16 | 7858-7305 | 3 5/16 | 22.70 |
| 4030 4.1/8 | 7858-6402 | 4 1/8 | 12.60 | 4535 3.3/8 | 7858-7306 | 3 3/8 | 22.40 |
| 4030 4.3/16 | 7858-6403 | 4 3/16 | 12.60 | 4535 3.7/16 | 7858-7307 | 3 7/16 | 21.50 |
| 4030 4.1/4 | 7858-6404 | 4 1/4 | 12.60 | 4535 3.1/2 | 7858-7308 | 3 1/2 | 21.30 |
| 4030 4.3/8 | 7858-6406 | 4 3/8 | 12.60 | 4535 3.9/16 | 7858-7309 | 3 9/16 | 21.10 |
| 4030 4.7/16 | 7858-6407 | 4 7/16 | 11.80 | 4535 3.5/8 | 7858-7310 | 3 5/8 | 21.00 |
| 4040 1.7/16 | 7859-4107 | 1 7/16 | 24.00 | 4535 3.11/16 | 7858-7311 | 3 11/16 | 20.30 |
| 4040 1.1/2 | 7859-4108 | 1 1/2 | 22.00 | 4535 3.3/4 | 7858-7312 | 3 3/4 | 19.90 |
| 4040 1.5/8 | 7859-4110 | 1 5/8 | 22.13 | 4535 3.13/16 | 7858-7313 | 3 13/16 | 19.60 |
| 4040 1.11/16 | 7859-4111 | 1 11/16 | 21.80 | 4535 3.7/8 | 7858-7314 | 3 7/8 | 19.30 |
| 4040 1.3/4 | 7859-4112 | 1 3/4 | 21.97 | 4535 3.15/16 | 7858-7315 | 3 15/16 | 18.90 |
| 4040 1.7/8 | 7859-4114 | 1 7/8 | 21.00 | 4535 4. | 7858-7400 | 4 | 18.70 |
| 4040 1.15/16 | 7859-4115 | 1 15/16 | 21.18 | 4535 4.1/8 | 7858-7402 | 4 1/8 | 18.60 |
| 4040 2. | 7859-4200 | 2 | 21.11 | 4535 4.3/16 | 7858-7403 | 4 3/16 | 18.50 |
| 4040 2.1/8 | 7859-4202 | 2 1/8 | 20.59 | 4535 4.1/4 | 7858-7404 | 4 1/4 | 17.80 |
| 4040 2.3/16 | 7859-4203 | 2 3/16 | 20.32 | 4535 4.3/8 | 7858-7406 | 4 3/8 | 16.80 |
| 4040 2.1/4 | 7859-4204 | 2 1/4 | 20.19 | 4535 4.7/16 | 7858-7407 | 4 7/16 | 15.40 |
| 4040 2.3/8 | 7859-4206 | 2 3/8 | 19.64 | 4535 4.1/2 | 7858-7408 | 4 1/2 | 15.30 |
| 4040 2.7/16 | 7859-4207 | 2 7/16 | 19.30 | ¹² 4535 4.3/4 | 7858-7412 | 4 3/4 | 15.20 |
| 4040 2.1/2 | 7859-4208 | 2 1/2 | 18.80 | ¹² 4535 4.7/8 | 7858-7414 | 4 7/8 | 15.10 |
| 4040 2.5/8 | 7859-4210 | 2 5/8 | 18.65 | ¹² 4535 4.15/16 | 7858-7415 | 4 15/16 | 14.90 |
| 4040 2.11/16 | 7859-4211 | 2 11/16 | 18.33 | 4545 1.15/16 | 7859-5115 | 1 15/16 | 29.85 |
| 4040 2.3/4 | 7859-4212 | 2 3/4 | 18.21 | 4545 2. | 7859-5200 | 2 | 29.76 |
| 4040 2.7/8 | 7859-4214 | 2 7/8 | 17.41 | 4545 2.3/16 | 7859-5203 | 2 3/16 | 29.06 |
| 4040 2.15/16 | 7859-4215 | 2 15/16 | 17.08 | 4545 2.3/8 | 7859-5206 | 2 3/8 | 28.16 |
| 4040 3. | 7859-4300 | 3 | 16.79 | 4545 2.7/16 | 7859-5207 | 2 7/16 | 27.90 |
| 4040 3.1/8 | 7859-4302 | 3 1/8 | 16.17 | 4545 2.5/8 | 7859-5210 | 2 5/8 | 27.03 |
| 4040 3.3/16 | 7859-4303 | 3 3/16 | 15.82 | 4545 2.3/4 | 7859-5212 | 2 3/4 | 26.48 |
| 4040 3.1/4 | 7859-4304 | 3 1/4 | 15.52 | 4545 2.7/8 | 7859-5214 | 2 7/8 | 25.71 |
| 4040 3.3/8 | 7859-4306 | 3 3/8 | 14.70 | 4545 2.15/16 | 7859-5215 | 2 15/16 | 25.41 |
| 4040 3.7/16 | 7859-4307 | 3 7/16 | 14.42 | 4545 3. | 7859-5300 | 3 | 25.15 |
| 4040 3.1/2 | 7859-4308 | 3 1/2 | 14.03 | 4545 3.1/8 | 7859-5302 | 3 1/8 | 24.31 |
| 4040 3.5/8 | 7859-4310 | 3 5/8 | 13.37 | 4545 3.3/16 | 7859-5303 | 3 3/16 | 24.00 |
| 4040 3.11/16 | 7859-4311 | 3 11/16 | 13.87 | 4545 3.1/4 | 7859-5304 | 3 1/4 | 23.83 |
| 4040 3.3/4 | 7859-4312 | 3 3/4 | 13.45 | 4545 3.3/8 | 7859-5306 | 3 3/8 | 22.80 |
| ¹² 4040 3.7/8 | 7859-4314 | 3 7/8 | 12.90 | 4545 3.7/16 | 7859-5307 | 3 7/16 | 22.31 |
| ¹² 4040 3.15/16 | 7859-4315 | 3 15/16 | 12.46 | 4545 3.1/2 | 7859-5308 | 3 1/2 | 22.10 |

¹² Shallow keyway.



**Taper-Lock® Bushings - English Sizes****Product No. Series 7848, 7858 & 7859 (continued)**

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) | Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|----------------------------|-------------|------------|----------------|----------------------------|-------------|------------|----------------|
| 4545 3.5/8 | 7859-5310 | 3 5/8 | 21.22 | 5050 2.7/16 | 7859-7207 | 2 7/16 | 38.71 |
| 4545 3.3/4 | 7859-5312 | 3 3/4 | 20.31 | 5050 2.11/16 | 7859-7211 | 2 11/16 | 37.42 |
| 4545 3.7/8 | 7859-5314 | 3 7/8 | 19.34 | 5050 2.15/16 | 7859-7215 | 2 15/16 | 35.97 |
| 4545 3.15/16 | 7859-5315 | 3 15/16 | 18.96 | 5050 3.3/8 | 7859-7306 | 3 3/8 | 33.01 |
| 4545 4. | 7859-5400 | 4 | 18.61 | 5050 3.7/16 | 7859-7307 | 3 7/16 | 32.60 |
| 4545 4.1/8 | 7859-5402 | 4 1/8 | 17.52 | 5050 3.5/8 | 7859-7310 | 3 5/8 | 31.23 |
| 4545 4.3/16 | 7859-5403 | 4 3/16 | 17.14 | 5050 3.7/8 | 7859-7314 | 3 7/8 | 29.30 |
| 4545 4.1/4 | 7859-5404 | 4 1/4 | 14.89 | 5050 3.15/16 | 7859-7315 | 3 15/16 | 28.79 |
| ¹² 4545 4.3/8 | 7859-5406 | 4 3/8 | 16.94 | 5050 4. | 7859-7400 | 4 | 28.30 |
| ¹² 4545 4.7/16 | 7859-5407 | 4 7/16 | 16.33 | 5050 4.1/4 | 7859-7404 | 4 1/4 | 24.02 |
| ¹² 4545 4.1/2 | 7859-5408 | 4 1/2 | 15.84 | 5050 4.3/8 | 7859-7406 | 4 3/8 | 25.08 |
| ¹² 4545 4.3/4 | 7859-5412 | 4 3/4 | 13.92 | 5050 4.7/16 | 7859-7407 | 4 7/16 | 24.40 |
| ¹² 4545 4.7/8 | 7859-5414 | 4 7/8 | 12.85 | 5050 4.1/2 | 7859-7408 | 4 1/2 | 23.89 |
| ¹² 4545 4.15/16 | 7859-5415 | 4 15/16 | 12.27 | ¹² 5050 4.7/8 | 7859-7414 | 4 7/8 | 22.25 |
| 5040 2.7/16 | 7858-8207 | 2 7/16 | 39.50 | ¹² 5050 4.15/16 | 7859-7415 | 4 15/16 | 21.67 |
| 5040 2.1/2 | 7858-8208 | 2 1/2 | 38.30 | ¹² 5050 5. | 7859-7500 | 5 | 20.94 |
| 5040 2.9/16 | 7858-8209 | 2 9/16 | 37.70 | 6050 3. | 7859-8300 | 3 | 65.00 |
| 5040 2.5/8 | 7858-8210 | 2 5/8 | 37.10 | 6050 3.1/4 | 7859-8304 | 3 1/4 | 65.00 |
| 5040 2.11/16 | 7858-8211 | 2 11/16 | 36.90 | 6050 3.7/16 | 7859-8307 | 3 7/16 | 65.00 |
| 5040 2.3/4 | 7858-8212 | 2 3/4 | 36.60 | 6050 4. | 7859-8400 | 4 | 65.00 |
| 5040 2.13/16 | 7858-8213 | 2 13/16 | 36.50 | 6050 4.7/16 | 7859-8407 | 4 7/16 | 64.20 |
| 5040 2.7/8 | 7858-8214 | 2 7/8 | 36.40 | 6050 4.15/16 | 7859-8415 | 4 15/16 | 58.24 |
| 5040 2.15/16 | 7858-8215 | 2 15/16 | 36.20 | 6050 5.7/16 | 7859-8507 | 5 7/16 | 52.30 |
| 5040 3. | 7858-8300 | 3 | 35.60 | 6050 5.15/16 | 7859-8515 | 5 15/16 | 47.24 |
| 5040 3.1/16 | 7858-8301 | 3 1/16 | 35.20 | 6050 6. | 7859-8600 | 6 | 46.38 |
| 5040 3.1/8 | 7858-8302 | 3 1/8 | 34.80 | 7060 3. | 7859-9300 | 3 | 95.00 |
| 5040 3.3/16 | 7858-8303 | 3 3/16 | 33.90 | 7060 3.1/4 | 7859-9304 | 3 1/4 | 95.00 |
| 5040 3.1/4 | 7858-8304 | 3 1/4 | 33.20 | 7060 3.7/16 | 7859-9307 | 3 7/16 | 95.00 |
| 5040 3.5/16 | 7858-8305 | 3 5/16 | 33.00 | 7060 4.15/16 | 7859-9415 | 4 15/16 | 91.95 |
| 5040 3.3/8 | 7858-8306 | 3 3/8 | 32.70 | 7060 5.7/16 | 7859-9507 | 5 7/16 | 84.48 |
| 5040 3.7/16 | 7858-8307 | 3 7/16 | 32.00 | 7060 5.15/16 | 7859-9515 | 5 15/16 | 78.16 |
| 5040 3.1/2 | 7858-8308 | 3 1/2 | 31.70 | 7060 6. | 7859-9600 | 6 | 76.64 |
| 5040 3.9/16 | 7858-8309 | 3 9/16 | 31.40 | 7060 6.7/16 | 7859-9607 | 6 7/16 | 68.08 |
| 5040 3.5/8 | 7858-8310 | 3 5/8 | 31.10 | 7060 6.1/2 | 7859-9608 | 6 1/2 | 68.64 |
| 5040 3.11/16 | 7858-8311 | 3 11/16 | 30.40 | 7060 6.15/16 | 7859-9615 | 6 15/16 | 62.13 |
| 5040 3.3/4 | 7858-8312 | 3 3/4 | 29.70 | 7060 7. | 7859-9700 | 7 | 60.64 |
| 5040 3.13/16 | 7858-8313 | 3 13/16 | 29.40 | 8065 5.7/16 | 7859-9517 | 5 7/16 | 97.65 |
| 5040 3.7/8 | 7858-8314 | 3 7/8 | 29.00 | 8065 5.15/16 | 7859-9525 | 5 15/16 | 105.70 |
| 5040 3.15/16 | 7858-8315 | 3 15/16 | 28.70 | 8065 6.7/16 | 7859-9617 | 6 7/16 | 102.30 |
| 5040 4. | 7858-8400 | 4 | 27.80 | 8065 6.1/2 | 7859-9618 | 6 1/2 | 101.78 |
| 5040 4.1/8 | 7858-8402 | 4 1/8 | 27.50 | 8065 6.15/16 | 7859-9625 | 6 15/16 | 92.00 |
| 5040 4.3/16 | 7858-8403 | 4 3/16 | 27.20 | 8065 7. | 7859-9710 | 7 | 91.10 |
| 5040 4.1/4 | 7858-8404 | 4 1/4 | 27.00 | 8065 7.1/2 | 7859-9718 | 7 1/2 | 89.00 |
| 5040 4.3/8 | 7858-8406 | 4 3/8 | 26.00 | 8065 8. | 7859-9810 | 8 | 89.90 |
| 5040 4.7/16 | 7858-8407 | 4 7/16 | 25.10 | 10085 10. | 7859-9020 | 10 | 157.50 |
| 5040 4.1/2 | 7858-8408 | 4 1/2 | 23.60 | 10085 7. | 7859-9720 | 7 | 245.00 |
| 5040 4.3/4 | 7858-8412 | 4 3/4 | 22.90 | 10085 8. | 7859-9820 | 8 | 219.00 |
| 5040 4.7/8 | 7858-8414 | 4 7/8 | 22.20 | 10085 9. | 7859-9920 | 9 | 190.00 |
| 5040 4.15/16 | 7858-8415 | 4 15/16 | 20.60 | 120100 12. | 7859-9120 | 12 | 290.00 |
| 5040 5. | 7858-8500 | 5 | 20.50 | | | | |



Stainless Steel Taper-Lock® Bushings - English Sizes

Markets/Applications

Stainless steel bushings are ideal for the food and beverage market or where non-corrosive sprockets are needed to prevent rust.

Features/Advantages

- Bushings are made to precise tolerances.
- Popular bore sizes are available.
- Stainless steel bushings are corrosion resistant, preventing rust build up and increasing product life.

Notes

SS is used to signify Stainless Steel.

Details shown which do not affect drive function or overall weight may be changed without notification.



Product No. Series 7869

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|------------------------------|-------------|------------|----------------|
| SS 1108 .1/2 | 7869-0001 | 1/2 | .30 |
| SS 1108 .9/16 | 7869-0002 | 9/16 | .30 |
| SS 1108 .5/8 | 7869-0003 | 5/8 | .30 |
| SS 1108 .11/16 | 7869-0004 | 11/16 | .20 |
| SS 1108 .3/4 | 7869-0005 | 3/4 | .20 |
| SS 1108 .13/16 | 7869-0006 | 13/16 | .20 |
| SS 1108 .7/8 | 7869-0007 | 7/8 | .20 |
| SS 1108 .15/16 | 7869-0008 | 15/16 | .20 |
| SS 1108 1. | 7869-0009 | 1 | .20 |
| SS 1108 1.1/16 | 7869-0010 | 1 1/16 | .20 |
| SS 1108 1.1/8 | 7869-0011 | 1 1/8 | .10 |
| SS 1210 .1/2 | 7869-0101 | 1/2 | .60 |
| SS 1210 .9/16 | 7869-0102 | 9/16 | .60 |
| SS 1210 .5/8 | 7869-0103 | 5/8 | .60 |
| SS 1210 .11/16 | 7869-0104 | 11/16 | .50 |
| SS 1210 .3/4 | 7869-0105 | 3/4 | .50 |
| SS 1210 .13/16 | 7869-0106 | 13/16 | .50 |
| SS 1210 .7/8 | 7869-0107 | 7/8 | .50 |
| SS 1210 .15/16 | 7869-0108 | 15/16 | .50 |
| SS 1210 1. | 7869-0109 | 1 | .50 |
| SS 1210 1.1/16 | 7869-0110 | 1 1/16 | .40 |
| SS 1210 1.1/8 | 7869-0111 | 1 1/8 | .40 |
| SS 1210 1.3/16 | 7869-0112 | 1 3/16 | .40 |
| SS 1210 1.1/4 | 7869-0113 | 1 1/4 | .40 |
| SS 1610 .1/2 | 7869-0201 | 1/2 | .90 |
| SS 1610 .9/16 | 7869-0202 | 9/16 | .90 |
| SS 1610 .5/8 | 7869-0203 | 5/8 | .90 |
| SS 1610 .11/16 | 7869-0204 | 11/16 | .90 |
| SS 1610 .3/4 | 7869-0205 | 3/4 | .90 |
| SS 1610 .13/16 | 7869-0206 | 13/16 | .90 |
| SS 1610 .7/8 | 7869-0207 | 7/8 | .80 |
| SS 1610 .15/16 | 7869-0208 | 15/16 | .80 |
| SS 1610 1. | 7869-0209 | 1 | .80 |
| ¹² SS 1610 1.1/16 | 7869-0210 | 1 1/16 | .80 |
| SS 1610 1.1/8 | 7869-0211 | 1 1/8 | .70 |

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|-------------------------------|-------------|------------|----------------|
| SS 1610 1.3/16 | 7869-0212 | 1 3/16 | .70 |
| SS 1610 1.1/4 | 7869-0213 | 1 1/4 | .70 |
| SS 1610 1.5/16 | 7869-0214 | 1 5/16 | .60 |
| SS 1610 1.3/8 | 7869-0215 | 1 3/8 | .60 |
| SS 1610 1.7/16 | 7869-0216 | 1 7/16 | .60 |
| SS 1610 1.1/2 | 7869-0217 | 1 1/2 | .50 |
| SS 1610 1.9/16 | 7869-0218 | 1 9/16 | .50 |
| SS 1610 1.5/8 | 7869-0219 | 1 5/8 | .50 |
| ¹² SS 1610 1.11/16 | 7869-0220 | 1 11/16 | .50 |
| SS 2012 .1/2 | 7869-0301 | 1/2 | 1.70 |
| SS 2012 .9/16 | 7869-0302 | 9/16 | 1.70 |
| SS 2012 .5/8 | 7869-0303 | 5/8 | 1.70 |
| SS 2012 .11/16 | 7869-0304 | 11/16 | 1.70 |
| SS 2012 .3/4 | 7869-0305 | 3/4 | 1.70 |
| SS 2012 .13/16 | 7869-0306 | 13/16 | 1.75 |
| SS 2012 .7/8 | 7869-0307 | 7/8 | 1.60 |
| SS 2012 .15/16 | 7869-0308 | 15/16 | 1.60 |
| SS 2012 1. | 7869-0309 | 1 | 1.60 |
| SS 2012 1.1/16 | 7869-0310 | 1 1/16 | 1.60 |
| SS 2012 1.1/8 | 7869-0311 | 1 1/8 | 1.50 |
| SS 2012 1.3/16 | 7869-0312 | 1 3/16 | 1.50 |
| SS 2012 1.1/4 | 7869-0313 | 1 1/4 | 1.50 |
| SS 2012 1.5/16 | 7869-0314 | 1 5/16 | 1.40 |
| SS 2012 1.3/8 | 7869-0315 | 1 3/8 | 1.30 |
| SS 2012 1.7/16 | 7869-0316 | 1 7/16 | 1.20 |
| SS 2012 1.1/2 | 7869-0317 | 1 1/2 | 1.20 |
| SS 2012 1.9/16 | 7869-0318 | 1 9/16 | 1.20 |
| SS 2012 1.5/8 | 7869-0319 | 1 5/8 | 1.20 |
| SS 2012 1.11/16 | 7869-0320 | 1 11/16 | 1.10 |
| SS 2012 1.3/4 | 7869-0321 | 1 3/4 | 1.00 |
| SS 2012 1.13/16 | 7869-0322 | 1 13/16 | 1.00 |
| SS 2012 1.7/8 | 7869-0323 | 1 7/8 | .90 |
| SS 2012 1.15/16 | 7869-0324 | 1 15/16 | .90 |
| SS 2012 2. | 7869-0325 | 2 | .90 |
| ¹² SS 2012 2.1/8 | 7869-0326 | 2 1/8 | .90 |

¹² Shallow keyway.



**Taper-Lock® Bushings - Metric Sizes****Product No. Series 7848, 7858 & 7859**

| Part No. | Product No. | Bore (mm) | Wt. Ea. (Lbs.) | Part No. | Product No. | Bore (mm) | Wt. Ea. (Lbs.) |
|-------------------------|-------------|-----------|----------------|-----------|-------------|-----------|----------------|
| 1008 14MM | 7858-0017 | 14 | .25 | 2012 19MM | 7858-2519 | 19 | 1.55 |
| 1008 16MM | 7858-0016 | 16 | .24 | 2012 20MM | 7858-2520 | 20 | 1.55 |
| 1008 18MM | 7858-0018 | 18 | .22 | 2012 22MM | 7858-2522 | 22 | 1.51 |
| 1008 19MM | 7858-0019 | 19 | .21 | 2012 24MM | 7858-2524 | 24 | 1.45 |
| 1008 20MM | 7858-0020 | 20 | .20 | 2012 25MM | 7858-2525 | 25 | 1.45 |
| 1008 22MM | 7858-0022 | 22 | .18 | 2012 28MM | 7858-2528 | 28 | 1.40 |
| ¹² 1008 24MM | 7858-0024 | 24 | .16 | 2012 30MM | 7858-2530 | 30 | 1.35 |
| 1108 16MM | 7858-0116 | 16 | .30 | 2012 32MM | 7858-2532 | 32 | 1.30 |
| 1108 18MM | 7858-0118 | 18 | .28 | 2012 35MM | 7858-2535 | 35 | 1.20 |
| 1108 19MM | 7858-0119 | 19 | .27 | 2012 38MM | 7858-2538 | 38 | 1.15 |
| 1108 20MM | 7858-0120 | 20 | .25 | 2012 40MM | 7858-2540 | 40 | 1.10 |
| 1108 22MM | 7858-0122 | 22 | .20 | 2012 42MM | 7858-2542 | 42 | 1.03 |
| 1108 24MM | 7858-0124 | 24 | .21 | 2012 45MM | 7858-2545 | 45 | .90 |
| 1108 25MM | 7858-0125 | 25 | .20 | 2517 14MM | 7858-3314 | 14 | 3.42 |
| 1210 14MM | 7858-0517 | 14 | .56 | 2517 16MM | 7858-3316 | 16 | 3.42 |
| 1210 16MM | 7858-0516 | 16 | .54 | 2517 18MM | 7858-3318 | 18 | 3.36 |
| 1210 18MM | 7858-0518 | 18 | .53 | 2517 20MM | 7858-3300 | 20 | 3.25 |
| 1210 19MM | 7858-0519 | 19 | .51 | 2517 22MM | 7858-3322 | 22 | 3.30 |
| 1210 20MM | 7858-0520 | 20 | .50 | 2517 24MM | 7858-3301 | 24 | 3.21 |
| 1210 24MM | 7858-0524 | 24 | .45 | 2517 25MM | 7858-3325 | 25 | 3.20 |
| 1210 25MM | 7858-0525 | 25 | .45 | 2517 28MM | 7858-3328 | 28 | 3.12 |
| 1210 28MM | 7858-0528 | 28 | .40 | 2517 30MM | 7858-3330 | 30 | 3.05 |
| 1210 30MM | 7858-0530 | 30 | .45 | 2517 32MM | 7858-3332 | 32 | 3.00 |
| 1310 24MM | 7848-4424 | 24 | .54 | 2517 35MM | 7858-3335 | 35 | 2.90 |
| 1310 25MM | 7848-4425 | 25 | .52 | 2517 38MM | 7858-3338 | 38 | 2.80 |
| 1310 28MM | 7848-4428 | 28 | .48 | 2517 40MM | 7858-3340 | 40 | 2.70 |
| 1310 30MM | 7848-4430 | 30 | .44 | 2517 42MM | 7858-3342 | 42 | 2.60 |
| 1310 32MM | 7848-4432 | 32 | .40 | 2517 45MM | 7858-3345 | 45 | 2.46 |
| 1310 35MM | 7848-4435 | 35 | .34 | 2517 48MM | 7858-3348 | 48 | 2.32 |
| 1610 19MM | 7858-1619 | 19 | .80 | 2517 50MM | 7858-3350 | 50 | 2.25 |
| 1610 20MM | 7858-1620 | 20 | .80 | 2517 55MM | 7858-3355 | 55 | 1.95 |
| 1610 22MM | 7858-1622 | 22 | .75 | 2517 60MM | 7858-3360 | 60 | 1.60 |
| 1610 24MM | 7858-1624 | 24 | .75 | 3020 24MM | 7859-6524 | 24 | 6.11 |
| 1610 25MM | 7858-1625 | 25 | .70 | 3020 25MM | 7859-6525 | 25 | 6.11 |
| 1610 28MM | 7858-1628 | 28 | .67 | 3020 28MM | 7859-6528 | 28 | 5.98 |
| 1610 30MM | 7858-1630 | 30 | .65 | 3020 40MM | 7859-6540 | 40 | 5.54 |
| 1610 32MM | 7858-1632 | 32 | .55 | 3020 45MM | 7859-6545 | 45 | 5.25 |
| 1610 35MM | 7858-1635 | 35 | .55 | 3020 48MM | 7859-6548 | 48 | 5.05 |
| 1610 38MM | 7858-1638 | 38 | .45 | 3020 50MM | 7859-6550 | 50 | 5.00 |
| 1610 40MM | 7858-1640 | 40 | .45 | 3020 55MM | 7859-6555 | 55 | 4.60 |
| 2012 14MM | 7858-2517 | 14 | 1.62 | 3020 60MM | 7859-6560 | 60 | 4.35 |
| 2012 16MM | 7858-2516 | 16 | 1.60 | 3020 65MM | 7859-6565 | 65 | 3.95 |
| 2012 18MM | 7858-2518 | 18 | 1.57 | | | | |



Stainless Steel Taper-Lock® Bushings - Metric Sizes

Markets/Applications

Stainless steel bushings are ideal for the food and beverage market or where non-corrosive sprockets are needed to prevent rust.

Features/Advantages

- Bushings are made to precise tolerances.
- Popular bore sizes are available.
- Stainless steel bushings are corrosion resistant, preventing rust build up and increasing product life.

Notes

SS is used to signify Stainless Steel (type 302-304).

Details shown which do not affect drive function or overall weight may be changed without notification.



Product No. Series 7869

| Part No. | Product No. | Bore (mm) | Key Way Size (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|-----------|--|----------------|
| SS 1008 20MM | 7869-0801 | 20 | Kwy Width: 6mm / hub keyseat: 2.8mm | .20 |
| SS 1008 24MM | 7869-0802 | 24 | Kwy Width: 8mm / hub keyseat: 3.3mm | .16 |
| SS 1108 16MM | 7869-0401 | 16 | 5 X 2.3 | .30 |
| SS 1108 19MM | 7869-0402 | 19 | 6 X 2.8 | .27 |
| SS 1108 20MM | 7869-0403 | 20 | 6 X 2.8 | .26 |
| SS 1108 22MM | 7869-0404 | 22 | 6 X 2.8 | .24 |
| SS 1108 24MM | 7869-0405 | 24 | 8 X 3.3 | .21 |
| SS 1108 25MM | 7869-0406 | 25 | 8 X 3.3 | .19 |
| SS 1210 16MM | 7869-0501 | 16 | 5 X 2.3 | .54 |
| SS 1210 20MM | 7869-0502 | 20 | 6 X 2.8 | .50 |
| SS 1210 24MM | 7869-0503 | 24 | 8 X 3.3 | .45 |
| SS 1210 25MM | 7869-0504 | 25 | 8 X 3.3 | .43 |
| SS 1210 28MM | 7869-0505 | 28 | 8 X 3.3 | .39 |
| SS 1210 30MM | 7869-0506 | 30 | 8 X 3.3 | .35 |
| SS 1610 20MM | 7869-0601 | 20 | 6 X 2.8 | .78 |
| SS 1610 24MM | 7869-0602 | 24 | 8 X 3.3 | .73 |

| Part No. | Product No. | Bore (mm) | Key Way Size (mm) | Wt. Ea. (Lbs.) |
|--------------|-------------|-----------|-------------------|----------------|
| SS 1610 25MM | 7869-0603 | 25 | 8 X 3.3 | .71 |
| SS 1610 28MM | 7869-0604 | 28 | 8 X 3.3 | .67 |
| SS 1610 30MM | 7869-0605 | 30 | 8 X 3.3 | .64 |
| SS 1610 32MM | 7869-0606 | 32 | 10 X 3.3 | .60 |
| SS 1610 35MM | 7869-0607 | 35 | 10 X 3.3 | .54 |
| SS 1610 38MM | 7869-0608 | 38 | 10 X 3.3 | .47 |
| SS 2012 20MM | 7869-0701 | 20 | 6 X 2.8 | 1.54 |
| SS 2012 22MM | 7869-0702 | 22 | 6 X 2.8 | 1.51 |
| SS 2012 24MM | 7869-0703 | 24 | 8 X 3.3 | 1.47 |
| SS 2012 25MM | 7869-0704 | 25 | 8 X 3.3 | 1.45 |
| SS 2012 28MM | 7869-0705 | 28 | 8 X 3.3 | 1.35 |
| SS 2012 30MM | 7869-0706 | 30 | 8 X 3.3 | 1.35 |
| SS 2012 32MM | 7869-0707 | 32 | 10 X 3.3 | 1.30 |
| SS 2012 35MM | 7869-0708 | 35 | 10 X 3.3 | 1.23 |
| SS 2012 38MM | 7869-0709 | 38 | 10 X 3.3 | 1.16 |
| SS 2012 40MM | 7869-0710 | 40 | 12 X 3.3 | 1.07 |
| SS 2012 42MM | 7869-0711 | 42 | 12 X 3.3 | 1.03 |
| SS 2012 45MM | 7869-0712 | 45 | 14 X 3.8 | .94 |

Taper-Lock® Bushings - Reborable

Markets/Applications

For use with all Taper-Lock style sheaves, sprockets and pulleys.

Features/Advantages

- Bushings are made to precise tolerances.

Notes

Available in minimum plain bore (MPB).

Contact Customer Service for ordering instructions.

NKS and NK mean No Keyseat.

Reborable bushings are stocked without sawsplit to facilitate re-machining. Sawsplit must be made in bushing to allow it to compress for proper gripping of the shaft.

Details shown which do not affect drive function or overall weight may be changed without notification.



Product No. Series 7847

Sintered Steel Reborable Bushing

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|------------|----------------|
| 1108.1/2NKS | 7847-2101 | 1/2 | .35 |
| 1210.1/2NKS | 7847-2102 | 1/2 | .60 |
| 1215.1/2NKS | 7847-2103 | 1/2 | .85 |
| 1610.1/2NKS | 7847-2105 | 1/2 | .88 |
| 2012.1/2NKS | 7847-2107 | 1/2 | 1.65 |
| 2517.1/2NKS | 7847-2108 | 1/2 | 3.50 |
| 3020.1.11/16NKS | 7847-2110 | 1 11/16 | 5.48 |
| 3020.7/8NKS | 7847-2109 | 7/8 | 6.15 |

Steel Reborable Bushing

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|-------------------|-------------|------------|----------------|
| 1108.1/2STL-NK | 7847-4101 | 1/2 | .38 |
| 1610.1/2STL-NK | 7847-4105 | 1/2 | 1.01 |
| 1615.1/2STL-NK | 7847-4106 | 1/2 | 1.46 |
| 2012.1/2STL-NK | 7847-4107 | 1/2 | 1.93 |
| 2517.1.STL-NK | 7847-4108 | 1 | 3.80 |
| 3020.1.7/16STL-NK | 7847-4110 | 1 7/16 | 6.60 |

Cast Iron Reborable Bushing

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|-----------------|-------------|------------|----------------|
| 3525.1.3/16NKS | 7847-3112 | 1 3/16 | 14.50 |
| 3535.13/16NKS | 7847-3101 | 1 3/16 | 14.97 |
| 4030.1.7/16NKS | 7847-3113 | 1 7/16 | 28.40 |
| 4040.1.7/16NKS | 7847-3102 | 1 7/16 | 22.89 |
| 4535.1.15/16NKS | 7847-3110 | 1 15/16 | 30.30 |
| 4545.1.15/16NKS | 7847-3103 | 1 15/16 | 30.22 |
| 5040.2.7/16NKS | 7847-3111 | 2 7/16 | 33.00 |
| 6050.3.7/16NKS | 7847-3105 | 3 7/16 | 71.92 |
| 7060.3.15/16NKS | 7847-3106 | 3 15/16 | 96.00 |

Ductile Iron Reborable Bushing

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|--------------------|-------------|------------|----------------|
| 3525.1.3/16DUC-NK | 7847-5112 | 1 3/16 | 14.50 |
| 4030.1.15/16DUC-NK | 7847-5113 | 1 7/16 | 28.40 |
| 4040.1.15/16DUC-NK | 7847-5101 | 1 15/16 | 20.69 |
| 4535.2.7/16DUC-NK | 7847-5110 | 2 7/16 | 28.40 |
| 4545.2.7/16DUC-NK | 7847-5102 | 2 7/16 | 27.88 |
| 5040.2.15/16DUC-NK | 7847-5111 | 2 15/16 | 29.45 |
| 6050.3.7/16DUC-NK | 7847-5104 | 3 7/16 | 64.20 |

Stainless Steel Reborable Bushing

| Part No. | Product No. | Bore (In.) | Wt. Ea. (Lbs.) |
|---------------|-------------|------------|----------------|
| 1108.1/2SS-NK | 7847-6101 | 1/2 | .40 |
| 1210.1/2SS-NK | 7847-6102 | 1/2 | .68 |
| 1610.1/2SS-NK | 7847-6105 | 1/2 | 1.01 |
| 2012.1/2SS-NK | 7847-6107 | 1/2 | 2.00 |
| 2517.5/8SS-NK | 7847-6108 | 5/8 | 3.97 |
| 3020.7/8SS-NK | 7847-6109 | 7/8 | 7.22 |

H-Type Bushings

Markets/Applications

Use with cast iron light-duty (FHP) taper bushed sheaves & PowerGrip® HTD® Sprockets.


Features/Advantages

- Bushings are made to precise tolerances.
- Available in popular bore sizes.

Notes

Stock bore sizes from 1 1/4" through 1 1/2" are furnished with special keys to fit standard depth keyseats.

Details shown which do not affect drive function or overall weight may be changed without notification.



Product No. Series 7812

| Part No. | Product No. | Bore (In.) | Keyseat | Wt. Ea. (Lbs.) |
|------------|-------------|------------|-------------|----------------|
| ◦ H.7/16 | 7812-0002 | 7/16 | — | .90 |
| ◦ H.9/16 | 7812-0004 | 9/16 | 1/8 X 1/16 | .80 |
| ◦ H.11/16 | 7812-0006 | 11/16 | 3/16 X 3/32 | .76 |
| ◦ H.13/16 | 7812-0008 | 13/16 | 3/16 X 3/32 | .75 |
| ◦ H 1.5/16 | 7812-0016 | 1 5/16 | 5/16 X 1/16 | .50 |
| ◦ H 1.1/2 | 7812-0019 | 1 1/2 | 3/8 X 1/16 | .35 |
| ◦ H 14MM | 7812-1014 | 14MM | — | .79 |
| ◦ H 19MM | 7812-1019 | 19MM | — | .80 |
| ◦ H 24MM | 7812-1032 | 24MM | — | .70 |
| ◦ H 25MM | 7812-1033 | 25MM | — | .65 |
| ◦ H 28MM | 7812-1035 | 28MM | — | .60 |
| ◦ H 30MM | 7812-1036 | 30MM | — | .53 |

◦ Available Until Stock Depleted.





QT-Type Bushings

Markets/Applications

Use with cast iron light-duty FHP taper bushed sheaves & PowerGrip® HTD® Sprockets.

Features/Advantages

- Available in popular bore sizes.
- Bushings are made to precise tolerances.

Notes

English stock bore sizes greater than 1 1/4" are furnished with special keys to fit standard depth keyseats. Metric stock bore sizes greater than 30mm are furnished with special keys to fit standard depth keyseats.

Details shown which do not affect drive function or overall weight may be changed without notification.

Product No. Series 7817

| Part No. | Product No. | Bore (In.) | Keyseat | Wt. Ea. (Lbs.) |
|-----------|-------------|------------|-------------|----------------|
| QT .1/2 | 7817-0003 | 1/2 | 1/8 X 1/16 | .60 |
| QT .9/16 | 7817-0004 | 9/16 | 1/8 X 1/16 | .60 |
| QT .5/8 | 7817-0005 | 5/8 | 3/16 X 3/32 | .60 |
| QT .11/16 | 7817-0006 | 11/16 | 3/16 X 3/32 | .60 |
| QT .3/4 | 7817-0007 | 3/4 | 3/16 X 3/32 | .60 |
| QT .13/16 | 7817-0008 | 13/16 | 3/16 X 3/32 | .60 |
| QT .7/8 | 7817-0009 | 7/8 | 3/16 X 3/32 | .60 |
| QT .15/16 | 7817-0010 | 15/16 | 1/4 X 1/8 | .60 |
| QT 1. | 7817-0011 | 1 | 1/4 X 1/8 | .60 |
| QT 1.1/16 | 7817-0012 | 1 1/16 | 1/4 X 1/8 | .60 |
| QT 1.1/8 | 7817-0013 | 1 1/8 | 1/4 X 1/8 | .60 |
| QT 1.3/16 | 7817-0014 | 1 3/16 | 1/4 X 1/8 | .60 |
| QT 1.1/4 | 7817-0015 | 1 1/4 | 1/4 X 1/8 | .60 |
| QT 1.5/16 | 7817-0016 | 1 5/16 | 5/16 X 1/16 | .60 |
| QT 1.3/8 | 7817-0017 | 1 3/8 | 5/16 X 1/16 | .60 |
| QT 1.7/16 | 7817-0018 | 1 7/16 | 3/8 X 1/16 | .60 |
| QT 1.1/2 | 7817-0019 | 1 1/2 | 3/8 X 1/16 | .60 |
| QT 14MM | 7817-1014 | 14MM | — | .60 |
| QT 19MM | 7817-1019 | 19MM | — | .60 |
| QT 24MM | 7817-1032 | 24MM | — | .60 |
| QT 25MM | 7817-1033 | 25MM | — | .60 |
| QT 28MM | 7817-1035 | 28MM | — | .60 |
| QT 30MM | 7817-1036 | 30MM | — | .60 |
| QT 32MM | 7817-1037 | 32MM | — | .60 |



Flat Idler Pulley


Idlers are used to take-up extra belt length and provide adjustment for tensioning belt drives. Idler pulleys and sprockets can alter belt paths and clear obstructions.

Markets/Applications

Recommended for drives with limited take-up or no center distance adjustment. Idlers may remain in a fixed location or may be adjustable to allow belt pre-tension take-up.

Features/Advantages

- Idler sprockets, flat idlers and idler bushings contain sealed ball bearings and an integral shaft for mounting to adjustable idler brackets.
- Lubrication and maintenance are not required.
- Idler assembly may consist of: idler sprocket and bracket, flat idler and bracket, standard sheave or sprocket used with an idler bearing and idler bracket.




Flat Idler Pulley

| Part No. | Product No. | Use with Synchronous Belt | | Use with V-Belt | Outside Dia. (In.) | Face Width (In) | A | B | C | D | E | Threads | Bearing Number | Wt. Ea. (Lbs.) |
|--------------------|-------------|---------------------------|--------------------|----------------------------------|--------------------|-----------------|------|------|------|------|-------|---------|----------------|----------------|
| | | Pitch | Width | | | | | | | | | | | |
| 4.25X1.25-IDL-FLAT | 7723-4125 | 8mm, L, H | Up to 21mm (0.85") | 1-2 Strand 3V/3VX, 1 Strand A/AX | 4.25 | 1.25 | 1.13 | 1.13 | .64 | 1.30 | 3.75 | 3/4-16 | 6304 | 5.20 |
| 4.25X2.00-IDL-FLAT | 7723-4200 | 8mm, L, H | Up to 38mm (1.5") | 3-4 Strand 3V/3VX, 2 Strand A/AX | 4.25 | 2.00 | 1.50 | 1.13 | .63 | 1.32 | 4.50 | 3/4-16 | 6304 | 7.50 |
| 4.25X3.00-IDL-FLAT | 7723-4300 | 8mm, L, H | Up to 62mm (2.4") | 5-6 Strand 3V/3VX, 3 Strand A/AX | 4.25 | 3.00 | 1.50 | 1.13 | .75 | 1.32 | 5.63 | 3/4-16 | 6304 | 10.60 |
| 4.25X4.00-IDL-FLAT | 7723-4400 | 8mm, L, H | Up to 85mm (3.3") | 8 Strand 3V/3VX, 4 Strand A/AX | 4.25 | 4.00 | 1.50 | 1.13 | .75 | 1.32 | 6.63 | 3/4-16 | 6304 | 13.60 |
| 6.50X1.75-IDL-FLAT | 7723-6175 | 14mm | Up to 20mm | 1 Strand B/BX | 6.50 | 1.75 | 2.00 | 1.50 | 1.04 | 1.96 | 5.69 | 1-14 | 6308 | 17.10 |
| 6.50X2.75-IDL-FLAT | 7723-6275 | 14mm | Up to 55mm | 2-3 Strand B/BX | 6.50 | 2.75 | 2.00 | 1.50 | .13 | 2.10 | 5.69 | 1-14 | 6308 | 23.00 |
| 6.50X4.25-IDL-FLAT | 7723-6425 | 14mm | Up to 90mm | 4-5 Strand B/BX | 6.50 | 4.25 | 2.38 | 1.50 | .13 | 1.98 | 7.06 | 1-14 | 6308 | 33.00 |
| 6.50X5.75-IDL-FLAT | 7723-6575 | 14mm | Up to 125mm | 6 Strand B/BX | 6.50 | 5.75 | 2.38 | 1.50 | .99 | 1.98 | 9.31 | 1-14 | 6308 | 45.00 |
| 6.50X7.50-IDL-FLAT | 7723-6750 | 14mm | Up to 170mm | 8 Strand B/BX | 6.50 | 7.50 | 2.38 | 1.50 | 1.00 | 1.98 | 11.19 | 1-14 | 6308 | 57.01 |

Idler Sprockets

IDLERS



Poly Chain® GT® Carbon™ Idler Sprocket

| Part No. | Product No. | Use With | Belt Width | No. of Teeth | Outside Dia. (In.) | B Ref. (In) | C (In) | D (In) | E Ref. (In) | F (Threads) (In) | G Ref. (In) | H (In) | J (In) | Bearing Number | Wt. Ea. (Lbs.) |
|--------------|-------------|------------|------------|--------------|--------------------|-------------|--------|--------|-------------|------------------|-------------|--------|--------|----------------|----------------|
| 12-IDL-SPRK | 7720-1500 | 8mm Pitch | 12 | 32 | 3.145 | 1.25 | .50 | .85 | 1.56 | 3/4 - 16 | .94 | 2.75 | — | 6304 | 3.80 |
| 21-IDL-SPRK | 7720-1510 | 8mm Pitch | 21 | 32 | 3.145 | 1.25 | .50 | 1.24 | 1.56 | 3/4 - 16 | .56 | 2.75 | — | 6304 | 3.88 |
| 36-IDL-SPRK | 7720-1520 | 8mm Pitch | 36 | 36 | 3.546 | 1.91 | .75 | 1.86 | 1.63 | 3/4 - 16 | — | — | — | 6306 | 5.14 |
| 62-IDL-SPRK | 7720-1530 | 8mm Pitch | 62 | 36 | 3.546 | 1.91 | .75 | 2.91 | 1.69 | 3/4 - 16 | .69 | 3.13 | — | 6306 | 9.69 |
| 20-IDL-SPRK | 7720-1600 | 14mm Pitch | 20 | 30 | 5.153 | 2.55 | 1.00 | 1.36 | 2.25 | 1 - 14 | 1.00 | 4.38 | — | 6308 | 12.55 |
| 37-IDL-SPRK | 7720-1610 | 14mm Pitch | 37 | 30 | 5.153 | 2.55 | 1.00 | 2.06 | 2.25 | 1 - 14 | .25 | 4.38 | — | 6308 | 13.46 |
| 68-IDL-SPRK | 7720-1620 | 14mm Pitch | 68 | 34 | 5.855 | 3.38 | .56 | 3.33 | 2.25 | 1 - 14 | 1.00 | 4.88 | 4.34 | 6310 | 26.03 |
| 90-IDL-SPRK | 7720-1640 | 14mm Pitch | 90 | 34 | 5.855 | 3.38 | .31 | 4.20 | 2.25 | 1 - 14 | 1.00 | 4.88 | 4.34 | 6310 | 32.18 |
| 125-IDL-SPRK | 7720-1630 | 14mm Pitch | 125 | 34 | 5.855 | 3.38 | .19 | 5.63 | 2.25 | 1 - 14 | 1.09 | 4.88 | 4.34 | 6310 | 36.45 |


Nickel Plate Poly Chain® GT® Carbon™ Idler Sprocket

| Part No. | Product No. | Use With | Belt Width | No. of Teeth | Outside Dia. (In.) | B Ref. (In) | C (In) | D (In) | E Ref. (In) | F (Threads) (In) | G Ref. (In) | H (In) | J (In) | Wt. Ea. (Lbs.) |
|-----------------|-------------|--------------------------------|------------|--------------|--------------------|-------------|--------|--------|-------------|------------------|-------------|--------|--------|----------------|
| NP-12-IDLR-SPRK | 7720-1501 | 8mm Pitch Poly Chain GT Carbon | — | 32 | 3.145 | 1.25 | .50 | .85 | 1.56 | 3/4 - 16 | .94 | 2.75 | — | 3.80 |
| NP-21-IDLR-SPRK | 7720-1511 | 8mm Pitch Poly Chain GT Carbon | — | 32 | 3.145 | 1.25 | .50 | 1.24 | 1.56 | 3/4 - 16 | .56 | 2.75 | — | 3.88 |

PowerGrip® GT®2 Idler Sprocket

| Part No. | Product No. | Use With | Belt Width | No. of Teeth | Outside Dia. (In.) | B Ref. (In) | C (In) | D (In) | E Ref. (In) | F (Threads) (In) | G Ref. (In) | H (In) | J (In) | Bearing Number | Wt. Ea. (Lbs.) |
|-------------|-------------|------------|------------|--------------|--------------------|-------------|--------|--------|-------------|------------------|-------------|--------|--------|----------------|----------------|
| 20-SPK2-IDL | 7720-1740 | 8mm Pitch | 20 | 32 | 3.154 | 1.25 | .50 | 1.24 | 1.56 | 3/4 - 16 | .56 | 2.75 | — | 6304 | 1.10 |
| 30-SPK2-IDL | 7720-1750 | 8mm Pitch | 30 | 36 | 3.555 | 1.91 | .75 | 1.86 | 1.63 | 3/4 - 16 | — | — | — | 6306 | 2.00 |
| 40-SPK2-IDL | 7720-1850 | 14mm Pitch | 40 | 30 | 5.153 | 2.55 | 1.00 | 2.06 | 2.25 | 1 - 14 | .25 | 4.38 | — | 6308 | 12.00 |
| 55-SPK2-IDL | 7720-1860 | 14mm Pitch | 55 | 34 | 5.855 | 3.38 | .56 | 3.33 | 2.25 | 1 - 14 | 1.00 | 4.88 | 4.34 | 6310 | 15.60 |

Idler Brackets



Idler Brackets

| Part No. | Tensioner Part No. | Use With | A (In) | B (In) | C (In) | D (In) | E (In) | F (In) | G (In) | H (In) | J (In) | M (Threads) | N (In) | P (In) | Q (In) | Wt. Ea. (Lbs.) |
|-------------|--------------------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|--------|--------|--------|----------------|
| 5-IDL-BRAK | 7720-1005 | 1610-IDL-BUSH | 4.62 | 3.50 | 1.75 | 2.00 | 2.06 | 3.06 | .38 | 1.63 | .62 | 5/8 - 18 | 1.16 | 2.01 | 2.00 | 2.80 |
| 10-IDL-BRAK | 7720-1010 | 8mm Pitch Idler Sprockets, 4.25" OD Flat Idler Pulleys, 2012-IDL-BUSH, 2517-IDL-BUSH, 20-IDL-BUSH (SK) | 4.63 | 3.50 | 1.75 | 2.00 | 2.06 | 3.06 | .38 | 1.50 | .56 | 3/4 - 16 | 1.00 | 1.88 | 1.75 | 3.40 |
| 20-IDL-BRAK | 7720-1020 | 14mm Pitch Idler Sprockets, 6.50" OD Flat Idler Pulleys, 30-IDL-BUSH (SF), 40-IDL-BUSH (E) | 6.94 | 5.25 | 2.63 | 5.00 | 3.00 | 4.56 | .63 | 2.38 | 1.00 | 1 - 14 | 1.63 | 2.94 | 2.75 | 11.20 |


Nickel Plated Idler Brackets

| Part No. | Tensioner Part No. | Use With | A (In) | B (In) | C (In) | D (In) | E (In) | F (In) | G (In) | H (In) | J (In) | M (Threads) | N (In) | P (In) | Q (In) | Wt. Ea. (Lbs.) |
|--------------------|--------------------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|--------|--------|--------|----------------|
| NP-10-IDLR-BRACKET | 7720-1011 | 8mm Pitch Idler Sprockets 2012-IDL-BUSH, 2517-IDL-BUSH, 20-IDL-BUSH (SK) | 4.63 | 3.50 | 1.75 | 2.00 | 2.06 | 3.06 | .38 | 1.50 | .56 | 3/4 - 16 | 1.00 | 1.88 | 1.75 | 3.40 |
| NP-20-IDLR-BRACKET | 7720-1021 | 14mm Pitch Idler Sprockets, 30-IDL-BUSH (SF), 40-IDL-BUSH (E) | 6.94 | 5.25 | 2.63 | 5.00 | 3.00 | 4.56 | .63 | 2.38 | 1.00 | 1 - 14 | 1.63 | 2.94 | 2.75 | 11.20 |

IDLERS



Idler Bushings



Idler Bushings

| Part No. | Product No. | Style | Size | D (In) | L (In) | M (In) | Threads | Bearing Number | Wt. Ea. (Lbs.) |
|------------------|-------------|-------|------|--------|--------|--------|---------|----------------|----------------|
| 20-IDLR-BUSH(SK) | 7720-1120 | 20 | SK | 2.81 | 1.94 | 1.44 | 3/4-16 | 6003 | 11.00 |
| 30-IDLR-BUSH(SF) | 7720-1130 | 20 | SF | 3.13 | 2.08 | 2.13 | 1-14 | 6204 | 8.60 |
| 40-IDLR-BUSH(E) | 7720-1140 | 20 | E | 3.83 | 2.75 | 2.19 | 1-14 | 6304 | 8.62 |
| 1610-IDLR-BUSH | 7720-2610 | 20 | 1610 | 2.25 | 1.00 | 1.38 | 5/8-18 | 6304 | 1.30 |
| 2012-IDLR-BUSH | 7720-2012 | 20 | 2012 | 2.75 | 1.25 | 1.56 | 3/4-16 | 6206 | 2.30 |
| 2517-IDLR-BUSH | 7720-2517 | 20 | 2517 | 3.38 | 1.75 | 1.56 | 3/4-16 | 6306 | 3.90 |

Footnotes

- HT100[®], Taper-Lock[®] and Ringfeder[®] are registered trademarks of Reliance Electric.
- Nu-T-Link[®] is a registered trademark of Fenner Manheim.
- QD[®] is a registered trademark of Emerson Electric.
- RPP[®] and Panther[®] are registered trademarks of Carlisle Power Transmission Products, Inc.
- KEVLAR[®] is a registered trademark of E. I. du Pont de Nemours and Company.
- Goodyear[®], BlackHawk PdTM, Poly-V[®] and Flexten[®] are registered trademarks of Goodyear Tire & Rubber Company.
- Browning[®] is a registered trademark of Emerson Power Transmission Manufacturing L.P.
- Dayco[®] is a registered trademark of Dayco Products LLC.
- TB Wood's[®] and QT Power Chain[®] are registered trademarks of T.B. Wood's, Inc.
- Trantorque[®] is a registered trademark of BTL, a subsidiary of Fenner PLC

Gates warrants that its power transmission products will be free from defects in materials and workmanship for the life of the product. If the product does not meet this standard, Gates will repair or replace the product free of charge!

Please note that this warranty is customer's exclusive remedy and does not apply in the event of misuse or abuse of the product. Gates disclaims all other warranties (express or implied) including the implied warranties of fitness for a particular purpose and merchantability.

For further details of the Gates Warranty, please see www.gates.com/warranty.





Decimal and Millimeter Equivalents of Fractions

| Inches | | Millimeters |
|-----------|----------|-------------|
| Fractions | Decimals | |
| $1/64$ | .015625 | .397 |
| $1/32$ | .03125 | .794 |
| $3/64$ | .046875 | 1.191 |
| $1/16$ | .0625 | 1.588 |
| $5/64$ | .078125 | 1.984 |
| $3/32$ | .09375 | 2.381 |
| $7/64$ | .109375 | 2.778 |
| $1/8$ | .125 | 3.175 |
| $9/64$ | .140625 | 3.572 |
| $5/32$ | .15625 | 3.969 |
| $11/64$ | .171875 | 4.366 |
| $3/16$ | .1875 | 4.763 |
| $13/64$ | .203125 | 5.159 |
| $7/32$ | .21875 | 5.556 |
| $15/64$ | .234375 | 5.953 |
| $1/4$ | .250 | 6.350 |
| $17/64$ | .265625 | 6.747 |
| $9/32$ | .28125 | 7.144 |
| $19/64$ | .296875 | 7.541 |
| $5/16$ | .3125 | 7.938 |
| $21/64$ | .328125 | 8.334 |
| $11/32$ | .34375 | 8.731 |
| $23/64$ | .359375 | 9.128 |
| $3/8$ | .375 | 9.525 |
| $25/64$ | .390625 | 9.922 |
| $13/32$ | .40625 | 10.319 |
| $27/64$ | .421875 | 10.716 |
| $7/16$ | .4375 | 11.113 |
| $29/64$ | .453125 | 11.509 |
| $15/32$ | .46875 | 11.906 |
| $31/64$ | .484375 | 12.303 |
| $1/2$ | .500 | 12.700 |

| Inches | | Millimeters |
|-----------|----------|-------------|
| Fractions | Decimals | |
| $33/64$ | .515625 | 13.097 |
| $17/32$ | .53125 | 13.494 |
| $35/64$ | .546875 | 13.891 |
| $9/16$ | .5625 | 14.288 |
| $37/64$ | .578125 | 14.684 |
| $19/32$ | .59375 | 15.081 |
| $39/64$ | .609375 | 15.478 |
| $5/8$ | .625 | 15.875 |
| $41/64$ | .640625 | 16.272 |
| $21/32$ | .65625 | 16.669 |
| $43/64$ | .671875 | 17.066 |
| $11/16$ | .6875 | 17.463 |
| $45/64$ | .703125 | 17.859 |
| $23/32$ | .71875 | 18.256 |
| $47/64$ | .734375 | 18.653 |
| $3/4$ | .750 | 19.050 |
| $49/64$ | .765625 | 19.447 |
| $25/32$ | .78125 | 19.844 |
| $51/64$ | .796875 | 20.241 |
| $13/16$ | .8125 | 20.638 |
| $53/64$ | .828125 | 21.034 |
| $27/32$ | .84375 | 21.431 |
| $55/64$ | .859375 | 21.828 |
| $7/8$ | .875 | 22.225 |
| $57/64$ | .890625 | 22.622 |
| $29/32$ | .90625 | 23.019 |
| $59/64$ | .921875 | 23.416 |
| $15/16$ | .9375 | 23.813 |
| $61/64$ | .953125 | 24.209 |
| $31/32$ | .96875 | 24.606 |
| $63/64$ | .984375 | 25.003 |
| 1 | 1.000 | 25.400 |



Weights and Measures

Length Conversion Constants

Metric to U.S.

Millimeters X .039370 = inches
 Meters X 39.370 = inches
 Meters X 3.2808 = feet
 Meters X 1.09361 = yards
 Kilometers X 3280.8 = feet
 Kilometers X .62137 = Statute Miles
 Kilometers X .53959 = Nautical Miles

U.S. to Metric

Inches X 25.400 = millimeters
 Inches X .0254 = meters
 Feet X .30480 = meters
 Yards X .91440 = meters
 Feet X .0003048 = kilometers
 Statute Miles X 1.60935 = kilometers
 Nautical Miles X 1.85325 = kilometers

Weight Conversion Constants

Metric to U.S.

Grams X 981 = dynes
 Grams X 15.432 = grains
 Grams X .03527 = ounces (Avd.)
 Grams X .033818 = fluid ounces (Water)
 Kilograms X 35.27 = ounces (Avd.)
 Kilograms X 2.20462 = pounds (Avd.)
 Metric Tons (1000 Kg) X 1.10231 = Net Ton
 (2000 lbs.)
 Metric Tons (1000 Kg) X .98421 = Gross Ton
 (2240 lbs.)

U.S. to Metric

Dynes X .0010193 = grams
 Grains X .0648 = grams
 Ounces (Avd.) X 28.35 = grams
 Fluid Ounces (Water) X 29.57 = grams
 Ounces (Avd.) X .02835 = kilograms
 Pounds (Avd.) X .45359 = kilograms
 Net Ton X (2000 lbs.) .90719 = Metric Tons
 (1000 Kg.)
 Gross Ton (2240 lbs.) X 1.01605 = Metric Tons
 (1000 Kg.)

Area Conversion Constants

Metric to U.S.

Square Millimeters X .00155 = square inches
 Square Centimeters X .155 = square inches
 Square Meters X 10.76387 = square feet
 Square Meters X 1.19599 = square yards
 Hectares X 2.47104 = acres
 Square Kilometers X 247.104 = acres
 Square Kilometers X .3861 = square miles

U.S. to Metric

Square Inches X 645.163 = square millimeters
 Square Inches X 6.45163 = square centimeters
 Square Feet X .0929 = square meters
 Square Yards X .83613 = square meters
 Acres X .40469 = hectares
 Acres X .0040469 = square kilometers
 Square Miles X 2.5899 = square kilometers

US

Gates Corporation
World Headquarters
1551 Wewatta Street
Denver CO 80202
800-777-6363
www.gates.com/pt

Canada

Gates Canada
519-759-4141
519-759-4567 fax
rdorion@gates.com

Export

Gates InterAmerica
954-306-4352
954-385-9991 fax
giamail@gates.com



CONNECT WITH US



www.facebook.com/GatesPowerTransmission



www.youtube.com/GatesPT



gatesbeltsandapplications.blogspot.com

Learn about Gates Mobile PT Toolkit App - visit www.gates.com/ptToolkitApp.

Find Product Application Engineering Resources at www.gates.com/drivedesign.



POWERING PROGRESS™

GATES CORPORATION
1551 Wewatta Street
Denver, CO 80202
800.777.6363
Gates.com/pt

19993
June 2012